R3850-1.104
11/86

LOS

LENGTH OF STAY

CPHA PUBLICATIONS

Length of Stay by Operation, Western Region, 1985

A Companion Volume To Length of Stay by Diagnosis, Western Region, 1985

Commission on Professional and Hospital Activities
Ann Arbor, Michigan
October, 1986

LENGTH OF STAY

Copyright 1986 by Commission on Professional and Hospital Activities (CPHA), Ann Arbor, Michigan. All rights reserved. Printed in the United States of America. This book, or parts thereof, may not be reproduced in any form without permission of the publisher.

Library of Congress Catalog Card Number: 73-173193

This volume is one of the books in a series entitled
Length of Stay . . .

. . . by Diagnosis, United States, 1985
. . . by Diagnosis, United States, North Central Region, 1985
. . . by Diagnosis, United States, Northeastern Region, 1985
. . . by Diagnosis, United States, Southern Region, 1985
. . . by Diagnosis, United States, Western Region, 1985
. . . by Diagnosis, Canada, 1985

. . . by Operation, United States, 1985
. . . by Operation, United States, North Central Region, 1985
. . . by Operation, United States, Northeastern Region, 1985
. . . by Operation, United States, Southern Region, 1985
. . . by Operation, United States, Western Region, 1985
. . . by Operation, Canada, 1985

Geriatric Length of Stay, by Diagnosis and Operation, United States, 1985
Pediatric Length of Stay, by Diagnosis and Operation, United States, 1985

The length of stay series began in 1963, and certain volumes are still available from the Commission on Professional and Hospital Activities.

PREFACE

This book is one volume of a set of 14 books presenting statistics on hospital stay during 1985 in North America. The complete set is the latest in a series of publications on length of stay in hospitals that participate in the Professional Activity Study (PAS) of the Commission on Professional and Hospital Activities. Several organizations have contributed data to CPHA from other abstracting services. Some of those data were included in the 1985 series.

These statistics, which are also available on computer-readable magnetic tape, can provide a valuable perspective for physicians, administrators, utilization review authorities, and planners who make decisions based on length of hospitalization. They can also serve as an aid in establishing check points for "continued stay review" and in the implementation or revision of utilization review systems.

We extend our appreciation to the hospitals and state organizations that supported this study by making their data available.

PROJECT STAFF
1985 LENGTH OF STAY BOOKS

Peg Eby, Research Assistant, Research Services
Carol A. Prevost, Research Associate
Jeanine DeLay, Assistant Director
Edward J. Kobrinski, Director

CONTENTS

Preface iii
Discussion of the Data 1
  Source of the Data. 1
  Data Quality. 2
  Coverage 3
  Organization of Length of Stay Tables. 5
    Definition of Multiple Diagnosis Patients 5
    Definition of Operated Patients 6
  Explanation of Statistics. 6
  Defining the Extended Stay Case 7
Length of Stay Tables 15
  Summary of All Patients. 16
  Operation Groups 501-764 17
Appendix: *ICD-9-CM* Codes for Selected Operation Groups 83
Index to Length of Stay Tables 87

DISCUSSION OF THE DATA

Source of the Data

Data in the length of stay books were compiled from individual patient discharge records submitted by hospitals participating in the Professional Activity Study (PAS) of the Commission on Professional and Hospital Activities (CPHA). In addition, some books contain discharge data from hospitals participating in information systems other than PAS.

CPHA is an organization dedicated to the improvement of hospital and medical care through research, education, publishing, and systems development. Established in 1955 under grants from the W.K. Kellogg Foundation, CPHA is nonprofit, nongovernmental, noncommercial. CPHA is sponsored by the American College of Physicians, the American College of Surgeons, the American Hospital Association, and the Southwestern Michigan Hospital Council.

The following steps explain the PAS method of storing and retrieving medical data:

1. In each participating hospital, personnel transfer data from the medical record of each discharged patient into the PAS System via PAS+ microcomputer, PAS Case Abstract, or magnetic tape.

2. The disk, abstract, or tape is mailed to the center of PAS operations in Ann Arbor, Michigan, where it is entered into the computer system.

3. Data then undergo a comprehensive editing process and errors are corrected by CPHA and contributing hospitals.

4. The computer system continually adds data to the permanent history file. Participating hospitals are provided access to these data through interactive systems, reports, and in-house computers. The stored data are also available to researchers on a contractual basis.

5. Length of stay statistics from this file are published annually in this series of books.

Data Quality

Data quality has always been and remains one of CPHA's major concerns. Although the hospital has basic responsibility for the quality of PAS data, CPHA shares that responsibility in its function as an extension of the hospital's medical information network. CPHA's position of leadership in health information processing systems and data usage necessitates a constant striving for data accuracy.

CPHA goes to considerable length to prevent and correct errors in data submission by training hospital medical record personnel in coding and abstracting methods, by monitoring submitted data, and by meticulously checking and editing the data for errors. Over 350 checks are performed during the processing of each record to ensure the reasonableness of the data received. Examples of discrepancies in the data that are detected by the audit are: hospital day of operative episode exceeding total stay, cesarean section with a normal delivery diagnosis, a sex-specific diagnosis or operation with the wrong sex recorded, incalculable age or stay, unrecorded or invalid diagnosis. When illogical, invalid, or missing data are detected, about 40 percent of the errors are corrected by the computer. The remainder are referred to the hospital staff through error messages generated by the computer.

In addition to the initial data editing, the computer system that produces the length of stay tables does numerous edits to eliminate uncorrected or unusual data. The following events noted on a record cause that record to be excluded:

1. death
2. stillborn
3. admitted from other short-term hospital
4. discharged to other short-term hospital
5. discharged against medical advice
6. length of stay greater than 99 days (included only in the percentile calculations)

These patient records were excluded because they do not represent typical short-term patients. Data that pass all the edits represent patients whose length of stay was solely determined and managed by the physician.

Coverage

Data chosen for inclusion in the length of stay series are from general, nonfederal, short-term hospitals in the United States. Short-term hospitals are defined as those in which the median stay is shorter than 30 days. The map indicates the boundaries of the regional books.

Most of the data used in the length of stay book series are from short-term, general hospitals participating in PAS through CPHA. In addition, the following organizations have sent data to CPHA: Alabama Hospital Association, Colorado Hospital Association, Illinois Hospital Association, Kaiser Foundation Hospitals, Kansas Hospital Association, Maine Hospital Association, Michigan Health Data Corporation, Missouri Health Data Corporation, The National Association of Children's Hospitals and Related Institutions, Inc. (NACHRI), Oregon Hospital Association, Sisters of Mercy Health Corporation (SMHC), Utilization Information Service of the Hospital Association of New York State, and the Vermont Hospital Association. Several individual hospitals throughout the United States have also sent data to CPHA for special studies. These contributed data expand CPHA as a national health information center. The cooperation of these organizations is appreciated.

Hospitals participating in PAS from United States Territories and Puerto Rico were excluded from the series. Data from psychiatric hospitals were excluded because the psychiatric hospitals are not general hospitals. Data from psychiatric units within general hospitals were included. Pediatric hospitals were also included.

Characteristics of all the hospitals with data included in the length of stay books are displayed on the following page.


Northeast
North Central
West
Pacific **
Mountain
West North Central
East North Central
Middle Atlantic
New England
South Atlantic
East South Central
West South Central
South
** Includes Alaska and Hawaii

Census Divisions and Regions in the United States

Bed Size, Region, and Census Division: Included Hospitals Compared with All Short-Term Nonfederal Hospitals[1] in the U.S. January-December 1985

	Short-Term Nonfederal Hospitals			Short-Term Nonfederal Hospital Beds		
	U.S. Total[2]	Number in Books	Percent in Books	U.S. Total[2]	Number in Books	Percent in Books
Hospital Category						
Bedsize						
6-24	332	44	13.3	6,138	880	14.3
25-49	1,161	226	19.5	42,908	8,735	20.3
50-99	1,283	383	29.9	92,066	27,587	30.0
100-199	1,221	393	32.2	172,860	56,242	32.5
200-299	703	232	33.0	170,564	57,368	33.6
300-399	415	142	34.2	141,454	48,545	34.3
400-499	265	90	34.0	117,253	39,787	33.9
500+	307	73	23.8	212,299	47,783	22.5
Total	5,687	1,583	27.8	955,542	286,927	30.0
Region and Census Division						
Northeast	814	342	42.0	205,568	67,158	32.7
New England	241	131	54.4	48,426	20,234	41.8
Middle Atlantic	573	211	36.8	157,142	46,924	29.9
North Central	1,673	515	30.8	267,603	105,699	39.5
East North Central	880	418	47.5	182,843	90,510	49.5
West North Central	793	97	12.2	84,760	15,189	17.9
South	2,139	366	17.1	338,647	61,836	18.3
South Atlantic	810	186	23.0	158,360	34,351	21.7
East South Central	496	89	17.9	71,653	13,196	18.4
West South Central	833	91	10.9	108,634	14,289	13.2
West	1,061	360	33.9	143,724	52,234	36.3
Mountain	370	153	41.4	40,264	19,940	49.5
Pacific	691	207	30.0	103,460	32,294	31.2
Total	5,687	1,583	27.8	955,542	286,927	30.0

The Pediatric book was compiled from the data of 1,569 hospitals. The Geriatric book was compiled from the data of 1,559 hospitals.

---

[1] Hospitals with average stay less than 30 days, excluding psychiatric hospitals.

[2] 1984 Annual Survey of Hospitals, magnetic tape, American Hospital Association.

Organization of Length of Stay Tables

The length of stay tables are organized according to CPHA's cross classification, a patient classification system similar to Diagnosis Related Groups (DRGs). The operated classification system is called *ICD-9-CM List B: Hospital Procedure Groups.*[1] Within each procedure group, patients are further stratified by single or multiple diagnoses and age.

Patient data were assigned *ICD-9-CM List B* groups on the basis of the principal procedure. "Principal procedure" is an item in the Uniform Hospital Discharge Data Set (UHDDS)[2] and generally is that therapeutic procedure most related to the principal diagnosis. Procedure information for all patient data included in this book was coded using *ICD-9-CM.*

In *List B* there are 250 groups that contain at least one UHDDS Class 1 procedure. Fourteen of the 264 *List B* groups consist solely of Class 2, 3, or 4 procedures. This book displays data only for those 250 groups with Class 1 procedures.

Definition of Multiple Diagnosis Patients

Patients are classified in the multiple diagnosis category if they had at least one valid secondary diagnosis in addition to the principal. The following codes are not considered valid secondary diagnoses for purposes of this classification:

1) Manifestation codes (conditions that evolved from underlying diseases [etiology] and are in italics in *ICD-9-CM Volume 1*[3])
2) Codes V27.0-V27.9 (outcome of delivery)
3) E codes (external causes of injury and poisoning)

---

[1] *ICD-9-CM List B: Hospital Procedure Groups* is based on the *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM),* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[2] Additional information regarding UHDDS principal procedure and classes of procedures can be obtained in *UHDDS Classes of Procedures, ICD-9-CM,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[3] *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM), Volume 1, Diseases: Tabular List,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

Definition of Operated Patients

Operated patients are patients with an *ICD-9-CM* procedure code that fell into a UHDDS category containing at least one Class 1 procedure. Class 1 procedures are defined as those procedures that carry an operative or anesthetic risk, require highly trained personnel, or require special facilities or equipment. The following *ICD-9-CM List B* codes contain a mixture of Class 1 and 2-4 procedures: 548, 557, 575, 576, 587, 609, 615, 619, 626, 630, 636, 646, 654, [illegible], 679, 682, 686, 690, 696, 706, 758, 760, 764. All the other *ICD-9-CM List B* groups contain only Class 1 procedures or they contain only Class 2-4 procedures and are excluded from this book.

Explanation of Statistics

The *List B* diagnosis group titles heading the tables are followed in parentheses by the *ICD-9-CM* diagnosis codes included in the *List B* group.

Length of stay was calculated by the computer from admission and discharge dates by counting the day of admission but not the day of discharge. Patients discharged on the day of admission were counted as staying one day in the calculation of average stay and variance but as staying less than one day in calculation of the percentiles. Thus, if more than 5 percent of the patients in a cell (one line of data within a table) were discharged on the day of admission, the 5th percentile is shown as "<1."

Patients who were hospitalized 100 days or longer are not included in Number of Patients, Average Stay, or Variance. The percentiles shown in columns 5 through 11, however, do include these patients.

The variance displayed is an unbiased estimate of the mean squared deviation from the average. For each cell it is calculated as $\sum_{i=1}^{N} (X_i - \overline{X})^2/(N - 1)$, where the X_i's are the length of stay for each patient, $\overline{X}$ is the average stay in the cell, and N is the number of patients in the cell.

The 5th, 10th, 50th, 75th, 90th, 95th, and 99th percentiles of stay are displayed in days. If, for example, the 10th percentile for a group of patients is four, it means that 10 percent of the patients stayed four days or less. The 50th percentile is the median. Any percentile with a value of 100 days or more is listed as 99+.

Determining a stay percentile for a group of patients is done by arranging the individual patient stays from low to high. Counting up from the lowest stay to the point where half of the patients have been counted yields the value of the 50th percentile. Counting off one-tenth of the total patients gives the 10th percentile, and so on.

Defining the Extended Stay Case

Concurrent review of a continuous hospital stay that equals or exceeds the period defined in the hospital's utilization review plan or memorandum of understanding with the utilization review authority is called extended stay review. This review, whether applied universally to all patients within the facility or focused on known or suspected problem areas, is designed to answer the following question: Is further hospitalization medically necessary?

Ideally, this question is posed at that point in the patient's hospitalization which is neither so early as to be annoyingly pointless nor so late that opportunity for cost containment has passed. The median (50th percentile) stay for similar patients, as reflected in current length of stay tables, represents an effort to arrive at a sensible compromise as to the correct day on which to initiate the review process.

To satisfy the requirements for extended stay review, a method of defining an extended stay must begin with a definition of factors that affect stay. Presented here is a technique for determining extended stay review dates according to the most important scheduled operation, whether the patient had single or multiple diagnoses, and the patient's age.

While the usual procedure for assigning the initial review date is based upon the admitting diagnosis (problem), there are circumstances when a table based upon the contemplated operation is much more meaningful. The latter situations involve diagnoses where two or more quite different operations (and different lengths of stay) could be appropriate managements. Examples would be benign prostatic hypertrophy (cystoscopy, transurethral resection [TUR] or other prostatectomy); primary malignancy of lung, suspected or previously diagnosed (bronchoscopy or resection of lung); and angina pectoris (coronary arteriography or bypass surgery). Many diagnoses, on the other hand, are usually managed by a single type of operation and the operated section of the diagnosis table and the operation table appear to be almost identical. Examples would be uncomplicated inguinal hernia (herniorrhaphy), acute appendicitis (appendectomy), and chronic cholecystitis with cholelithiasis (cholecystectomy).

An extended stay review date can be projected for each patient at the time of admission to the hospital by using one of the length of stay books published by CPHA. With the appropriate book, the six steps to determine a review date are as follows:

Step 1. Find the length of stay operation group (derived from the *ICD-9-CM List B: Hospital Procedure Groups*[1]) that contains the contemplated operation in one of the following ways:

a. Usually the diagnosis can be found in *Concurrent Review Screening,*[2] developed for admission certification and extended stay review purposes, in which diagnoses are listed alphabetically. The length of stay group for each diagnosis is given in column 4 where appropriate reference is made to the operation tables.

b. Procedures can also be found in the Alphabetic Index at the back of the length of stay books.

c. If an operation is not listed in the index to the length of stay tables, the code for the diagnosis can be found in Volume 3 of *ICD-9-CM.*[3] That code can then be located in *List B* or in the heading of the length of stay table.

Step 2. Find the appropriate table in the length of stay book. The group number precedes the title of each table.

Step 3. Find the appropriate part of the table for single or multiple diagnoses.

Step 4. Determine the patient's age on day of admission and locate the correct age group to find the appropriate cell.

Step 5. Find the 50th percentile of stay for similar patients at the point where the 50th percentile column (column 7) of the table intersects the horizontal line that includes the pertinent variables for the patient having an extended stay review date assigned.

Example: On 3 November a 57-year-old patient is admitted to a hospital for elective surgery, a transurethral resection. The admitting diagnosis is prostatic hyperplasia, and no secondary diagnoses are recorded. The following illustrations show the five steps for finding the date on which the patient becomes an extended stay case and must be reviewed.

---

[1] *ICD-9-CM List B: Hospital Procedure Groups,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[2] *Concurrent Review Screening – Criteria for Hospital Admission and Assignment of Length of Stay,* Second Edition, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[3] *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM), Volume 3, Procedures: Tabular List and Alphabetic Index,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

Step 1. The length of stay group can be found in any of the following ways.

a. Prostatic hyperplasia (benign prostatic hypertrophy) is listed as a diagnosis in *Concurrent Review Screening.* Select the contemplated surgery (TUR). The length of stay table in the operation volume is 648.

1 ADMITTING DIAGNOSIS	2 Suggested Admission Category	3 Your Hospital's Admission Category	4 Length of Stay Group
Pregnancy, undelivered			
pre-eclampsia, during pregnancy	3		261
Criteria for admission			
1. Diastolic BP > 110			
2. Not controlled by outpatient Rx			
3.			
4.			
premature labor, threatened	1		268
premature rupture of membranes	1		268
premature separation of placenta	1		265
Pre-infarction syndrome	1		142
Prepuce, redundant or phimosis	2		239
Proctitis	4		211
Prolonged labor, excludes uterine inertia	1		280
Prostatic hyperplasia	2		235
for: Cystoscopy			636
TUR			648
Other prostatectomy			649
Prostatitis			
acute	3		236
Criteria for admission			
1. Sepsis or fever > 102°, chills			
2. Abscess formation			

b. The Alphabetic Index at the back of the operation length of stay book also shows that TUR is included in operation group 648.



OPERATION INDEX (continued)

Group Number	Title
551	Palatoplasty
618	Pancreatectomy
618	Pancreatotomy
	Paracentesis
626	Abdominal
524	Anterior chamber (eye)
576	Thoracic
514	Parathyroidectomy
550	Parotidectomy
673	Pelvic exenteration
575	Pericardiocentesis
629	Peritoneal dialysis
628	Peritoneoscopy
557	Pharyngoscopy
556	Pharyngotomy
757	Phlebography
540	Piercing, ear
576	Pleurocentesis
	Plication
644	Urethral, urethrovesical
581	Vena cava
753	Pneumoencephalography
566	Pneumonectomy
659	Preputiotomy
608	Proctectomy
609	Proctopexy
619	Proctosigmoidoscopy, except surgical approach
609	Surgical approach (transabdominal)
607	Proctotomy
649	Prostatectomy, except transurethral approach
648	**Transurethral approach**
761	Psychiatric testing and evaluation
761	Psychotherapy
	Puncture
501	Cranial
512	Lumbar
501	Skull, for drainage
512	Spinal
758	Pyelogram (intravenous) (retrograde)
636	Pyeloscopy
632	Pyelotomy
590	Pyloromyotomy
596	Pyloroplasty

c. Transurethral resection can be found in Volume 3 of *ICD-9-CM* on page 408.



Procedure **INDEX TO PROCEDURES**

- **Procedure** — *continued*
  - diagnostic NEC — *continued*
    - pleura 34.28
    - posterior chamber, eye 14.19
    - prostate 60.18
    - pulmonary 33.29
    - rectum 48.29
    - renal 55.29
    - respiratory 33.29
    - retina 14.19
    - retroperitoneum 59.29
    - salivary gland or duct 26.19
    - sclera 12.29
    - scrotum 61.19
    - seminal vesicle 60.19
    - sigmoid 45.28
    - sinus, nasal 22.19
    - skin 86.19
    - skull 01.19
    - soft tissue 83.29
    - spermatic cord 63.09
    - sphincter of Oddi 51.19
    - spine, spinal (canal) (cord) (meninges) (structure) 03.39
    - spleen 41.39
    - stomach 44.19
    - subcutaneous tissue 86.19
    - sympathetic nerve 05.19
    - tarsus 09.19
    - tendon NEC 83.29
      - extraocular 15.09
    - testicle 62.19
    - thalamus 01.18
    - thoracic duct 40.19
    - thorax 34.28
    - thymus 07.19
    - thyroid gland 06.19
    - tongue 25.09
    - tonsils 28.19
    - tooth 24.19
    - trachea 31.49
    - tunica vaginalis 61.19
    - ureter 56.39
    - urethra 58.29
    - uterus and supporting structures 68.19
    - uvula 27.29
    - vagina 70.29
    - vas deferens 63.09
    - vesical 57.39
    - vessel (blood) (any site) 38.29
    - vitreous 14.19
    - vulva 71.19
  - fistulizing, sclera NEC 12.69
  - miscellaneous (nonoperative) NEC 99.99
  - respiratory (nonoperative) NEC 93.99
  - surgical — *see* Operation
- **Proctectasis** 96.22
- **Proctectomy** (partial) *(see also* Resection, rectum) 48.69
  - abdominoperineal 48.5
- **Proctectomy** (partial) — *continued*
  - complete (Miles) (Rankin) 48.5
  - pull-through 48.49
- **Proctoclysis** 96.37
- **Proctolysis** 48.99
- **Proctopexy** (Delorme) 48.76
  - abdominal (Ripstein) 48.75
- **Proctoplasty** 48.79
- **Proctorrhaphy** 48.71
- **Proctoscopy** 48.23
  - through stoma (artificial) 48.22
  - transabdominal approach 48.21
- **Proctosigmoidectomy** *(see also* Resection, rectum) 48.69
- **Proctosigmoidopexy** 48.76
- **Proctosigmoidoscopy** 48.23
  - through stoma (artificial) 48.22
  - transabdominal approach 48.21
- **Proctostomy** 48.1
- **Proctotomy** (decompression) (linear) 48.0
- **Production** — *see also* Formation
  - atrial septal defect 35.42
  - subcutaneous tunnel for esophageal anastomosis 42.86
    - with anastomosis — *see* Anastomosis, esophagus, antesternal
- **Prognathic recession** 76.64
- **Prophylaxis, dental** (scaling) (polishing) 96.54
- **Prostatectomy (complete) (partial) NEC** 60.69
  - loop 60.2
  - perineal 60.62
  - radical (any approach) 60.5
  - retropubic (punch) (transcapsular) 60.4
  - suprapubic (punch) (transvesical) 60.3
  - transcapsular NEC 60.69
    - retropubic 60.4
  - **transurethral 60.2**
  - transvesical punch (suprapubic) 60.3
- **Prostatocystotomy** 60.0
- **Prostatolithotomy** 60.0
- **Prostatotomy** (perineal) 60.0
- **Prostatovesiculectomy** 60.5
- **Protection** (of)
  - individual from his surroundings 99.84
  - surroundings from individual 99.84
- **Psychoanalysis** 94.31
- **Psychodrama** 94.43
- **Psychotherapy** NEC 94.39
  - biofeedback 94.39
  - exploratory verbal 94.37
  - group 94.44
    - for psychosexual dysfunctions 94.41
  - play 94.36
  - psychosexual dysfunctions 94.34
  - supportive verbal 94.38
- **Ptyalectasis** 26.91
- **Ptyalithotomy** 26.0
- **Ptyalolithotomy** 26.0

Step 2. Find the table for group 648 in the length of stay book.

648: Transurethral prostatectomy (60.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	33	6.7	12	2	3	6	8	11	15	18
20-34	39	6.4	19	2	3	6	8	11	13	27
35-49	428	6.6	9	3	4	6	8	10	13	18
50-64	7705	7.0	10	4	4	6	8	10	12	18
65+	16192	8.1	18	4	5	7	9	13	15	24
2. MULTIPLE DX										
0-19 YRS	54	9.6	33	3	4	8	13	16	23	30
20-34	78	13.3	270	2	4	8	14	27	49	94
35-49	679	8.8	45	3	4	7	10	15	20	36
50-64	13172	9.7	47	4	5	8	11	16	21	40
65+	42559	12.1	77	4	5	9	15	22	29	49
TOT. SINGLE DX	24397	7.8	17	4	4	7	9	12	15	22
" MULTIPLE DX	56542	11.5	72	4	5	9	14	21	28	47
TOTAL 0-19 YRS	87	8.5	28	2	4	7	10	15	19	29
20-34	117	11.0	197	2	3	7	11	21	32	90
35-49	1107	7.9	33	3	4	7	9	13	17	29
50-64	20877	8.7	35	4	4	7	10	14	18	34
65+	58751	11.0	65	4	5	9	13	20	26	44
GRAND TOTAL	80939	10.4	58	4	5	8	12	18	24	43

Step 3. There are no secondary diagnoses recorded, so attention is directed to the top five lines of the table (1. Single Dx).

648: Transurethral prostatectomy (60.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	33	6.7	12	2	3	6	8	11	15	18
20-34	39	6.4	19	2	3	6	8	11	13	27
35-49	428	6.6	9	3	4	6	8	10	13	18
50-64	7705	7.0	10	4	4	6	8	10	12	18
65+	16192	8.1	18	4	5	7	9	13	15	24
2. MULTIPLE DX										
0-19 YRS	54	9.6	33	3	4	8	13	16	23	30
20-34	78	13.3	270	2	4	8	14	27	49	94
35-49	679	8.8	45	3	4	7	10	15	20	36
50-64	13172	9.7	47	4	5	8	11	16	21	40
65+	42559	12.1	77	4	5	9	15	22	29	49
TOT. SINGLE DX	24397	7.8	17	4	4	7	9	12	15	22
" MULTIPLE DX	56542	11.5	72	4	5	9	14	21	28	47
TOTAL 0-19 YRS	87	8.5	28	2	4	7	10	15	19	29
20-34	117	11.0	197	2	3	7	11	21	32	90
35-49	1107	7.9	33	3	4	7	9	13	17	29
50-64	20877	8.7	35	4	4	7	10	14	18	34
65+	58751	11.0	65	4	5	9	13	20	26	44
GRAND TOTAL	80939	10.4	58	4	5	8	12	18	24	43

Step 4. The patient is 57 years old and therefore falls in the age group 50-64.

648: Transurethral prostatectomy (60.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	33	6.7	12	2	3	6	8	11	15	18
20-34	39	6.4	19	2	3	6	8	11	13	27
35-49	428	6.6	9	3	4	6	8	10	13	18
50-64	7705	7.0	10	4	4	6	8	10	12	18
65+	16192	8.1	18	4	5	7	9	13	15	24
2. MULTIPLE DX										
0-19 YRS	54	9.6	33	3	4	8	13	16	23	30
20-34	78	13.3	270	2	4	8	14	27	49	94
35-49	679	8.8	45	3	4	7	10	15	20	36
50-64	13172	9.7	47	4	5	8	11	16	21	40
65+	42559	12.1	77	4	5	9	15	22	29	49
TOT. SINGLE DX	24397	7.8	17	4	4	7	9	12	15	22
" MULTIPLE DX	56542	11.5	72	4	5	9	14	21	28	47
TOTAL 0-19 YRS	87	8.5	28	2	4	7	10	15	19	29
20-34	117	11.0	197	2	3	7	11	21	32	90
35-49	1107	7.9	33	3	4	7	9	13	17	29
50-64	20877	8.7	35	4	4	7	10	14	18	34
65+	58751	11.0	65	4	5	9	13	20	26	44
GRAND TOTAL	80939	10.4	58	4	5	8	12	18	24	43

Step 5. The 50th percentile day is the date assigned for the initial extended stay review. Column 7 shows the sixth day after admission to be the day that this patient comes up for extended stay review.

648: Transurethral prostatectomy (60.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	33	6.7	12	2	3	6	8	11	15	18
20-34	39	6.4	19	2	3	6	8	11	13	27
35-49	428	6.6	9	3	4	6	8	10	13	18
50-64	7705	7.0	10	4	4	6	8	10	12	18
65+	16192	8.1	18	4	5	7	9	13	15	24
2. MULTIPLE DX										
0-19 YRS	54	9.6	33	3	4	8	13	16	23	30
20-34	78	13.3	270	2	4	8	14	27	49	94
35-49	679	8.8	45	3	4	7	10	15	20	36
50-64	13172	9.7	47	4	5	8	11	16	21	40
65+	42559	12.1	77	4	5	9	15	22	29	49
TOT. SINGLE DX	24397	7.8	17	4	4	7	9	12	15	22
" MULTIPLE DX	56542	11.5	72	4	5	9	14	21	28	47
TOTAL 0-19 YRS	87	8.5	28	2	4	7	10	15	19	29
20-34	117	11.0	197	2	3	7	11	21	32	90
35-49	1107	7.9	33	3	4	7	9	13	17	29
50-64	20877	8.7	35	4	4	7	10	14	18	34
65+	58751	11.0	65	4	5	9	13	20	26	44
GRAND TOTAL	80939	10.4	58	4	5	8	12	18	24	43

The patient was admitted on 3 November; therefore the sixth day will fall on 9 November. Prior to or on 9 November the groups responsible for conducting extended stay review will make a finding as to whether further stay is medically necessary.

In the above example, the stay percentile used to define extended stay was the 50th percentile (column 7). If, based on the initial review, the patient's stay in the hospital was approved for extension beyond the 50th percentile, the date for the second extended stay review is determined in accordance with the hospital's plan, e.g., the 75th percentile.

Subsequent extended stay review dates should be set by the physician advisor or the utilization review committee as necessary based on the patient's medical condition and the attending physician's evaluation of the patient's progress.

Length of Stay Tables

SUMMARY OF ALL PATIENTS IN OPERATION GROUPS

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	66649	2.4	8	<1	<1	2	3	4	6	14
20-34	178583	2.5	5	<1	1	2	3	4	6	10
35-49	63190	3.3	10	<1	1	2	4	7	9	14
50-64	46040	3.8	12	<1	1	3	5	8	10	15
65+	38708	4.7	18	<1	1	3	7	10	12	18
2. MULTIPLE DX										
0-19 YRS	70098	5.2	75	<1	1	3	5	11	19	55
20-34	188544	4.2	27	1	1	3	5	7	11	27
35-49	122206	5.5	39	1	1	4	6	10	15	33
50-64	150945	6.6	50	1	1	5	8	13	18	37
65+	285950	7.8	55	1	2	6	10	15	21	38
TOT. SINGLE DX	393170	3.0	9	<1	1	2	4	6	8	14
" MULTIPLE DX	817743	6.2	49	1	1	4	8	13	18	37
TOTAL 0-19 YRS	136747	3.8	45	<1	1	2	4	7	12	39
20-34	367127	3.3	17	1	1	2	4	6	8	20
35-49	185396	4.7	30	1	1	4	6	9	13	28
50-64	196985	5.9	43	1	1	4	8	12	16	33
65+	324658	7.5	52	1	2	6	10	15	20	37
GRAND TOTAL	**1210913**	**5.1**	**38**	**1**	**1**	**3**	**6**	**11**	**15**	**31**

501: Incision, excision of skull, brain, and cerebral meninges (01.01-01.15; 01.3-01.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	105	6.3	33	<1	1	5	9	14	15	31
20-34	98	7.8	17	2	3	8	10	14	16	22
35-49	147	7.3	14	1	3	7	10	11	14	20
50-64	158	8.2	24	3	4	7	10	14	18	28
65+	179	9.7	34	3	4	9	12	17	23	31
2. MULTIPLE DX										
0-19 YRS	210	12.4	133	1	2	9	16	27	45	99+
20-34	257	18.4	350	4	5	12	24	61	97	99+
35-49	326	14.4	169	3	5	11	17	31	44	82
50-64	480	15.6	183	3	5	11	18	34	46	94
65+	718	16.3	138	4	6	13	20	31	41	58
TOT. SINGLE DX	687	8.0	26	1	3	7	10	14	17	28
" MULTIPLE DX	1991	15.7	183	3	5	12	19	34	47	99+
TOTAL 0-19 YRS	315	10.4	108	1	1	8	13	24	33	99+
20-34	355	15.4	281	3	4	10	17	42	78	99+
35-49	473	12.2	131	2	4	9	14	24	37	70
50-64	638	13.8	154	3	5	10	16	28	41	83
65+	897	15.0	125	4	5	12	19	29	37	57
GRAND TOTAL	**2678**	**13.7**	**154**	**2**	**4**	**10**	**17**	**28**	**41**	**96**

502: Craniotomy and craniectomy (01.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	58	4.9	9	2	2	4	6	8	10	18
20-34	41	8.9	127	2	2	5	9	16	26	68
35-49	36	7.7	13	2	3	7	11	13	16	99+
50-64	46	10.2	89	3	3	7	12	17	26	52
65+	38	9.6	121	3	4	8	10	14	15	73
2. MULTIPLE DX										
0-19 YRS	128	16.0	287	3	4	9	21	39	51	76
20-34	124	16.1	253	3	5	11	19	30	57	81
35-49	107	16.6	250	3	4	12	19	35	58	75
50-64	117	17.4	245	4	5	12	21	37	50	80
65+	168	18.7	268	5	6	14	23	36	61	91
TOT. SINGLE DX	219	8.0	71	2	3	6	10	14	17	69
" MULTIPLE DX	644	17.1	262	4	5	12	20	36	56	79
TOTAL 0-19 YRS	186	12.6	227	3	3	6	12	34	46	74
20-34	165	14.3	231	2	3	9	16	28	50	80
35-49	143	14.3	205	3	4	11	16	32	55	79
50-64	163	15.4	211	4	4	11	17	33	47	77
65+	206	17.0	253	5	5	12	19	32	59	91
GRAND TOTAL	**863**	**14.8**	**229**	**3**	**4**	**10**	**17**	**32**	**50**	**79**

503: Cranioplasty (02.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	235	4.2	6	1	2	4	5	6	8	11
20-34	56	4.5	7	1	2	4	5	8	11	13
35-49	28	4.6	6	2	2	4	6	8	11	11
50-64	16	8.1	137	1	2	5	7	12	39	51
65+	12	6.0	15	2	2	5	7	12	15	16
2. MULTIPLE DX										
0-19 YRS	181	7.5	116	1	2	4	8	13	20	70
20-34	133	10.0	143	2	3	6	11	23	34	67
35-49	50	11.5	176	3	3	6	13	28	48	59
50-64	29	6.6	15	1	2	6	8	13	15	18
65+	27	8.2	38	3	4	6	10	14	23	31
TOT. SINGLE DX	347	4.5	13	1	2	4	5	7	9	13
" MULTIPLE DX	420	8.8	122	2	2	5	9	16	29	62
TOTAL 0-19 YRS	416	5.6	57	1	2	4	5	9	13	42
20-34	189	8.4	109	2	2	5	9	16	29	60
35-49	78	9.0	125	2	2	5	9	18	39	57
50-64	45	7.1	57	1	2	6	7	12	16	51
65+	39	7.5	32	3	3	6	9	14	19	31
GRAND TOTAL	**767**	**6.8**	**77**	**2**	**2**	**4**	**7**	**12**	**18**	**53**

504: Ventricular shunt, extracranial (02.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	61	5.1	14	2	2	4	6	8	12	22
20-34	13	6.1	9	2	2	5	8	11	11	11
35-49	8	5.9	7	3	3	6	8	10	10	10
50-64	13	6.0	8	3	3	5	7	10	12	13
65+	48	7.8	13	2	3	7	9	12	15	21
2. MULTIPLE DX										
0-19 YRS	157	12.9	204	3	3	7	17	33	57	99+
20-34	46	13.6	182	3	3	9	14	37	46	61
35-49	33	15.0	413	2	3	10	17	31	91	99+
50-64	62	16.2	200	3	5	12	20	36	41	79
65+	199	15.2	117	4	5	13	20	29	39	91
TOT. SINGLE DX	143	6.2	14	2	2	6	8	11	13	21
" MULTIPLE DX	497	14.4	181	3	4	10	19	31	46	99+
TOTAL 0-19 YRS	218	10.7	164	2	3	6	11	25	45	99+
20-34	59	11.9	153	2	3	7	12	31	44	60
35-49	41	13.2	345	2	3	9	14	24	90	99+
50-64	75	14.5	182	3	4	10	18	35	38	75
65+	247	13.7	106	4	5	10	18	28	36	82
GRAND TOTAL	**640**	**12.6**	**155**	**3**	**3**	**8**	**16**	**28**	**39**	**92**

505: Miscellaneous operations on brain and cerebral meninges (02.1-02.2; 02.4-02.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	106	4.0	8	1	1	3	5	7	9	17
20-34	41	4.9	7	1	1	5	7	9	10	11
35-49	23	7.0	82	1	2	5	6	14	25	45
50-64	9	4.3	8	<1	1	3	6	9	9	9
65+	10	5.8	23	<1	<1	5	9	13	14	14
2. MULTIPLE DX										
0-19 YRS	419	8.1	117	1	2	4	9	19	28	78
20-34	156	15.1	281	2	2	8	20	45	56	99+
35-49	81	15.0	284	1	3	10	17	38	63	99+
50-64	98	15.2	182	3	4	11	22	35	47	85
65+	128	14.1	155	2	3	11	20	29	40	92
TOT. SINGLE DX	189	4.7	19	1	1	4	6	9	11	19
" MULTIPLE DX	882	11.6	185	1	2	7	15	28	42	98
TOTAL 0-19 YRS	525	7.2	98	1	1	4	8	16	24	63
20-34	197	12.9	241	2	2	7	17	37	51	99+
35-49	104	13.3	250	1	2	8	15	33	50	99+
50-64	107	14.3	176	2	3	10	19	34	45	82
65+	138	13.5	151	1	2	10	19	28	40	91
GRAND TOTAL	**1071**	**10.4**	**163**	**1**	**2**	**6**	**13**	**25**	**39**	**90**

506: Exploration and decompression of spinal canal structures (03.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	18	7.8	26	2	3	7	9	12	20	25
20-34	200	7.4	26	3	3	6	9	11	13	35
35-49	447	6.8	12	3	3	6	8	10	13	19
50-64	441	6.9	11	3	4	6	8	10	13	22
65+	352	8.1	13	3	4	7	10	13	15	22
2. MULTIPLE DX										
0-19 YRS	32	18.0	216	3	4	14	24	34	51	68
20-34	271	10.0	64	4	4	8	12	17	22	36
35-49	577	9.6	48	3	4	8	11	17	23	45
50-64	881	10.2	81	4	5	8	11	16	22	59
65+	1205	12.5	79	5	5	10	15	21	29	50
TOT. SINGLE DX	1458	7.2	15	3	4	7	9	12	14	22
" MULTIPLE DX	2966	11.1	76	4	5	9	13	19	26	52
TOTAL 0-19 YRS	50	14.3	171	3	4	10	19	31	37	68
20-34	471	8.9	50	3	4	7	10	15	21	36
35-49	1024	8.4	35	3	4	7	10	14	19	34
50-64	1322	9.1	61	3	4	7	10	15	19	42
65+	1557	11.5	68	4	5	9	13	20	26	48
GRAND TOTAL	**4424**	**9.8**	**59**	**3**	**4**	**8**	**11**	**17**	**22**	**42**

507: Operations on spinal cord structures, except exploration (03.1-03.2; 03.32; 03.4-03.8; 03.93-03.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	42	6.0	14	1	1	6	9	10	12	19
20-34	135	4.6	14	<1	1	3	8	10	12	17
35-49	142	4.7	20	1	1	3	6	10	12	28
50-64	75	5.8	17	1	1	5	8	12	15	18
65+	33	6.2	14	1	1	6	9	11	13	14
2. MULTIPLE DX										
0-19 YRS	88	11.4	73	2	3	9	14	24	29	40
20-34	198	10.4	96	2	2	8	14	21	32	50
35-49	235	9.4	90	1	2	6	12	19	28	52
50-64	178	11.3	101	2	3	8	14	21	33	60
65+	157	13.8	137	2	2	11	19	27	41	56
TOT. SINGLE DX	427	5.1	17	1	1	4	7	11	12	18
" MULTIPLE DX	856	11.1	103	2	2	8	14	23	32	52
TOTAL 0-19 YRS	130	9.7	61	1	2	8	12	19	26	40
20-34	333	8.1	72	1	1	6	11	17	22	47
35-49	377	7.6	70	1	1	5	9	16	23	47
50-64	253	9.7	83	1	2	7	12	18	27	52
65+	190	12.5	124	2	2	10	16	26	40	54
GRAND TOTAL	**1283**	**9.1**	**82**	**1**	**2**	**6**	**11**	**19**	**27**	**48**

508: Excision or destruction of lesion of cranial or peripheral nerve (04.0-04.12)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	32	2.1	3	<1	<1	1	3	6	7	7
20-34	127	2.5	8	<1	<1	1	3	7	8	13
35-49	151	2.6	6	<1	<1	1	3	7	8	10
50-64	148	2.6	6	<1	<1	2	3	7	8	12
65+	83	2.7	5	<1	<1	2	3	6	8	11
2. MULTIPLE DX										
0-19 YRS	26	4.1	24	<1	1	2	4	11	14	23
20-34	121	4.8	50	<1	<1	2	5	11	15	42
35-49	128	4.3	20	1	1	3	6	10	11	20
50-64	155	5.8	45	1	1	3	8	13	21	28
65+	143	6.1	46	1	1	3	9	14	19	36
TOT. SINGLE DX	541	2.6	7	<1	<1	1	3	7	8	11
" MULTIPLE DX	573	5.3	41	<1	1	3	7	12	16	37
TOTAL 0-19 YRS	58	3.0	13	<1	<1	2	3	7	10	22
20-34	248	3.6	30	<1	<1	2	4	8	12	37
35-49	279	3.4	14	<1	<1	2	5	8	10	14
50-64	303	4.2	29	<1	1	2	5	10	14	24
65+	226	4.9	34	<1	1	3	7	11	15	35
GRAND TOTAL	**1114**	**4.0**	**26**	**<1**	**<1**	**2**	**5**	**9**	**12**	**24**

509: Miscellaneous operations on cranial and other peripheral nerves (04.2-04.7; 04.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	110	1.4		<1	<1	1	2	2	3	4
20-34	534	1.6	1	<1	<1	1	2	3	4	6
35-49	605	1.6	1	<1	<1	1	2	3	4	7
50-64	481	1.6	1	<1	<1	1	2	3	5	7
65+	245	1.9	3	<1	<1	1	2	4	6	12
2. MULTIPLE DX										
0-19 YRS	154	2.5	12	<1	<1	1	3	5	8	20
20-34	512	2.7	9	<1	<1	2	3	5	8	15
35-49	474	2.7	9	<1	<1	2	3	6	8	15
50-64	501	2.9	8	<1	<1	2	3	7	8	15
65+	342	3.1	13	<1	1	2	3	8	11	17
TOT. SINGLE DX	1975	1.7	2	<1	<1	1	2	3	4	7
" MULTIPLE DX	1983	2.8	10	<1	<1	2	3	6	9	16
TOTAL 0-19 YRS	264	2.1	8	<1	<1	1	2	3	6	11
20-34	1046	2.1	6	<1	<1	1	2	4	6	12
35-49	1079	2.1	5	<1	<1	1	2	4	6	11
50-64	982	2.3	6	<1	<1	1	2	5	7	11
65+	587	2.6	10	<1	<1	1	3	6	9	14
GRAND TOTAL	**3958**	**2.2**	**6**	**<1**	**<1**	**1**	**2**	**4**	**7**	**12**

510: Sympathectomy (05.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34	27	4.3	2	2	2	4	5	6	7	8
35-49	15	3.7	6	<1	<1	3	6	8	8	8
50-64	14	3.6	2	<1	2	3	4	6	7	8
65+	13	7.5	18	3	3	6	10	13	18	19
2. MULTIPLE DX										
0-19 YRS	4	6.5	29	1	1	5	10	14	14	14
20-34	49	6.2	66	1	2	4	6	9	11	56
35-49	35	5.8	13	1	3	5	7	10	13	21
50-64	46	7.2	29	1	2	6	9	13	16	33
65+	74	9.8	55	2	4	7	13	18	23	41
TOT. SINGLE DX	69	4.6	8	<1	2	4	5	8	10	17
" MULTIPLE DX	208	7.6	47	1	3	6	9	15	19	38
TOTAL 0-19 YRS	4	6.5	30	1	1	5	10	14	14	14
20-34	76	5.5	45	1	2	4	6	8	10	48
35-49	50	5.2	12	<1	1	5	6	9	10	21
50-64	60	6.4	26	1	2	5	8	11	15	32
65+	87	9.4	50	3	4	7	12	18	22	40
GRAND TOTAL	**277**	**6.9**	**39**	**1**	**2**	**5**	**8**	**14**	**18**	**34**

511: Miscellaneous operations on sympathetic nerves and ganglia (05.0-05.11; 05.3-05.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	2	7.0	18	4	4	7	10	10	10	10
20-34	17	2.8	5	<1	<1	2	3	7	8	8
35-49	19	3.6	16	<1	<1	2	3	10	14	16
50-64	12	3.8	15	1	1	2	5	9	14	15
65+	9	3.0	13	<1	<1	1	4	9	12	12
2. MULTIPLE DX										
0-19 YRS	2	1.0		1	1	1	1	1	1	1
20-34	37	7.2	39	<1	1	6	10	15	21	27
35-49	38	9.6	79	1	1	7	15	22	26	38
50-64	28	9.3	137	1	1	5	10	25	34	52
65+	56	7.4	32	1	1	6	11	14	20	23
TOT. SINGLE DX	59	3.4	12	<1	<1	2	4	8	12	16
" MULTIPLE DX	161	8.1	64	1	1	6	11	20	23	37
TOTAL 0-19 YRS	4	4.0	18	1	1	3	7	10	10	10
20-34	54	5.8	33	<1	<1	4	8	12	20	27
35-49	57	7.6	66	<1	1	3	11	20	24	37
50-64	40	7.6	106	1	1	4	8	22	29	52
65+	65	6.8	32	1	1	5	10	14	20	23
GRAND TOTAL	**220**	**6.9**	**54**	**<1**	**1**	**4**	**9**	**17**	**22**	**34**

512: Miscellaneous diagnostic and therapeutic procedures on nervous system (01.18-01.19; 03.31; 03.39; 03.91-03.92; 04.19; 04.8; 05.19)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

513: Thyroidectomy (06.2-06.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	61	2.7	2	1	1	2	3	5	5	9
20-34	519	2.5	1	1	1	2	3	4	4	6
35-49	643	2.5	1	1	1	2	3	4	4	6
50-64	400	2.6	1	1	1	3	3	4	5	6
65+	198	3.0	1	1	1	3	4	4	5	8
2. MULTIPLE DX										
0-19 YRS	35	3.3	4	1	1	3	4	5	7	12
20-34	264	3.7	17	1	2	3	4	6	8	15
35-49	420	3.2	3	1	1	3	4	5	6	11
50-64	425	3.7	7	1	2	3	4	5	8	17
65+	338	5.5	40	1	2	4	5	10	16	32
TOT. SINGLE DX	1821	2.6	1	1	1	2	3	4	5	6
" MULTIPLE DX	1482	3.9	16	1	2	3	4	6	9	19
TOTAL 0-19 YRS	96	2.9	3	1	1	3	4	5	5	11
20-34	783	2.9	7	1	1	3	3	4	5	10
35-49	1063	2.8	2	1	1	3	3	4	5	8
50-64	825	3.2	5	1	1	3	4	5	6	12
65+	536	4.6	28	1	2	3	5	8	13	24
GRAND TOTAL	**3303**	**3.2**	**9**	**1**	**1**	**3**	**4**	**5**	**6**	**14**

514: Operations on parathyroid and thyroid, except thyroidectomy (06.01-06.13; 06.7-06.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	132	1.5	3	<1	<1	1	2	2	3	10
20-34	97	1.8	1	<1	1	1	2	3	4	7
35-49	63	2.4	3	1	1	2	3	4	6	10
50-64	74	2.6	1	1	1	3	3	4	5	6
65+	39	3.4	3	1	1	3	4	6	7	9
2. MULTIPLE DX										
0-19 YRS	35	3.8	10	<1	<1	3	6	8	10	15
20-34	76	5.5	35	1	2	4	7	11	13	39
35-49	128	4.9	16	1	2	4	5	10	14	19
50-64	198	5.7	66	1	2	4	6	9	15	45
65+	186	6.5	53	1	2	4	7	13	19	41
TOT. SINGLE DX	405	2.1	3	<1	<1	2	3	4	5	8
" MULTIPLE DX	623	5.6	46	1	2	4	6	10	16	32
TOTAL 0-19 YRS	167	2.0	5	<1	<1	1	2	4	7	14
20-34	173	3.4	19	1	1	2	4	7	10	22
35-49	191	4.1	13	1	1	3	5	8	12	17
50-64	272	4.9	51	1	1	3	5	8	12	29
65+	225	6.0	46	1	2	4	6	11	17	37
GRAND TOTAL	**1028**	**4.3**	**32**	**1**	**1**	**3**	**5**	**8**	**12**	**28**

515: Operations on endocrine glands, except parathyroid and thyroid (07.00-07.17; 07.2-07.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	13	7.2	16	1	3	6	9	13	16	17
20-34	40	6.1	3	3	4	6	7	9	10	10
35-49	30	6.8	7	4	4	6	8	11	14	14
50-64	30	7.5	8	4	4	7	9	10	11	19
65+	11	8.9	28	3	5	7	9	19	21	21
2. MULTIPLE DX										
0-19 YRS	14	10.4	53	4	5	8	11	20	29	31
20-34	61	8.9	34	4	4	7	10	15	24	34
35-49	70	9.7	30	5	5	8	12	17	21	33
50-64	95	10.3	52	4	5	8	11	15	25	42
65+	77	12.2	156	2	4	9	14	23	29	83
TOT. SINGLE DX	124	6.9	10	3	4	6	8	10	13	20
" MULTIPLE DX	317	10.4	70	4	5	8	12	18	25	39
TOTAL 0-19 YRS	27	8.9	37	3	4	7	10	17	21	31
20-34	101	7.8	24	3	4	7	8	12	16	30
35-49	100	8.8	25	4	5	7	10	14	19	30
50-64	125	9.6	43	4	5	8	11	13	22	39
65+	88	11.8	141	2	4	8	14	20	26	77
GRAND TOTAL	**441**	**9.4**	**55**	**4**	**4**	**8**	**11**	**16**	**22**	**36**

516: Miscellaneous diagnostic and therapeutic procedures on endocrine system (06.19; 07.19)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

517: Excision or destruction of lesion or tissue of eyelid (08.11; 08.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	49	1.1		<1	<1	<1	<1	1	2	5
20-34	7	1.1		<1	<1	<1	1	2	2	2
35-49	9	1.1		<1	<1	<1	1	2	2	2
50-64	11	1.9	4	<1	<1	<1	1	6	8	8
65+	23	1.6	1	<1	<1	1	2	2	4	7
2. MULTIPLE DX										
0-19 YRS	10	1.4	1	<1	<1	<1	1	3	5	5
20-34	7	4.1	43	<1	<1	2	3	16	19	19
35-49	11	1.2		1	1	1	1	2	2	2
50-64	25	2.6	11	<1	<1	1	2	11	11	12
65+	47	4.8	62	<1	<1	1	7	10	16	49
TOT. SINGLE DX	99	1.3	1	<1	<1	<1	1	2	2	8
" MULTIPLE DX	100	3.5	36	<1	<1	1	2	9	13	34
TOTAL 0-19 YRS	59	1.2	1	<1	<1	<1	<1	1	2	5
20-34	14	2.6	23	<1	<1	1	2	5	16	19
35-49	20	1.2		<1	<1	1	1	2	2	2
50-64	36	2.4	9	<1	<1	1	2	8	11	12
65+	70	3.7	44	<1	<1	1	3	9	14	43
GRAND TOTAL	**199**	**2.4**	**20**	**<1**	**<1**	**1**	**2**	**6**	**9**	**19**

518: Miscellaneous operations on eyelid (08.0; 08.3-08.8; 08.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	99	1.1		<1	<1	1	1	2	2	3
20-34	24	1.5		<1	<1	1	2	3	4	4
35-49	37	1.3		<1	<1	1	1	2	3	6
50-64	59	1.3		<1	<1	1	1	2	2	8
65+	61	1.2		<1	<1	<1	1	2	2	6
2. MULTIPLE DX										
0-19 YRS	175	2.0	3	<1	<1	1	2	5	6	9
20-34	210	3.0	20	<1	<1	2	4	5	7	36
35-49	99	3.4	15	<1	1	2	3	8	13	19
50-64	140	3.0	19	<1	1	1	3	7	10	23
65+	216	4.3	35	<1	1	2	5	11	19	28
TOT. SINGLE DX	280	1.2	1	<1	<1	1	1	2	2	5
" MULTIPLE DX	840	3.2	21	<1	1	2	3	7	11	24
TOTAL 0-19 YRS	274	1.7	2	<1	<1	1	2	3	5	8
20-34	234	2.8	19	<1	<1	2	3	5	7	29
35-49	136	2.8	12	<1	<1	1	3	6	11	18
50-64	199	2.5	15	<1	<1	1	2	5	8	22
65+	277	3.6	30	<1	<1	1	4	9	15	27
GRAND TOTAL	**1120**	**2.7**	**16**	**<1**	**<1**	**1**	**3**	**6**	**9**	**23**

519: Operations on lacrimal system (09.0-09.12; 09.2-09.3; 09.5-09.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	37	1.2		<1	<1	1	1	2	3	4
20-34	25	1.2		<1	<1	1	1	3	3	3
35-49	14	1.2		<1	<1	1	1	2	2	2
50-64	33	1.3		1	1	1	1	2	2	4
65+	24	1.4		<1	1	1	2	2	3	3
2. MULTIPLE DX										
0-19 YRS	36	1.6	1	<1	<1	1	2	3	5	6
20-34	29	1.3		<1	<1	1	1	2	3	5
35-49	33	1.9	1	<1	<1	1	2	3	5	7
50-64	39	1.8	3	<1	1	1	2	3	6	11
65+	93	1.6		1	1	1	2	3	3	5
TOT. SINGLE DX	133	1.3		<1	<1	1	1	2	3	4
" MULTIPLE DX	230	1.6	1	<1	1	1	2	3	4	6
TOTAL 0-19 YRS	73	1.4	1	<1	<1	1	1	2	4	6
20-34	54	1.3	1	<1	<1	1	1	2	3	5
35-49	47	1.7	1	<1	<1	1	2	3	4	7
50-64	72	1.6	2	1	1	1	2	2	4	10
65+	117	1.6	1	1	1	1	2	3	3	5
GRAND TOTAL	**363**	**1.5**	**1**	**<1**	**1**	**1**	**2**	**3**	**3**	**6**

520: Operations on conjunctiva (10.0-10.21; 10.3-10.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	13	1.2		<1	<1	<1	1	2	3	3
20-34	3	3.7	14	<1	<1	2	6	8	8	8
35-49	1	1.0		<1	<1	<1	<1	<1	<1	<1
50-64	3	1.0		<1	<1	<1	1	1	1	1
65+	2	6.5	61	<1	<1	6	12	12	12	12
2. MULTIPLE DX										
0-19 YRS	10	3.5	12	<1	<1	2	6	9	10	10
20-34	4	1.5	1	<1	<1	1	2	3	3	3
35-49	3	4.0	7	<1	<1	5	6	6	6	6
50-64	8	2.5	3	1	1	2	4	6	6	6
65+	11	3.8	9	<1	<1	3	5	9	10	10
TOT. SINGLE DX	22	2.0	7	<1	<1	<1	1	4	10	12
" MULTIPLE DX	36	3.2	8	<1	<1	2	5	9	10	10
TOTAL 0-19 YRS	23	2.2	7	<1	<1	<1	2	7	9	10
20-34	7	2.4	7	<1	<1	1	3	7	8	8
35-49	4	3.3	7	<1	<1	3	5	6	6	6
50-64	11	2.1	3	<1	<1	1	2	5	6	6
65+	13	4.2	14	<1	<1	3	6	10	12	12
GRAND TOTAL	**58**	**2.7**	**8**	**<1**	**<1**	**1**	**3**	**7**	**10**	**12**

521: Corneal transplant (11.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	12	1.7	1	<1	<1	1	2	3	4	4
20-34	92	1.8	1	<1	1	1	2	3	4	6
35-49	76	2.0	1	1	1	2	3	4	4	4
50-64	53	1.8	1	<1	<1	1	2	3	4	6
65+	146	1.6		1	1	1	2	3	4	5
2. MULTIPLE DX										
0-19 YRS	18	2.0	1	1	1	2	3	4	4	4
20-34	50	2.8	33	1	1	2	3	4	5	42
35-49	74	3.0	17	1	1	2	3	5	11	25
50-64	127	2.6	4	1	1	2	3	5	6	12
65+	536	2.7	8	1	1	2	3	5	6	11
TOT. SINGLE DX	379	1.8	1	<1	1	1	2	3	4	5
" MULTIPLE DX	805	2.7	10	1	1	2	3	5	6	14
TOTAL 0-19 YRS	30	1.9	1	1	1	1	3	4	4	4
20-34	142	2.1	13	<1	1	1	3	3	4	10
35-49	150	2.5	9	1	1	2	3	4	5	21
50-64	180	2.4	4	1	1	2	3	4	6	10
65+	682	2.5	7	1	1	2	3	4	5	10
GRAND TOTAL	**1184**	**2.4**	**7**	**1**	**1**	**2**	**3**	**4**	**5**	**11**

522: Miscellaneous operations on cornea (11.0-11.22; 11.3-11.5; 11.7-11.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	71	2.3	4	<1	<1	1	3	5	5	12
20-34	195	1.4		<1	<1	<1	1	3	3	6
35-49	127	1.2		<1	<1	<1	<1	2	3	5
50-64	42	1.6	2	<1	<1	<1	1	4	6	6
65+	28	1.4	1	<1	<1	1	2	2	3	6
2. MULTIPLE DX										
0-19 YRS	63	2.9	3	1	1	2	4	5	7	8
20-34	78	2.4	5	<1	<1	1	3	5	5	14
35-49	62	2.2	1	<1	<1	2	3	4	5	6
50-64	32	3.2	20	<1	<1	2	3	7	15	22
65+	62	3.1	15	<1	1	2	4	7	8	25
TOT. SINGLE DX	463	1.5	2	<1	<1	<1	1	3	4	6
" MULTIPLE DX	297	2.7	8	<1	<1	2	3	5	7	16
TOTAL 0-19 YRS	134	2.6	4	<1	<1	2	4	5	6	9
20-34	273	1.7	2	<1	<1	<1	2	3	5	7
35-49	189	1.6	1	<1	<1	<1	1	3	4	6
50-64	74	2.3	11	<1	<1	1	2	5	6	20
65+	90	2.6	11	<1	<1	1	2	6	7	21
GRAND TOTAL	**760**	**2.0**	**4**	**<1**	**<1**	**1**	**2**	**4**	**5**	**9**

523: Operations for regulation of intraocular pressure (12.5-12.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	24	1.5		<1	<1	1	2	2	4	5
20-34	12	1.8	1	1	1	1	3	4	4	4
35-49	23	2.1	2	<1	<1	2	3	3	5	9
50-64	59	2.0	3	<1	<1	1	3	3	4	12
65+	95	2.1	2	<1	<1	2	3	4	4	11
2. MULTIPLE DX										
0-19 YRS	25	1.8	2	<1	<1	1	2	4	5	7
20-34	31	2.7	4	<1	1	2	3	5	6	11
35-49	24	2.6	4	<1	<1	2	3	5	8	9
50-64	81	2.8	6	<1	1	2	3	5	8	15
65+	207	3.1	9	1	1	2	4	6	9	19
TOT. SINGLE DX	213	2.0	3	<1	<1	1	2	3	4	10
" MULTIPLE DX	368	2.9	8	<1	1	2	3	6	8	15
TOTAL 0-19 YRS	49	1.6	2	<1	<1	1	2	4	5	7
20-34	43	2.4	4	<1	1	2	3	4	6	11
35-49	47	2.4	4	<1	<1	2	3	4	8	9
50-64	140	2.5	5	<1	<1	2	3	4	7	14
65+	302	2.8	8	<1	1	2	3	5	8	15
GRAND TOTAL	**581**	**2.6**	**6**	**<1**	**<1**	**2**	**3**	**5**	**7**	**13**

524: Other operations on iris, ciliary body, sclera and anterior chamber (12.00-12.22; 12.3-12.4; 12.8-12.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	34	2.9	4	<1	<1	2	4	6	7	8
20-34	23	2.8	2	<1	1	3	4	5	6	6
35-49	17	1.7	1	<1	<1	1	2	3	4	5
50-64	20	1.9	1	<1	1	2	3	3	4	4
65+	41	2.0	3	<1	<1	1	2	4	7	9
2. MULTIPLE DX										
0-19 YRS	28	3.5	6	1	1	3	5	8	9	9
20-34	34	3.8	11	1	1	3	5	9	11	16
35-49	26	3.0	4	<1	1	2	5	6	7	7
50-64	43	3.8	12	<1	1	3	5	8	10	18
65+	108	3.1	13	1	1	2	3	7	8	24
TOT. SINGLE DX	135	2.3	3	<1	<1	2	3	5	6	8
" MULTIPLE DX	239	3.4	11	1	1	2	5	7	9	19
TOTAL 0-19 YRS	62	3.2	5	<1	1	3	5	6	8	9
20-34	57	3.4	8	1	1	3	4	6	9	16
35-49	43	2.5	3	<1	1	2	3	6	6	7
50-64	63	3.2	9	<1	1	2	4	7	9	17
65+	149	2.8	11	<1	1	2	3	7	8	23
GRAND TOTAL	**374**	**3.0**	**8**	**<1**	**1**	**2**	**4**	**6**	**8**	**15**

525: Intracapsular extraction of lens (13.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	12	1.1		<1	<1	1	1	2	2	2
20-34	4	3.5	8	<1	<1	3	6	6	6	6
35-49	14	2.0	2	<1	<1	1	3	5	6	6
50-64	57	1.4		<1	<1	1	2	2	2	3
65+	156	1.3		<1	<1	1	1	2	2	3
2. MULTIPLE DX										
0-19 YRS	14	2.7	5	<1	<1	2	3	7	8	8
20-34	9	2.2	2	1	1	2	3	5	5	5
35-49	25	3.0	6	<1	1	2	4	6	8	13
50-64	68	2.1	4	<1	<1	1	2	4	6	12
65+	351	2.8	42	<1	<1	2	2	4	8	26
TOT. SINGLE DX	243	1.4	1	<1	<1	1	2	2	3	6
" MULTIPLE DX	467	2.7	33	<1	<1	2	2	4	7	14
TOTAL 0-19 YRS	26	2.0	4	<1	<1	1	2	6	7	8
20-34	13	2.6	4	<1	<1	2	4	6	6	6
35-49	39	2.7	6	<1	<1	2	3	6	7	13
50-64	125	1.8	3	<1	<1	1	2	2	4	11
65+	507	2.3	30	<1	<1	1	2	4	5	14
GRAND TOTAL	**710**	**2.2**	**22**	**<1**	**<1**	**1**	**2**	**4**	**6**	**13**

526: Other lens extraction (13.2-13.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	57	1.3		<1	<1	1	1	2	3	4
20-34	17	1.5		<1	<1	2	2	2	2	2
35-49	117	1.1		<1	<1	<1	1	2	2	2
50-64	498	1.2		<1	<1	<1	1	2	2	3
65+	1437	1.2		<1	<1	<1	1	2	2	3
2. MULTIPLE DX										
0-19 YRS	39	1.7	1	<1	<1	1	2	3	5	7
20-34	25	3.4	12	<1	1	2	4	7	10	18
35-49	96	1.8	3	<1	<1	1	2	3	4	13
50-64	490	1.8	7	<1	<1	1	2	2	4	9
65+	2204	1.8	4	<1	<1	1	2	3	4	10
TOT. SINGLE DX	2126	1.2		<1	<1	<1	1	2	2	3
" MULTIPLE DX	2854	1.8	5	<1	<1	1	2	3	4	10
TOTAL 0-19 YRS	96	1.4	1	<1	<1	1	2	2	3	7
20-34	42	2.7	8	<1	<1	2	3	5	7	18
35-49	213	1.4	2	<1	<1	<1	1	2	3	8
50-64	988	1.5	4	<1	<1	<1	1	2	3	7
65+	3641	1.5	3	<1	<1	1	2	2	3	8
GRAND TOTAL	**4980**	**1.5**	**3**	**<1**	**<1**	**1**	**2**	**2**	**3**	**8**

527: Miscellaneous operations on lens (13.0; 13.7-13.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34	4	1.0		<1	<1	<1	<1	<1	<1	<1
35-49	9	1.0		<1	<1	<1	1	1	1	1
50-64	62	1.1		<1	<1	<1	1	1	2	3
65+	130	1.2		<1	<1	<1	1	2	2	3
2. MULTIPLE DX										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34	5	1.2		<1	<1	1	1	2	2	2
35-49	19	1.4		<1	<1	1	1	3	4	4
50-64	46	1.2		<1	<1	1	1	2	2	3
65+	160	1.8	4	<1	<1	1	2	3	5	20
TOT. SINGLE DX	205	1.1		<1	<1	<1	1	2	2	3
" MULTIPLE DX	232	1.7	3	<1	<1	1	2	3	4	14
TOTAL 0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34	9	1.1		<1	<1	<1	1	2	2	2
35-49	28	1.3		<1	<1	<1	1	2	3	4
50-64	108	1.1		<1	<1	<1	1	2	2	3
65+	290	1.5	3	<1	<1	1	2	2	3	11
GRAND TOTAL	**437**	**1.4**	**2**	**<1**	**<1**	**1**	**1**	**2**	**3**	**8**

528: Repair of retina (14.3-14.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	61	2.6	1	1	1	2	3	4	5	6
20-34	137	2.7	3	1	1	2	3	5	6	10
35-49	151	3.2	3	1	1	3	4	6	7	10
50-64	444	3.0	5	1	1	3	4	5	6	12
65+	411	3.1	5	1	1	3	4	5	6	8
2. MULTIPLE DX										
0-19 YRS	84	3.8	6	1	1	3	5	7	9	14
20-34	243	4.1	9	1	1	4	5	7	8	13
35-49	283	4.0	5	1	2	3	5	7	8	12
50-64	701	3.6	4	1	1	3	5	6	7	10
65+	1050	3.8	4	1	2	3	5	6	8	12
TOT. SINGLE DX	1204	3.0	5	1	1	3	4	5	6	10
" MULTIPLE DX	2361	3.8	5	1	1	3	5	6	8	12
TOTAL 0-19 YRS	145	3.3	5	1	1	3	4	6	7	11
20-34	380	3.6	8	1	1	3	4	6	8	12
35-49	434	3.7	5	1	1	3	5	7	8	11
50-64	1145	3.4	5	1	1	3	4	6	7	10
65+	1461	3.6	5	1	1	3	4	6	7	12
GRAND TOTAL	**3565**	**3.5**	**5**	**1**	**1**	**3**	**4**	**6**	**7**	**11**

529: Miscellaneous operations on retina, choroid, and vitreous (14.0-14.11; 14.2; 14.6-14.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	18	2.3	4	<1	<1	1	3	5	7	8
20-34	22	2.4	2	<1	1	2	3	5	5	6
35-49	16	3.3	2	1	2	3	4	5	6	6
50-64	39	2.2	1	1	1	2	3	5	5	6
65+	74	2.9	3	1	1	3	4	5	6	12
2. MULTIPLE DX										
0-19 YRS	58	3.8	9	<1	1	3	5	8	10	14
20-34	191	4.1	13	1	2	4	5	7	8	14
35-49	172	3.9	5	1	1	3	5	7	8	13
50-64	263	3.8	10	1	1	3	5	6	8	14
65+	486	3.9	11	1	1	3	5	7	9	15
TOT. SINGLE DX	169	2.7	3	<1	1	2	4	5	5	8
" MULTIPLE DX	1170	3.9	10	1	1	3	5	7	8	14
TOTAL 0-19 YRS	76	3.4	9	<1	<1	3	4	8	9	14
20-34	213	3.9	12	1	1	3	5	6	8	13
35-49	188	3.8	5	1	1	3	5	6	8	12
50-64	302	3.6	9	1	1	3	4	6	8	14
65+	560	3.8	10	1	1	3	5	7	8	14
GRAND TOTAL	**1339**	**3.7**	**10**	**1**	**1**	**3**	**5**	**7**	**8**	**14**

530: Resection and recession of ocular muscle (15.1-15.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	422	1.0		<1	<1	<1	<1	1	2	2
20-34	45	1.1		<1	<1	1	1	2	2	2
35-49	39	1.1		<1	<1	<1	1	2	2	3
50-64	14	1.1		<1	<1	1	1	2	2	2
65+	5	1.4	1	1	1	1	2	3	3	3
2. MULTIPLE DX										
0-19 YRS	161	1.1		<1	<1	<1	1	1	2	2
20-34	30	1.4		<1	<1	1	2	2	3	3
35-49	28	1.5	1	<1	<1	1	2	2	3	7
50-64	17	1.3		<1	<1	1	1	2	3	4
65+	17	1.4		1	1	1	2	2	2	2
TOT. SINGLE DX	525	1.1		<1	<1	<1	1	1	2	2
" MULTIPLE DX	253	1.2		<1	<1	1	1	2	2	3
TOTAL 0-19 YRS	583	1.1		<1	<1	<1	1	1	2	2
20-34	75	1.2		<1	<1	1	1	2	2	3
35-49	67	1.3	1	<1	<1	1	1	2	2	6
50-64	31	1.2		<1	<1	1	1	2	2	4
65+	22	1.4		1	1	1	2	2	3	3
GRAND TOTAL	**778**	**1.1**		**<1**	**<1**	**<1**	**1**	**1**	**2**	**2**

531: Miscellaneous operations on ocular muscle (15.01; 15.7-15.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	2	1.0		<1	<1	<1	1	1	1	1
20-34	3	2.0	3	<1	<1	1	3	4	4	4
35-49	1	1.0		1	1	1	1	1	1	1
50-64										
65+	1	7.0		7	7	7	7	7	7	7
2. MULTIPLE DX										
0-19 YRS	3	12.0	363	1	1	1	26	34	34	34
20-34	2	3.0		3	3	3	3	3	3	3
35-49	1	1.0		1	1	1	1	1	1	1
50-64	2	1.5	1	1	1	1	2	2	2	2
65+	3	8.3	57	3	3	5	14	17	17	17
TOT. SINGLE DX	7	2.3	6	<1	<1	1	3	6	7	7
" MULTIPLE DX	11	6.5	105	1	1	3	5	24	33	34
TOTAL 0-19 YRS	5	7.6	218	<1	<1	1	9	34	34	34
20-34	5	2.4	2	<1	<1	3	3	4	4	4
35-49	2	1.0		1	1	1	1	1	1	1
50-64	2	1.5	1	1	1	1	2	2	2	2
65+	4	8.0	39	3	3	6	12	17	17	17
GRAND TOTAL	**18**	**4.8**	**68**	**<1**	**<1**	**2**	**4**	**14**	**27**	**34**

532: Operations on orbit and eyeball (16.0-16.1; 16.22-16.23; 16.3-16.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	145	4.5	8	<1	1	5	6	7	7	12
20-34	42	2.3	2	<1	1	2	3	5	6	8
35-49	40	2.6	3	1	1	2	3	5	6	10
50-64	37	2.0	1	<1	<1	1	3	4	5	5
65+	48	2.2	1	1	1	2	3	4	5	6
2. MULTIPLE DX										
0-19 YRS	115	4.4	22	1	1	3	6	8	11	28
20-34	97	3.3	8	1	1	2	4	8	10	14
35-49	74	3.4	14	<1	1	2	4	8	14	18
50-64	74	3.7	46	<1	1	2	3	6	9	44
65+	143	4.0	16	1	1	3	5	8	14	20
TOT. SINGLE DX	312	3.3	6	<1	1	3	5	6	7	10
" MULTIPLE DX	503	3.8	20	1	1	2	4	8	12	20
TOTAL 0-19 YRS	260	4.4	14	1	1	5	6	7	9	20
20-34	139	3.0	7	1	1	2	4	6	9	13
35-49	114	3.1	11	<1	1	2	3	6	11	17
50-64	111	3.1	32	<1	<1	2	3	5	9	41
65+	191	3.6	14	1	1	2	4	7	13	18
GRAND TOTAL	**815**	**3.6**	**15**	**1**	**1**	**2**	**5**	**7**	**9**	**18**

533: Misc. diagnostic and therapeutic procedures on eye (08.19; 08.91-08.93; 09.19; 09.4; 10.29; 11.29; 12.29; 14.19; 15.09; 16.21; 16.29)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

534: Operations on external ear (18.02-18.09; 18.12; 18.2-18.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	150	1.8	7	<1	<1	1	2	3	4	10
20-34	63	1.3	1	<1	<1	1	1	2	3	7
35-49	45	2.1	7	<1	<1	1	2	5	5	18
50-64	35	1.4		<1	<1	1	1	3	4	5
65+	34	1.8	2	<1	<1	1	2	3	6	7
2. MULTIPLE DX										
0-19 YRS	182	2.5	6	<1	<1	2	3	4	7	13
20-34	94	3.4	22	<1	1	2	4	6	11	28
35-49	53	4.3	42	<1	1	2	5	9	13	40
50-64	50	4.5	31	<1	<1	2	6	10	17	28
65+	89	5.6	65	1	1	3	6	13	24	43
TOT. SINGLE DX	327	1.7	5	<1	<1	1	2	3	4	9
" MULTIPLE DX	468	3.7	29	<1	<1	2	4	8	12	29
TOTAL 0-19 YRS	332	2.2	7	<1	<1	1	2	4	6	13
20-34	157	2.6	15	<1	<1	1	3	5	8	26
35-49	98	3.3	28	<1	<1	1	3	6	10	33
50-64	85	3.2	21	<1	<1	1	3	7	12	26
65+	123	4.5	51	<1	<1	2	4	9	19	38
GRAND TOTAL	**795**	**2.9**	**20**	**<1**	**<1**	**1**	**3**	**5**	**9**	**26**

535: Stapes mobilization and stapedectomy (19.0-19.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	46	1.1		<1	<1	1	1	2	2	2
20-34	117	1.4	1	1	1	1	1	2	3	9
35-49	158	1.2		<1	1	1	1	2	2	3
50-64	151	1.3		<1	1	1	2	2	2	3
65+	61	1.6	1	1	1	1	2	3	4	6
2. MULTIPLE DX										
0-19 YRS	29	1.2		<1	<1	1	1	2	2	5
20-34	79	1.5	1	1	1	1	1	2	3	10
35-49	104	1.4		1	1	1	1	2	3	5
50-64	94	1.7	18	1	1	1	1	2	3	26
65+	59	1.5		1	1	1	2	3	3	6
TOT. SINGLE DX	533	1.3	1	<1	1	1	1	2	3	4
" MULTIPLE DX	365	1.5	5	1	1	1	1	2	3	6
TOTAL 0-19 YRS	75	1.2		<1	<1	1	1	2	2	4
20-34	196	1.4	2	1	1	1	1	2	3	9
35-49	262	1.3		<1	1	1	1	2	3	5
50-64	245	1.5	7	<1	1	1	1	2	3	4
65+	120	1.5	1	1	1	1	2	3	3	6
GRAND TOTAL	**898**	**1.4**	**3**	**<1**	**1**	**1**	**1**	**2**	**3**	**5**

536: Tympanoplasty (19.4-19.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	292	1.2		<1	<1	1	1	2	2	4
20-34	209	1.3		<1	1	1	1	2	3	5
35-49	181	1.3		<1	1	1	1	2	2	4
50-64	133	1.2		<1	<1	1	1	2	2	3
65+	46	1.2		<1	1	1	1	2	2	3
2. MULTIPLE DX										
0-19 YRS	329	1.4	8	<1	<1	1	1	2	2	5
20-34	254	1.5	5	<1	1	1	1	2	3	10
35-49	195	1.3		<1	1	1	1	2	2	4
50-64	189	1.4		<1	1	1	2	2	3	5
65+	104	1.4		<1	1	1	2	2	3	4
TOT. SINGLE DX	861	1.2		<1	<1	1	1	2	2	4
" MULTIPLE DX	1071	1.4	4	<1	1	1	1	2	3	4
TOTAL 0-19 YRS	621	1.3	5	<1	<1	1	1	2	2	4
20-34	463	1.4	3	<1	1	1	1	2	3	6
35-49	376	1.3		<1	1	1	1	2	2	4
50-64	322	1.3		<1	1	1	1	2	3	4
65+	150	1.4		<1	1	1	2	2	3	4
GRAND TOTAL	**1932**	**1.3**	**2**	**<1**	**<1**	**1**	**1**	**2**	**2**	**4**

537: Myringotomy (20.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1890	1.0		<1	<1	<1	<1	<1	<1	2
20-34	36	1.2		<1	<1	1	1	2	2	4
35-49	29	1.3		<1	<1	1	1	2	3	4
50-64	15	1.5	1	<1	<1	1	1	4	5	5
65+	8	1.6		<1	<1	1	2	3	3	3
2. MULTIPLE DX										
0-19 YRS	1178	1.5	5	<1	<1	1	1	2	4	11
20-34	47	3.2	27	<1	<1	1	3	8	12	31
35-49	26	3.2	12	<1	<1	1	4	9	11	15
50-64	39	3.8	48	<1	<1	1	4	8	14	41
65+	21	6.6	107	<1	<1	2	7	18	35	43
TOT. SINGLE DX	1978	1.0		<1	<1	<1	<1	<1	1	2
" MULTIPLE DX	1311	1.8	10	<1	<1	1	1	3	6	15
TOTAL 0-19 YRS	3068	1.2	2	<1	<1	<1	1	1	2	7
20-34	83	2.3	16	<1	<1	1	1	5	9	25
35-49	55	2.2	7	<1	<1	1	2	4	9	15
50-64	54	3.1	36	<1	<1	1	2	6	13	40
65+	29	5.2	82	<1	<1	2	5	11	29	43
GRAND TOTAL	**3289**	**1.3**	**4**	**<1**	**<1**	**<1**	**1**	**1**	**2**	**9**

538: Mastoidectomy (20.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	101	1.7	3	<1	1	1	2	3	6	10
20-34	103	1.6	2	<1	1	1	2	2	3	11
35-49	65	1.5	1	<1	1	1	2	3	4	8
50-64	52	1.5	1	1	1	1	2	3	4	5
65+	30	1.6		<1	1	1	2	3	4	4
2. MULTIPLE DX										
0-19 YRS	207	2.2	12	1	1	1	2	4	7	21
20-34	165	2.1	19	1	1	1	2	3	4	18
35-49	154	2.0	4	1	1	1	2	4	5	14
50-64	142	2.2	10	1	1	1	2	3	4	22
65+	120	3.6	71	1	1	2	3	6	8	58
TOT. SINGLE DX	351	1.6	2	<1	1	1	2	2	4	9
" MULTIPLE DX	788	2.4	21	1	1	1	2	4	6	22
TOTAL 0-19 YRS	308	2.0	10	1	1	1	2	4	7	17
20-34	268	1.9	13	1	1	1	2	3	3	16
35-49	219	1.8	4	1	1	1	2	3	5	13
50-64	194	2.0	8	1	1	1	2	3	4	17
65+	150	3.2	58	1	1	2	3	5	7	54
GRAND TOTAL	**1139**	**2.1**	**15**	**1**	**1**	**1**	**2**	**3**	**5**	**17**

539: Miscellaneous operations on middle ear and inner ear (19.6-19.9; 20.1-20.32; 20.5-20.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	116	1.5	2	<1	<1	1	1	2	4	11
20-34	98	1.5		<1	<1	1	2	3	3	6
35-49	110	1.7	2	<1	<1	1	2	3	4	9
50-64	89	1.9	1	1	1	2	2	3	5	7
65+	30	2.1	2	<1	1	2	2	4	5	7
2. MULTIPLE DX										
0-19 YRS	126	1.4	1	<1	<1	1	1	2	3	8
20-34	140	3.8	55	<1	1	2	4	7	9	23
35-49	148	2.7	9	1	1	2	3	5	6	16
50-64	119	2.6	5	1	1	2	3	6	8	11
65+	65	3.4	12	1	1	2	4	7	8	21
TOT. SINGLE DX	443	1.7	2	<1	<1	1	2	3	4	8
" MULTIPLE DX	598	2.7	19	<1	1	2	3	6	8	15
TOTAL 0-19 YRS	242	1.5	2	<1	<1	1	1	2	3	10
20-34	238	2.8	34	<1	1	2	3	6	8	14
35-49	258	2.3	7	<1	1	2	3	4	5	13
50-64	208	2.3	4	1	1	2	3	5	7	10
65+	95	3.0	10	1	1	2	4	6	7	20
GRAND TOTAL	**1041**	**2.3**	**12**	**<1**	**<1**	**1**	**2**	**5**	**6**	**11**

540: Other diagnostic and therapeutic procedures on ear (18.01; 18.11; 18.19; 20.39)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

541: Submucous resection of nasal septum (21.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	55	1.3		1	1	1	1	2	3	3
20-34	93	1.3		<1	<1	1	1	2	3	4
35-49	73	1.1		<1	<1	1	1	1	2	3
50-64	30	1.4		<1	<1	1	1	2	3	5
65+	9	1.3	1	<1	<1	1	1	3	4	4
2. MULTIPLE DX										
0-19 YRS	183	1.3		1	1	1	1	2	2	3
20-34	510	1.5		<1	1	1	2	2	3	5
35-49	364	1.4		1	1	1	1	2	3	6
50-64	183	1.8	4	<1	1	1	2	3	4	19
65+	59	2.1	2	1	1	1	3	4	6	9
TOT. SINGLE DX	260	1.3		<1	<1	1	1	2	3	4
" MULTIPLE DX	1299	1.5	1	<1	1	1	2	3	3	6
TOTAL 0-19 YRS	238	1.3		1	1	1	1	2	2	3
20-34	603	1.5	1	<1	1	1	2	2	3	5
35-49	437	1.4	1	<1	1	1	1	2	3	5
50-64	213	1.7	4	<1	1	1	2	3	4	14
65+	68	2.0	3	<1	1	1	3	4	5	9
GRAND TOTAL	**1559**	**1.5**	**1**	**<1**	**1**	**1**	**2**	**2**	**3**	**6**

542: Rhinoplasty (21.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	239	1.3		<1	<1	1	1	2	2	6
20-34	461	1.2		<1	<1	1	1	2	2	4
35-49	305	1.2		<1	<1	1	1	2	2	3
50-64	139	1.3		<1	<1	1	1	2	3	3
65+	40	1.3		<1	<1	1	1	2	3	3
2. MULTIPLE DX										
0-19 YRS	546	1.4		<1	1	1	2	2	3	6
20-34	1330	1.5	1	<1	1	1	2	2	3	5
35-49	872	1.6	5	<1	1	1	2	3	3	6
50-64	489	1.8	5	<1	1	1	2	3	4	8
65+	228	2.3	6	1	1	1	3	4	6	15
TOT. SINGLE DX	1184	1.2		<1	<1	1	1	2	2	4
" MULTIPLE DX	3465	1.6	3	<1	1	1	2	3	4	7
TOTAL 0-19 YRS	785	1.4	1	<1	1	1	2	2	3	6
20-34	1791	1.4	1	<1	1	1	2	2	3	5
35-49	1177	1.5	4	<1	1	1	2	2	3	6
50-64	628	1.7	5	<1	1	1	2	3	4	7
65+	268	2.1	5	<1	1	1	2	4	5	14
GRAND TOTAL	**4649**	**1.5**	**3**	**<1**	**1**	**1**	**2**	**3**	**3**	**6**

543: Other incision, excision of nose (21.1; 21.22; 21.3-21.4; 21.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	47	1.1		<1	<1	<1	1	1	2	6
20-34	52	1.6	2	<1	<1	1	2	3	4	10
35-49	51	1.4		<1	<1	1	1	2	4	5
50-64	67	1.3		<1	<1	1	1	2	3	6
65+	66	1.8	2	<1	<1	1	2	3	5	10
2. MULTIPLE DX										
0-19 YRS	106	1.9	5	<1	<1	1	2	3	7	12
20-34	196	1.8	3	<1	1	1	2	3	4	9
35-49	209	2.0	9	<1	1	1	2	3	4	23
50-64	190	2.4	10	<1	<1	1	2	5	7	18
65+	185	3.5	18	<1	1	2	4	10	12	21
TOT. SINGLE DX	283	1.5	1	<1	<1	1	1	2	4	6
" MULTIPLE DX	886	2.3	10	<1	1	1	2	4	8	20
TOTAL 0-19 YRS	153	1.6	4	<1	<1	1	1	2	6	11
20-34	248	1.8	3	<1	<1	1	2	3	4	10
35-49	260	1.9	8	<1	<1	1	2	3	4	20
50-64	257	2.1	8	<1	<1	1	2	4	6	13
65+	251	3.1	15	<1	<1	2	3	8	11	20
GRAND TOTAL	**1169**	**2.1**	**8**	**<1**	**<1**	**1**	**2**	**4**	**6**	**17**

544: Miscellaneous operations on nose (21.02-21.09; 21.7; 21.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	184	1.2		<1	<1	1	1	2	2	6
20-34	196	1.7	2	<1	<1	1	2	3	5	8
35-49	100	2.5	4	<1	<1	1	4	5	6	10
50-64	98	3.5	5	<1	1	3	5	6	8	11
65+	93	3.5	5	1	1	3	4	7	9	12
2. MULTIPLE DX										
0-19 YRS	183	2.1	6	<1	<1	1	2	4	8	15
20-34	291	2.4	8	<1	1	1	3	6	7	14
35-49	147	3.5	17	1	1	2	4	6	8	30
50-64	173	4.1	14	1	1	3	5	7	10	20
65+	369	4.6	15	1	1	4	6	8	12	22
TOT. SINGLE DX	671	2.2	4	<1	<1	1	3	5	6	9
" MULTIPLE DX	1163	3.4	13	1	1	2	5	7	9	18
TOTAL 0-19 YRS	367	1.6	4	<1	<1	1	1	3	5	12
20-34	487	2.1	6	<1	<1	1	2	5	7	9
35-49	247	3.1	12	<1	1	2	4	6	7	18
50-64	271	3.9	11	1	1	3	5	7	9	16
65+	462	4.4	14	1	1	4	5	8	11	18
GRAND TOTAL	**1834**	**3.0**	**10**	**<1**	**<1**	**2**	**4**	**6**	**8**	**16**

545: Radical maxillary antrotomy (22.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	34	2.0	5	1	1	1	2	3	9	12
20-34	137	1.5	2	1	1	1	2	2	3	7
35-49	188	1.5		1	1	1	2	3	3	5
50-64	102	1.7	1	1	1	1	2	3	4	8
65+	62	1.9	2	1	1	1	2	3	4	12
2. MULTIPLE DX										
0-19 YRS	54	2.4	7	1	1	2	2	5	10	96
20-34	256	2.6	16	1	1	1	3	5	7	16
35-49	233	2.0	4	1	1	1	2	3	5	14
50-64	243	2.6	16	1	1	2	3	4	7	14
65+	147	3.2	31	1	1	2	3	7	9	39
TOT. SINGLE DX	523	1.6	2	1	1	1	2	3	3	8
" MULTIPLE DX	933	2.5	15	1	1	2	3	4	7	20
TOTAL 0-19 YRS	88	2.3	6	1	1	2	2	4	10	67
20-34	393	2.2	12	1	1	1	2	4	5	16
35-49	421	1.8	3	1	1	1	2	3	4	11
50-64	345	2.4	12	1	1	2	2	4	6	12
65+	209	2.9	23	1	1	2	3	5	7	28
GRAND TOTAL	**1456**	**2.2**	**11**	**1**	**1**	**1**	**2**	**4**	**6**	**13**

546: Miscellaneous operations on accessory sinus (22.0-22.11; 22.2; 22.4-22.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	34	1.8	1	<1	<1	1	3	4	5	5
20-34	92	2.4	4	<1	<1	1	3	5	7	10
35-49	79	1.8	2	<1	<1	1	2	3	5	9
50-64	68	2.9	8	<1	1	2	4	6	9	16
65+	38	2.6	7	1	1	2	3	6	8	13
2. MULTIPLE DX										
0-19 YRS	122	4.3	25	<1	<1	2	6	12	16	23
20-34	277	3.1	16	1	1	2	4	7	11	25
35-49	284	2.4	10	1	1	1	3	5	7	21
50-64	208	3.5	19	1	1	2	4	7	13	25
65+	172	4.5	30	1	1	3	5	10	14	27
TOT. SINGLE DX	311	2.3	5	<1	<1	1	3	5	7	12
" MULTIPLE DX	1063	3.3	19	1	1	2	4	7	12	25
TOTAL 0-19 YRS	156	3.7	21	<1	<1	1	5	9	14	21
20-34	369	2.9	14	1	1	1	3	6	10	23
35-49	363	2.3	9	<1	1	1	2	5	7	17
50-64	276	3.3	17	1	1	2	4	7	11	20
65+	210	4.1	26	1	1	2	5	9	14	26
GRAND TOTAL	**1374**	**3.1**	**16**	**<1**	**1**	**2**	**3**	**7**	**11**	**23**

547: Tooth extraction (23.0-23.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	56	1.3		<1	<1	1	2	2	2	4
20-34	43	2.5	8	<1	<1	2	3	5	13	99+
35-49	24	1.6		<1	<1	1	2	2	3	4
50-64	24	2.2	10	<1	<1	1	2	3	8	17
65+	16	1.3		<1	<1	1	2	2	3	3
2. MULTIPLE DX										
0-19 YRS	112	3.8	73	<1	<1	1	2	9	28	99+
20-34	160	6.0	144	<1	1	2	7	44	99+	99+
35-49	114	6.8	110	1	1	3	9	54	99+	99+
50-64	144	5.3	55	1	1	2	6	20	32	99+
65+	192	5.0	103	<1	1	2	5	11	21	99+
TOT. SINGLE DX	163	1.8	4	<1	<1	1	2	3	4	17
" MULTIPLE DX	722	5.4	100	<1	1	2	6	19	83	99+
TOTAL 0-19 YRS	168	3.0	50	<1	<1	1	2	5	12	92
20-34	203	5.3	117	<1	<1	2	5	25	99+	99+
35-49	138	5.9	95	1	1	3	7	37	99+	99+
50-64	168	4.8	50	<1	1	2	5	17	30	99+
65+	208	4.7	96	<1	1	2	5	11	18	99+
GRAND TOTAL	**885**	**4.7**	**84**	**<1**	**<1**	**2**	**4**	**15**	**51**	**99+**

548: Tooth restoration and orthodontia (23.2-23.6; 24.6-24.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	85	1.2	1	<1	<1	<1	<1	1	2	8
20-34	3	1.0		<1	<1	<1	1	1	1	1
35-49	6	1.2		<1	<1	1	1	2	2	2
50-64	2	1.5	1	1	1	1	2	2	2	2
65+	2	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
0-19 YRS	85	1.9	35	<1	<1	1	1	2	3	38
20-34	26	1.3		<1	<1	1	2	61	99+	99+
35-49	16	9.7	449	<1	<1	2	6	26	68	85
50-64	6	2.8	5	<1	<1	2	4	7	7	7
65+	1	50.0		50	50	50	50	50	50	50
TOT. SINGLE DX	98	1.2	1	<1	<1	<1	1	1	2	7
" MULTIPLE DX	134	3.1	97	<1	<1	1	2	4	22	99+
TOTAL 0-19 YRS	170	1.5	18	<1	<1	<1	1	2	2	10
20-34	29	1.3		<1	<1	1	2	32	99+	99+
35-49	22	7.4	336	<1	<1	1	4	16	51	85
50-64	8	2.5	4	<1	<1	2	3	6	7	7
65+	3	17.3	800	1	1	1	38	50	50	50
GRAND TOTAL	**232**	**2.3**	**57**	**<1**	**<1**	**<1**	**1**	**2**	**5**	**99+**

549: Operations on teeth and gums except extraction and restoration (23.7; 24.0-24.12; 24.2-24.5; 24.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	50	1.4		<1	<1	<1	1	2	3	5
20-34	21	2.4	3	<1	<1	2	3	5	6	8
35-49	37	2.1		1	1	2	3	4	4	4
50-64	59	2.2	2	1	1	2	3	3	4	10
65+	20	2.3	1	1	1	2	3	4	4	4
2. MULTIPLE DX										
0-19 YRS	73	1.8	1	<1	<1	1	2	3	5	6
20-34	61	3.5	19	<1	<1	2	3	9	13	24
35-49	55	3.0	9	<1	1	2	3	7	8	20
50-64	84	3.1	7	1	1	2	3	5	8	16
65+	63	4.0	27	1	1	2	4	8	15	31
TOT. SINGLE DX	187	2.0	2	<1	<1	2	2	3	4	7
" MULTIPLE DX	336	3.0	13	<1	<1	2	3	6	8	20
TOTAL 0-19 YRS	123	1.6	1	<1	<1	1	2	3	4	6
20-34	82	3.2	15	<1	<1	2	3	6	12	22
35-49	92	2.6	6	<1	1	2	3	4	7	16
50-64	143	2.7	5	1	1	2	3	4	7	14
65+	83	3.6	22	1	1	2	3	6	10	29
GRAND TOTAL	**523**	**2.7**	**9**	**<1**	**<1**	**2**	**3**	**4**	**7**	**18**

550: Operations on salivary glands and ducts (26.0-26.11; 26.2-26.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	87	1.8	1	<1	1	1	2	3	5	65
20-34	214	1.8	1	1	1	2	2	3	4	5
35-49	285	2.0	1	1	1	2	2	3	4	6
50-64	279	2.1	1	1	1	2	3	3	4	7
65+	200	2.1	1	1	1	2	3	3	4	7
2. MULTIPLE DX										
0-19 YRS	43	2.8	4	1	1	2	4	6	8	9
20-34	95	2.3	2	1	1	2	3	4	6	7
35-49	161	2.6	7	1	1	2	3	5	7	16
50-64	221	2.8	6	1	1	2	3	5	7	16
65+	325	3.8	13	1	1	3	4	7	9	20
TOT. SINGLE DX	1065	2.0	1	1	1	2	2	3	4	7
" MULTIPLE DX	845	3.1	9	1	1	2	4	6	8	18
TOTAL 0-19 YRS	130	2.1	3	<1	1	2	2	4	6	26
20-34	309	2.0	1	1	1	2	2	3	4	7
35-49	446	2.2	4	1	1	2	3	4	5	11
50-64	500	2.4	4	1	1	2	3	4	5	10
65+	525	3.2	9	1	1	2	4	5	8	18
GRAND TOTAL	**1910**	**2.5**	**5**	**1**	**1**	**2**	**3**	**4**	**6**	**13**

551: Palatoplasty (27.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	220	2.8	2	1	1	3	4	4	5	8
20-34	7	2.6	2	1	1	3	4	5	5	5
35-49	10	2.6	3	1	1	2	4	5	6	6
50-64	11	1.7		1	1	2	2	3	3	3
65+	2	3.0	2	2	2	3	4	4	4	4
2. MULTIPLE DX										
0-19 YRS	242	3.1	4	1	1	3	4	5	6	14
20-34	20	2.4	3	1	1	2	3	5	6	7
35-49	50	2.8	8	1	1	2	3	6	7	19
50-64	37	2.5	2	1	1	2	3	4	6	7
65+	14	3.6	7	1	1	3	5	8	9	9
TOT. SINGLE DX	250	2.7	2	1	1	2	4	4	5	7
" MULTIPLE DX	363	3.0	5	1	1	3	4	5	6	14
TOTAL 0-19 YRS	462	3.0	4	1	1	3	4	5	5	11
20-34	27	2.4	3	1	1	2	4	5	6	7
35-49	60	2.8	8	1	1	2	3	6	7	18
50-64	48	2.3	2	1	1	2	3	4	6	7
65+	16	3.6	6	1	1	3	5	8	9	9
GRAND TOTAL	**613**	**2.9**	**4**	**1**	**1**	**3**	**4**	**5**	**6**	**11**

552: Operations on tongue, oral cavity and facial region except palatoplasty and operations on salivary glands (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	301	2.4	4	<1	<1	2	3	5	6	9
20-34	78	3.4	9	<1	<1	2	5	7	10	14
35-49	103	2.5	4	<1	<1	2	3	6	7	9
50-64	145	3.2	15	<1	<1	2	3	8	10	24
65+	121	2.5	4	<1	<1	2	3	5	7	12
2. MULTIPLE DX										
0-19 YRS	362	3.0	10	<1	1	2	4	6	7	17
20-34	237	4.6	43	<1	1	3	5	9	17	35
35-49	198	4.4	20	1	1	3	6	10	14	23
50-64	282	5.8	48	1	1	3	7	13	19	34
65+	451	6.5	70	1	1	4	8	14	19	50
TOT. SINGLE DX	748	2.7	7	<1	<1	2	3	6	8	12
" MULTIPLE DX	1530	5.0	43	1	1	3	6	11	16	34
TOTAL 0-19 YRS	663	2.7	8	<1	<1	2	3	5	7	14
20-34	315	4.3	36	<1	1	3	5	8	14	30
35-49	301	3.8	16	<1	1	2	5	8	12	20
50-64	427	4.9	39	<1	1	3	6	11	15	29
65+	572	5.7	59	<1	1	3	7	13	16	46
GRAND TOTAL	**2278**	**4.2**	**33**	**<1**	**1**	**2**	**5**	**9**	**13**	**28**

553: Tonsillectomy without adenoidectomy (28.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	2976	1.1		<1	<1	1	1	2	2	3
20-34	1918	1.2		<1	1	1	1	2	2	4
35-49	228	1.3		1	1	1	1	2	3	4
50-64	35	1.7	1	<1	1	1	2	3	4	5
65+	9	2.7	5	1	1	2	3	6	8	8
2. MULTIPLE DX										
0-19 YRS	967	1.3		<1	1	1	1	2	3	5
20-34	666	1.6	2	1	1	1	2	3	4	7
35-49	150	1.8	3	1	1	1	2	3	4	8
50-64	35	1.9	3	1	1	1	2	3	5	10
65+	10	2.6	5	1	1	2	4	6	7	7
TOT. SINGLE DX	5166	1.2		<1	1	1	1	2	2	3
" MULTIPLE DX	1828	1.5	2	<1	1	1	1	2	3	6
TOTAL 0-19 YRS	3943	1.2		<1	<1	1	1	2	2	4
20-34	2584	1.3	1	<1	1	1	1	2	3	4
35-49	378	1.5	2	1	1	1	2	2	3	8
50-64	70	1.8	2	1	1	1	2	3	4	9
65+	19	2.6	5	1	1	2	4	7	8	8
GRAND TOTAL	**6994**	**1.3**	**1**	**<1**	**1**	**1**	**1**	**2**	**2**	**4**

554: Tonsillectomy with adenoidectomy (28.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	3943	1.1		<1	<1	1	1	2	2	2
20-34	114	1.3		<1	1	1	1	2	2	3
35-49	9	1.3		<1	<1	1	2	2	2	2
50-64	1	1.0		1	1	1	1	1	1	1
65+	11	1.3		1	1	1	2	2	2	2
2. MULTIPLE DX										
0-19 YRS	3416	1.2	3	<1	<1	1	1	2	2	3
20-34	79	1.3		1	1	1	2	2	3	3
35-49	7	1.3		1	1	1	2	2	2	2
50-64	2	1.5	1	1	1	1	2	2	2	2
65+	8	1.8	1	1	1	2	2	3	4	4
TOT. SINGLE DX	4078	1.1		<1	<1	1	1	2	2	2
" MULTIPLE DX	3512	1.2	4	<1	<1	1	1	2	2	3
TOTAL 0-19 YRS	7359	1.2	2	<1	<1	1	1	2	2	3
20-34	193	1.3		<1	1	1	1	2	2	3
35-49	16	1.3		<1	1	1	2	2	2	2
50-64	3	1.3		1	1	1	2	2	2	2
65+	19	1.5	1	1	1	1	2	2	3	4
GRAND TOTAL	**7590**	**1.2**	**2**	**<1**	**<1**	**1**	**1**	**2**	**2**	**3**

555: Adenoidectomy without tonsillectomy (28.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	126	1.2		<1	<1	1	1	2	2	4
20-34	2	1.0		1	1	1	1	1	1	1
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	341	1.2		<1	<1	<1	1	1	2	5
20-34	4	1.0		1	1	1	1	1	1	1
35-49	1	1.0		1	1	1	1	1	1	1
50-64										
65+										
TOT. SINGLE DX	128	1.2		<1	<1	1	1	2	2	4
" MULTIPLE DX	346	1.2	1	<1	<1	<1	1	1	2	5
TOTAL 0-19 YRS	467	1.2	1	<1	<1	1	1	1	2	5
20-34	6	1.0		1	1	1	1	1	1	1
35-49	1	1.0		1	1	1	1	1	1	1
50-64										
65+										
GRAND TOTAL	**474**	**1.2**	**1**	**<1**	**<1**	**1**	**1**	**1**	**2**	**5**

556: Operations on pharynx except tonsillectomy and adenoidectomy (28.0-28.11; 28.4-28.5; 28.7-28.9; 29.0; 29.12; 29.2-29.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	319	1.8	2	<1	<1	1	2	4	6	9
20-34	211	1.9	2	<1	<1	1	2	4	4	7
35-49	93	1.9	2	<1	<1	1	2	3	5	9
50-64	62	2.2	3	<1	<1	1	3	4	8	9
65+	36	2.7	7	<1	<1	2	4	5	6	15
2. MULTIPLE DX										
0-19 YRS	156	3.3	15	<1	1	2	4	7	11	20
20-34	117	3.0	8	1	1	2	3	6	8	16
35-49	79	3.5	43	1	1	2	3	7	9	44
50-64	132	4.8	34	<1	1	3	7	12	15	50
65+	147	6.9	60	1	1	4	9	15	21	40
TOT. SINGLE DX	721	1.9	3	<1	<1	1	2	4	5	9
" MULTIPLE DX	631	4.4	34	<1	1	2	5	10	15	36
TOTAL 0-19 YRS	475	2.3	7	<1	<1	1	2	5	7	15
20-34	328	2.3	5	<1	1	2	3	4	6	13
35-49	172	2.6	22	<1	1	2	3	5	8	11
50-64	194	4.0	26	<1	<1	2	5	10	14	38
65+	183	6.1	53	<1	1	4	8	14	18	39
GRAND TOTAL	**1352**	**3.1**	**19**	**<1**	**<1**	**2**	**3**	**7**	**10**	**20**

557: Other diagnostic and therapeutic procedures on nose, mouth, and pharynx (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	21	1.8	2	<1	<1	<1	1	5	6	6
20-34	17	2.5	1	<1	<1	2	3	5	5	5
35-49	18	2.5	4	<1	<1	1	4	6	7	8
50-64	23	3.0	4	<1	1	2	4	6	8	10
65+	24	2.9	4	<1	1	3	4	5	7	10
2. MULTIPLE DX										
0-19 YRS	73	3.2	11	<1	1	2	4	5	10	18
20-34	22	3.1	3	<1	<1	3	4	6	7	8
35-49	36	3.7	8	1	1	3	5	8	10	14
50-64	59	4.7	22	<1	1	3	6	11	18	21
65+	127	4.5	15	1	1	3	6	10	14	18
TOT. SINGLE DX	103	2.5	4	<1	<1	2	4	5	6	10
" MULTIPLE DX	317	4.1	14	1	1	3	5	9	13	19
TOTAL 0-19 YRS	94	2.8	10	<1	<1	2	4	5	8	18
20-34	39	2.8	3	<1	<1	3	4	5	6	8
35-49	54	3.3	8	<1	1	2	4	7	9	14
50-64	82	4.2	18	<1	1	3	6	8	15	20
65+	151	4.3	14	1	1	3	5	10	13	18
GRAND TOTAL	**420**	**3.7**	**12**	**<1**	**1**	**3**	**4**	**8**	**11**	**18**

558: Excision of lesion of larynx (30.0; 31.43)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	100	1.2		<1	<1	<1	1	1	2	4
20-34	58	1.1		<1	<1	1	1	1	2	2
35-49	102	1.8	34	<1	<1	1	1	2	3	33
50-64	169	1.3	1	<1	<1	1	1	2	2	11
65+	114	1.4		<1	<1	1	1	2	3	6
2. MULTIPLE DX										
0-19 YRS	83	2.0	16	<1	<1	1	1	3	6	78
20-34	29	2.7	43	<1	<1	1	2	3	11	36
35-49	68	2.6	27	<1	<1	1	2	4	10	36
50-64	168	2.8	26	<1	<1	1	2	6	9	35
65+	203	3.8	46	<1	<1	2	3	9	14	38
TOT. SINGLE DX	543	1.4	7	<1	<1	1	1	2	2	6
" MULTIPLE DX	551	3.0	34	<1	<1	1	2	6	11	36
TOTAL 0-19 YRS	183	1.5	8	<1	<1	1	1	2	4	28
20-34	87	1.6	15	<1	<1	1	1	2	2	26
35-49	170	2.1	32	<1	<1	1	1	3	4	35
50-64	337	2.1	15	<1	<1	1	2	3	6	17
65+	317	2.9	32	<1	<1	1	2	6	10	29
GRAND TOTAL	**1094**	**2.2**	**21**	**<1**	**<1**	**1**	**2**	**3**	**7**	**30**

559: Partial laryngectomy and local excision of lesion of trachea (30.1-30.2; 31.44; 31.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	18	1.5	4	<1	<1	1	1	1	7	10
20-34	5	2.0	5	<1	<1	<1	2	6	6	6
35-49	3	9.7	44	2	2	13	14	14	14	14
50-64	13	8.9	59	<1	<1	8	12	17	27	29
65+	11	5.0	21	<1	<1	4	9	12	13	13
2. MULTIPLE DX										
0-19 YRS	31	3.3	23	<1	<1	1	4	8	12	25
20-34	8	8.0	173	<1	<1	5	16	76	99+	99+
35-49	15	10.3	145	1	1	6	11	25	41	47
50-64	36	10.4	79	1	1	9	15	21	29	38
65+	41	13.6	201	1	2	9	19	36	55	99+
TOT. SINGLE DX	50	4.7	34	<1	<1	1	8	13	14	29
" MULTIPLE DX	131	9.6	129	<1	1	6	14	25	38	99+
TOTAL 0-19 YRS	49	2.6	17	<1	<1	1	2	7	10	25
20-34	13	5.7	112	<1	<1	2	6	46	88	99+
35-49	18	10.2	125	1	1	7	13	23	38	47
50-64	49	10.0	73	<1	1	9	14	20	29	38
65+	52	11.8	175	<1	1	9	17	33	44	99
GRAND TOTAL	**181**	**8.2**	**107**	**<1**	**<1**	**4**	**12**	**20**	**34**	**90**

560: Complete laryngectomy (30.3-30.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49	2	13.5	5	12	12	13	15	15	15	15
50-64	24	11.5	16	6	7	10	14	19	19	20
65+	17	12.8	26	8	8	11	15	17	25	29
2. MULTIPLE DX										
0-19 YRS										
20-34	1	40.0		40	40	40	40	40	40	40
35-49	13	13.5	61	2	4	12	16	27	29	30
50-64	98	17.2	102	7	8	14	21	32	40	82
65+	109	20.2	177	9	10	15	24	38	51	90
TOT. SINGLE DX	43	12.1	20	7	8	11	15	17	20	29
" MULTIPLE DX	221	18.6	141	7	9	15	23	36	43	88
TOTAL 0-19 YRS										
20-34	1	40.0		40	40	40	40	40	40	40
35-49	15	13.5	53	3	5	12	15	26	29	30
50-64	122	16.1	90	7	8	14	20	29	37	73
65+	126	19.2	163	8	9	15	23	37	50	87
GRAND TOTAL	**264**	**17.5**	**127**	**7**	**8**	**14**	**21**	**32**	**41**	**80**

561: Permanent tracheostomy (31.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49	1	5.0		5	5	5	5	5	5	5
50-64	2	9.0	50	4	4	9	14	14	14	14
65+	2	3.0	8	1	1	3	5	5	5	5
2. MULTIPLE DX										
0-19 YRS	6	13.2	187	2	2	19	99+	99+	99+	99+
20-34	8	22.6	320	1	4	23	55	99+	99+	99+
35-49	15	27.3	849	2	3	14	53	76	80	82
50-64	46	22.3	280	2	3	19	31	53	73	99+
65+	73	26.6	399	4	7	19	40	58	79	99+
TOT. SINGLE DX	5	5.8	24	1	1	5	7	14	14	14
" MULTIPLE DX	148	24.6	394	2	3	19	40	67	99+	99+
TOTAL 0-19 YRS	6	13.2	187	2	2	19	99+	99+	99+	99+
20-34	8	22.6	321	1	4	23	55	99+	99+	99+
35-49	16	25.9	824	2	3	13	48	75	80	82
50-64	48	21.7	277	3	3	18	31	52	70	99+
65+	75	26.0	403	3	6	19	40	58	77	99+
GRAND TOTAL	**153**	**24.0**	**393**	**2**	**3**	**19**	**40**	**66**	**99+**	**99+**

562: Operations on larynx and trachea except excision and permanent tracheostomy (31.0-31.1; 31.3; 31.6-31.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	29	3.4	18	<1	<1	2	5	7	8	23
20-34	19	2.3	5	<1	<1	1	2	7	8	8
35-49	7	3.1	5	<1	<1	3	5	7	7	7
50-64	14	2.4	2	<1	<1	2	3	5	5	5
65+	12	3.3	56	1	1	1	1	9	24	27
2. MULTIPLE DX										
0-19 YRS	115	13.5	336	<1	<1	7	20	48	91	99+
20-34	90	20.5	449	<1	1	12	40	60	77	99+
35-49	82	19.4	480	1	1	11	39	77	99+	99+
50-64	149	20.0	419	1	1	13	31	61	82	99+
65+	230	26.9	513	1	2	24	44	68	95	99+
TOT. SINGLE DX	81	2.9	16	<1	<1	1	3	6	7	26
" MULTIPLE DX	666	21.3	469	1	1	15	37	63	92	99+
TOTAL 0-19 YRS	144	11.5	289	<1	<1	5	17	44	70	99+
20-34	109	17.3	420	<1	<1	8	26	58	66	99+
35-49	89	18.1	462	1	1	10	32	72	99+	99+
50-64	163	18.5	408	1	1	12	29	56	80	99+
65+	242	25.8	517	1	1	23	42	65	94	99+
GRAND TOTAL	**747**	**19.3**	**452**	**<1**	**1**	**11**	**34**	**61**	**85**	**99+**

563: Incision and local excision or destruction of lesion of bronchus (32.0; 33.0; 33.24-33.25)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	8	3.0	2	1	1	4	4	4	4	4
20-34	18	4.5	22	<1	<1	2	8	12	15	17
35-49	50	5.1	31	<1	<1	4	7	10	12	35
50-64	115	3.9	18	<1	<1	2	5	9	12	24
65+	128	5.0	23	<1	<1	3	7	12	15	23
2. MULTIPLE DX										
0-19 YRS	23	8.5	42	1	2	7	12	19	21	24
20-34	176	12.2	107	2	2	10	16	23	30	53
35-49	350	10.4	83	1	2	8	14	23	28	41
50-64	891	8.9	75	1	2	7	11	18	24	48
65+	1753	10.3	87	2	2	8	13	20	25	52
TOT. SINGLE DX	319	4.5	23	<1	<1	3	6	11	13	24
" MULTIPLE DX	3193	10.0	85	1	2	8	13	20	25	50
TOTAL 0-19 YRS	31	7.1	38	1	1	4	11	18	19	24
20-34	194	11.5	105	1	2	9	16	22	30	51
35-49	400	9.7	80	1	2	7	13	22	27	40
50-64	1006	8.3	71	1	1	6	10	18	24	45
65+	1881	9.9	85	1	2	8	13	20	24	52
GRAND TOTAL	**3512**	**9.5**	**82**	**1**	**2**	**7**	**12**	**20**	**25**	**48**

564: Bronchial resection and miscellaneous operations on bronchus (32.1; 33.41-33.42; 33.48; 33.91-33.92; 33.98)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	1	18.0		18	18	18	18	18	18	18
20-34	2	7.5	1	7	7	7	8	8	8	8
35-49	2	6.0	8	4	4	6	8	8	8	8
50-64	3	9.0	49	2	2	9	14	16	16	16
65+	2	13.0	242	2	2	13	24	24	24	24
TOT. SINGLE DX										
" MULTIPLE DX	10	9.8	53	2	2	8	16	21	24	24
TOTAL 0-19 YRS	1	18.0		18	18	18	18	18	18	18
20-34	2	7.5	1	7	7	7	8	8	8	8
35-49	2	6.0	8	4	4	6	8	8	8	8
50-64	3	9.0	49	2	2	9	14	16	16	16
65+	2	13.0	242	2	2	13	24	24	24	24
GRAND TOTAL	**10**	**9.8**	**53**	**2**	**2**	**8**	**16**	**21**	**24**	**24**

565: Local excision or destruction of lesion or tissue of lung (32.2-32.3; 33.26-33.27)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	13	6.9	12	2	4	6	9	12	14	15
20-34	49	6.5	17	1	1	6	9	12	14	19
35-49	78	6.6	13	1	3	6	8	11	13	21
50-64	152	6.0	9	1	2	6	8	9	11	14
65+	111	7.0	16	1	2	7	8	12	14	24
2. MULTIPLE DX										
0-19 YRS	65	12.7	162	4	5	9	13	29	47	96
20-34	140	11.3	72	3	4	9	14	21	30	39
35-49	239	10.0	67	2	4	8	12	19	23	53
50-64	728	9.5	55	1	3	8	12	18	22	42
65+	1009	9.9	67	1	2	8	12	19	25	46
TOT. SINGLE DX	403	6.5	13	1	2	6	8	11	13	19
" MULTIPLE DX	2181	10.0	67	1	3	8	12	19	25	47
TOTAL 0-19 YRS	78	11.7	142	3	5	9	13	27	38	93
20-34	189	10.0	63	2	3	8	13	19	26	36
35-49	317	9.2	56	2	4	7	11	17	21	45
50-64	880	8.9	49	1	2	7	11	16	21	39
65+	1120	9.6	64	1	2	8	12	18	25	44
GRAND TOTAL	**2584**	**9.4**	**60**	**1**	**2**	**8**	**11**	**18**	**23**	**43**

566: Lobectomy and complete pneumonectomy (32.4-32.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	4	8.8	18	6	6	7	11	15	15	15
20-34	9	8.6	8	5	6	7	10	13	14	14
35-49	27	8.1	7	5	5	8	9	13	14	14
50-64	89	8.9	14	5	5	8	10	12	16	26
65+	80	9.0	7	4	5	9	11	13	14	16
2. MULTIPLE DX										
0-19 YRS	14	18.3	325	6	6	9	27	39	63	70
20-34	28	10.2	26	5	6	8	12	17	20	28
35-49	113	12.2	101	5	6	9	13	21	28	63
50-64	484	12.3	95	6	6	10	14	19	24	65
65+	576	13.5	77	6	7	11	15	23	30	59
TOT. SINGLE DX	209	8.8	11	5	5	8	10	12	14	19
" MULTIPLE DX	1215	12.9	89	6	7	10	14	21	29	60
TOTAL 0-19 YRS	18	16.2	269	6	6	8	20	34	56	70
20-34	37	9.8	22	5	6	8	12	16	18	28
35-49	140	11.4	86	5	6	8	12	20	25	58
50-64	573	11.8	84	5	6	9	13	18	23	59
65+	656	12.9	71	6	7	11	15	22	29	59
GRAND TOTAL	**1424**	**12.3**	**79**	**5**	**6**	**10**	**14**	**20**	**27**	**59**

567: Bronchoscopy (using natural orifice) (33.22-33.23)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	138	1.6	1	<1	<1	1	1	4	5	7
20-34	31	4.6	22	<1	<1	3	7	9	14	23
35-49	49	3.2	8	<1	<1	2	5	7	8	14
50-64	97	4.4	21	<1	<1	2	6	11	14	23
65+	82	5.2	31	<1	1	2	8	12	16	27
2. MULTIPLE DX										
0-19 YRS	169	5.6	47	<1	1	3	8	14	22	47
20-34	194	11.0	136	1	2	8	13	25	32	72
35-49	320	9.8	77	1	2	7	13	21	27	56
50-64	677	10.1	90	1	2	8	13	21	30	47
65+	1414	12.0	102	2	3	9	15	25	33	51
TOT. SINGLE DX	397	3.5	17	<1	<1	2	5	8	12	21
" MULTIPLE DX	2774	10.8	98	1	2	8	14	23	31	52
TOTAL 0-19 YRS	307	3.8	31	<1	<1	2	4	10	15	30
20-34	225	10.1	126	1	1	7	12	23	30	70
35-49	369	8.9	73	<1	1	7	12	19	25	53
50-64	774	9.4	85	1	1	7	12	20	29	46
65+	1496	11.7	101	1	2	9	15	24	33	50
GRAND TOTAL	**3171**	**9.9**	**94**	**1**	**1**	**7**	**13**	**22**	**30**	**49**

568: Miscellaneous operations on lung (32.6-32.9; 33.1; 33.3; 33.43; 33.49; 33.5; 33.93; 33.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	11	3.1	8	1	1	2	4	8	9	9
20-34	46	3.7	3	1	2	3	5	6	7	10
35-49	9	6.9	42	3	3	4	8	18	22	22
50-64	12	4.4	12	<1	<1	4	7	9	12	12
65+	8	4.8	8	1	1	5	7	9	9	9
2. MULTIPLE DX										
0-19 YRS	27	5.7	12	2	2	5	8	10	13	16
20-34	39	8.8	103	3	3	6	9	14	17	66
35-49	45	10.0	95	1	2	8	12	22	30	52
50-64	51	10.9	118	1	3	9	13	19	24	67
65+	68	12.1	97	1	3	9	16	25	32	47
TOT. SINGLE DX	86	4.2	10	1	1	3	5	8	9	19
" MULTIPLE DX	230	10.1	95	1	2	8	12	19	28	55
TOTAL 0-19 YRS	38	5.0	12	1	1	4	8	9	11	16
20-34	85	6.0	55	2	2	5	6	10	14	49
35-49	54	9.5	87	1	2	7	12	22	28	51
50-64	63	9.7	104	1	1	7	12	19	23	64
65+	76	11.4	93	1	3	9	15	24	31	47
GRAND TOTAL	**316**	**8.5**	**79**	**1**	**2**	**6**	**10**	**18**	**23**	**49**

569: Thoracotomy (34.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	98	4.5	8	1	2	4	5	8	11	16
20-34	430	4.6	9	2	2	4	6	8	10	18
35-49	186	4.5	8	2	2	4	6	9	10	15
50-64	104	5.2	10	2	2	4	7	9	11	17
65+	58	5.6	13	1	2	5	7	11	14	17
2. MULTIPLE DX										
0-19 YRS	251	10.8	202	2	2	7	11	24	47	82
20-34	526	7.3	49	2	3	5	8	14	20	40
35-49	463	8.1	45	2	3	6	10	15	21	40
50-64	735	9.4	65	2	3	7	12	18	25	45
65+	1030	10.2	71	2	3	7	12	21	29	45
TOT. SINGLE DX	876	4.7	9	2	2	4	6	8	10	17
" MULTIPLE DX	3005	9.2	74	2	3	7	11	18	26	47
TOTAL 0-19 YRS	349	9.1	156	2	2	5	9	18	30	81
20-34	956	6.1	33	2	2	5	7	11	16	30
35-49	649	7.1	37	2	2	5	9	13	18	33
50-64	839	8.9	60	2	3	7	11	17	23	44
65+	1088	9.9	69	2	3	7	12	21	28	44
GRAND TOTAL	**3881**	**8.2**	**63**	**2**	**3**	**6**	**10**	**16**	**23**	**44**

570: Operations on chest wall, pleura, and mediastinum except thoracotomy (34.1-34.27; 34.3-34.8; 34.93-34.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	81	4.6	5	<1	1	5	6	7	9	12
20-34	85	5.2	22	1	1	4	7	10	13	26
35-49	81	5.1	36	<1	1	4	6	9	10	40
50-64	96	3.7	11	1	1	2	5	8	12	14
65+	67	4.8	16	1	1	4	7	10	13	18
2. MULTIPLE DX										
0-19 YRS	58	7.9	29	1	3	6	10	16	20	25
20-34	167	8.6	56	1	1	7	12	18	21	33
35-49	186	10.0	98	1	2	7	13	20	30	51
50-64	398	8.2	79	1	1	6	10	17	27	42
65+	652	9.6	89	1	1	7	13	20	29	45
TOT. SINGLE DX	410	4.7	18	<1	1	4	6	9	12	17
" MULTIPLE DX	1461	9.1	82	1	1	7	12	19	27	44
TOTAL 0-19 YRS	139	6.0	18	1	1	5	7	11	16	23
20-34	252	7.5	47	1	1	6	10	16	20	31
35-49	267	8.5	85	1	1	6	10	18	27	51
50-64	494	7.3	70	1	1	5	9	15	25	41
65+	719	9.2	84	1	1	7	12	19	28	44
GRAND TOTAL	**1871**	**8.1**	**71**	**1**	**1**	**6**	**10**	**17**	**24**	**42**

571: Open heart operations (35.1-35.51; 35.53-35.99; 37.5-37.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	164	7.2	7	3	5	7	8	10	11	15
20-34	34	7.8	2	6	6	8	9	9	11	11
35-49	45	9.0	11	6	7	8	9	11	14	27
50-64	43	9.8	28	5	6	9	11	15	20	35
65+	32	11.2	11	7	8	11	12	16	20	22
2. MULTIPLE DX										
0-19 YRS	351	11.8	102	5	6	9	12	20	36	77
20-34	116	13.5	89	6	7	10	15	29	39	64
35-49	269	13.5	90	7	7	11	14	24	30	58
50-64	687	13.7	61	7	8	11	15	22	29	49
65+	928	16.2	115	8	9	13	18	26	36	67
TOT. SINGLE DX	318	8.3	12	5	5	8	9	11	14	24
" MULTIPLE DX	2351	14.4	96	7	8	11	16	24	34	63
TOTAL 0-19 YRS	515	10.4	77	5	5	8	11	16	28	57
20-34	150	12.2	75	6	6	9	13	26	36	46
35-49	314	12.8	82	7	7	10	13	22	29	55
50-64	730	13.5	60	7	8	11	15	22	28	48
65+	960	16.0	113	8	9	13	18	26	36	67
GRAND TOTAL	**2669**	**13.7**	**90**	**6**	**7**	**11**	**15**	**23**	**32**	**60**

572: Direct heart revascularization (36.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34	1	7.0		7	7	7	7	7	7	7
35-49	48	8.0	4	5	6	7	9	11	13	14
50-64	186	8.3	5	6	6	8	9	11	12	18
65+	140	9.5	6	6	7	9	11	13	14	16
2. MULTIPLE DX										
0-19 YRS	3	8.7	6	6	6	9	10	11	11	11
20-34	29	8.9	9	5	6	8	10	13	15	19
35-49	931	9.8	19	6	7	9	11	14	17	31
50-64	3863	10.9	31	7	7	9	12	16	20	35
65+	3746	13.0	56	7	8	11	15	20	26	47
TOT. SINGLE DX	375	8.7	6	6	6	8	10	12	13	17
" MULTIPLE DX	8572	11.7	42	7	7	10	13	18	23	39
TOTAL 0-19 YRS	3	8.7	6	6	6	9	10	11	11	11
20-34	30	8.8	10	5	6	8	10	13	15	19
35-49	979	9.7	19	6	6	9	11	14	16	31
50-64	4049	10.8	31	6	7	9	12	16	20	34
65+	3886	12.9	55	7	8	11	15	20	26	47
GRAND TOTAL	**8947**	**11.6**	**41**	**7**	**7**	**10**	**13**	**18**	**23**	**39**

573: Cardiac catheterization (37.21-37.23)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	292	1.4	1	<1	<1	1	1	2	3	7
20-34	120	2.2	4	<1	<1	1	2	5	7	10
35-49	911	2.2	4	<1	<1	1	2	5	7	12
50-64	1668	2.0	4	<1	<1	1	2	4	7	11
65+	828	2.1	4	<1	1	1	2	4	7	11
2. MULTIPLE DX										
0-19 YRS	638	2.5	19	<1	<1	1	2	5	9	28
20-34	394	3.9	17	1	1	2	5	9	13	21
35-49	3172	3.5	13	1	1	2	5	9	11	16
50-64	8933	3.5	18	1	1	2	4	8	11	19
65+	7685	4.3	24	1	1	2	6	10	14	24
TOT. SINGLE DX	3819	2.0	4	<1	<1	1	2	4	7	11
" MULTIPLE DX	20822	3.8	20	1	1	2	5	9	12	21
TOTAL 0-19 YRS	930	2.2	14	<1	<1	1	2	4	7	20
20-34	514	3.5	15	<1	1	2	5	8	12	20
35-49	4083	3.2	12	<1	1	2	4	8	10	15
50-64	10601	3.3	16	<1	1	2	4	8	11	18
65+	8513	4.1	23	1	1	2	5	10	13	23
GRAND TOTAL	**24641**	**3.5**	**18**	**<1**	**1**	**2**	**4**	**9**	**11**	**20**

574: Pacemaker insertion, replacement, removal, and repair (37.7-37.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	14	2.8	5	1	1	2	4	6	7	7
20-34	11	1.7	1	1	1	1	2	3	5	5
35-49	26	2.8	4	<1	1	2	4	5	7	9
50-64	99	3.3	8	<1	1	2	5	7	8	16
65+	393	3.0	7	<1	1	2	4	6	7	14
2. MULTIPLE DX										
0-19 YRS	41	5.7	40	1	2	4	7	11	13	40
20-34	53	5.0	22	1	1	3	6	12	15	23
35-49	145	6.3	23	1	1	5	9	14	18	31
50-64	815	7.3	36	1	2	6	10	14	19	30
65+	4635	7.1	38	1	2	5	9	14	19	30
TOT. SINGLE DX	543	3.0	7	<1	1	2	4	6	7	14
" MULTIPLE DX	5689	7.1	38	1	2	5	9	14	18	30
TOTAL 0-19 YRS	55	5.0	33	1	1	3	6	10	11	39
20-34	64	4.5	20	1	1	3	5	11	14	22
35-49	171	5.7	22	1	1	5	8	12	17	27
50-64	914	6.8	35	1	1	5	9	14	18	29
65+	5028	6.8	37	1	2	5	9	14	18	30
GRAND TOTAL	**6232**	**6.7**	**36**	**1**	**1**	**5**	**9**	**14**	**18**	**29**

575: Miscellaneous operations on heart (35.0; 35.52; 36.0; 36.2-36.9; 37.0-37.1; 37.24-37.25; 37.3-37.4; 37.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	23	6.9	12	1	2	7	8	12	14	15
20-34	26	5.8	20	1	2	5	7	11	16	21
35-49	149	3.5	6	1	1	3	4	7	9	13
50-64	366	3.4	6	1	1	3	4	7	8	13
65+	163	3.7	7	1	1	3	5	8	10	14
2. MULTIPLE DX										
0-19 YRS	50	9.5	202	1	2	6	10	19	25	88
20-34	108	9.4	71	1	2	7	12	20	23	46
35-49	939	5.5	29	1	2	4	7	10	14	27
50-64	2499	5.3	26	1	2	4	7	10	13	28
65+	1832	6.2	31	2	2	4	8	12	16	29
TOT. SINGLE DX	727	3.7	8	1	1	3	5	7	9	15
" MULTIPLE DX	5428	5.7	31	1	2	4	7	11	15	29
TOTAL 0-19 YRS	73	8.7	143	1	2	6	9	14	24	80
20-34	134	8.7	63	1	2	7	11	19	22	38
35-49	1088	5.2	27	1	2	3	7	10	13	26
50-64	2865	5.1	24	1	2	3	6	10	12	26
65+	1995	6.0	30	1	2	4	8	12	15	29
GRAND TOTAL	**6155**	**5.5**	**29**	**1**	**2**	**4**	**7**	**11**	**14**	**28**

576: Other diagnostic and therapeutic procedures on larynx, trachea, bronchus, lungs and heart (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	166	2.3	4	<1	<1	2	3	4	7	12
20-34	60	2.3	3	<1	<1	1	3	5	7	8
35-49	85	3.8	17	<1	<1	2	6	11	12	19
50-64	93	2.4	7	<1	<1	1	2	6	9	14
65+	96	3.6	14	<1	<1	2	5	9	11	20
2. MULTIPLE DX										
0-19 YRS	489	4.6	31	<1	<1	3	5	11	15	42
20-34	221	9.1	146	1	1	6	10	19	29	83
35-49	377	8.1	87	1	1	5	10	17	23	48
50-64	818	7.2	45	1	1	5	10	15	20	31
65+	2321	9.1	56	2	2	7	12	18	23	36
TOT. SINGLE DX	500	2.8	10	<1	<1	1	3	7	10	15
" MULTIPLE DX	4226	8.2	61	1	2	6	11	17	22	38
TOTAL 0-19 YRS	655	4.1	26	<1	<1	2	4	9	14	37
20-34	281	7.6	124	<1	1	5	9	15	22	79
35-49	462	7.3	77	<1	1	5	10	15	22	47
50-64	911	6.7	44	1	1	5	9	15	20	31
65+	2417	8.9	56	1	2	7	12	18	23	36
GRAND TOTAL	**4726**	**7.6**	**58**	**1**	**1**	**6**	**10**	**16**	**21**	**37**

577: Ligation and stripping of varicose veins (38.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	12	2.5	2	<1	<1	2	3	5	6	6
20-34	392	2.1	1	1	1	2	3	3	4	7
35-49	548	2.3	2	1	1	2	3	4	5	7
50-64	315	2.5	2	1	1	2	3	4	6	9
65+	99	2.6	2	1	1	2	3	4	5	9
2. MULTIPLE DX										
0-19 YRS	5	2.8	1	2	2	2	4	4	4	4
20-34	92	3.0	12	1	1	2	3	5	9	21
35-49	208	3.1	12	1	1	2	3	5	6	21
50-64	199	3.7	10	1	1	3	4	7	8	15
65+	114	5.0	34	1	1	3	5	13	19	30
TOT. SINGLE DX	1366	2.3	2	1	1	2	3	4	5	7
" MULTIPLE DX	618	3.6	16	1	1	3	4	6	10	24
TOTAL 0-19 YRS	17	2.6	2	<1	<1	2	3	5	6	6
20-34	484	2.3	4	1	1	2	3	4	5	9
35-49	756	2.5	5	1	1	2	3	4	5	11
50-64	514	3.0	6	1	1	3	4	5	7	13
65+	213	3.9	21	1	1	3	4	7	13	25
GRAND TOTAL	**1984**	**2.7**	**7**	**1**	**1**	**2**	**3**	**5**	**6**	**14**

578: Systemic shunt or graft bypass (39.0-39.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	14	6.6	9	1	2	6	8	10	12	12
20-34	25	4.4	17	1	2	3	5	11	14	19
35-49	59	5.3	11	1	1	5	8	10	11	14
50-64	198	6.2	14	1	1	6	8	10	11	18
65+	220	7.0	12	1	2	7	9	11	14	18
2. MULTIPLE DX										
0-19 YRS	72	10.9	103	2	3	8	12	24	35	57
20-34	192	9.4	115	1	1	6	12	18	34	58
35-49	473	9.9	102	1	2	8	11	20	29	70
50-64	1602	10.7	80	2	4	9	12	19	27	51
65+	2748	12.4	93	3	5	10	15	23	31	54
TOT. SINGLE DX	516	6.4	14	1	2	6	8	11	12	18
" MULTIPLE DX	5087	11.5	92	2	4	9	14	21	30	55
TOTAL 0-19 YRS	86	10.2	90	2	3	7	11	18	30	54
20-34	217	8.8	107	1	1	6	11	18	31	54
35-49	532	9.4	95	1	2	7	11	19	28	60
50-64	1800	10.2	75	2	3	8	12	18	25	50
65+	2968	12.0	89	3	4	9	14	22	30	52
GRAND TOTAL	**5603**	**11.0**	**87**	**2**	**3**	**9**	**13**	**20**	**28**	**52**

579: Extracorporeal circulation (39.61)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+	1	11.0		11	11	11	11	11	11	11
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64	2	10.5	61	5	5	10	16	16	16	16
65+	2	32.0	392	18	18	32	46	46	46	46
TOT. SINGLE DX	1	11.0		11	11	11	11	11	11	11
" MULTIPLE DX	4	21.3	305	5	5	17	32	46	46	46
TOTAL 0-19 YRS										
20-34										
35-49										
50-64	2	10.5	61	5	5	10	16	16	16	16
65+	3	25.0	343	11	11	18	39	46	46	46
GRAND TOTAL	**5**	**19.2**	**250**	**5**	**5**	**16**	**25**	**46**	**46**	**46**

580: Hemodialysis (39.95)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	3	2.0	3	1	1	1	3	4	4	4
20-34	3	2.0	1	1	1	2	3	3	3	3
35-49	10	2.0	2	<1	<1	1	3	4	5	5
50-64	5	6.2	35	1	1	4	12	14	14	14
65+	4	1.8	1	<1	<1	1	2	3	3	3
2. MULTIPLE DX										
0-19 YRS	58	5.6	58	1	1	3	6	10	22	40
20-34	456	5.1	38	1	1	3	6	10	14	35
35-49	583	5.5	40	1	1	4	6	11	17	36
50-64	1012	5.8	40	1	1	4	7	12	16	30
65+	1153	6.2	38	1	1	4	8	13	17	33
TOT. SINGLE DX	25	2.8	10	<1	1	1	3	5	12	14
" MULTIPLE DX	3262	5.8	40	1	1	4	7	12	16	34
TOTAL 0-19 YRS	61	5.4	55	1	1	3	6	9	20	40
20-34	459	5.1	39	1	1	3	6	10	14	35
35-49	593	5.4	40	1	1	4	6	11	17	36
50-64	1017	5.8	40	1	1	4	7	12	16	30
65+	1157	6.2	38	1	1	4	8	13	17	33
GRAND TOTAL	**3287**	**5.8**	**40**	**1**	**1**	**4**	**7**	**12**	**16**	**34**

581: Other operations on blood vessels (38.0-38.21; 38.3-38.4; 38.6-38.92; 38.94; 38.98; 39.3-39.5; 39.62-39.91; 39.93-39.94; 39.96-39.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	261	4.9	16	1	1	4	6	9	11	21
20-34	185	3.9	15	<1	1	2	5	9	11	18
35-49	222	5.2	26	1	1	3	8	12	17	25
50-64	690	4.9	15	1	1	4	6	9	11	22
65+	1048	5.4	14	1	2	4	7	10	11	23
2. MULTIPLE DX										
0-19 YRS	3060	16.4	364	1	2	9	22	48	72	99+
20-34	828	7.7	101	1	1	4	9	20	28	70
35-49	1209	7.8	75	1	1	5	10	18	24	47
50-64	4015	8.2	72	1	2	6	10	17	23	45
65+	8364	9.1	79	2	3	7	11	18	24	49
TOT. SINGLE DX	2406	5.1	17	1	1	4	6	9	12	22
" MULTIPLE DX	17476	10.0	137	1	2	7	11	21	32	76
TOTAL 0-19 YRS	3321	15.5	347	1	2	8	20	46	69	99+
20-34	1013	7.0	88	1	1	4	8	17	25	66
35-49	1431	7.4	69	1	1	5	9	17	23	44
50-64	4705	7.7	65	1	2	5	9	15	22	41
65+	9412	8.7	73	2	2	6	10	17	23	46
GRAND TOTAL	**19882**	**9.4**	**125**	**1**	**2**	**6**	**11**	**20**	**30**	**73**

582: Incision, excision of lymphatic structures (40.0-40.11; 40.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	202	2.3	6	<1	<1	1	3	5	8	13
20-34	173	2.2	4	<1	<1	1	2	5	7	9
35-49	171	2.7	10	<1	<1	1	3	6	7	17
50-64	198	3.0	7	<1	<1	2	4	6	8	14
65+	136	3.5	8	<1	1	3	5	8	9	13
2. MULTIPLE DX										
0-19 YRS	129	6.3	135	<1	<1	3	7	11	17	78
20-34	199	6.1	71	<1	1	4	8	13	18	49
35-49	248	5.6	45	<1	1	3	7	14	18	36
50-64	457	6.1	55	1	1	4	8	13	18	34
65+	676	7.0	50	1	1	5	9	14	18	34
TOT. SINGLE DX	880	2.7	8	<1	<1	2	3	6	8	14
" MULTIPLE DX	1709	6.4	60	<1	1	4	8	14	18	36
TOTAL 0-19 YRS	331	3.9	61	<1	<1	1	4	9	11	44
20-34	372	4.3	44	<1	<1	2	5	9	13	39
35-49	419	4.4	33	<1	<1	2	5	10	16	29
50-64	655	5.1	43	<1	1	3	7	11	16	30
65+	812	6.4	45	1	1	5	8	13	18	32
GRAND TOTAL	**2589**	**5.1**	**45**	**<1**	**<1**	**3**	**7**	**11**	**16**	**31**

583: Radical excision of lymph nodes (40.3-40.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	6	1.8	1	1	1	2	2	4	4	4
20-34	28	3.3	6	<1	1	2	5	7	9	9
35-49	58	3.5	19	1	1	3	4	6	7	32
50-64	78	3.4	7	1	1	3	4	6	7	18
65+	62	4.6	5	1	2	4	5	8	10	12
2. MULTIPLE DX										
0-19 YRS	12	6.3	13	<1	2	5	9	11	14	14
20-34	80	6.6	19	2	2	6	8	12	15	25
35-49	122	5.9	55	1	2	4	7	10	15	45
50-64	224	7.2	45	1	2	5	9	14	20	48
65+	350	7.8	56	1	2	6	9	16	22	41
TOT. SINGLE DX	232	3.7	10	1	1	3	5	6	8	15
" MULTIPLE DX	788	7.2	49	1	2	6	8	14	20	39
TOTAL 0-19 YRS	18	4.8	14	<1	1	4	7	10	12	14
20-34	108	5.8	18	1	2	5	8	10	13	22
35-49	180	5.1	45	1	1	4	6	8	14	35
50-64	302	6.2	38	1	2	4	8	13	17	36
65+	412	7.3	50	1	2	5	8	15	21	39
GRAND TOTAL	**1020**	**6.4**	**42**	**1**	**2**	**5**	**7**	**13**	**18**	**36**

584: Miscellaneous operations on lymphatic system (40.6-40.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	1	33.0		33	33	33	33	33	33	33
20-34	4	20.3	376	2	2	20	37	38	38	38
35-49	3	13.7	52	9	9	10	19	22	22	22
50-64	3	7.3	14	3	3	9	10	10	10	10
65+	3	20.0	273	9	9	12	32	39	39	39
TOT. SINGLE DX										
" MULTIPLE DX	14	16.9	188	2	3	10	33	38	39	39
TOTAL 0-19 YRS	1	33.0		33	33	33	33	33	33	33
20-34	4	20.3	376	2	2	20	37	38	38	38
35-49	3	13.7	52	9	9	10	19	22	22	22
50-64	3	7.3	14	3	3	9	10	10	10	10
65+	3	20.0	273	9	9	12	32	39	39	39
GRAND TOTAL	**14**	**16.9**	**188**	**2**	**3**	**10**	**33**	**38**	**39**	**39**

585: Bone marrow transplant (41.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1	35.0		35	35	35	35	35	35	35
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	2	61.0	648	43	43	79	95	99+	99+	99+
20-34	2	35.5	85	29	29	35	42	42	42	42
35-49	3	41.0	211	26	26	42	52	55	55	55
50-64										
65+										
TOT. SINGLE DX	1	35.0		35	35	35	35	35	35	35
" MULTIPLE DX	7	45.1	316	26	27	43	67	94	99+	99+
TOTAL 0-19 YRS	3	52.3	549	35	35	61	89	99+	99+	99+
20-34	2	35.5	85	29	29	35	42	42	42	42
35-49	3	41.0	211	26	26	42	52	55	55	55
50-64										
65+										
GRAND TOTAL	**8**	**43.9**	**284**	**26**	**27**	**42**	**61**	**92**	**99+**	**99+**

586: Miscellaneous operations on spleen and bone marrow (41.1-41.33; 41.4-41.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	235	5.3	15	1	1	5	6	8	13	22
20-34	178	5.0	7	1	2	5	6	8	9	18
35-49	103	5.9	15	1	2	6	7	10	13	22
50-64	88	5.9	14	1	2	5	8	11	15	16
65+	122	6.0	34	1	1	5	7	10	17	34
2. MULTIPLE DX										
0-19 YRS	468	8.6	77	1	2	6	9	17	28	47
20-34	630	11.4	135	2	3	7	12	27	38	63
35-49	551	10.4	119	2	3	7	11	22	32	64
50-64	925	10.8	112	2	2	7	13	23	30	67
65+	2374	9.8	65	2	3	8	12	19	25	43
TOT. SINGLE DX	726	5.5	17	1	2	5	7	9	12	22
" MULTIPLE DX	4948	10.1	91	2	3	7	12	21	28	50
TOTAL 0-19 YRS	703	7.5	59	1	2	6	8	14	22	42
20-34	808	10.0	114	2	3	6	10	24	33	61
35-49	654	9.7	105	2	2	7	10	20	29	64
50-64	1013	10.4	106	2	2	7	12	22	29	60
65+	2496	9.6	65	2	3	7	12	19	25	42
GRAND TOTAL	**5674**	**9.5**	**84**	**2**	**2**	**7**	**11**	**20**	**27**	**49**

587: Other diagnostic and therapeutic procedures on vessels, lymphatic structures, and spleen (38.29; 38.93; 38.99; 39.92; 40.19; 41.38-41.39)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	76	7.9	143	<1	<1	4	10	16	32	68
20-34	47	8.4	117	<1	<1	4	11	24	39	44
35-49	51	6.7	59	1	1	3	9	17	26	32
50-64	58	4.2	32	<1	1	3	5	7	17	31
65+	34	4.6	15	<1	<1	3	7	11	13	16
2. MULTIPLE DX										
0-19 YRS	311	13.4	238	1	2	8	18	37	58	99+
20-34	404	12.6	190	1	2	8	16	30	41	82
35-49	569	11.6	147	1	2	7	15	28	38	64
50-64	988	11.1	126	1	2	7	14	26	36	55
65+	1200	12.0	122	1	2	9	16	25	35	52
TOT. SINGLE DX	266	6.5	84	<1	<1	3	7	14	27	42
" MULTIPLE DX	3472	11.9	146	1	2	8	15	27	37	62
TOTAL 0-19 YRS	387	12.3	224	1	1	8	16	33	53	99+
20-34	451	12.1	185	1	2	7	15	30	41	76
35-49	620	11.2	142	1	1	7	15	27	36	63
50-64	1046	10.7	124	1	1	7	14	25	35	55
65+	1234	11.8	121	1	2	9	15	25	35	52
GRAND TOTAL	**3738**	**11.5**	**144**	**1**	**2**	**7**	**15**	**27**	**37**	**61**

588: Operations on the esophagus (42.0-42.21; 42.24; 42.3-42.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	59	2.0	3	<1	<1	1	3	4	6	10
20-34	29	4.9	15	1	1	5	7	9	14	17
35-49	45	4.3	17	<1	<1	3	6	9	10	24
50-64	78	4.1	13	<1	<1	3	6	10	12	15
65+	108	3.3	9	<1	<1	2	5	8	10	14
2. MULTIPLE DX										
0-19 YRS	131	5.0	73	<1	<1	2	5	12	23	70
20-34	173	6.4	36	1	1	5	8	13	19	42
35-49	297	7.2	51	1	1	5	9	16	20	38
50-64	616	7.8	64	1	1	6	10	17	23	40
65+	1253	8.3	68	1	2	6	10	17	23	49
TOT. SINGLE DX	319	3.5	12	<1	<1	2	5	9	10	15
" MULTIPLE DX	2470	7.7	64	1	1	6	10	16	22	47
TOTAL 0-19 YRS	190	4.1	54	<1	<1	2	4	10	15	58
20-34	202	6.2	34	1	1	5	7	12	16	40
35-49	342	6.8	48	1	1	5	8	15	19	31
50-64	694	7.4	60	1	1	5	9	16	22	40
65+	1361	7.9	66	1	1	6	10	16	22	48
GRAND TOTAL	**2789**	**7.2**	**60**	**1**	**1**	**5**	**9**	**15**	**21**	**44**

589: Esophagoscopy and gastroscopy (natural orifice) (42.23; 44.13)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

590: Gastrotomy, pyloromyotomy (43.0; 43.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	370	3.1	2	1	2	3	4	5	6	9
20-34	4	5.8	1	5	5	6	6	7	7	7
35-49	5	5.2	3	3	3	5	6	8	8	8
50-64	6	5.2	1	4	4	5	6	7	7	7
65+	8	10.6	5	8	8	10	12	14	15	15
2. MULTIPLE DX										
0-19 YRS	144	4.1	6	2	2	4	5	6	8	17
20-34	7	8.6	30	3	3	5	14	15	15	15
35-49	5	17.0	329	6	6	9	23	49	49	49
50-64	19	15.2	121	4	6	10	19	37	38	38
65+	33	12.0	51	2	4	11	15	23	28	30
TOT. SINGLE DX	393	3.4	3	1	2	3	4	5	7	11
" MULTIPLE DX	208	6.9	49	2	2	4	8	14	21	38
TOTAL 0-19 YRS	514	3.4	4	1	2	3	4	5	6	10
20-34	11	7.5	20	3	4	5	11	15	15	15
35-49	10	11.1	187	3	3	7	9	31	49	49
50-64	25	12.8	111	4	4	9	19	37	37	38
65+	41	11.8	42	3	5	11	14	22	26	30
GRAND TOTAL	**601**	**4.6**	**22**	**1**	**2**	**3**	**5**	**8**	**12**	**26**

591: Gastrostomy (43.1-43.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	3	4.3	4	2	2	5	6	6	6	6
20-34	3	5.3	34	1	1	3	10	12	12	12
35-49	1	9.0		9	9	9	9	9	9	9
50-64	7	6.1	23	1	1	5	7	14	16	16
65+	10	8.2	33	2	3	6	10	18	18	18
2. MULTIPLE DX										
0-19 YRS	68	17.5	377	1	3	10	23	57	78	99+
20-34	24	20.8	406	2	3	14	36	59	85	99+
35-49	47	21.2	532	3	3	11	28	67	77	81
50-64	92	16.7	254	2	4	13	22	36	59	99+
65+	511	17.4	175	3	4	15	22	36	47	72
TOT. SINGLE DX	24	6.8	25	1	2	5	9	16	18	18
" MULTIPLE DX	742	17.6	233	2	4	14	23	38	57	99+
TOTAL 0-19 YRS	71	16.9	369	1	3	10	22	57	77	99+
20-34	27	19.1	386	1	2	12	29	56	82	99+
35-49	48	20.9	525	3	3	11	26	66	77	81
50-64	99	16.0	245	2	4	12	21	35	55	99+
65+	521	17.2	174	3	4	15	22	36	46	72
GRAND TOTAL	**766**	**17.3**	**230**	**2**	**4**	**14**	**22**	**38**	**56**	**99+**

592: Local excision or destruction of lesion or tissue of stomach (43.4; 44.14-44.15)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	6	2.2	2	<1	<1	1	3	5	5	5
20-34	28	2.9	3	<1	<1	3	4	6	7	7
35-49	43	4.2	10	<1	<1	3	6	8	10	18
50-64	65	3.8	7	<1	<1	3	5	8	9	11
65+	108	4.2	7	<1	<1	4	5	7	11	14
2. MULTIPLE DX										
0-19 YRS	18	5.2	13	1	1	4	7	10	13	15
20-34	156	6.5	71	2	2	4	8	12	15	37
35-49	345	5.8	30	2	2	4	7	10	14	29
50-64	675	6.5	36	1	2	5	8	12	18	30
65+	1993	8.0	53	2	3	6	9	15	21	36
TOT. SINGLE DX	250	3.9	8	<1	<1	3	5	7	9	13
" MULTIPLE DX	3187	7.4	49	2	2	5	9	14	20	35
TOTAL 0-19 YRS	24	4.4	13	<1	1	3	6	9	12	15
20-34	184	6.0	63	1	2	4	7	11	14	34
35-49	388	5.7	28	1	2	4	7	10	14	28
50-64	740	6.3	35	1	2	5	7	12	17	30
65+	2101	7.8	52	2	3	6	9	15	21	35
GRAND TOTAL	**3437**	**7.1**	**47**	**2**	**2**	**5**	**8**	**13**	**19**	**35**

593: Partial gastrectomy (43.5-43.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	2	8.0	2	7	7	8	9	9	9	9
20-34	27	7.7	11	2	3	7	9	11	13	19
35-49	80	9.5	16	5	6	8	11	13	16	26
50-64	67	10.0	9	6	7	9	11	14	16	21
65+	61	10.2	18	6	7	9	11	15	19	30
2. MULTIPLE DX										
0-19 YRS	3	14.0	84	6	6	12	21	24	24	24
20-34	58	12.5	42	5	6	11	14	20	25	41
35-49	190	13.2	63	7	7	10	15	25	29	49
50-64	326	14.5	111	6	7	11	16	25	37	63
65+	625	16.8	130	7	8	14	20	28	39	75
TOT. SINGLE DX	237	9.6	15	6	6	9	11	14	16	24
" MULTIPLE DX	1202	15.4	112	7	7	12	18	27	35	72
TOTAL 0-19 YRS	5	11.6	53	6	6	9	15	24	24	24
20-34	85	11.0	37	5	6	9	13	19	23	36
35-49	270	12.1	52	6	7	10	13	23	28	47
50-64	393	13.7	97	6	7	11	15	23	34	57
65+	686	16.2	124	7	8	13	19	28	36	75
GRAND TOTAL	**1439**	**14.4**	**101**	**6**	**7**	**11**	**17**	**25**	**33**	**60**

594: Total gastrectomy (43.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49	2	10.0	32	6	6	10	14	14	14	14
50-64	10	13.4	27	9	9	11	18	22	22	22
65+	5	18.2	68	12	12	14	24	31	31	31
2. MULTIPLE DX										
0-19 YRS	1	16.0		16	16	16	16	16	16	16
20-34	2	21.5	221	11	11	21	32	32	32	32
35-49	26	14.1	45	7	9	12	16	22	30	34
50-64	90	19.6	243	8	10	15	19	38	52	86
65+	128	20.9	191	10	10	16	25	34	54	96
TOT. SINGLE DX	17	14.4	42	7	9	12	19	22	28	31
" MULTIPLE DX	247	19.7	197	9	10	15	23	34	51	88
TOTAL 0-19 YRS	1	16.0		16	16	16	16	16	16	16
20-34	2	21.5	221	11	11	21	32	32	32	32
35-49	28	13.8	44	6	8	12	16	22	29	34
50-64	100	19.0	225	8	10	14	19	36	51	86
65+	133	20.8	187	10	10	16	25	34	53	96
GRAND TOTAL	**264**	**19.3**	**188**	**9**	**10**	**15**	**22**	**33**	**49**	**87**

595: Vagotomy (44.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34	36	7.6	9	4	5	7	8	12	15	17
35-49	53	8.4	16	4	5	8	9	12	16	28
50-64	41	9.8	16	6	6	8	11	15	20	22
65+	17	10.0	13	6	7	10	11	14	19	21
2. MULTIPLE DX										
0-19 YRS	5	31.0	1444	8	8	12	47	97	97	97
20-34	52	9.6	34	5	5	8	10	14	20	40
35-49	113	10.3	34	5	5	9	12	17	20	35
50-64	153	12.8	116	6	6	9	14	21	33	58
65+	202	16.2	113	7	8	13	20	29	36	76
TOT. SINGLE DX	147	8.8	15	5	5	8	10	13	17	22
" MULTIPLE DX	525	13.4	109	5	6	10	15	25	31	62
TOTAL 0-19 YRS	5	31.0	1444	8	8	12	47	97	97	97
20-34	88	8.8	25	5	5	8	10	13	17	35
35-49	166	9.7	29	5	5	8	11	16	19	30
50-64	194	12.1	97	6	6	9	14	20	27	58
65+	219	15.7	109	7	8	12	19	29	35	75
GRAND TOTAL	**672**	**12.4**	**92**	**5**	**6**	**9**	**14**	**21**	**30**	**57**

596: Miscellaneous operations on stomach (44.11; 44.2-44.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	42	5.0	6	1	2	5	6	8	9	14
20-34	179	5.9	4	3	4	6	7	9	9	13
35-49	204	6.2	4	3	4	6	7	9	10	14
50-64	121	7.6	8	4	4	7	9	11	13	17
65+	67	9.6	23	4	5	9	12	15	16	32
2. MULTIPLE DX										
0-19 YRS	157	16.6	359	3	4	9	20	44	74	99+
20-34	408	8.7	95	4	4	6	8	12	20	69
35-49	744	8.5	48	4	4	7	8	13	20	45
50-64	576	11.7	132	4	5	8	11	21	36	64
65+	822	14.7	108	5	6	11	17	28	38	64
TOT. SINGLE DX	613	6.7	9	3	4	6	8	10	12	16
" MULTIPLE DX	2707	11.5	118	4	5	8	12	22	33	67
TOTAL 0-19 YRS	199	14.2	307	2	3	8	15	32	60	98
20-34	587	7.8	69	4	4	6	8	11	16	58
35-49	948	8.0	40	4	4	7	8	12	18	44
50-64	697	11.0	113	4	5	8	11	20	31	59
65+	889	14.3	104	5	6	11	17	27	37	61
GRAND TOTAL	**3320**	**10.6**	**101**	**4**	**4**	**8**	**11**	**20**	**29**	**61**

597: Local excision or destruction of intestinal lesion or tissue (45.14-45.15; 45.25-45.27; 45.3-45.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	47	4.6	13	<1	1	3	6	9	11	19
20-34	109	4.0	13	<1	<1	3	5	7	9	23
35-49	105	4.4	12	<1	<1	4	6	8	10	18
50-64	157	3.4	9	<1	<1	2	5	8	10	13
65+	171	3.5	11	<1	<1	2	6	8	9	16
2. MULTIPLE DX										
0-19 YRS	112	6.7	43	1	2	5	8	12	22	37
20-34	299	5.9	29	1	2	5	7	10	16	31
35-49	389	7.1	68	1	2	5	8	13	19	40
50-64	812	6.6	39	<1	1	5	8	14	18	32
65+	2092	7.7	52	1	2	6	9	15	21	38
TOT. SINGLE DX	589	3.8	12	<1	<1	3	5	8	10	17
" MULTIPLE DX	3704	7.2	50	1	1	5	9	14	19	37
TOTAL 0-19 YRS	159	6.1	35	<1	1	4	7	12	18	33
20-34	408	5.4	26	<1	1	4	7	9	13	29
35-49	494	6.5	58	<1	1	5	8	11	17	36
50-64	969	6.1	36	<1	1	5	8	13	17	31
65+	2263	7.3	51	<1	1	6	9	14	20	38
GRAND TOTAL	**4293**	**6.7**	**46**	**<1**	**1**	**5**	**8**	**13**	**18**	**35**

598: Resection of small intestine (45.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	15	6.5	7	3	4	6	9	10	11	11
20-34	32	7.9	6	5	5	8	9	11	13	17
35-49	29	10.9	54	4	4	8	13	20	28	36
50-64	30	11.1	44	6	6	9	13	16	20	41
65+	34	9.9	13	6	6	9	12	15	17	21
2. MULTIPLE DX										
0-19 YRS	70	15.6	285	4	5	10	15	46	74	99+
20-34	147	13.5	142	5	6	10	15	27	43	79
35-49	191	15.4	161	5	7	11	18	28	44	66
50-64	302	16.2	159	6	7	11	20	33	50	70
65+	738	16.8	140	7	8	13	20	30	42	68
TOT. SINGLE DX	140	9.6	28	4	5	8	11	15	18	36
" MULTIPLE DX	1448	16.1	155	6	7	12	19	31	44	75
TOTAL 0-19 YRS	85	14.0	248	4	4	9	14	38	71	99+
20-34	179	12.5	122	5	6	9	13	22	39	77
35-49	220	14.8	149	5	6	11	17	28	43	65
50-64	332	15.8	151	6	7	11	19	29	50	68
65+	772	16.5	137	6	7	13	20	29	41	67
GRAND TOTAL	**1588**	**15.5**	**147**	**6**	**7**	**11**	**18**	**29**	**43**	**73**

599: Colectomy (45.7-45.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	29	6.8	2	5	5	7	8	9	10	11
20-34	84	9.0	26	5	5	8	10	13	19	34
35-49	181	8.5	6	5	6	8	10	12	14	16
50-64	416	8.6	6	5	6	8	10	11	13	18
65+	521	9.3	11	6	6	9	10	12	15	20
2. MULTIPLE DX										
0-19 YRS	62	16.4	370	5	6	10	21	96	99+	99+
20-34	293	12.6	92	6	6	10	14	21	27	54
35-49	640	11.7	66	6	7	9	12	18	26	49
50-64	1874	12.2	67	6	7	10	13	20	26	50
65+	4685	13.7	73	7	7	11	16	22	30	51
TOT. SINGLE DX	1231	8.9	10	5	6	8	10	12	14	20
" MULTIPLE DX	7554	13.1	75	6	7	10	15	22	29	53
TOTAL 0-19 YRS	91	13.3	272	5	5	8	13	56	99+	99+
20-34	377	11.8	80	5	6	9	13	20	26	49
35-49	821	11.0	55	6	6	9	12	16	22	47
50-64	2290	11.5	58	6	7	9	12	18	24	47
65+	5206	13.3	69	7	7	11	15	22	28	49
GRAND TOTAL	**8785**	**12.5**	**68**	**6**	**7**	**10**	**14**	**21**	**27**	**50**

600: Other incision, resection of intestine (45.0; 45.5; 46.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	8	4.9	3	3	3	5	6	8	8	8
20-34	4	5.8	12	2	2	5	8	10	10	10
35-49	7	7.0	2	5	5	7	8	10	10	10
50-64	16	7.8	9	3	4	8	10	11	12	13
65+	20	8.6	14	3	4	8	10	13	16	19
2. MULTIPLE DX										
0-19 YRS	30	16.4	406	4	5	9	19	52	96	99+
20-34	33	13.5	172	4	4	10	15	23	28	77
35-49	40	12.3	83	3	5	10	14	21	33	48
50-64	84	14.3	139	6	6	11	16	23	36	73
65+	203	14.2	68	5	6	12	18	24	30	43
TOT. SINGLE DX	55	7.4	11	3	3	7	10	11	13	19
" MULTIPLE DX	390	14.1	119	5	6	11	17	24	33	72
TOTAL 0-19 YRS	38	14.0	342	3	4	7	15	41	80	99+
20-34	37	12.7	160	3	4	10	15	22	28	77
35-49	47	11.5	74	4	5	9	13	19	29	48
50-64	100	13.2	124	4	6	10	15	23	34	67
65+	223	13.7	66	5	6	11	17	23	29	43
GRAND TOTAL	**445**	**13.3**	**110**	**4**	**5**	**11**	**16**	**23**	**31**	**65**

601: Intestinal anastomosis or repair (45.9; 46.4-46.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	121	5.6	10	2	2	5	7	9	10	19
20-34	117	7.2	8	4	4	7	8	10	12	18
35-49	114	7.8	8	3	5	8	9	10	12	19
50-64	124	7.6	8	3	5	7	9	11	12	18
65+	129	7.4	10	3	4	7	9	11	12	18
2. MULTIPLE DX										
0-19 YRS	223	9.7	110	3	4	7	10	18	29	97
20-34	264	9.4	45	4	5	8	10	15	24	41
35-49	319	11.2	87	4	5	9	12	19	27	59
50-64	483	11.8	104	4	5	9	13	20	30	69
65+	884	12.4	94	4	5	10	14	21	29	60
TOT. SINGLE DX	605	7.1	10	2	3	7	9	10	12	18
" MULTIPLE DX	2173	11.5	92	4	5	9	13	20	29	59
TOTAL 0-19 YRS	344	8.3	79	2	3	7	8	14	21	82
20-34	381	8.7	35	4	5	7	9	14	17	38
35-49	433	10.3	69	4	5	8	11	17	24	54
50-64	607	10.9	88	4	5	9	12	18	25	52
65+	1013	11.8	86	4	5	9	13	20	27	57
GRAND TOTAL	**2778**	**10.5**	**78**	**3**	**5**	**8**	**11**	**18**	**25**	**50**

602: Ileostomy, colostomy, and other enterostomy (46.1-46.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	14	9.0	18	4	5	7	12	16	18	18
20-34	6	8.7	2	7	7	8	10	11	11	11
35-49	9	8.9	9	5	5	8	10	13	15	15
50-64	6	10.3	15	6	6	9	14	16	16	16
65+	15	12.6	40	6	6	9	16	24	25	25
2. MULTIPLE DX										
0-19 YRS	43	15.3	192	3	4	10	21	35	59	99+
20-34	32	15.4	195	6	7	12	15	31	55	62
35-49	63	14.0	105	5	6	11	16	28	37	55
50-64	170	15.2	111	6	7	13	19	27	30	63
65+	392	16.3	127	6	7	13	20	29	40	63
TOT. SINGLE DX	50	10.2	23	6	6	9	12	17	21	25
" MULTIPLE DX	700	15.7	128	5	7	13	19	29	39	62
TOTAL 0-19 YRS	57	13.7	156	3	4	9	18	33	51	97
20-34	38	14.3	170	6	7	11	15	20	54	62
35-49	72	13.4	96	5	6	10	15	24	33	54
50-64	176	15.1	109	6	7	13	18	26	30	62
65+	407	16.1	124	6	7	13	19	29	39	62
GRAND TOTAL	**750**	**15.3**	**123**	**5**	**7**	**12**	**18**	**28**	**38**	**62**

603: Appendectomy (47.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	5818	3.2	3	1	2	3	4	5	7	10
20-34	4623	3.2	2	1	2	3	4	5	6	9
35-49	1623	3.8	3	2	2	3	4	6	8	10
50-64	607	4.6	6	2	2	4	6	8	9	13
65+	240	5.3	8	2	2	5	7	9	10	15
2. MULTIPLE DX										
0-19 YRS	1984	5.1	13	2	2	4	6	9	12	19
20-34	1782	5.0	12	2	2	4	6	9	11	18
35-49	876	6.3	20	2	3	5	8	12	14	24
50-64	624	7.9	32	3	3	7	10	13	16	29
65+	560	9.3	44	3	4	8	11	15	20	35
TOT. SINGLE DX	12911	3.4	4	1	2	3	4	6	7	10
" MULTIPLE DX	5826	5.9	21	2	2	5	7	11	14	24
TOTAL 0-19 YRS	7802	3.7	7	1	2	3	4	7	8	14
20-34	6405	3.7	6	2	2	3	4	6	8	12
35-49	2499	4.6	11	2	2	4	6	8	11	16
50-64	1231	6.3	22	2	2	5	8	11	14	23
65+	800	8.1	37	3	3	7	10	14	18	34
GRAND TOTAL	**18737**	**4.2**	**10**	**2**	**2**	**3**	**5**	**8**	**10**	**16**

604: Incidental appendectomy (47.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	44	3.0	1	1	2	3	4	5	5	5
20-34	48	3.8	4	1	2	3	4	7	8	11
35-49	13	4.4	5	1	2	4	5	8	9	9
50-64	5	4.6	6	2	2	4	6	8	8	8
65+	3	3.7	4	2	2	3	5	6	6	6
2. MULTIPLE DX										
0-19 YRS	19	4.3	3	2	3	3	6	8	8	8
20-34	45	5.3	18	2	2	4	6	7	17	24
35-49	6	6.2	29	2	2	4	6	16	17	17
50-64	6	11.2	97	4	4	7	14	28	30	30
65+	6	13.7	47	7	7	12	19	23	24	24
TOT. SINGLE DX	113	3.5	4	1	2	3	4	6	8	10
" MULTIPLE DX	82	6.2	29	2	3	4	7	14	19	28
TOTAL 0-19 YRS	63	3.4	2	2	2	3	4	5	7	8
20-34	93	4.5	12	2	2	4	5	7	10	22
35-49	19	4.9	13	1	2	4	6	9	13	17
50-64	11	8.2	63	2	3	6	8	20	29	30
65+	9	10.3	56	2	2	8	16	22	24	24
GRAND TOTAL	**195**	**4.7**	**16**	**2**	**2**	**4**	**5**	**8**	**11**	**24**

605: Operations on appendix except appendectomy (47.2-47.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	21	7.1	14	2	3	6	10	13	14	15
20-34	10	6.0	5	3	3	6	8	9	10	10
35-49	11	7.7	7	5	5	7	9	12	14	14
50-64	2	4.5	1	4	4	4	5	5	5	5
65+	3	7.0	1	6	6	7	8	8	8	8
2. MULTIPLE DX										
0-19 YRS	15	11.0	64	6	6	8	11	22	32	36
20-34	3	23.7	174	12	12	21	34	38	38	38
35-49	15	10.8	103	3	4	8	11	23	38	43
50-64	13	11.8	28	3	5	13	14	18	23	24
65+	14	15.6	98	4	6	14	18	26	40	44
TOT. SINGLE DX	47	6.9	10	3	3	6	8	11	14	15
" MULTIPLE DX	60	12.8	83	4	5	10	15	23	37	44
TOTAL 0-19 YRS	36	8.7	38	3	4	7	11	14	20	36
20-34	13	10.1	93	3	3	6	10	24	35	38
35-49	26	9.5	63	4	5	7	10	14	27	43
50-64	15	10.8	31	3	4	11	14	16	22	24
65+	17	14.1	92	5	6	12	16	24	37	44
GRAND TOTAL	**107**	**10.2**	**59**	**3**	**4**	**8**	**12**	**18**	**24**	**43**

606: Local excision or destruction of lesion or tissue of rectum (48.24-48.26; 48.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	43	2.1	5	<1	<1	1	2	5	7	10
20-34	44	3.0	8	<1	<1	2	4	6	7	18
35-49	32	2.2	5	<1	1	1	3	4	7	13
50-64	114	2.6	3	<1	<1	2	3	5	7	11
65+	159	3.2	8	<1	1	2	4	6	7	16
2. MULTIPLE DX										
0-19 YRS	31	6.2	116	<1	<1	3	8	11	11	61
20-34	61	6.0	25	<1	1	5	8	13	16	23
35-49	71	4.7	59	<1	1	3	5	9	10	54
50-64	174	5.7	49	1	1	4	7	11	17	31
65+	527	6.5	51	1	1	4	8	14	20	42
TOT. SINGLE DX	392	2.8	7	<1	<1	2	4	5	7	13
" MULTIPLE DX	864	6.2	52	1	1	4	8	13	17	40
TOTAL 0-19 YRS	74	3.8	55	<1	<1	1	5	10	10	49
20-34	105	4.8	20	<1	<1	4	6	10	15	22
35-49	103	3.9	44	<1	1	3	4	8	10	38
50-64	288	4.5	34	<1	1	3	5	10	12	27
65+	686	5.8	43	1	1	4	7	13	16	33
GRAND TOTAL	**1256**	**5.1**	**40**	**<1**	**1**	**3**	**6**	**11**	**15**	**29**

607: Other incision of rectum and incision or excision of perirectal tissue (48.0; 48.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	17	2.1	1	<1	1	2	3	4	5	6
20-34	130	1.9	1	1	1	2	2	3	4	7
35-49	108	2.5	2	1	1	2	3	5	6	8
50-64	64	3.3	13	1	1	2	4	7	8	24
65+	21	3.9	9	<1	1	3	6	8	10	11
2. MULTIPLE DX										
0-19 YRS	8	3.6	2	2	2	4	5	5	5	5
20-34	107	4.2	21	1	1	3	5	8	14	60
35-49	122	4.6	48	1	1	3	5	10	16	74
50-64	116	5.5	59	1	1	3	6	11	16	43
65+	99	7.8	86	1	2	5	9	18	29	51
TOT. SINGLE DX	340	2.5	5	1	1	2	3	5	7	9
" MULTIPLE DX	452	5.4	54	1	1	3	6	11	17	55
TOTAL 0-19 YRS	25	2.6	2	<1	1	2	4	5	5	6
20-34	237	2.9	12	1	1	2	4	6	8	27
35-49	230	3.6	28	1	1	2	4	6	10	38
50-64	180	4.7	44	1	1	3	5	9	15	27
65+	120	7.1	75	1	1	4	8	14	25	49
GRAND TOTAL	**792**	**4.2**	**35**	**1**	**1**	**3**	**4**	**8**	**13**	**33**

608: Proctectomy (48.4-48.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	18	7.3	15	<1	1	7	10	11	15	17
20-34	14	10.3	20	6	7	9	12	17	22	23
35-49	35	11.1	54	6	7	9	12	14	25	47
50-64	116	9.8	10	6	7	9	11	13	16	22
65+	120	10.1	14	5	6	10	12	14	16	26
2. MULTIPLE DX										
0-19 YRS	58	10.6	36	5	5	9	11	15	24	37
20-34	36	15.3	104	6	7	10	20	34	37	44
35-49	107	12.2	51	6	7	10	13	19	30	42
50-64	424	13.2	70	7	8	11	14	21	26	51
65+	942	14.4	67	7	8	12	16	23	28	43
TOT. SINGLE DX	303	9.9	18	5	7	9	11	14	17	26
" MULTIPLE DX	1567	13.8	68	7	8	12	15	23	28	43
TOTAL 0-19 YRS	76	9.8	34	4	5	9	11	15	23	35
20-34	50	13.9	85	6	7	10	17	29	36	44
35-49	142	12.0	52	6	7	10	13	19	28	43
50-64	540	12.4	60	7	8	11	13	19	24	42
65+	1062	13.9	63	7	8	12	16	22	28	42
GRAND TOTAL	**1870**	**13.2**	**62**	**7**	**7**	**11**	**15**	**21**	**27**	**42**

609: Miscellaneous operations on intestine (45.11; 45.13; 45.21; 45.23; 48.1; 48.21; 48.7; 48.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	113	3.0	6	<1	<1	2	4	6	7	14
20-34	423	3.5	10	<1	1	3	4	6	8	14
35-49	456	3.6	8	<1	1	3	4	6	8	16
50-64	421	3.6	8	<1	<1	3	5	6	8	15
65+	363	4.1	17	<1	<1	4	5	7	9	13
2. MULTIPLE DX										
0-19 YRS	234	4.8	27	<1	1	3	5	9	14	29
20-34	1492	5.2	28	1	2	4	6	10	15	29
35-49	2251	5.3	28	1	2	4	6	10	13	30
50-64	3282	6.0	36	1	2	4	7	11	16	30
65+	6712	7.0	37	2	2	5	8	13	18	32
TOT. SINGLE DX	1776	3.6	11	<1	1	3	4	6	8	14
" MULTIPLE DX	13971	6.3	35	1	2	5	7	12	16	31
TOTAL 0-19 YRS	347	4.3	21	<1	1	3	5	8	13	28
20-34	1915	4.9	25	1	1	4	5	9	14	28
35-49	2707	5.0	25	1	2	4	6	9	13	27
50-64	3703	5.8	34	1	2	4	7	11	15	29
65+	7075	6.9	37	2	2	5	8	13	17	32
GRAND TOTAL	**15747**	**6.0**	**33**	**1**	**2**	**4**	**7**	**11**	**16**	**30**

610: Incision or excision of anal fistula (49.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	21	1.6	2	<1	<1	<1	1	3	6	7
20-34	215	1.8	1	1	1	1	2	3	4	5
35-49	265	1.8	1	1	1	2	2	3	4	6
50-64	155	2.0	1	1	1	2	2	3	4	6
65+	42	1.8		1	1	2	2	3	4	4
2. MULTIPLE DX										
0-19 YRS	16	2.9	6	<1	<1	2	4	7	9	10
20-34	164	3.1	18	1	1	2	3	5	7	20
35-49	265	2.5	3	1	1	2	3	5	5	8
50-64	204	2.8	7	1	1	2	3	5	6	19
65+	118	3.3	5	1	1	3	4	6	8	13
TOT. SINGLE DX	698	1.9	1	<1	1	2	2	3	4	6
" MULTIPLE DX	767	2.8	8	1	1	2	3	5	6	17
TOTAL 0-19 YRS	37	2.2	5	<1	<1	1	2	6	7	10
20-34	379	2.4	9	1	1	2	3	4	5	17
35-49	530	2.2	2	1	1	2	3	4	5	7
50-64	359	2.5	5	1	1	2	3	4	5	13
65+	160	2.9	5	1	1	2	4	5	7	10
GRAND TOTAL	**1465**	**2.4**	**5**	**1**	**1**	**2**	**3**	**4**	**5**	**10**

611: Local excision or destruction of lesion or tissue of anus (49.23: 49.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	14	1.2		<1	<1	1	1	2	3	3
20-34	142	1.6		<1	<1	1	2	3	3	6
35-49	95	1.8	1	<1	1	1	2	4	4	6
50-64	55	1.6		<1	<1	1	2	3	3	4
65+	16	2.4	4	<1	1	2	2	3	8	10
2. MULTIPLE DX										
0-19 YRS	21	8.5	351	<1	1	2	3	30	60	77
20-34	157	2.8	7	1	1	2	3	5	7	19
35-49	193	2.9	9	1	1	2	3	4	5	22
50-64	139	3.1	15	1	1	2	4	5	6	12
65+	133	3.7	11	1	1	3	5	7	9	20
TOT. SINGLE DX	322	1.7	1	<1	<1	1	2	3	4	6
" MULTIPLE DX	643	3.3	22	1	1	2	4	5	7	21
TOTAL 0-19 YRS	35	5.6	220	<1	<1	2	2	4	40	77
20-34	299	2.2	5	<1	1	2	3	4	5	12
35-49	288	2.5	7	1	1	2	3	4	5	11
50-64	194	2.7	12	<1	1	2	3	5	5	8
65+	149	3.6	11	1	1	3	4	7	9	19
GRAND TOTAL	**965**	**2.8**	**16**	**<1**	**1**	**2**	**3**	**5**	**6**	**18**

612: Hemorrhoidectomy (49.43-49.46)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	5	2.4	3	1	1	2	3	5	5	5
20-34	129	2.6	1	1	1	2	3	5	5	7
35-49	236	3.0	2	1	1	3	4	5	5	9
50-64	168	3.1	2	1	1	3	4	5	6	9
65+	47	3.5	4	1	1	3	4	6	8	10
2. MULTIPLE DX										
0-19 YRS	15	3.3	3	2	2	3	4	5	7	8
20-34	679	3.4	5	1	2	3	4	5	6	12
35-49	1368	3.7	9	1	2	3	4	6	7	12
50-64	1140	3.6	4	1	2	3	4	6	7	10
65+	608	4.3	9	1	2	4	5	7	10	16
TOT. SINGLE DX	585	3.0	3	1	1	3	4	5	6	9
" MULTIPLE DX	3810	3.7	7	1	2	3	4	6	7	12
TOTAL 0-19 YRS	20	3.1	3	1	1	3	4	5	7	8
20-34	808	3.3	5	1	1	3	4	5	6	10
35-49	1604	3.6	8	1	2	3	4	6	7	11
50-64	1308	3.5	4	1	2	3	4	6	7	10
65+	655	4.2	9	1	2	4	5	7	10	16
GRAND TOTAL	**4395**	**3.6**	**7**	**1**	**2**	**3**	**4**	**6**	**7**	**12**

613: Miscellaneous operations on anus (49.0; 49.22; 49.47-49.49; 49.5-49.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	38	2.4	2	<1	<1	2	3	5	6	7
20-34	156	2.3	2	<1	1	2	3	5	6	8
35-49	127	2.1	1	<1	1	2	3	4	5	7
50-64	87	2.4	3	1	1	2	3	4	6	10
65+	53	3.0	5	<1	1	2	4	6	9	11
2. MULTIPLE DX										
0-19 YRS	47	5.4	21	<1	<1	4	7	11	16	21
20-34	157	3.8	13	1	1	3	5	8	9	24
35-49	184	3.5	10	1	1	3	4	7	9	18
50-64	176	4.0	19	1	1	3	5	7	12	24
65+	186	5.3	43	1	1	4	6	11	14	32
TOT. SINGLE DX	461	2.4	3	<1	1	2	3	5	6	9
" MULTIPLE DX	750	4.2	23	1	1	3	5	8	12	24
TOTAL 0-19 YRS	85	4.1	15	<1	<1	3	5	8	12	20
20-34	313	3.1	9	1	1	2	4	6	8	13
35-49	311	2.9	8	1	1	2	3	5	7	17
50-64	263	3.5	15	1	1	2	4	7	10	23
65+	239	4.8	36	1	1	3	6	10	13	26
GRAND TOTAL	**1211**	**3.5**	**16**	**1**	**1**	**2**	**4**	**7**	**10**	**19**

614: Incision of liver (50.0; 50.91)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1	9.0		9	9	9	9	9	9	9
20-34	10	9.5	30	4	4	8	12	19	19	19
35-49	10	7.4	39	1	1	7	13	15	16	16
50-64	6	6.2	35	2	2	4	9	16	17	17
65+	4	1.5	1	1	1	1	2	3	3	3
2. MULTIPLE DX										
0-19 YRS	9	15.7	156	4	4	11	28	35	35	35
20-34	17	12.9	74	5	6	10	15	23	33	39
35-49	29	15.6	122	4	5	12	21	35	36	37
50-64	40	15.6	70	4	6	15	19	25	35	39
65+	53	16.3	107	1	6	13	21	34	36	43
TOT. SINGLE DX	31	7.1	33	1	1	6	11	16	19	19
" MULTIPLE DX	148	15.5	98	4	6	13	20	34	36	40
TOTAL 0-19 YRS	10	15.0	143	4	4	10	26	34	35	35
20-34	27	11.7	59	4	5	9	15	21	25	39
35-49	39	13.5	113	1	2	10	16	34	36	37
50-64	46	14.3	75	2	3	14	18	25	34	39
65+	57	15.2	115	1	2	13	21	34	36	43
GRAND TOTAL	**179**	**14.1**	**96**	**1**	**3**	**12**	**18**	**32**	**35**	**40**

615: Miscellaneous operations on liver (50.11-50.12; 50.2-50.6; 50.92-50.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	42	3.7	11	1	1	2	5	8	12	14
20-34	106	3.0	8	<1	1	1	4	7	8	15
35-49	119	2.2	6	<1	1	1	2	5	8	13
50-64	135	2.6	10	<1	1	1	3	7	10	17
65+	83	3.7	22	<1	1	1	5	10	13	27
2. MULTIPLE DX										
0-19 YRS	132	10.5	150	1	1	7	11	25	41	64
20-34	297	8.5	108	1	1	6	10	17	28	56
35-49	350	7.7	78	1	1	5	10	17	23	44
50-64	573	7.4	92	1	1	5	9	16	22	51
65+	801	8.5	72	1	1	7	11	16	24	43
TOT. SINGLE DX	485	2.9	12	<1	1	1	4	7	10	15
" MULTIPLE DX	2153	8.2	89	1	1	6	10	16	25	48
TOTAL 0-19 YRS	174	8.8	125	1	1	5	10	20	33	59
20-34	403	7.0	88	1	1	5	9	15	24	40
35-49	469	6.3	66	1	1	4	8	15	20	39
50-64	708	6.5	80	1	1	3	9	15	20	47
65+	884	8.0	70	1	1	6	10	16	23	42
GRAND TOTAL	**2638**	**7.2**	**79**	**1**	**1**	**5**	**9**	**15**	**22**	**44**

616: Cholecystectomy (51.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	205	4.6	3	2	3	4	5	7	9	10
20-34	2622	4.7	2	3	3	4	5	7	8	11
35-49	2463	4.9	2	3	3	5	6	7	8	10
50-64	2044	5.2	3	3	3	5	6	7	8	11
65+	1016	6.2	11	3	4	6	7	9	11	16
2. MULTIPLE DX										
0-19 YRS	191	6.3	14	3	3	5	7	10	12	17
20-34	2666	6.0	13	3	3	5	7	9	11	20
35-49	3445	6.3	13	3	4	5	7	10	12	20
50-64	4486	7.1	20	3	4	6	8	11	14	25
65+	5839	9.6	37	4	5	8	11	15	20	34
TOT. SINGLE DX	8350	5.1	4	3	3	5	6	7	8	12
" MULTIPLE DX	16627	7.6	26	3	4	6	9	12	16	28
TOTAL 0-19 YRS	396	5.4	9	3	3	5	6	9	10	15
20-34	5288	5.3	9	3	3	5	6	8	10	15
35-49	5908	5.7	10	3	3	5	6	8	10	17
50-64	6530	6.5	16	3	4	6	7	10	13	22
65+	6855	9.1	35	4	4	8	11	15	19	32
GRAND TOTAL	**24977**	**6.8**	**20**	**3**	**4**	**6**	**8**	**11**	**14**	**25**

617: Operations on biliary tract and gallbladder except cholecystectomy (51.01-51.13; 51.3-51.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	8	8.5	13	1	3	[illegible]	[illegible]	12	13	13
20-34	35	3.8	6	1	1	[illegible]	[illegible]	7	8	8
35-49	37	6.3	32	1	1	5	[illegible]	12	20	26
50-64	54	6.1	25	1	1	5	1	12	16	21
65+	84	6.3	25	1	1	6	[illegible]	11	17	25
2. MULTIPLE DX										
0-19 YRS	18	15.3	144	3	5	11	18	38	44	44
20-34	68	10.0	132	1	1	8	11	17	22	76
35-49	137	11.7	123	1	3	9	14	26	33	55
50-64	270	11.8	91	2	3	10	15	21	29	66
65+	801	12.7	75	2	4	11	16	23	28	47
TOT. SINGLE DX	218	5.9	24	1	1	5	8	11	15	23
" MULTIPLE DX	1294	12.3	88	2	3	10	15	23	29	50
TOTAL 0-19 YRS	26	13.2	112	2	5	10	15	26	43	44
20-34	103	7.9	98	1	1	6	10	15	19	63
35-49	174	10.6	109	1	2	8	12	22	29	50
50-64	324	10.8	85	1	2	9	14	20	26	59
65+	885	12.1	75	2	3	10	15	22	28	46
GRAND TOTAL	**1512**	**11.4**	**84**	**1**	**2**	**10**	**15**	**22**	**27**	**48**

618: Operations on pancreas (52.01-52.12; 52.2-52.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	5	12.4	92	2	2	10	17	28	28	28
20-34	39	5.3	21	1	1	4	7	11	16	21
35-49	65	5.5	28	1	1	4	7	11	16	26
50-64	72	4.6	19	1	1	3	7	10	12	22
65+	66	4.8	23	1	1	3	7	13	16	21
2. MULTIPLE DX										
0-19 YRS	22	20.5	285	4	5	13	29	50	58	61
20-34	113	12.6	288	1	2	7	11	36	55	83
35-49	234	12.0	195	1	1	8	14	29	42	75
50-64	349	12.3	146	2	2	9	16	27	43	76
65+	543	11.9	164	1	2	8	14	27	40	78
TOT. SINGLE DX	247	5.2	25	1	1	4	7	12	16	26
" MULTIPLE DX	1261	12.2	179	1	2	8	15	28	43	76
TOTAL 0-19 YRS	27	19.0	255	3	4	13	29	45	57	61
20-34	152	10.7	229	1	1	6	10	21	52	76
35-49	299	10.6	166	1	1	7	12	26	36	75
50-64	421	11.0	133	1	2	8	15	24	38	68
65+	609	11.1	154	1	1	8	13	26	38	74
GRAND TOTAL	**1508**	**11.1**	**161**	**1**	**1**	**7**	**13**	**26**	**39**	**75**

619: Miscellaneous diagnostic and therapeutic procedures on digestive tract, abdominal cavity and abdominal wall (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	66	4.3	19	<1	1	3	5	8	14	23
20-34	219	3.6	6	<1	1	3	5	7	9	13
35-49	228	4.2	50	<1	<1	3	5	7	9	21
50-64	217	3.3	15	<1	<1	2	5	6	8	14
65+	221	3.5	6	<1	<1	3	5	8	9	11
2. MULTIPLE DX										
0-19 YRS	118	6.0	53	1	1	4	6	14	24	37
20-34	466	5.8	42	1	2	4	6	11	18	35
35-49	685	5.8	37	1	2	4	7	11	17	33
50-64	1222	5.8	31	1	1	4	7	11	15	28
65+	3442	6.5	28	1	2	5	8	12	16	29
TOT. SINGLE DX	951	3.7	20	<1	<1	3	5	7	9	17
" MULTIPLE DX	5933	6.2	32	1	2	5	8	12	16	30
TOTAL 0-19 YRS	184	5.4	42	1	1	3	6	12	18	31
20-34	685	5.1	32	1	1	4	6	9	14	30
35-49	913	5.4	41	<1	1	4	6	10	16	33
50-64	1439	5.4	30	<1	1	4	6	10	14	27
65+	3663	6.3	28	1	2	5	8	12	16	27
GRAND TOTAL	**6884**	**5.9**	**31**	**1**	**1**	**4**	**7**	**11**	**15**	**29**

620: Unilateral repair of inguinal hernia (53.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1042	1.2		<1	<1	1	1	2	2	4
20-34	1570	1.6		<1	1	1	2	3	3	5
35-49	1433	1.6		<1	1	1	2	3	3	4
50-64	1903	1.8	1	<1	1	1	2	3	4	6
65+	1339	2.1	1	<1	1	2	3	4	5	6
2. MULTIPLE DX										
0-19 YRS	646	1.6	5	<1	<1	1	1	3	4	12
20-34	566	2.1	6	1	1	2	3	3	4	7
35-49	802	2.2	3	1	1	2	3	4	5	10
50-64	1658	2.4	3	1	1	2	3	4	6	11
65+	3007	3.3	10	1	1	2	4	6	9	18
TOT. SINGLE DX	7287	1.7	1	<1	<1	1	2	3	4	5
" MULTIPLE DX	6679	2.7	8	<1	1	2	3	5	7	15
TOTAL 0-19 YRS	1688	1.4	2	<1	<1	1	1	2	3	5
20-34	2136	1.7	2	<1	1	1	2	3	4	5
35-49	2235	1.8	2	<1	1	1	2	3	4	6
50-64	3561	2.1	3	<1	1	2	3	4	5	8
65+	4346	2.9	8	1	1	2	4	5	8	16
GRAND TOTAL	**13966**	**2.2**	**5**	**<1**	**1**	**2**	**3**	**4**	**5**	**11**

621: Bilateral repair of inguinal hernia (53.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	331	1.1		<1	<1	<1	1	2	2	3
20-34	183	1.8		1	1	2	2	3	4	4
35-49	244	2.2	1	1	1	2	3	4	4	5
50-64	358	2.1	1	1	1	2	3	4	4	5
65+	195	2.6	2	1	1	2	3	4	6	8
2. MULTIPLE DX										
0-19 YRS	340	2.8	75	<1	<1	1	2	4	23	99+
20-34	94	2.2	1	1	1	2	3	4	5	6
35-49	206	2.5	6	1	1	2	3	4	5	10
50-64	364	2.7	3	1	1	2	3	5	6	10
65+	546	3.4	7	1	1	3	4	6	9	15
TOT. SINGLE DX	1311	1.9	1	<1	<1	1	2	4	4	6
" MULTIPLE DX	1550	2.9	21	<1	1	2	3	5	7	26
TOTAL 0-19 YRS	671	2.0	39	<1	<1	1	1	2	4	99+
20-34	277	1.9	1	1	1	2	3	4	4	5
35-49	450	2.3	4	1	1	2	3	4	4	8
50-64	722	2.4	2	1	1	2	3	4	5	7
65+	741	3.2	7	1	1	3	4	6	8	14
GRAND TOTAL	**2861**	**2.5**	**12**	**<1**	**<1**	**2**	**3**	**4**	**6**	**15**

622: Unilateral or bilateral repair of femoral hernia (53.2-53.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	7	1.0		<1	<1	1	1	1	1	1
20-34	52	1.7		<1	1	1	2	3	4	4
35-49	57	2.2	2	<1	1	2	3	4	6	9
50-64	84	2.0	1	<1	1	2	2	4	4	8
65+	100	3.0	3	1	1	3	4	6	6	8
2. MULTIPLE DX										
0-19 YRS	4	1.8	1	1	1	2	2	3	3	3
20-34	22	2.1	1	1	1	2	3	4	5	5
35-49	38	2.3	2	1	1	2	3	5	6	7
50-64	76	4.8	39	1	1	3	5	11	14	37
65+	278	6.3	83	1	1	4	7	13	17	48
TOT. SINGLE DX	300	2.3	2	1	1	2	3	4	6	8
" MULTIPLE DX	418	5.4	65	1	1	3	6	11	15	32
TOTAL 0-19 YRS	11	1.3		<1	<1	1	1	2	3	3
20-34	74	1.8	1	<1	1	1	3	3	4	5
35-49	95	2.3	2	1	1	2	3	4	6	8
50-64	160	3.3	22	1	1	2	4	5	10	28
65+	378	5.4	64	1	1	4	6	11	15	27
GRAND TOTAL	**718**	**4.1**	**41**	**1**	**1**	**3**	**4**	**8**	**13**	**24**

623: Repair of umbilical hernia (53.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	138	1.1		<1	<1	<1	1	1	2	5
20-34	120	1.7	1	<1	<1	1	2	3	4	5
35-49	184	1.6		<1	<1	1	2	3	3	4
50-64	160	2.0	1	<1	<1	2	2	4	5	6
65+	74	2.8	4	<1	1	2	4	5	7	10
2. MULTIPLE DX										
0-19 YRS	55	5.1	117	<1	<1	1	3	18	34	55
20-34	70	2.8	7	<1	1	2	3	5	7	18
35-49	176	2.7	3	1	1	2	4	5	6	9
50-64	217	3.4	10	<1	1	3	4	7	9	15
65+	201	4.5	30	1	1	3	6	8	11	30
TOT. SINGLE DX	676	1.7	1	<1	<1	1	2	3	4	6
" MULTIPLE DX	719	3.6	22	<1	1	3	4	7	9	24
TOTAL 0-19 YRS	193	2.3	36	<1	<1	<1	1	2	5	36
20-34	190	2.1	4	<1	<1	1	3	4	5	8
35-49	360	2.1	2	<1	1	2	3	4	5	8
50-64	377	2.8	7	<1	1	2	3	6	7	13
65+	275	4.1	24	1	1	3	5	8	11	21
GRAND TOTAL	**1395**	**2.7**	**13**	**<1**	**<1**	**2**	**3**	**5**	**7**	**15**

624: Repair of other hernia of anterior abdominal wall (53.5-53.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	46	1.6	1	<1	<1	1	2	3	4	6
20-34	210	2.3	2	<1	1	2	3	4	5	7
35-49	420	3.0	3	1	1	3	4	6	7	8
50-64	486	3.2	3	1	1	3	4	6	7	9
65+	333	3.4	4	1	1	3	4	6	7	8
2. MULTIPLE DX										
0-19 YRS	33	3.9	17	<1	<1	3	5	8	15	19
20-34	178	4.1	8	1	1	3	5	8	10	13
35-49	481	4.8	11	1	1	4	6	8	11	18
50-64	799	5.3	13	1	2	5	6	9	12	21
65+	1078	6.1	28	1	2	5	7	11	14	25
TOT. SINGLE DX	1495	3.0	3	1	1	3	4	6	7	8
" MULTIPLE DX	2569	5.4	19	1	2	5	7	10	12	22
TOTAL 0-19 YRS	79	2.5	9	<1	<1	1	3	6	7	18
20-34	388	3.1	6	1	1	3	4	6	8	11
35-49	901	3.9	8	1	1	3	5	7	9	14
50-64	1285	4.5	11	1	1	4	6	8	10	17
65+	1411	5.4	24	1	1	4	7	10	12	23
GRAND TOTAL	**4064**	**4.5**	**15**	**1**	**1**	**4**	**6**	**8**	**10**	**19**

625: Repair of diaphragmatic and other hernia (53.7-53.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	7	6.1	4	3	3	6	8	9	9	9
20-34	7	3.9	9	1	1	3	6	9	9	9
35-49	16	6.0	6	2	3	6	8	9	10	11
50-64	26	4.7	5	1	1	5	6	8	8	9
65+	21	7.8	14	1	2	8	10	12	14	16
2. MULTIPLE DX										
0-19 YRS	17	13.8	316	1	1	7	21	60	89	99+
20-34	44	8.7	160	2	3	7	8	12	20	86
35-49	83	8.2	31	3	4	7	9	12	17	37
50-64	137	8.2	16	4	5	7	9	13	16	25
65+	173	11.2	73	5	6	9	11	20	25	52
TOT. SINGLE DX	77	5.8	10	1	1	6	8	9	11	15
" MULTIPLE DX	454	9.6	68	3	5	8	10	15	21	52
TOTAL 0-19 YRS	24	11.6	234	1	2	7	13	30	80	99+
20-34	51	8.0	142	1	2	7	8	11	17	85
35-49	99	7.8	28	3	4	7	9	11	15	37
50-64	163	7.6	17	3	4	7	9	12	15	24
65+	194	10.8	68	5	5	9	11	17	24	52
GRAND TOTAL	531	9.0	61	3	4	7	10	15	21	51

626: Incision, excision of abdominal wall and peritoneum except laparotomy (54.0; 54.22-54.23; 54.3-54.4; 54.91)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	112	3.4	7	<1	<1	2	5	8	9	11
20-34	183	3.6	7	<1	1	3	5	6	9	13
35-49	125	4.0	8	<1	1	3	6	8	9	12
50-64	99	4.5	14	<1	1	4	6	9	12	20
65+	82	5.7	27	1	1	4	7	11	18	26
2. MULTIPLE DX										
0-19 YRS	150	6.5	44	<1	1	5	8	13	21	39
20-34	381	6.5	57	1	1	4	7	13	18	36
35-49	536	8.3	67	1	2	7	10	17	22	39
50-64	888	8.9	63	1	2	7	11	18	24	45
65+	1152	10.2	70	2	3	8	13	20	27	42
TOT. SINGLE DX	601	4.1	12	<1	1	3	5	8	10	18
" MULTIPLE DX	3107	8.9	67	1	2	7	11	18	24	42
TOTAL 0-19 YRS	262	5.1	31	<1	<1	4	6	10	14	27
20-34	564	5.6	43	1	1	4	6	11	15	35
35-49	661	7.5	59	1	1	6	9	15	19	34
50-64	987	8.4	60	1	2	6	10	18	23	44
65+	1234	9.9	69	1	2	8	13	20	27	41
GRAND TOTAL	3708	8.1	61	1	1	6	10	17	23	39

627: Laparotomy (54.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	183	4.7	11	2	2	4	5	8	11	18
20-34	375	4.5	8	1	2	4	5	8	9	16
35-49	134	6.1	17	2	2	5	7	11	18	21
50-64	98	6.4	16	2	2	6	8	11	14	23
65+	60	9.2	59	4	5	8	10	12	18	56
2. MULTIPLE DX										
0-19 YRS	272	8.8	106	2	3	6	10	16	26	74
20-34	932	7.1	56	2	3	5	8	12	19	57
35-49	477	10.3	118	2	3	7	11	20	29	73
50-64	440	12.2	100	3	4	9	14	26	36	55
65+	705	14.1	120	4	6	11	17	26	37	56
TOT. SINGLE DX	850	5.3	17	2	2	4	6	9	12	20
" MULTIPLE DX	2826	10.3	102	2	3	7	12	21	29	60
TOTAL 0-19 YRS	455	7.2	73	2	2	5	8	13	18	53
20-34	1307	6.4	44	2	3	5	7	11	16	49
35-49	611	9.3	99	2	3	7	10	18	25	58
50-64	538	11.2	91	3	4	8	13	22	33	52
65+	765	13.7	117	4	5	10	16	25	36	57
GRAND TOTAL	3676	9.2	87	2	3	6	11	18	26	54

628: Laparoscopy (excluding that for destruction of fallopian tubes) (54.21)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	232	2.6	4	<1	<1	2	4	6	7	9
20-34	948	2.0	2	<1	<1	1	3	4	5	9
35-49	145	1.8	3	<1	<1	1	2	3	5	8
50-64	23	1.8	2	<1	<1	1	2	4	6	7
65+	6	1.7		1	1	2	2	3	3	3
2. MULTIPLE DX										
0-19 YRS	247	3.2	8	<1	1	2	4	6	8	12
20-34	1387	2.7	7	<1	<1	2	4	6	7	11
35-49	291	2.4	5	<1	<1	1	3	6	7	11
50-64	49	4.0	28	<1	<1	2	6	10	12	32
65+	49	7.0	59	1	1	3	9	21	24	33
TOT. SINGLE DX	1354	2.1	3	<1	<1	1	3	5	6	9
" MULTIPLE DX	2023	2.8	9	<1	<1	2	4	6	8	13
TOTAL 0-19 YRS	479	2.9	7	<1	<1	2	4	6	7	10
20-34	2335	2.4	6	<1	<1	1	3	5	7	10
35-49	436	2.2	5	<1	<1	1	3	5	6	10
50-64	72	3.3	21	<1	<1	1	3	8	12	28
65+	55	6.4	56	1	1	3	9	19	23	33
GRAND TOTAL	3377	2.5	7	<1	<1	1	3	5	7	11

629: Peritoneal dialysis (54.98)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

630: Miscellaneous operations on abdominal wall and peritoneum (54.5-54.7; 54.92-54.97; 54.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	85	5.7	14	1	2	5	8	10	13	20
20-34	325	5.1	12	<1	1	4	7	9	12	17
35-49	207	7.0	46	1	2	6	8	12	16	32
50-64	172	7.6	13	2	3	7	9	12	15	18
65+	156	8.4	22	1	3	8	10	14	17	26
2. MULTIPLE DX										
0-19 YRS	207	12.0	187	1	2	7	14	28	39	76
20-34	1055	5.6	22	1	2	4	7	10	13	26
35-49	738	8.7	71	1	2	6	10	17	25	46
50-64	691	10.7	80	2	3	9	13	20	25	58
65+	1090	13.4	91	3	5	11	17	24	30	65
TOT. SINGLE DX	945	6.6	23	1	2	6	8	12	15	24
" MULTIPLE DX	3781	9.7	81	1	3	7	12	20	25	51
TOTAL 0-19 YRS	292	10.1	145	1	2	6	11	23	33	70
20-34	1380	5.5	20	1	1	4	7	10	13	25
35-49	945	8.3	66	1	2	6	10	16	23	44
50-64	863	10.1	69	2	3	8	12	18	24	51
65+	1246	12.8	85	3	5	10	16	23	29	62
GRAND TOTAL	**4726**	**9.1**	**71**	**1**	**2**	**7**	**11**	**18**	**24**	**46**

631: Complete nephrectomy (55.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	24	7.0	16	3	3	7	8	10	15	22
20-34	26	6.9	7	5	5	6	7	9	12	18
35-49	60	7.1	5	4	5	7	8	9	12	15
50-64	75	7.7	17	5	5	7	8	10	16	30
65+	49	8.3	11	5	5	8	9	13	15	21
2. MULTIPLE DX										
0-19 YRS	87	8.8	33	3	3	8	11	16	22	32
20-34	110	10.7	91	4	4	8	12	19	27	88
35-49	181	9.1	25	4	5	8	10	15	21	29
50-64	361	10.6	46	5	5	9	12	17	20	45
65+	538	12.4	67	5	6	10	14	22	27	41
TOT. SINGLE DX	234	7.5	12	4	5	7	8	11	14	21
" MULTIPLE DX	1277	11.0	57	5	5	9	13	19	25	41
TOTAL 0-19 YRS	111	8.4	30	3	3	7	10	15	22	29
20-34	136	10.0	77	4	5	7	11	18	25	83
35-49	241	8.6	22	4	5	7	9	14	19	28
50-64	436	10.1	43	5	5	8	12	17	20	43
65+	587	12.0	64	5	6	9	14	21	27	39
GRAND TOTAL	**1511**	**10.5**	**51**	**4**	**5**	**8**	**12**	**18**	**23**	**37**

632: Miscellaneous operations on kidney (55.0-55.1; 55.23-55.24; 55.3-55.4; 55.6-55.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	169	3.9	11	1	1	3	5	8	10	13
20-34	285	4.6	13	1	1	4	6	8	10	22
35-49	265	4.9	13	1	1	4	6	9	11	20
50-64	226	5.1	11	1	1	4	7	10	12	17
65+	98	5.3	11	1	1	5	8	9	12	15
2. MULTIPLE DX										
0-19 YRS	265	7.4	59	1	1	5	9	18	24	36
20-34	564	7.9	54	1	1	6	10	17	22	35
35-49	580	8.7	87	1	1	7	11	17	23	52
50-64	652	7.8	52	1	2	6	10	15	19	40
65+	681	9.6	71	1	2	8	12	20	25	40
TOT. SINGLE DX	1043	4.7	13	1	1	4	7	9	11	18
" MULTIPLE DX	2742	8.4	66	1	2	7	11	17	23	41
TOTAL 0-19 YRS	434	6.0	44	1	1	4	8	13	19	33
20-34	849	6.8	43	1	1	5	8	14	20	28
35-49	845	7.5	67	1	1	6	9	15	21	47
50-64	878	7.1	43	1	1	6	9	13	17	36
65+	779	9.1	66	1	2	7	12	19	24	38
GRAND TOTAL	**3785**	**7.4**	**54**	**1**	**1**	**6**	**9**	**15**	**20**	**37**

633: Ureterotomy (56.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	13	3.2	5	<1	<1	3	4	7	9	9
20-34	152	4.6	7	1	1	4	6	8	9	11
35-49	159	5.3	8	1	2	5	7	9	10	16
50-64	151	6.1	14	1	2	5	8	11	14	15
65+	77	6.1	7	1	1	6	8	10	11	12
2. MULTIPLE DX										
0-19 YRS	24	5.5	12	1	1	6	8	9	11	14
20-34	138	6.1	19	1	2	5	8	11	14	22
35-49	207	7.0	33	1	2	6	9	12	14	38
50-64	264	8.0	55	1	2	7	10	14	18	42
65+	347	8.7	46	1	2	8	11	16	20	33
TOT. SINGLE DX	552	5.4	10	1	1	5	7	9	11	15
" MULTIPLE DX	980	7.7	42	1	2	7	10	14	17	33
TOTAL 0-19 YRS	37	4.7	11	<1	1	4	7	9	10	14
20-34	290	5.3	14	1	1	5	7	9	11	18
35-49	366	6.3	23	1	2	6	8	10	12	24
50-64	415	7.3	41	1	2	6	9	13	15	33
65+	424	8.2	40	1	2	7	10	15	17	32
GRAND TOTAL	**1532**	**6.9**	**32**	**1**	**2**	**6**	**9**	**12**	**15**	**29**

634: Ureteral diversion (56.5-56.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	133	5.4	4	2	3	5	7	8	9	14
20-34	10	6.8	2	4	4	7	8	9	9	9
35-49	3	6.3	6	4	4	6	8	9	9	9
50-64	7	7.7	8	3	3	9	10	11	11	11
65+	11	7.8	20	2	3	7	11	15	16	16
2. MULTIPLE DX										
0-19 YRS	203	6.8	19	2	3	6	8	11	13	18
20-34	39	8.7	22	3	4	8	10	14	20	26
35-49	38	9.8	13	4	5	10	11	14	18	20
50-64	54	11.9	44	6	6	11	13	17	23	44
65+	73	13.3	52	5	6	12	15	22	31	38
TOT. SINGLE DX	164	5.8	6	2	3	5	7	9	10	15
" MULTIPLE DX	407	9.1	35	3	4	8	11	15	19	34
TOTAL 0-19 YRS	336	6.2	14	2	3	6	7	10	12	17
20-34	49	8.3	19	3	4	7	9	13	18	26
35-49	41	9.5	13	4	5	9	11	14	17	20
50-64	61	11.4	42	5	6	10	13	17	22	43
65+	84	12.6	51	4	5	12	15	21	31	37
GRAND TOTAL	**571**	**8.1**	**29**	**3**	**3**	**7**	**10**	**13**	**17**	**32**

635: Miscellaneous operations on ureter (56.0-56.1; 56.32-56.33; 56.4; 56.8-56.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	45	3.6	6	<1	1	3	5	6	9	12
20-34	428	2.9	2	1	1	3	4	5	6	8
35-49	516	2.9	3	1	1	2	4	6	7	9
50-64	328	3.1	4	1	1	3	4	6	7	10
65+	135	2.9	4	1	1	2	4	6	7	11
2. MULTIPLE DX										
0-19 YRS	57	6.1	24	1	1	5	7	13	15	29
20-34	271	4.2	14	1	1	3	5	8	9	17
35-49	369	4.3	16	1	1	3	5	9	11	17
50-64	354	4.8	30	1	1	4	6	9	11	21
65+	367	6.1	33	1	1	5	8	14	18	27
TOT. SINGLE DX	1452	3.0	4	1	1	2	4	6	7	9
" MULTIPLE DX	1418	5.0	25	1	1	4	6	10	13	23
TOTAL 0-19 YRS	102	5.0	18	<1	1	4	6	10	13	23
20-34	699	3.4	8	1	1	3	4	6	8	12
35-49	885	3.5	10	1	1	3	5	7	9	13
50-64	682	4.0	19	1	1	3	5	8	10	15
65+	502	5.3	28	1	1	4	6	11	16	25
GRAND TOTAL	**2870**	**4.0**	**15**	**1**	**1**	**3**	**5**	**8**	**10**	**18**

636: Cystoscopy and urethroscopy (55.21-55.22; 56.31; 57.32; 58.22)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	136	1.6	2	<1	<1	<1	1	3	5	8
20-34	215	2.8	6	<1	<1	2	4	6	8	11
35-49	224	3.2	8	<1	<1	2	4	6	8	11
50-64	231	2.9	7	<1	<1	2	4	6	8	13
65+	181	2.5	4	<1	<1	2	3	5	6	12
2. MULTIPLE DX										
0-19 YRS	186	2.9	10	<1	<1	1	4	8	10	15
20-34	352	5.9	44	1	1	4	7	12	18	30
35-49	469	5.7	44	<1	1	4	7	11	15	45
50-64	783	6.0	47	<1	1	4	7	13	19	35
65+	1855	7.7	54	1	1	6	10	16	22	37
TOT. SINGLE DX	987	2.7	7	<1	<1	2	4	6	7	11
" MULTIPLE DX	3645	6.7	50	<1	1	5	8	14	20	36
TOTAL 0-19 YRS	322	2.3	7	<1	<1	1	3	6	9	14
20-34	567	4.7	32	<1	1	3	6	10	14	27
35-49	693	4.9	34	<1	1	3	6	10	13	34
50-64	1014	5.3	40	<1	1	3	6	11	18	32
65+	2036	7.3	52	1	1	5	9	15	22	36
GRAND TOTAL	**4632**	**5.8**	**43**	**<1**	**1**	**4**	**7**	**13**	**18**	**33**

637: Transurethral excision or destruction of bladder lesion (57.33; 57.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	8	1.5	2	<1	<1	1	1	4	5	5
20-34	35	1.9	2	<1	<1	1	2	3	4	10
35-49	113	2.2	3	<1	<1	1	2	4	6	11
50-64	388	2.0	2	<1	1	2	3	4	4	9
65+	800	2.3	2	1	1	2	3	4	5	8
2. MULTIPLE DX										
0-19 YRS	11	2.8	3	<1	1	2	3	6	7	7
20-34	76	3.5	23	<1	1	2	4	7	12	30
35-49	151	4.6	54	1	1	2	5	8	13	37
50-64	737	3.3	14	1	1	2	4	6	8	21
65+	3061	4.4	23	1	1	3	5	9	13	25
TOT. SINGLE DX	1344	2.2	2	<1	1	2	3	4	5	8
" MULTIPLE DX	4036	4.2	23	1	1	3	5	8	12	24
TOTAL 0-19 YRS	19	2.3	3	<1	<1	2	3	5	6	7
20-34	111	3.0	17	<1	<1	2	3	6	11	24
35-49	264	3.5	34	<1	1	2	4	7	10	32
50-64	1125	2.9	10	1	1	2	3	5	7	17
65+	3861	4.0	19	1	1	3	5	8	11	22
GRAND TOTAL	**5380**	**3.7**	**18**	**1**	**1**	**3**	**4**	**7**	**10**	**22**

638: Miscellaneous operations on bladder (57.0-57.2; 57.34; 57.51-57.93; 57.96-57.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	38	3.7	11	<1	1	3	5	7	9	19
20-34	48	3.5	6	1	1	3	4	8	9	11
35-49	101	3.8	7	<1	1	3	5	7	9	14
50-64	143	4.6	18	<1	1	3	6	11	14	19
65+	172	4.9	18	1	1	3	8	11	13	19
2. MULTIPLE DX										
0-19 YRS	146	7.5	66	1	1	5	9	17	21	45
20-34	167	9.6	160	1	2	6	10	22	32	92
35-49	209	7.0	52	1	1	5	9	15	24	42
50-64	431	8.4	80	1	1	6	11	17	26	53
65+	1163	8.2	65	1	1	6	11	17	23	39
TOT. SINGLE DX	502	4.4	15	1	1	3	6	10	13	18
" MULTIPLE DX	2116	8.2	75	1	1	5	11	17	25	46
TOTAL 0-19 YRS	184	6.7	57	1	1	4	8	15	19	45
20-34	215	8.2	133	1	1	5	9	16	30	88
35-49	310	5.9	40	1	1	4	7	13	18	34
50-64	574	7.5	68	1	1	5	10	16	22	49
65+	1335	7.7	60	1	1	5	10	16	22	38
GRAND TOTAL	**2618**	**7.4**	**66**	**1**	**1**	**5**	**10**	**15**	**22**	**42**

639: Urethral meatotomy (58.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	17	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	2	1.0		<1	<1	<1	<1	<1	<1	<1
35-49										
50-64	4	2.3	3	<1	<1	1	3	5	5	5
65+	2	3.5	1	3	3	3	4	4	4	4
2. MULTIPLE DX										
0-19 YRS	20	1.8	3	<1	<1	1	2	4	7	9
20-34	3	5.0	13	2	2	4	8	9	9	9
35-49	3	3.7	6	1	1	4	5	6	6	6
50-64	9	2.1	1	<1	<1	2	3	4	5	5
65+	11	7.5	80	1	1	6	9	21	30	31
TOT. SINGLE DX	25	1.4	1	<1	<1	<1	<1	3	4	5
" MULTIPLE DX	46	3.5	26	<1	<1	2	4	9	10	31
TOTAL 0-19 YRS	37	1.4	2	<1	<1	<1	1	2	4	9
20-34	5	3.4	11	<1	<1	2	5	9	9	9
35-49	3	3.7	6	1	1	4	5	6	6	6
50-64	13	2.2	2	<1	<1	2	3	5	5	5
65+	13	6.8	69	1	1	4	8	18	29	31
GRAND TOTAL	**71**	**2.8**	**18**	**<1**	**<1**	**1**	**3**	**6**	**9**	**28**

640: Excision of urethral lesion, repair of urethra (58.23-58.24; 58.3-58.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	290	2.8	6	<1	<1	2	4	6	8	14
20-34	74	2.2	2	<1	<1	2	3	4	5	10
35-49	51	2.5	2	<1	1	2	4	5	6	7
50-64	57	3.0	3	<1	1	3	4	6	6	8
65+	54	2.5	3	<1	1	2	3	5	6	10
2. MULTIPLE DX										
0-19 YRS	150	3.5	11	<1	<1	2	5	8	10	18
20-34	75	4.8	53	<1	1	3	5	9	12	47
35-49	78	5.0	55	1	1	3	5	10	15	46
50-64	126	5.0	44	1	1	4	6	9	13	40
65+	148	4.2	32	1	1	3	6	8	11	19
TOT. SINGLE DX	526	2.7	5	<1	<1	2	3	6	7	11
" MULTIPLE DX	577	4.4	36	1	1	3	5	8	12	38
TOTAL 0-19 YRS	440	3.1	8	<1	<1	2	4	7	8	15
20-34	149	3.5	30	<1	1	2	4	6	11	39
35-49	129	4.0	36	1	1	2	5	7	13	44
50-64	183	4.4	32	1	1	3	5	7	11	36
65+	202	3.8	25	1	1	3	5	7	10	18
GRAND TOTAL	**1103**	**3.6**	**22**	**<1**	**1**	**2**	**4**	**7**	**9**	**18**

641: Urethral dilation (58.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	31	1.1		<1	<1	<1	1	1	2	4
20-34	14	2.1	1	<1	1	2	3	4	4	4
35-49	22	2.1	1	<1	<1	2	3	4	5	6
50-64	15	2.0	1	<1	<1	2	2	4	5	5
65+	11	2.3	3	<1	<1	1	3	6	6	6
2. MULTIPLE DX										
0-19 YRS	86	1.5	2	<1	<1	<1	1	2	4	10
20-34	55	3.9	19	<1	<1	3	6	8	11	26
35-49	86	4.9	19	<1	1	3	7	11	15	20
50-64	111	5.2	46	<1	1	3	7	9	16	47
65+	342	7.0	34	1	1	6	10	15	19	30
TOT. SINGLE DX	93	1.8	2	<1	<1	1	2	4	5	6
" MULTIPLE DX	680	5.5	32	<1	<1	4	7	13	16	27
TOTAL 0-19 YRS	117	1.4	2	<1	<1	<1	1	2	4	8
20-34	69	3.6	16	<1	<1	3	4	8	9	25
35-49	108	4.3	17	<1	1	3	6	10	15	19
50-64	126	4.8	43	<1	1	3	6	9	15	46
65+	353	6.9	34	1	1	5	9	14	19	30
GRAND TOTAL	**773**	**5.0**	**30**	**<1**	**<1**	**3**	**7**	**11**	**15**	**26**

642: Miscellaneous operations on urethra (58.0; 58.21; 58.5; 58.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	36	1.1		<1	<1	<1	1	2	2	3
20-34	80	2.3	4	<1	1	1	3	5	6	13
35-49	64	2.1	4	<1	1	1	2	6	7	11
50-64	60	2.5	5	1	1	2	3	6	8	12
65+	66	2.2	2	1	1	2	3	5	5	9
2. MULTIPLE DX										
0-19 YRS	65	1.9	4	<1	<1	1	2	4	8	11
20-34	123	3.2	36	<1	1	1	4	6	9	29
35-49	91	2.6	6	<1	1	1	3	5	7	14
50-64	128	3.9	17	<1	1	2	5	10	13	22
65+	359	4.5	24	1	1	3	6	10	14	20
TOT. SINGLE DX	306	2.1	4	<1	1	1	2	5	6	10
" MULTIPLE DX	766	3.7	22	<1	1	2	5	8	12	19
TOTAL 0-19 YRS	101	1.6	3	<1	<1	1	1	3	5	10
20-34	203	2.8	24	<1	1	1	3	6	8	17
35-49	155	2.4	5	<1	1	1	3	5	7	11
50-64	188	3.5	14	<1	1	2	4	8	12	20
65+	425	4.1	22	1	1	2	5	9	12	19
GRAND TOTAL	**1072**	**3.3**	**17**	**<1**	**1**	**2**	**4**	**7**	**10**	**17**

643: Urethral suspension (59.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	44	4.6	2	2	3	5	5	6	7	9
35-49	173	4.8	2	2	3	5	6	7	8	8
50-64	184	5.0	2	2	3	5	6	7	8	9
65+	85	5.7	5	2	3	6	7	9	9	14
2. MULTIPLE DX										
0-19 YRS	4	4.8	4	2	2	5	6	7	7	7
20-34	69	5.1	2	3	3	5	6	7	7	9
35-49	382	5.5	3	3	3	5	7	8	9	12
50-64	391	6.0	11	3	4	6	7	8	10	14
65+	267	6.5	8	3	3	6	8	10	11	16
TOT. SINGLE DX	487	5.0	3	2	3	5	6	7	8	10
" MULTIPLE DX	1113	5.9	8	3	3	6	7	8	10	14
TOTAL 0-19 YRS	5	5.0	4	2	2	5	6	7	7	7
20-34	113	4.9	2	2	3	5	6	7	7	9
35-49	555	5.3	3	3	3	5	6	7	8	11
50-64	575	5.7	9	3	3	5	7	8	9	13
65+	352	6.3	8	3	3	6	8	9	11	16
GRAND TOTAL	**1600**	**5.6**	**6**	**3**	**3**	**5**	**7**	**8**	**9**	**13**

644: Other repair of stress incontinence (59.3-59.4; 59.6-59.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	26	4.4	2	2	2	4	6	6	7	8
35-49	132	4.3	2	2	2	4	5	6	7	9
50-64	145	4.8	4	2	2	4	6	8	9	11
65+	95	5.1	4	2	3	5	6	7	8	12
2. MULTIPLE DX										
0-19 YRS	2	5.0	8	3	3	5	7	7	7	7
20-34	37	4.8	1	3	3	5	6	6	7	8
35-43	224	4.8	3	2	3	4	6	8	9	11
50-64	286	5.3	5	2	3	5	6	8	10	14
65+	297	5.7	7	2	3	5	7	9	11	17
TOT. SINGLE DX	399	4.7	4	2	2	5	6	7	8	10
" MULTIPLE DX	846	5.3	6	2	3	5	6	8	9	14
TOTAL 0-19 YRS	3	4.3	5	3	3	3	6	7	7	7
20-34	63	4.7	2	2	3	5	6	6	7	8
35-49	356	4.7	3	2	3	4	6	7	9	10
50-64	431	5.1	5	2	3	5	6	8	9	14
65+	392	5.6	7	2	3	5	7	8	10	15
GRAND TOTAL	**1245**	**5.1**	**5**	**2**	**3**	**5**	**6**	**8**	**9**	**13**

645: Ureteral catheterization (59.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	4	3.0	4	<1	<1	2	4	6	6	6
20-34	23	3.2	4	<1	1	3	4	6	8	8
35-49	18	3.5	6	<1	1	3	5	7	9	10
50-64	23	4.4	7	1	2	4	7	8	10	12
65+	9	2.8	2	1	1	3	4	5	5	5
2. MULTIPLE DX										
0-19 YRS	[illegible]	5.3	52	1	1	3	5	12	25	30
20-34	39	4.8	15	1	1	4	7	9	13	17
35-49	43	5.3	16	1	1	4	8	12	13	15
50-64	73	6.7	43	1	1	5	8	14	19	33
65+	86	9.1	150	1	1	5	10	23	33	69
TOT. SINGLE DX	77	3.6	6	1	1	3	5	7	8	11
" MULTIPLE DX	257	6.9	73	1	1	4	8	14	22	38
TOTAL 0-19 YRS	20	4.8	43	<1	1	3	5	10	21	30
20-34	62	4.2	12	1	1	3	6	8	10	17
35-49	61	4.8	14	1	1	4	7	11	12	15
50-64	96	6.2	35	1	1	4	7	13	18	32
65+	95	8.5	139	1	1	4	9	21	30	68
GRAND TOTAL	**334**	**6.1**	**59**	**1**	**1**	**4**	**7**	**13**	**19**	**35**

647: Miscellaneous diagnostic and therapeutic procedures on urinary tract (55.29; 56.39; 57.31; 57.39; 57.94-57.95; 58.29; 59.29)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

646: Miscellaneous operations on urinary tract (59.0-59.21, 59.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	16	3.1	6	1	1	2	5	7	8	9
35-49	23	3.2	12	1	1	2	4	8	11	16
50-64	17	2.6	23	1	1	1	2	4	15	21
65+	24	1.8	4	1	1	1	2	5	7	9
2. MULTIPLE DX										
0-19 YRS	6	6.5	7	2	2	7	9	9	9	9
20-34	34	7.2	51	1	2	6	8	15	24	37
35-49	38	7.5	33	1	1	6	10	16	21	23
50-64	46	7.4	39	1	1	6	11	15	19	27
65+	60	8.0	129	1	1	5	8	16	26	62
TOT. SINGLE DX	81	2.7	11	1	1	1	3	6	9	19
" MULTIPLE DX	184	7.5	68	1	1	6	9	15	20	51
TOTAL 0-19 YRS	7	6.6	6	2	3	7	9	9	9	9
20-34	50	5.9	40	1	1	4	7	9	18	37
35-49	61	5.9	30	1	1	4	8	14	18	23
50-64	63	6.1	39	1	1	4	9	14	19	27
65+	84	6.2	101	1	1	3	7	13	17	61
GRAND TOTAL	**265**	**6.1**	**55**	**1**	**1**	**4**	**8**	**13**	**17**	**37**

648: Transurethral prostatectomy (60.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	3	3.7	4	2	2	3	5	6	6	6
20-34	1	1.0		<1	<1	<1	<1	<1	<1	<1
35-49	38	3.4	2	1	2	3	4	6	6	7
50-64	948	3.8	2	2	2	4	5	5	6	7
65+	1850	4.0	2	2	2	4	5	6	7	9
2. MULTIPLE DX										
0-19 YRS	14	5.4	19	<1	2	4	6	12	17	18
20-34	12	4.5	4	1	2	4	6	7	8	8
35-49	117	4.9	35	2	2	4	5	7	10	37
50-64	3116	4.4	12	2	2	4	5	7	9	17
65+	11694	5.5	17	2	3	4	6	9	12	22
TOT. SINGLE DX	2840	3.9	3	2	2	4	5	6	6	9
" MULTIPLE DX	14953	5.3	16	2	2	4	6	9	12	21
TOTAL 0-19 YRS	17	5.1	17	1	2	4	6	10	16	18
20-34	13	4.2	5	<1	1	4	6	7	8	8
35-49	155	4.5	28	2	2	4	5	7	8	28
50-64	4064	4.3	10	2	2	4	5	6	8	15
65+	13544	5.3	16	2	3	4	6	9	12	21
GRAND TOTAL	**17793**	**5.1**	**15**	**2**	**2**	**4**	**6**	**8**	**11**	**20**

649: Other prostatectomy (60.3-60.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	1	1.0		1	1	1	1	1	1	1
35-49	5	6.4	2	4	4	7	7	8	8	8
50-64	142	8.2	9	4	5	8	9	11	13	21
65+	182	8.2	8	4	5	8	9	12	13	18
2. MULTIPLE DX										
0-19 YRS	2	2.5	5	1	1	2	4	4	4	4
20-34	3	6.7	54	1	1	4	12	15	15	15
35-49	16	10.1	28	1	5	9	13	15	21	24
50-64	299	9.0	17	4	5	8	10	14	17	24
65+	969	10.0	28	5	6	9	11	16	19	27
TOT. SINGLE DX	331	8.1	9	4	5	8	9	12	13	19
" MULTIPLE DX	1289	9.7	26	5	6	8	11	15	18	27
TOTAL 0-19 YRS	3	2.3	2	1	1	2	3	4	4	4
20-34	4	5.3	44	1	1	3	9	15	15	15
35-49	21	9.2	25	2	5	8	12	15	19	24
50-64	441	8.7	15	4	5	8	10	13	16	23
65+	1151	9.7	26	5	6	8	11	15	18	27
GRAND TOTAL	**1620**	**9.4**	**23**	**5**	**6**	**8**	**11**	**14**	**18**	**26**

650: Miscellaneous operations on prostate and seminal vesicles (60.0; 60.11-60.15; 60.7-60.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	2	1.0		1	1	1	1	1	1	1
20-34	1	5.0		5	5	5	5	5	5	5
35-49	18	1.5		<1	<1	1	2	3	3	3
50-64	134	1.7	1	<1	<1	1	2	3	4	7
65+	209	1.6	1	<1	<1	1	2	3	4	6
2. MULTIPLE DX										
0-19 YRS										
20-34	2	5.5	13	3	3	5	8	8	8	8
35-49	23	4.7	67	<1	<1	2	3	15	24	37
50-64	241	3.4	20	<1	1	2	4	7	11	28
65+	694	4.1	24	1	1	2	5	10	13	23
TOT. SINGLE DX	364	1.6	1	<1	<1	1	2	3	4	7
" MULTIPLE DX	960	3.9	24	1	1	2	5	9	13	25
TOTAL 0-19 YRS	2	1.0		1	1	1	1	1	1	1
20-34	3	5.3	6	3	3	5	7	8	8	8
35-49	41	3.3	40	<1	<1	1	2	6	15	37
50-64	375	2.8	14	<1	<1	2	3	6	9	22
65+	903	3.5	20	<1	1	2	4	8	12	21
GRAND TOTAL	**1324**	**3.3**	**19**	**<1**	**1**	**2**	**4**	**8**	**11**	**21**

651: Operations on scrotum and tunica vaginalis (61.0-61.11; 61.2-61.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	72	1.4		<1	<1	1	1	2	3	6
20-34	63	1.7	1	<1	<1	1	2	4	4	6
35-49	52	1.6	1	<1	<1	1	2	3	3	7
50-64	39	2.1	2	<1	<1	2	2	4	5	10
65+	32	2.1	2	1	1	2	2	4	7	8
2. MULTIPLE DX										
0-19 YRS	53	1.8	3	<1	<1	1	2	3	6	12
20-34	57	6.1	99	<1	1	3	6	13	24	60
35-49	63	3.4	13	<1	1	2	4	8	12	16
50-64	58	6.0	145	1	1	2	6	10	15	83
65+	101	5.4	41	1	1	3	7	10	14	42
TOT. SINGLE DX	258	1.7	2	<1	<1	1	2	3	4	7
" MULTIPLE DX	332	4.6	60	<1	1	2	5	10	14	42
TOTAL 0-19 YRS	125	1.5	2	<1	<1	1	2	2	4	8
20-34	120	3.8	52	<1	<1	2	4	7	12	46
35-49	115	2.6	9	<1	<1	1	3	7	9	15
50-64	97	4.4	91	<1	1	2	4	8	12	62
65+	133	4.6	34	1	1	3	6	10	13	42
GRAND TOTAL	**590**	**3.4**	**37**	**<1**	**<1**	**2**	**3**	**7**	**10**	**30**

652: Orchiectomy (62.3-62.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	91	1.4		<1	<1	1	2	3	3	6
20-34	195	1.9	3	1	1	1	2	3	5	11
35-49	83	2.0	3	<1	1	1	3	4	5	10
50-64	64	1.8	1	<1	1	1	2	3	5	7
65+	131	2.0	2	<1	1	1	2	4	6	8
2. MULTIPLE DX										
0-19 YRS	85	2.1	6	<1	1	1	2	4	5	17
20-34	125	2.9	9	1	1	2	3	6	10	16
35-49	65	3.8	30	1	1	2	4	8	10	37
50-64	136	5.0	64	1	1	3	5	11	17	41
65+	697	5.7	55	1	1	3	7	14	20	37
TOT. SINGLE DX	564	1.8	3	<1	1	1	2	3	5	9
" MULTIPLE DX	1108	4.9	48	1	1	2	6	12	17	35
TOTAL 0-19 YRS	176	1.8	4	<1	<1	1	2	3	5	7
20-34	320	2.3	6	1	1	1	3	5	7	13
35-49	148	2.8	16	<1	1	2	3	7	9	13
50-64	200	4.0	46	<1	1	2	4	8	14	30
65+	828	5.1	49	1	1	2	6	13	18	35
GRAND TOTAL	**1672**	**3.9**	**35**	**1**	**1**	**2**	**4**	**9**	**14**	**30**

653: Orchiopexy (62.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	460	1.3		<1	<1	1	1	2	3	4
20-34	85	1.5		<1	<1	1	2	2	3	5
35-49	11	1.5	1	<1	<1	1	2	3	4	4
50-64	1	2.0		2	2	2	2	2	2	2
65+	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
0-19 YRS	318	1.6	11	<1	<1	1	2	2	3	7
20-34	25	1.4		1	1	1	2	3	3	4
35-49	6	1.3		1	1	1	2	2	2	2
50-64	2	3.5	1	3	3	3	4	4	4	4
65+										
TOT. SINGLE DX	558	1.3	1	<1	<1	1	1	2	3	4
" MULTIPLE DX	351	1.6	10	<1	<1	1	2	2	3	7
TOTAL 0-19 YRS	778	1.4	5	<1	<1	1	1	2	3	6
20-34	110	1.4	1	<1	<1	1	2	3	3	5
35-49	17	1.5	1	<1	<1	1	2	3	4	4
50-64	3	3.0	1	2	2	3	4	4	4	4
65+	1	2.0		2	2	2	2	2	2	2
GRAND TOTAL	**909**	**1.4**	**4**	**<1**	**<1**	**1**	**1**	**2**	**3**	**5**

654: Miscellaneous operations on testis (62.0-62.12; 62.2; 62.6-62.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	97	1.4		<1	<1	1	1	2	3	6
20-34	58	1.8	2	<1	<1	1	2	4	5	8
35-49	25	1.4	1	<1	<1	1	2	2	4	5
50-64	12	1.8	1	<1	<1	1	2	3	4	4
65+	3	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
0-19 YRS	55	1.9	3	<1	<1	1	2	4	4	13
20-34	40	3.0	19	<1	<1	1	3	6	11	25
35-49	18	2.1	2	<1	<1	1	2	5	6	6
50-64	10	6.7	165	<1	<1	3	4	24	43	43
65+	13	3.7	4	1	1	3	5	7	9	9
TOT. SINGLE DX	195	1.5	1	<1	<1	1	2	3	4	6
" MULTIPLE DX	136	2.8	20	<1	<1	1	3	5	7	28
TOTAL 0-19 YRS	152	1.6	2	<1	<1	1	2	3	4	6
20-34	98	2.3	9	<1	<1	1	3	4	6	20
35-49	43	1.7	2	<1	<1	1	2	4	5	6
50-64	22	4.0	78	<1	<1	2	3	5	21	43
65+	16	3.2	5	1	1	3	4	6	8	9
GRAND TOTAL	**331**	**2.0**	**9**	**<1**	**<1**	**1**	**2**	**4**	**5**	**13**

655: Interruption of vas deferens (63.6-63.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	13	1.1		<1	<1	<1	1	1	2	2
35-49	14	1.1		<1	<1	<1	<1	1	2	2
50-64	2	1.0		<1	<1	<1	<1	<1	<1	<1
65+										
2. MULTIPLE DX										
0-19 YRS	1	19.0		19	19	19	19	19	19	19
20-34	8	12.0	870	<1	<1	2	3	60	85	85
35-49	5	3.8	27	<1	<1	1	5	13	13	13
50-64										
65+										
TOT. SINGLE DX	30	1.1		<1	<1	<1	1	1	2	2
" MULTIPLE DX	14	9.6	500	<1	<1	2	3	26	72	85
TOTAL 0-19 YRS	2	10.0	162	1	1	10	19	19	19	19
20-34	21	5.2	334	<1	<1	1	1	3	40	85
35-49	19	1.8	8	<1	<1	<1	1	3	8	13
50-64	2	1.0		<1	<1	<1	<1	<1	<1	<1
65+										
GRAND TOTAL	**44**	**3.8**	**167**	**<1**	**<1**	**<1**	**1**	**3**	**15**	**85**

656: Miscellaneous operations on spermatic cord, epididymis, and vas deferens (63.01; 63.1-63.5; 63.8-63.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	154	1.2		<1	<1	1	1	2	2	3
20-34	206	1.5		<1	<1	1	2	3	3	7
35-49	175	1.3		<1	<1	1	1	2	3	4
50-64	135	1.6		<1	<1	1	2	3	3	5
65+	69	1.7	1	<1	1	1	2	3	3	7
2. MULTIPLE DX										
0-19 YRS	116	1.6	1	<1	<1	1	2	3	4	7
20-34	145	1.7	2	<1	<1	1	2	3	4	9
35-49	118	1.6	1	<1	<1	1	2	3	4	5
50-64	140	2.4	6	1	1	2	3	4	6	16
65+	160	3.1	12	1	1	2	3	5	9	18
TOT. SINGLE DX	739	1.4	1	<1	<1	1	2	2	3	5
" MULTIPLE DX	679	2.1	6	<1	<1	1	2	4	5	14
TOTAL 0-19 YRS	270	1.4	1	<1	<1	1	1	2	3	5
20-34	351	1.6	2	<1	<1	1	2	3	3	7
35-49	293	1.4	1	<1	<1	1	1	2	3	5
50-64	275	2.0	4	<1	1	1	2	3	5	10
65+	229	2.7	9	1	1	2	3	4	8	17
GRAND TOTAL	**1418**	**1.7**	**3**	**<1**	**<1**	**1**	**2**	**3**	**4**	**9**

657: Circumcision, other than newborn (64.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	258	1.1		<1	<1	<1	1	1	2	2
20-34	36	1.1		<1	<1	1	1	2	2	2
35-49	26	1.2		<1	<1	1	1	2	2	2
50-64	17	1.2		<1	<1	1	1	2	3	3
65+	19	1.1		<1	<1	1	1	1	2	2
2. MULTIPLE DX										
0-19 YRS	70	2.7	38	<1	<1	1	1	3	14	37
20-34	19	1.5		<1	<1	1	2	3	4	4
35-49	40	4.0	100	<1	<1	1	2	6	16	61
50-64	43	2.5	12	<1	<1	1	3	4	7	23
65+	74	3.7	22	<1	1	2	4	7	11	27
TOT. SINGLE DX	356	1.1		<1	<1	<1	1	1	2	2
" MULTIPLE DX	246	3.1	36	<1	<1	1	2	6	9	29
TOTAL 0-19 YRS	328	1.4	9	<1	<1	<1	1	2	2	16
20-34	55	1.2		<1	<1	1	1	2	2	4
35-49	66	2.8	62	<1	<1	1	2	3	7	55
50-64	60	2.2	9	<1	<1	1	2	4	6	21
65+	93	3.2	19	<1	<1	1	3	7	9	26
GRAND TOTAL	**602**	**1.9**	**16**	**<1**	**<1**	**1**	**1**	**3**	**5**	**23**

658: Miscellaneous operations on penis (64.11; 64.2-64.5; 64.92-64.93; 64.95-64.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	62	2.1	5	<1	<1	1	3	5	6	14
20-34	30	2.5	3	<1	<1	2	4	4	5	9
35-49	52	2.6	5	<1	1	2	3	5	8	13
50-64	164	2.4	5	1	1	2	3	4	5	9
65+	122	2.4	3	1	1	2	3	4	5	10
2. MULTIPLE DX										
0-19 YRS	40	2.5	5	<1	<1	1	3	5	8	12
20-34	70	5.0	38	1	1	3	5	12	17	37
35-49	181	4.2	32	1	1	3	4	7	9	57
50-64	438	3.2	10	1	1	3	4	5	8	14
65+	361	3.3	8	1	1	3	4	5	8	19
TOT. SINGLE DX	430	2.4	5	<1	1	2	3	4	5	10
" MULTIPLE DX	1090	3.5	16	1	1	3	4	6	9	19
TOTAL 0-19 YRS	102	2.2	5	<1	<1	1	3	5	7	13
20-34	100	4.3	29	<1	1	3	4	9	15	31
35-49	233	3.9	27	1	1	3	4	7	9	27
50-64	602	3.0	9	1	1	2	3	5	7	14
65+	483	3.1	7	1	1	2	4	5	7	16
GRAND TOTAL	**1520**	**3.2**	**13**	**1**	**1**	**2**	**4**	**5**	**8**	**17**

659: Miscellaneous diagnostic and therapeutic procedures on male genital tract (60.18-60.19; 61.19; 62.19; 63.09; 64.0; 64.19; 64.91; 64.94)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

660: Local excision or destruction of ovarian lesion or tissue (65.12; 65.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	186	3.7	2	1	2	4	4	5	6	9
20-34	688	3.7	1	2	2	4	4	5	6	7
35-49	101	4.0	2	2	2	4	5	6	7	9
50-64	19	4.8	7	2	3	4	5	7	11	15
65+	7	6.7	2	5	5	6	7	9	10	10
2. MULTIPLE DX										
0-19 YRS	211	3.9	2	1	2	4	5	6	6	10
20-34	1388	4.2	4	2	2	4	5	6	7	11
35-49	249	4.7	6	2	3	4	5	7	9	18
50-64	37	6.8	9	3	3	6	8	12	14	15
65+	49	10.6	40	5	6	9	11	19	26	33
TOT. SINGLE DX	1001	3.8	2	2	2	4	5	5	6	8
" MULTIPLE DX	1934	4.5	6	2	3	4	5	6	8	14
TOTAL 0-19 YRS	397	3.8	2	1	2	4	5	6	6	9
20-34	2076	4.0	3	2	2	4	5	6	7	10
35-49	350	4.5	6	2	2	4	5	6	8	13
50-64	56	6.1	10	3	3	5	8	9	14	15
65+	56	10.1	37	5	6	8	10	16	25	33
GRAND TOTAL	**2935**	**4.2**	**5**	**2**	**2**	**4**	**5**	**6**	**7**	**13**

661: Unilateral oophorectomy or salpingo-oophorectomy (65.3-65.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	90	4.3	2	2	3	4	5	6	8	11
20-34	600	4.2	2	2	3	4	5	6	7	10
35-49	226	4.3	1	3	3	4	5	6	7	9
50-64	32	5.7	8	2	3	5	6	11	12	15
65+	21	5.5	6	3	4	5	6	8	11	14
2. MULTIPLE DX										
0-19 YRS	118	5.1	7	2	3	4	6	8	10	18
20-34	1455	4.8	4	3	3	4	5	7	8	14
35-49	734	5.1	13	3	3	5	5	7	9	16
50-64	90	7.4	27	3	4	6	8	14	20	75
65+	110	9.7	36	4	5	8	11	17	20	35
TOT. SINGLE DX	969	4.3	2	2	3	4	5	6	7	10
" MULTIPLE DX	2507	5.2	11	3	3	5	6	8	10	18
TOTAL 0-19 YRS	208	4.7	6	2	3	4	5	7	8	15
20-34	2055	4.6	4	2	3	4	5	6	8	12
35-49	960	4.9	11	3	3	4	5	7	9	15
50-64	122	7.0	23	3	3	6	8	13	17	55
65+	131	9.0	34	4	4	7	10	16	18	35
GRAND TOTAL	**3476**	**4.9**	**9**	**3**	**3**	**4**	**5**	**7**	**9**	**17**

662: Bilateral oophorectomy or salpingo-oophorectomy (65.5-65.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	61	4.4	1	2	3	4	5	6	7	8
35-49	122	4.5	1	3	3	4	5	6	7	8
50-64	77	5.4	8	3	3	5	6	7	9	20
65+	34	5.9	1	4	4	6	7	7	9	9
2. MULTIPLE DX										
0-19 YRS	9	4.4	1	3	3	5	5	6	6	6
20-34	463	4.9	6	3	3	4	5	7	8	15
35-49	846	5.4	7	3	3	5	6	8	9	14
50-64	324	7.2	16	3	4	6	9	13	16	22
65+	249	9.4	30	4	5	8	11	17	21	29
TOT. SINGLE DX	295	4.9	4	3	3	5	6	7	7	12
" MULTIPLE DX	1891	6.1	14	3	3	5	7	10	13	22
TOTAL 0-19 YRS	10	4.3	1	3	3	4	5	6	6	6
20-34	524	4.8	6	3	3	4	5	7	8	13
35-49	968	5.3	7	3	3	5	6	8	9	14
50-64	401	6.9	15	3	4	6	8	12	16	21
65+	283	9.0	28	4	5	7	10	16	20	29
GRAND TOTAL	**2186**	**6.0**	**13**	**3**	**3**	**5**	**6**	**9**	**12**	**20**

663: Miscellaneous operations on ovary (65.0-65.11; 65.7-65.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	53	2.6	2	<1	<1	2	4	4	5	7
20-34	215	2.3	3	<1	<1	1	3	4	6	8
35-49	67	1.6	2	<1	<1	1	1	3	4	10
50-64	4	5.5	9	<1	<1	6	7	8	8	8
65+	1	8.0		8	8	8	8	8	8	8
2. MULTIPLE DX										
0-19 YRS	48	3.9	6	1	1	3	5	7	9	13
20-34	604	3.4	4	<1	1	3	5	6	6	11
35-49	170	3.0	6	<1	<1	2	5	6	7	10
50-64	14	4.4	4	1	2	4	6	8	8	8
65+	3	2.3	5	<1	<1	1	4	5	5	5
TOT. SINGLE DX	340	2.3	4	<1	<1	1	3	4	6	8
" MULTIPLE DX	839	3.4	5	<1	<1	3	5	6	7	11
TOTAL 0-19 YRS	101	3.2	5	<1	1	3	4	6	7	11
20-34	819	3.1	5	<1	<1	3	4	5	6	10
35-49	237	2.6	6	<1	<1	1	4	5	6	11
50-64	18	4.7	5	<1	1	5	6	8	8	8
65+	4	3.8	12	<1	<1	3	6	8	8	8
GRAND TOTAL	**1179**	**3.1**	**5**	**<1**	**<1**	**3**	**4**	**5**	**6**	**10**

664: Bilateral endoscopic destruction or occlusion of fallopian tubes (66.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	2	3.0	8	<1	<1	2	5	5	5	5
20-34	509	1.1		<1	<1	<1	1	1	1	3
35-49	302	1.0		<1	<1	<1	<1	1	1	2
50-64	2	1.0		<1	<1	<1	<1	<1	<1	<1
65+										
2. MULTIPLE DX										
0-19 YRS	4	1.0		<1	<1	1	1	1	1	1
20-34	312	1.7	2	<1	<1	1	2	3	4	9
35-49	204	1.3		<1	<1	<1	1	2	3	5
50-64										
65+										
TOT. SINGLE DX	815	1.1		<1	<1	<1	1	1	1	3
" MULTIPLE DX	520	1.5	2	<1	<1	1	2	3	4	8
TOTAL 0-19 YRS	6	1.7	3	<1	<1	1	1	5	5	5
20-34	821	1.3	1	<1	<1	<1	1	2	3	6
35-49	506	1.1		<1	<1	<1	1	1	2	4
50-64	2	1.0		<1	<1	<1	<1	<1	<1	<1
65+										
GRAND TOTAL	**1335**	**1.2**	**1**	**<1**	**<1**	**<1**	**1**	**2**	**3**	**5**

665: Other bilateral tubal interruption or salpingectomy (66.3; 66.5; 66.63)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	8	1.6		<1	<1	1	2	3	3	3
20-34	720	1.6		<1	<1	1	2	3	3	5
35-49	305	1.4		<1	<1	1	2	2	3	4
50-64	1	1.0		1	1	1	1	1	1	1
65+										
2. MULTIPLE DX										
0-19 YRS	19	2.7	4	1	1	3	3	5	8	10
20-34	1841	2.6	3	1	1	2	3	4	5	8
35-49	472	2.7	2	<1	1	2	3	5	6	8
50-64	4	9.5	155	<1	<1	4	16	28	28	28
65+										
TOT. SINGLE DX	1034	1.5	1	<1	<1	1	2	3	3	4
" MULTIPLE DX	2336	2.6	4	1	1	2	3	4	5	8
TOTAL 0-19 YRS	27	2.4	4	<1	<1	2	3	4	6	10
20-34	2561	2.3	3	<1	1	2	3	4	4	7
35-49	777	2.2	2	<1	<1	2	3	4	5	8
50-64	5	7.8	131	<1	<1	4	11	28	28	28
65+										
GRAND TOTAL	**3370**	**2.3**	**3**	**<1**	**<1**	**2**	**3**	**4**	**4**	**7**

666: Miscellaneous operations on fallopian tube (66.0-66.11; 66.4; 66.61-66.62; 66.69-66.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	129	3.5	1	2	2	3	4	5	5	7
20-34	1706	3.5	1	2	2	4	4	5	5	6
35-49	266	3.5	1	2	2	3	4	5	5	7
50-64	1	5.0		5	5	5	5	5	5	5
65+										
2. MULTIPLE DX										
0-19 YRS	142	4.2	3	2	2	4	5	7	8	11
20-34	2447	3.9	1	2	3	4	5	5	6	8
35-49	446	4.0	2	2	2	4	5	6	6	10
50-64	10	8.1	28	1	2	7	12	16	18	18
65+	5	6.0	13	2	2	5	7	12	12	12
TOT. SINGLE DX	2102	3.5	2	2	2	4	4	5	5	6
" MULTIPLE DX	3050	3.9	2	2	3	4	5	5	6	9
TOTAL 0-19 YRS	271	3.9	3	2	2	4	4	6	7	10
20-34	4153	3.7	2	2	2	4	4	5	6	8
35-49	712	3.8	2	2	2	4	4	5	6	9
50-64	11	7.8	26	1	3	7	11	16	18	18
65+	5	6.0	14	2	2	5	7	12	12	12
GRAND TOTAL	**5152**	**3.8**	**2**	**2**	**2**	**4**	**4**	**5**	**6**	**8**

667: Conization of cervix (67.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	9	1.3		<1	<1	1	2	2	2	2
20-34	224	1.2		<1	<1	1	1	2	2	5
35-49	109	1.4	1	<1	<1	1	1	2	3	7
50-64	31	1.2		<1	<1	1	1	2	2	3
65+	18	1.6	2	<1	<1	1	1	3	5	7
2. MULTIPLE DX										
0-19 YRS	3	1.0		<1	<1	1	1	1	1	1
20-34	170	1.7	2	<1	<1	1	2	4	6	7
35-49	99	2.2	7	<1	<1	1	2	4	7	17
50-64	51	2.1	5	<1	<1	1	2	4	6	15
65+	31	2.4	3	<1	<1	2	3	5	8	8
TOT. SINGLE DX	391	1.3	1	<1	<1	1	1	2	2	6
" MULTIPLE DX	354	1.9	4	<1	<1	1	2	4	6	8
TOTAL 0-19 YRS	12	1.3		<1	<1	1	2	2	2	2
20-34	394	1.4	1	<1	<1	1	1	2	4	6
35-49	208	1.8	4	<1	<1	1	2	4	5	9
50-64	82	1.7	4	<1	<1	1	2	3	5	13
65+	49	2.1	3	<1	<1	1	2	4	7	8
GRAND TOTAL	**745**	**1.6**	**2**	**<1**	**<1**	**1**	**2**	**3**	**5**	**8**

668: Other excision or destruction of lesion or tissue of cervix (67.11-67.12; 67.3-67.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	4	2.5	9	<1	<1	<1	4	7	7	7
20-34	33	1.4		<1	<1	1	2	2	4	4
35-49	34	1.7	2	<1	<1	1	2	3	6	7
50-64	20	2.4	3	<1	<1	2	3	5	6	7
65+	24	2.8	3	<1	1	2	3	6	7	7
2. MULTIPLE DX										
0-19 YRS	4	1.0		1	1	1	1	1	1	1
20-34	56	1.9	3	<1	<1	1	2	5	6	7
35-49	61	3.3	16	<1	<1	1	4	7	12	22
50-64	64	4.5	21	<1	<1	3	6	10	13	23
65+	105	5.4	47	1	1	4	6	9	10	45
TOT. SINGLE DX	115	2.0	3	<1	<1	1	2	4	7	7
" MULTIPLE DX	290	4.0	28	<1	<1	2	5	8	10	24
TOTAL 0-19 YRS	8	1.8	5	<1	<1	1	1	5	7	7
20-34	89	1.7	2	<1	<1	1	2	4	5	7
35-49	95	2.7	12	<1	<1	1	3	7	8	20
50-64	84	4.0	18	<1	<1	3	5	10	11	23
65+	129	4.9	40	1	1	3	6	8	10	37
GRAND TOTAL	**405**	**3.4**	**21**	**<1**	**<1**	**2**	**5**	**7**	**9**	**21**

669: Repair and plastic operations on cervix (67.5-67.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	24	1.7		<1	1	2	2	3	3	3
20-34	444	1.7	3	<1	1	1	2	3	4	6
35-49	58	1.4		<1	<1	1	2	2	3	6
50-64	1	1.0		1	1	1	1	1	1	1
65+										
2. MULTIPLE DX										
0-19 YRS	8	4.0	12	1	1	3	6	10	11	11
20-34	153	2.6	3	1	1	2	3	5	7	11
35-49	31	2.4	5	1	1	2	3	5	7	11
50-64	2	4.5	5	3	3	4	6	6	6	6
65+										
TOT. SINGLE DX	527	1.7	3	<1	1	1	2	3	4	6
" MULTIPLE DX	194	2.6	4	1	1	2	3	5	8	11
TOTAL 0-19 YRS	32	2.3	4	1	1	2	3	3	8	11
20-34	597	1.9	3	<1	1	1	2	4	5	8
35-49	89	1.8	2	<1	<1	1	2	3	5	9
50-64	3	3.3	6	1	1	3	5	6	6	6
65+										
GRAND TOTAL	**721**	**1.9**	**3**	**<1**	**1**	**1**	**2**	**3**	**5**	**9**

670: Hysterotomy and excision of lesion of uterus (68.0; 68.13-68.14; 68.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	5	3.2	2	<1	<1	3	4	5	5	5
20-34	156	3.9	2	1	1	4	5	6	6	8
35-49	72	4.2	2	1	1	4	5	6	7	9
50-64	8	2.5	2	1	1	2	4	5	5	5
65+	3	2.3	2	1	1	2	3	4	4	4
2. MULTIPLE DX										
0-19 YRS	11	5.2	5	1	2	5	6	8	10	10
20-34	413	4.3	3	1	2	4	5	6	7	10
35-49	188	4.5	5	1	2	4	6	7	8	18
50-64	22	5.1	26	<1	<1	3	9	11	16	20
65+	27	4.4	14	<1	1	3	6	8	15	15
TOT. SINGLE DX	244	3.9	3	1	1	4	5	6	6	8
" MULTIPLE DX	661	4.4	5	1	1	4	5	6	8	15
TOTAL 0-19 YRS	16	4.6	5	<1	1	5	5	7	9	10
20-34	569	4.2	3	1	2	4	5	6	7	8
35-49	260	4.4	5	1	1	4	5	6	8	16
50-64	30	4.4	21	<1	1	2	5	10	14	20
65+	30	4.2	13	<1	1	3	5	8	15	15
GRAND TOTAL	**905**	**4.3**	**5**	**1**	**1**	**4**	**5**	**6**	**7**	**12**

671: Abdominal hysterectomy (68.3-68.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	6	6.3	13	4	4	4	10	12	12	12
20-34	591	4.9	3	3	3	5	5	6	7	11
35-49	1147	5.1	1	3	4	5	6	6	7	9
50-64	408	5.4	2	3	4	5	6	7	8	10
65+	240	6.0	2	4	4	6	7	8	9	12
2. MULTIPLE DX										
0-19 YRS	52	5.5	5	3	3	5	6	10	12	97
20-34	5556	5.3	3	3	4	5	6	7	8	13
35-49	13321	5.4	4	3	4	5	6	7	8	12
50-64	3299	6.0	8	4	4	5	7	8	10	16
65+	1635	7.4	12	4	5	6	8	11	14	22
TOT. SINGLE DX	2392	5.2	3	3	4	5	6	7	8	10
" MULTIPLE DX	23863	5.6	5	3	4	5	6	8	9	14
TOTAL 0-19 YRS	58	5.6	6	3	3	5	6	11	12	92
20-34	6147	5.3	4	3	4	5	6	7	8	12
35-49	14468	5.4	4	3	4	5	6	7	8	12
50-64	3707	5.9	7	4	4	5	6	8	10	15
65+	1875	7.2	12	4	5	6	8	11	14	21
GRAND TOTAL	**26255**	**5.5**	**5**	**3**	**4**	**5**	**6**	**7**	**9**	**14**

672: Vaginal hysterectomy (68.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	4	4.0		4	4	4	4	4	4	4
20-34	439	4.0	1	2	3	4	5	5	6	8
35-49	604	4.2	2	2	3	4	5	6	7	9
50-64	202	5.0	2	3	3	5	6	7	8	9
65+	180	5.9	2	3	4	6	7	8	9	11
2. MULTIPLE DX										
0-19 YRS	15	5.3	3	2	3	5	7	8	8	8
20-34	2458	4.3	2	3	3	4	5	6	7	9
35-49	4796	4.6	2	3	3	4	5	6	7	9
50-64	1145	5.4	3	3	4	5	6	8	8	12
65+	924	6.3	6	4	4	6	7	8	10	15
TOT. SINGLE DX	1429	4.5	3	2	3	4	5	6	7	9
" MULTIPLE DX	9338	4.8	3	3	3	5	6	7	8	11
TOTAL 0-19 YRS	19	5.0	3	2	3	4	7	8	8	8
20-34	2897	4.3	2	2	3	4	5	6	7	8
35-49	5400	4.5	3	3	3	4	5	6	7	9
50-64	1347	5.4	3	3	4	5	6	7	8	12
65+	1104	6.2	6	4	4	6	7	8	10	14
GRAND TOTAL	**10767**	**4.7**	**3**	**3**	**3**	**4**	**6**	**7**	**8**	**10**

673: Radical hysterectomy and pelvic evisceration (68.6-68.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34	16	8.8	1	6	8	9	9	10	11	12
35-49	15	9.9	6	7	7	10	11	13	15	16
50-64	2	8.5	5	7	7	8	10	10	10	10
65+	3	19.3	142	11	11	14	28	33	33	33
2. MULTIPLE DX										
0-19 YRS	1	11.0		11	11	11	11	11	11	11
20-34	26	11.8	17	5	6	11	15	18	31	99+
35-49	43	13.4	107	5	7	10	12	29	42	51
50-64	33	14.2	65	6	7	11	19	24	31	41
65+	39	15.2	137	5	6	13	17	25	30	75
TOT. SINGLE DX	36	10.1	20	7	7	9	10	13	15	33
" MULTIPLE DX	142	13.8	88	5	7	11	16	23	33	77
TOTAL 0-19 YRS	1	11.0		11	11	11	11	11	11	11
20-34	42	10.6	13	5	7	9	12	17	19	99+
35-49	58	12.5	83	6	7	10	12	21	38	50
50-64	35	13.9	64	6	7	10	19	23	30	41
65+	42	15.5	136	5	6	13	18	28	32	75
GRAND TOTAL	**178**	**13.0**	**77**	**6**	**7**	**10**	**15**	**22**	**32**	**68**

674: Dilation and curettage of uterus for termination of pregnancy (69.01)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	42	1.3		<1	<1	1	1	2	3	4
20-34	194	1.3		<1	<1	1	1	2	3	5
35-49	42	1.3		<1	<1	1	1	2	3	4
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	22	2.1	3	<1	1	2	3	5	41	99+
20-34	173	2.7	9	<1	<1	1	3	5	7	19
35-49	37	2.2	6	<1	<1	1	2	5	7	14
50-64										
65+										
TOT. SINGLE DX	278	1.3	1	<1	<1	1	1	2	3	4
" MULTIPLE DX	232	2.6	9	<1	<1	1	3	5	7	21
TOTAL 0-19 YRS	64	1.6	2	<1	<1	1	2	3	4	86
20-34	367	1.9	5	<1	<1	1	2	4	5	12
35-49	79	1.7	4	<1	<1	1	1	4	5	12
50-64										
65+										
GRAND TOTAL	**510**	**1.9**	**5**	**<1**	**<1**	**1**	**2**	**4**	**5**	**13**

675: Other dilation and curettage (69.02; 69.09)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	728	1.3	1	<1	<1	1	1	2	3	5
20-34	4270	1.3		<1	<1	1	1	2	3	5
35-49	1299	1.2		<1	<1	1	1	1	2	4
50-64	316	1.1		<1	<1	<1	1	1	2	5
65+	162	1.3		<1	<1	1	1	2	3	3
2. MULTIPLE DX										
0-19 YRS	332	2.5	25	<1	<1	1	2	5	7	20
20-34	2349	2.2	9	<1	<1	1	2	4	5	13
35-49	1588	1.9	11	<1	<1	1	2	4	5	12
50-64	563	2.3	24	<1	<1	1	2	5	7	21
65+	455	2.9	18	<1	<1	1	3	7	10	27
TOT. SINGLE DX	6775	1.2	1	<1	<1	1	1	2	3	5
" MULTIPLE DX	5287	2.2	14	<1	<1	1	2	4	6	16
TOTAL 0-19 YRS	1060	1.7	9	<1	<1	1	2	3	4	9
20-34	6619	1.6	4	<1	<1	1	1	3	4	7
35-49	2887	1.6	7	<1	<1	1	1	3	4	9
50-64	879	1.9	16	<1	<1	<1	1	3	6	16
65+	617	2.5	14	<1	<1	1	2	6	9	25
GRAND TOTAL	**12062**	**1.7**	**7**	**<1**	**<1**	**1**	**1**	**3**	**4**	**10**

676: Aspiration curettage for termination of pregnancy (69.51)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	70	1.2		<1	<1	<1	1	1	2	6
20-34	318	1.3	11	<1	<1	<1	1	2	2	4
35-49	44	1.2		<1	<1	1	1	2	3	4
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	45	3.9	49	<1	<1	1	3	11	15	42
20-34	270	2.3	11	<1	<1	1	2	5	7	20
35-49	50	2.2	6	<1	<1	1	2	5	7	14
50-64										
65+										
TOT. SINGLE DX	432	1.3	8	<1	<1	<1	1	1	2	4
" MULTIPLE DX	365	2.5	16	<1	<1	1	2	5	7	21
TOTAL 0-19 YRS	115	2.2	21	<1	<1	<1	1	4	8	27
20-34	568	1.8	12	<1	<1	1	1	3	5	12
35-49	94	1.7	4	<1	<1	1	1	3	5	12
50-64										
65+										
GRAND TOTAL	**797**	**1.8**	**12**	**<1**	**<1**	**1**	**1**	**3**	**5**	**14**

677: Other aspiration curettage (69.52; 69.59)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	145	1.2		<1	<1	1	1	2	3	5
20-34	967	1.2		<1	<1	1	1	1	2	3
35-49	180	1.1		<1	<1	1	1	1	2	3
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	50	2.1	7	<1	<1	1	2	3	4	19
20-34	283	1.9	3	<1	<1	1	2	4	5	10
35-49	63	1.9	2	<1	<1	1	2	4	5	10
50-64	9	6.3	104	1	1	3	5	23	33	33
65+	6	7.5	37	1	1	6	12	16	17	17
TOT. SINGLE DX	1292	1.2	1	<1	<1	1	1	1	2	3
" MULTIPLE DX	411	2.1	7	<1	<1	1	2	4	5	14
TOTAL 0-19 YRS	195	1.5	3	<1	<1	1	1	2	3	9
20-34	1250	1.3	1	<1	<1	1	1	2	3	5
35-49	243	1.3	1	<1	<1	1	1	2	3	5
50-64	9	6.3	104	1	1	3	5	23	33	33
65+	6	7.5	37	1	1	6	12	16	17	17
GRAND TOTAL	**1703**	**1.4**	**2**	**<1**	**<1**	**1**	**1**	**2**	**3**	**6**

678: Repair and plastic operations on supporting structures of uterus (69.2-69.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	2	4.5	1	4	4	4	5	5	5	5
20-34	13	3.2	3	<1	1	3	4	5	6	6
35-49	1	8.0		8	8	8	8	8	8	8
50-64	4	4.5		4	4	4	5	5	5	5
65+	5	5.6	5	4	4	4	7	9	9	9
2. MULTIPLE DX										
0-19 YRS	6	4.5		3	3	5	5	5	5	5
20-34	134	4.5	2	3	3	4	5	6	7	10
35-49	15	4.9	3	3	3	4	5	9	9	9
50-64	8	6.3	12	2	3	5	7	12	14	14
65+	10	6.3	4	3	3	6	7	9	10	10
TOT. SINGLE DX	25	4.2	4	<1	1	4	5	7	8	9
" MULTIPLE DX	173	4.7	3	3	3	4	5	7	8	10
TOTAL 0-19 YRS	8	4.5	1	3	3	5	5	5	5	5
20-34	147	4.4	2	2	3	4	5	6	7	10
35-49	16	5.1	4	3	3	5	6	9	9	9
50-64	12	5.7	9	2	3	5	6	10	13	14
65+	15	6.1	5	3	4	6	7	9	10	10
GRAND TOTAL	**198**	**4.7**	**3**	**2**	**3**	**4**	**5**	**7**	**8**	**10**

679: Miscellaneous operations on uterus, cervix, and supporting structures (67.0; 68.12; 69.1; 69.4; 69.91; 69.93-69.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	29	2.1	1	<1	<1	1	3	4	5	5
20-34	129	2.3	2	<1	<1	1	3	5	6	7
35-49	46	2.0	1	<1	<1	1	3	4	5	6
50-64	10	2.6	3	<1	<1	2	3	5	7	7
65+	6	3.5	2	2	2	3	4	6	6	6
2. MULTIPLE DX										
0-19 YRS	26	2.7	2	<1	1	3	3	4	5	7
20-34	240	3.0	4	<1	<1	3	4	5	6	10
35-49	94	2.9	4	<1	<1	3	4	5	6	11
50-64	26	4.4	12	1	2	3	5	8	14	17
65+	45	3.6	5	1	2	3	4	5	9	13
TOT. SINGLE DX	220	2.3	3	<1	<1	1	3	5	6	7
" MULTIPLE DX	431	3.1	5	<1	1	3	4	5	6	13
TOTAL 0-19 YRS	55	2.4	2	<1	<1	3	3	4	5	7
20-34	369	2.7	4	<1	<1	2	4	5	6	10
35-49	140	2.6	4	<1	<1	2	4	5	6	8
50-64	36	3.9	11	<1	1	3	4	8	12	17
65+	51	3.6	5	1	2	3	4	6	9	13
GRAND TOTAL	**651**	**2.8**	**4**	**<1**	**<1**	**3**	**4**	**5**	**6**	**11**

680: Plastic repair of cystocele and rectocele (70.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	2	4.0	2	3	3	4	5	5	5	5
20-34	53	3.2	3	1	1	3	4	6	7	9
35-49	139	4.0	3	2	2	4	5	6	7	10
50-64	281	4.4	3	2	2	4	5	6	8	11
65+	247	4.4	2	2	3	4	5	6	7	9
2. MULTIPLE DX										
0-19 YRS	2	2.5	5	<1	<1	2	4	4	4	4
20-34	92	3.8	3	1	1	4	5	6	8	10
35-49	375	5.3	14	2	3	5	6	8	9	12
50-64	614	5.1	3	2	3	5	6	7	8	12
65+	653	5.7	7	3	3	5	7	8	10	14
TOT. SINGLE DX	722	4.2	3	2	2	4	5	6	7	9
" MULTIPLE DX	1736	5.3	8	2	3	5	6	8	9	12
TOTAL 0-19 YRS	4	3.3	3	<1	<1	3	4	5	5	5
20-34	145	3.6	4	1	1	3	5	6	8	9
35-49	514	4.9	12	2	2	4	6	8	9	12
50-64	895	4.9	4	2	3	5	6	7	8	12
65+	900	5.3	7	2	3	5	6	8	9	13
GRAND TOTAL	**2458**	**5.0**	**7**	**2**	**3**	**5**	**6**	**7**	**9**	**12**

681: Other colporrhaphy (70.6-70.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	25	2.0	5	<1	<1	1	2	5	7	12
20-34	120	2.7	3	<1	1	2	3	5	6	10
35-49	45	3.0	5	<1	1	2	4	5	8	12
50-64	30	4.2	4	1	1	5	6	7	7	7
65+	24	5.9	17	1	1	6	7	10	14	20
2. MULTIPLE DX										
0-19 YRS	29	4.3	15	1	1	3	7	11	14	14
20-34	94	3.1	6	<1	1	2	4	7	9	12
35-49	55	4.7	12	1	1	4	6	8	12	16
50-64	93	5.5	10	2	2	5	7	9	10	21
65+	75	6.7	11	3	4	6	8	10	13	21
TOT. SINGLE DX	244	3.2	7	<1	1	3	4	6	8	12
" MULTIPLE DX	346	4.9	12	1	1	4	6	9	11	16
TOTAL 0-19 YRS	54	3.3	12	<1	<1	2	4	8	12	14
20-34	214	2.9	5	<1	1	2	4	5	7	11
35-49	100	3.9	10	1	1	3	5	8	11	16
50-64	123	5.2	9	1	2	5	6	8	10	17
65+	99	6.5	13	1	3	6	8	10	13	21
GRAND TOTAL	590	4.2	10	1	1	4	6	6	10	15

682: Miscellaneous operations on vagina (70.0-70.1; 70.22-70.24; 70.3-70.4; 70.8-70.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	46	2.8	8	<1	<1	2	3	6	6	18
20-34	170	2.5	5	<1	<1	2	3	5	8	12
35-49	71	2.8	5	<1	<1	2	4	6	7	11
50-64	28	3.3	4	<1	<1	3	4	6	7	10
65+	51	3.7	2	1	2	4	4	6	6	10
2. MULTIPLE DX										
0-19 YRS	62	3.3	9	1	1	2	4	7	9	16
20-34	252	4.2	14	<1	1	3	5	9	11	20
35-49	109	5.3	27	1	1	4	7	11	14	28
50-64	162	5.3	19	1	2	5	6	9	13	16
65+	237	5.9	28	1	2	5	7	10	15	29
TOT. SINGLE DX	366	2.8	5	<1	<1	2	4	5	7	11
" MULTIPLE DX	822	5.0	21	1	1	4	6	9	13	22
TOTAL 0-19 YRS	108	3.1	9	<1	1	2	4	6	8	17
20-34	422	3.5	11	<1	<1	3	4	7	10	19
35-49	180	4.3	20	<1	<1	3	6	9	12	20
50-64	190	5.0	18	1	1	4	6	9	12	16
65+	288	5.5	24	1	2	4	6	9	13	26
GRAND TOTAL	1188	4.3	17	<1	1	3	5	8	12	19

683: Incision and excision of lesion of vulva and perineum (71.0-71.11; 71.2-71.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	49	1.5	1	<1	<1	1	2	3	4	5
20-34	131	1.4	1	<1	<1	1	1	2	4	7
35-49	81	1.4	1	<1	<1	1	1	2	3	7
50-64	35	1.3	1	<1	<1	1	1	2	3	7
65+	10	1.9		<1	<1	2	3	3	3	3
2. MULTIPLE DX										
0-19 YRS	26	4.8	138	<1	<1	2	4	5	17	62
20-34	113	3.1	11	<1	1	2	3	6	7	20
35-49	54	3.8	47	1	1	2	3	7	11	43
50-64	54	5.7	52	<1	1	3	7	15	23	35
65+	69	6.9	107	<1	1	3	8	18	20	62
TOT. SINGLE DX	306	1.4	1	<1	<1	1	1	2	3	7
" MULTIPLE DX	316	4.6	57	<1	1	2	4	9	17	45
TOTAL 0-19 YRS	75	2.7	50	<1	<1	1	2	4	5	48
20-34	244	2.2	7	<1	<1	1	2	4	7	14
35-49	135	2.3	21	<1	<1	1	2	4	7	30
50-64	89	4.0	36	<1	<1	1	4	10	16	33
65+	79	6.3	97	<1	<1	3	7	17	20	60
GRAND TOTAL	622	3.0	32	<1	<1	1	3	6	9	30

684: Vulvectomy (71.5-71.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34	8	5.4	16	<1	<1	5	9	10	10	10
35-49	6	5.0	6	2	2	5	6	9	9	9
50-64	21	6.0	18	<1	1	6	8	12	15	15
65+	12	4.5	10	<1	1	4	7	9	10	10
2. MULTIPLE DX										
0-19 YRS	1	46.0		46	46	73	99+	99+	99+	99+
20-34	3	6.0	61	1	1	2	12	15	15	15
35-49	9	9.4	31	2	2	9	12	18	19	19
50-64	22	9.0	43	1	2	7	13	16	23	29
65+	50	10.5	71	2	2	9	14	21	22	49
TOT. SINGLE DX	47	5.4	14	<1	1	5	8	10	12	15
" MULTIPLE DX	85	10.3	74	1	2	9	14	21	24	82
TOTAL 0-19 YRS	1	46.0		46	46	73	99+	99+	99+	99+
20-34	11	5.5	24	<1	<1	5	10	12	15	15
35-49	15	7.7	25	2	2	7	10	17	18	19
50-64	43	7.5	33	1	1	6	11	15	17	29
65+	62	9.3	65	1	2	7	12	20	22	46
GRAND TOTAL	132	8.5	58	1	1	7	11	18	21	58

685: Miscellaneous operations on vulva and perineum (71.7-71.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	17	1.9	4	<1	<1	1	2	5	7	8
20-34	47	1.9	1	<1	<1	2	2	4	4	5
35-49	13	2.5	8	<1	<1	2	2	5	11	12
50-64	4	8.5	205	<1	<1	1	16	30	30	30
65+										
2. MULTIPLE DX										
0-19 YRS	22	1.5	1	<1	<1	1	2	3	4	5
20-34	39	3.1	4	<1	1	3	4	5	6	12
35-49	11	4.5	19	1	1	4	5	11	16	16
50-64	7	4.7	52	1	1	2	3	17	21	21
65+	5	6.2	44	2	2	4	8	18	18	18
TOT. SINGLE DX	81	2.3	13	<1	<1	2	2	4	5	24
" MULTIPLE DX	84	3.2	12	<1	1	2	4	5	9	20
TOTAL 0-19 YRS	39	1.7	2	<1	<1	1	2	3	6	8
20-34	86	2.4	3	<1	1	2	3	4	5	10
35-49	24	3.4	14	<1	1	2	4	8	13	16
50-64	11	6.1	97	<1	<1	2	3	25	30	30
65+	5	6.2	44	2	2	4	8	18	18	18
GRAND TOTAL	**165**	**2.8**	**12**	**<1**	**1**	**2**	**3**	**5**	**7**	**21**

686: Miscellaneous diagnostic and therapeutic procedures on female genital system (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	7	1.1		<1	<1	<1	1	2	2	2
20-34	2	1.0		<1	<1	<1	<1	<1	<1	<1
35-49										
50-64										
65+	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	12	2.3	4	<1	<1	1	3	5	8	8
35-49	5	1.2		<1	<1	1	1	2	2	2
50-64										
65+	5	7.2	44	1	1	8	11	17	17	17
TOT. SINGLE DX	10	1.1		<1	<1	<1	1	2	2	2
" MULTIPLE DX	23	3.0	16	<1	<1	1	3	8	12	17
TOTAL 0-19 YRS	8	1.1		<1	<1	<1	1	2	2	2
20-34	14	2.1	4	<1	<1	1	3	4	7	8
35-49	5	1.2		<1	<1	1	1	2	2	2
50-64										
65+	6	6.2	42	1	1	5	9	16	17	17
GRAND TOTAL	**33**	**2.5**	**12**	**<1**	**<1**	**1**	**2**	**8**	**9**	**17**

687: Low forceps with and without episiotomy (72.0-72.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	893	2.0		1	1	2	2	3	3	4
20-34	5706	2.1		1	1	2	3	3	3	4
35-49	370	2.4	1	1	1	2	3	4	4	6
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	1193	2.4	1	1	1	2	3	4	4	7
20-34	7857	2.6	3	1	1	2	3	4	4	6
35-49	728	2.7	1	1	1	3	3	4	4	6
50-64										
65+										
TOT. SINGLE DX	6969	2.1	1	1	1	2	3	3	3	4
" MULTIPLE DX	9778	2.6	3	1	1	2	3	4	4	6
TOTAL 0-19 YRS	2086	2.2	1	1	1	2	3	3	4	6
20-34	13563	2.4	3	1	1	2	3	3	4	5
35-49	1098	2.6	1	1	1	3	3	4	4	6
50-64										
65+										
GRAND TOTAL	**16747**	**2.4**	**2**	**1**	**1**	**2**	**3**	**3**	**4**	**6**

688: Breech extraction (72.5-72.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	10	1.5		<1	<1	1	2	2	2	2
20-34	83	1.9	1	<1	1	2	2	3	4	10
35-49	10	2.0		<1	<1	2	3	3	3	3
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	27	2.6	3	<1	1	2	3	5	6	10
20-34	274	2.4	2	1	1	2	3	4	5	11
35-49	36	2.6	2	<1	1	2	3	4	5	9
50-64										
65+										
TOT. SINGLE DX	103	1.9	2	<1	1	2	2	3	3	8
" MULTIPLE DX	337	2.4	3	1	1	2	3	4	5	10
TOTAL 0-19 YRS	37	2.3	3	<1	1	2	3	4	5	10
20-34	357	2.3	3	1	1	2	3	4	5	11
35-49	46	2.4	2	<1	1	2	3	4	5	9
50-64										
65+										
GRAND TOTAL	**440**	**2.3**	**3**	**1**	**1**	**2**	**3**	**4**	**5**	**10**

689: Other extraction procedures to assist delivery (72.2-72.4; 72.7-72.9; 73.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	374	1.9		1	1	2	2	3	3	4
20-34	2802	2.2		1	1	2	3	3	4	4
35-49	205	2.2		1	1	2	3	3	4	4
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	623	2.4	2	1	1	2	3	4	4	6
20-34	4835	2.5	2	1	1	2	3	4	4	6
35-49	487	2.7	2	1	1	3	3	4	4	7
50-64										
65+										
TOT. SINGLE DX	3381	2.1	1	1	1	2	3	3	3	4
" MULTIPLE DX	5945	2.5	2	1	1	2	3	4	4	6
TOTAL 0-19 YRS	997	2.2	2	1	1	2	3	3	4	6
20-34	7637	2.4	2	1	1	2	3	3	4	6
35-49	692	2.6	2	1	1	2	3	4	4	5
50-64										
65+										
GRAND TOTAL	**9326**	**2.4**	**2**	**1**	**1**	**2**	**3**	**4**	**4**	**6**

690: Other procedures to assist delivery (73.0-73.1; 73.3-73.6; 73.91-73.92)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	9032	1.8		1	1	2	2	3	3	4
20-34	67082	1.9		1	1	2	2	3	3	4
35-49	4559	2.0	1	1	1	2	2	3	3	4
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	3591	2.3	3	1	1	2	3	4	4	8
20-34	29559	2.3	2	1	1	2	3	4	4	7
35-49	3174	2.6	4	1	1	2	3	4	5	10
50-64										
65+										
TOT. SINGLE DX	80673	1.9	1	1	1	2	2	3	3	4
" MULTIPLE DX	36324	2.4	3	1	1	2	3	4	4	7
TOTAL 0-19 YRS	12623	2.0	2	1	1	2	2	3	3	6
20-34	96641	2.0	1	1	1	2	2	3	3	5
35-49	7733	2.2	2	1	1	2	3	3	4	6
50-64										
65+										
GRAND TOTAL	**116997**	**2.0**	**2**	**1**	**1**	**2**	**2**	**3**	**4**	**5**

691: Low cervical cesarean section (74.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	940	4.0	3	3	3	4	4	5	6	8
20-34	10972	4.0	2	3	3	4	5	5	6	7
35-49	875	4.3	1	3	3	4	5	6	6	7
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	2818	4.7	7	3	3	4	5	6	8	15
20-34	30094	4.6	6	3	3	4	5	6	7	13
35-49	3850	5.0	15	3	3	4	5	6	8	20
50-64										
65+										
TOT. SINGLE DX	12787	4.1	3	3	3	4	5	5	6	7
" MULTIPLE DX	36762	4.6	8	3	3	4	5	6	7	14
TOTAL 0-19 YRS	3758	4.5	6	3	3	4	5	6	8	14
20-34	41066	4.4	6	3	3	4	5	6	7	12
35-49	4725	4.9	13	3	3	4	5	6	7	18
50-64										
65+										
GRAND TOTAL	**49549**	**4.5**	**7**	**3**	**3**	**4**	**5**	**6**	**7**	**12**

692: Other cesarean section (74.0; 74.2; 74.4; 74.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	32	4.2	1	3	3	4	5	5	5	9
20-34	341	4.2	2	3	3	4	5	5	6	10
35-49	29	4.6	3	3	3	4	5	7	8	11
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	81	5.3	10	3	3	4	6	9	11	19
20-34	807	5.3	18	3	3	4	5	8	11	25
35-49	134	6.3	40	3	3	5	6	8	12	40
50-64										
65+										
TOT. SINGLE DX	402	4.2	2	3	3	4	5	5	6	10
" MULTIPLE DX	1022	5.5	21	3	3	4	6	8	11	27
TOTAL 0-19 YRS	113	5.0	8	3	3	4	5	8	10	18
20-34	1148	5.0	14	3	3	4	5	7	9	20
35-49	163	6.0	34	3	3	5	6	8	11	38
50-64										
65+										
GRAND TOTAL	**1424**	**5.1**	**16**	**3**	**3**	**4**	**5**	**7**	**10**	**22**

693: Other abdominal operation to remove embryo or fetus (74.3; 74.91)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	10	3.0		2	2	3	4	4	4	4
20-34	109	3.3	1	1	2	3	4	5	5	7
35-49	9	4.3	2	2	2	4	5	7	8	8
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	17	3.5	1	2	2	3	4	5	6	6
20-34	116	3.9	1	2	3	4	4	6	6	9
35-49	8	3.9	5	1	1	3	5	7	8	8
50-64										
65+										
TOT. SINGLE DX	128	3.4	1	2	2	3	4	5	5	7
" MULTIPLE DX	141	3.8	2	2	2	4	4	6	6	8
TOTAL 0-19 YRS	27	3.3	1	2	2	3	4	5	5	6
20-34	225	3.6	2	2	2	4	4	5	6	7
35-49	17	4.1	4	1	2	4	5	7	8	8
50-64										
65+										
GRAND TOTAL	**269**	**3.6**	**2**	**2**	**2**	**4**	**4**	**5**	**6**	**8**

694: Intra-amniotic injection for abortion (75.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	92	1.2		<1	<1	1	1	2	2	5
20-34	91	1.3		<1	<1	1	1	2	3	6
35-49	14	1.1		<1	<1	1	1	1	2	2
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	13	2.6	9	1	1	1	2	9	10	10
20-34	37	1.8	3	<1	1	1	2	3	5	10
35-49	11	3.1	9	<1	<1	2	4	8	11	11
50-64										
65+										
TOT. SINGLE DX	197	1.2	1	<1	<1	1	1	2	2	6
" MULTIPLE DX	61	2.2	6	<1	1	1	2	5	9	11
TOTAL 0-19 YRS	105	1.3	2	<1	<1	1	1	2	2	9
20-34	128	1.5	2	<1	<1	1	1	3	3	8
35-49	25	2.0	5	<1	<1	1	2	5	7	11
50-64										
65+										
GRAND TOTAL	**258**	**1.5**	**2**	**<1**	**<1**	**1**	**1**	**2**	**3**	**10**

695: Diagnostic amniocentesis (75.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	81	3.8	16	1	1	3	4	8	11	23
20-34	304	4.0	25	<1	1	2	4	9	14	27
35-49	30	4.8	21	1	1	3	7	11	16	18
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	75	4.7	33	1	1	3	5	8	13	38
20-34	338	4.7	29	1	1	3	5	10	13	30
35-49	37	5.1	40	<1	1	3	5	13	15	35
50-64										
65+										
TOT. SINGLE DX	415	4.0	24	<1	1	3	4	9	14	24
" MULTIPLE DX	450	4.7	31	1	1	3	5	10	13	34
TOTAL 0-19 YRS	156	4.2	25	1	1	3	4	8	13	25
20-34	642	4.4	28	<1	1	3	5	9	14	30
35-49	67	5.0	32	1	1	3	5	12	16	32
50-64										
65+										
GRAND TOTAL	**865**	**4.4**	**28**	**<1**	**1**	**3**	**5**	**10**	**14**	**29**

696: Intra-uterine procedures on fetus and amnion (75.2-75.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	773	1.7		<1	<1	1	2	3	3	5
20-34	5253	1.8	1	<1	<1	2	2	3	3	4
35-49	362	1.9	1	<1	<1	2	2	3	3	5
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	361	2.1	4	<1	<1	2	2	3	4	7
20-34	2715	2.2	2	<1	1	2	3	3	4	7
35-49	248	2.2	2	<1	1	2	3	4	4	5
50-64										
65+										
TOT. SINGLE DX	6388	1.8	1	<1	<1	2	2	3	3	4
" MULTIPLE DX	3324	2.2	3	<1	1	2	3	3	4	7
TOTAL 0-19 YRS	1134	1.8	2	<1	<1	2	2	3	3	5
20-34	7968	1.9	2	<1	<1	2	2	3	3	6
35-49	610	2.0	2	<1	<1	2	3	3	4	5
50-64										
65+										
GRAND TOTAL	**9712**	**1.9**	**2**	**<1**	**<1**	**2**	**2**	**3**	**3**	**6**

697: Miscellaneous obstetric procedures (73.8; 73.93-73.94; 73.99; 75.4-75.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1501	1.8		1	1	2	2	3	3	4
20-34	11646	1.8		1	1	2	2	3	3	4
35-49	890	1.9		1	1	2	2	3	3	4
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	1616	2.1	1	1	1	2	3	3	4	6
20-34	13081	2.1	2	1	1	2	3	3	4	6
35-49	1313	2.4	3	1	1	2	3	4	4	7
50-64										
65+										
TOT. SINGLE DX	14037	1.8	1	1	1	2	2	3	3	4
" MULTIPLE DX	16010	2.2	3	1	1	2	3	3	4	6
TOTAL 0-19 YRS	3117	2.0	1	1	1	2	2	3	3	5
20-34	24727	2.0	2	1	1	2	2	3	3	5
35-49	2203	2.2	2	1	1	2	3	3	4	6
50-64										
65+										
GRAND TOTAL	**30047**	**2.0**	**2**	**1**	**1**	**2**	**2**	**3**	**3**	**5**

698: Excision of facial bone (76.11; 76.2-76.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	23	4.0	21	<1	1	2	4	10	14	20
20-34	29	3.0	4	1	1	3	4	6	7	9
35-49	22	1.8	1	<1	<1	1	2	4	5	6
50-64	17	4.5	40	<1	<1	2	4	18	21	21
65+	7	4.6	13	1	1	4	8	9	9	9
2. MULTIPLE DX										
0-19 YRS	24	5.1	39	<1	1	4	5	9	23	27
20-34	27	5.1	19	1	1	4	7	11	17	18
35-49	24	5.0	30	<1	1	3	6	14	17	24
50-64	49	6.8	28	1	1	5	10	14	18	23
65+	59	11.8	145	1	2	9	15	29	47	96
TOT. SINGLE DX	98	3.3	15	<1	1	2	4	8	10	21
" MULTIPLE DX	183	7.7	74	1	1	5	11	17	25	59
TOTAL 0-19 YRS	47	4.5	31	<1	1	3	5	10	20	27
20-34	56	4.0	13	1	1	3	5	8	11	18
35-49	46	3.5	19	<1	1	2	4	7	14	24
50-64	66	6.2	32	<1	1	4	9	14	21	23
65+	66	11.1	136	1	1	8	14	28	42	93
GRAND TOTAL	**281**	**6.2**	**58**	**1**	**1**	**4**	**7**	**14**	**21**	**50**

699: Repair and plastic operations on facial bones (76.4-76.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	388	2.6	1	1	1	3	3	4	4	6
20-34	832	2.7	1	1	1	3	3	4	5	7
35-49	387	2.7	1	1	1	3	3	4	4	9
50-64	66	2.8	4	1	1	2	3	4	5	14
65+	12	2.8	4	1	1	2	3	7	8	8
2. MULTIPLE DX										
0-19 YRS	343	3.2	3	1	2	3	4	5	6	9
20-34	617	3.3	10	1	2	3	4	5	6	10
35-49	325	3.1	2	1	1	3	4	5	6	8
50-64	106	5.0	40	1	2	3	5	9	15	38
65+	43	4.3	22	1	1	3	5	9	12	29
TOT. SINGLE DX	1685	2.7	2	1	1	3	3	4	4	7
" MULTIPLE DX	1434	3.4	10	1	2	3	4	5	6	13
TOTAL 0-19 YRS	731	2.9	2	1	1	3	3	4	5	8
20-34	1449	3.0	6	1	1	3	3	4	5	7
35-49	712	2.9	2	1	1	3	4	4	5	8
50-64	172	4.2	27	1	1	3	4	7	13	33
65+	55	3.9	19	1	1	3	4	8	12	28
GRAND TOTAL	**3119**	**3.0**	**5**	**1**	**1**	**3**	**3**	**4**	**5**	**9**

700: Closed reduction of maxillofacial fractures (76.70; 76.71; 76.73; 76.75; 76.78)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	82	2.1	4	<1	1	2	2	4	6	13
20-34	170	2.7	19	1	1	2	3	4	6	33
35-49	34	2.3	2	1	1	2	3	4	6	7
50-64	15	1.8	2	<1	<1	1	2	5	5	5
65+	4	2.5	1	1	1	2	3	4	4	4
2. MULTIPLE DX										
0-19 YRS	148	3.1	6	1	1	2	4	6	7	16
20-34	236	3.7	21	1	1	2	4	6	10	21
35-49	80	4.3	18	1	1	3	5	8	13	25
50-64	19	4.6	13	1	1	4	7	9	13	15
65+	20	7.5	64	1	2	4	8	17	27	35
TOT. SINGLE DX	305	2.4	12	<1	1	2	3	4	6	16
" MULTIPLE DX	503	3.8	19	1	1	3	4	7	10	21
TOTAL 0-19 YRS	230	2.7	6	1	1	2	3	5	7	14
20-34	406	3.2	21	1	1	2	3	6	8	22
35-49	114	3.7	15	1	1	3	5	7	11	22
50-64	34	3.4	10	<1	1	2	5	7	10	15
65+	24	6.6	57	1	2	4	7	15	24	35
GRAND TOTAL	**808**	**3.3**	**17**	**1**	**1**	**2**	**4**	**6**	**9**	**20**

701: Open reduction of maxillofacial fractures (76.72; 76.74; 76.76-76.77; 76.79)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	119	1.8	1	<1	1	1	2	3	4	7
20-34	318	2.4	7	<1	1	2	3	4	6	9
35-49	128	2.2	4	<1	1	1	3	5	6	11
50-64	33	1.6		<1	1	1	2	3	4	5
65+	11	1.7		<1	<1	2	2	3	3	3
2. MULTIPLE DX										
0-19 YRS	245	4.6	30	1	1	3	5	10	13	22
20-34	629	4.6	28	1	1	3	5	10	13	25
35-49	240	4.9	56	1	1	3	6	10	13	41
50-64	85	6.7	64	1	2	4	8	12	24	46
65+	64	9.7	185	1	1	6	10	20	38	77
TOT. SINGLE DX	609	2.2	5	<1	1	2	3	4	5	10
" MULTIPLE DX	1263	5.1	46	1	1	3	6	10	14	34
TOTAL 0-19 YRS	364	3.7	23	1	1	2	4	7	12	20
20-34	947	3.9	23	1	1	2	4	8	12	22
35-49	368	4.0	40	1	1	2	4	9	11	29
50-64	118	5.3	52	1	1	3	6	10	15	44
65+	75	8.5	166	1	1	5	9	17	34	75
GRAND TOTAL	**1872**	**4.1**	**34**	**1**	**1**	**2**	**5**	**9**	**12**	**31**

702: Miscellaneous maxillofacial surgery (76.0; 76.91-76.95; 76.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	20	2.4	1	<1	1	2	3	4	5	5
20-34	28	2.3	1	<1	1	2	3	4	4	5
35-49	18	1.5		1	1	1	2	3	3	3
50-64	26	3.1	4	1	1	2	4	7	8	8
65+	17	2.2	1	1	1	2	3	4	4	4
2. MULTIPLE DX										
0-19 YRS	26	3.9	6	1	2	3	5	6	10	13
20-34	45	5.5	65	1	1	3	5	10	21	47
35-49	34	5.1	32	1	1	3	7	14	16	28
50-64	38	3.0	7	1	1	2	3	6	7	16
65+	24	7.3	83	1	1	3	9	25	29	34
TOT. SINGLE DX	109	2.3	2	1	1	2	3	4	5	8
" MULTIPLE DX	167	4.9	40	1	1	3	5	10	16	33
TOTAL 0-19 YRS	46	3.2	5	1	1	3	4	5	7	13
20-34	73	4.3	43	1	1	3	4	7	13	43
35-49	52	3.9	24	1	1	2	5	8	14	28
50-64	64	3.0	6	1	1	2	3	6	7	15
65+	41	5.2	55	1	1	3	4	13	26	34
GRAND TOTAL	**276**	**3.9**	**27**	**1**	**1**	**2**	**4**	**7**	**12**	**29**

703: Incision and division of bones except facial (77.0-77.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	265	4.1	15	<1	1	3	5	8	13	21
20-34	202	3.4	8	<1	1	3	4	6	8	16
35-49	165	4.2	14	<1	1	4	5	8	10	20
50-64	189	4.1	4	1	1	4	5	7	8	12
65+	74	5.5	15	1	1	4	7	10	14	21
2. MULTIPLE DX										
0-19 YRS	342	5.1	40	1	1	3	5	9	16	34
20-34	228	6.1	87	1	1	3	7	12	17	70
35-49	269	6.5	82	1	1	4	6	13	23	47
50-64	353	5.9	36	1	1	4	7	11	16	35
65+	208	7.2	63	1	2	5	9	14	20	52
TOT. SINGLE DX	895	4.1	12	<1	1	3	5	7	9	18
" MULTIPLE DX	1400	6.0	59	1	1	4	7	12	18	43
TOTAL 0-19 YRS	607	4.7	30	1	1	3	5	9	15	28
20-34	430	4.8	52	1	1	3	5	9	15	31
35-49	434	5.6	57	1	1	4	6	10	18	43
50-64	542	5.3	26	1	1	4	6	9	13	31
65+	282	6.8	51	1	2	5	8	14	18	44
GRAND TOTAL	**2295**	**5.3**	**41**	**1**	**1**	**4**	**6**	**10**	**15**	**35**

704: Bunionectomy (77.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	115	2.0	1	<1	1	2	3	3	4	5
20-34	223	2.4	1	<1	1	2	3	4	5	7
35-49	317	2.2	1	1	1	2	3	4	5	6
50-64	327	2.5	1	<1	1	2	3	5	5	6
65+	112	2.6	2	1	1	2	3	4	5	10
2. MULTIPLE DX										
0-19 YRS	232	2.4	1	1	1	2	3	4	5	6
20-34	447	2.4	2	1	1	2	3	4	5	8
35-49	702	2.8	14	1	1	2	3	4	6	9
50-64	1136	2.8	3	1	1	2	4	5	6	9
65+	832	3.0	4	1	1	3	4	5	6	10
TOT. SINGLE DX	1094	2.3	2	<1	1	2	3	4	5	6
" MULTIPLE DX	3349	2.8	6	1	1	2	3	5	6	9
TOTAL 0-19 YRS	347	2.2	1	1	1	2	3	4	4	6
20-34	670	2.4	2	1	1	2	3	4	5	8
35-49	1019	2.6	11	1	1	2	3	4	5	9
50-64	1463	2.7	3	1	1	2	3	5	5	8
65+	944	3.0	5	1	1	3	4	5	6	10
GRAND TOTAL	**4443**	**2.7**	**5**	**1**	**1**	**2**	**3**	**5**	**5**	**8**

705: Excision of bone except facial (77.4; 77.6-77.9; 79.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	940	2.7	13	<1	1	2	3	5	7	21
20-34	1161	2.9	13	<1	<1	2	3	5	8	17
35-49	872	2.7	7	<1	1	2	3	5	7	16
50-64	551	3.0	8	<1	1	2	4	6	8	17
65+	253	4.0	20	<1	1	3	5	8	11	29
2. MULTIPLE DX										
0-19 YRS	567	6.0	69	<1	1	3	7	15	22	42
20-34	1372	6.5	95	1	1	3	7	15	26	61
35-49	1163	5.8	69	<1	1	3	6	14	21	46
50-64	1105	6.9	76	1	1	4	8	17	26	47
65+	1074	8.6	102	1	1	5	11	20	28	47
TOT. SINGLE DX	3777	2.9	12	<1	1	2	3	5	8	18
" MULTIPLE DX	5281	6.8	86	1	1	3	8	16	26	49
TOTAL 0-19 YRS	1507	3.9	37	<1	1	2	4	8	15	32
20-34	2533	4.8	61	<1	1	2	5	10	17	47
35-49	2035	4.5	45	<1	1	2	4	9	16	38
50-64	1656	5.6	58	1	1	3	6	13	22	39
65+	1327	7.7	90	1	1	4	10	18	27	45
GRAND TOTAL	**9058**	**5.2**	**59**	**<1**	**1**	**3**	**5**	**12**	**19**	**42**

706: Repair and plastic operation on bone except facial (78.0-78.5; 78.7-78.9, 79.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	330	4.8	41	1	1	3	5	10	18	35
20-34	330	3.5	7	1	1	3	5	6	8	14
35-49	184	3.9	7	1	1	3	5	7	10	13
50-64	109	5.3	35	1	1	4	6	10	12	33
65+	159	7.3	19	1	3	7	9	12	17	20
2. MULTIPLE DX										
0-19 YRS	273	6.2	55	1	1	3	7	16	24	43
20-34	337	7.4	79	1	1	5	9	15	23	50
35-49	215	8.2	83	1	2	5	11	18	22	44
50-64	240	9.7	148	1	2	7	10	20	31	75
65+	579	10.9	54	3	4	9	13	20	25	40
TOT. SINGLE DX	1112	4.7	24	1	1	3	6	9	12	26
" MULTIPLE DX	1644	8.9	80	1	2	7	11	18	25	45
TOTAL 0-19 YRS	603	5.4	48	1	1	3	6	12	21	39
20-34	667	5.5	48	1	1	4	6	12	16	33
35-49	399	6.2	53	1	1	4	7	13	19	39
50-64	349	8.3	117	1	1	5	9	17	27	58
65+	738	10.1	49	3	4	9	12	18	24	36
GRAND TOTAL	**2756**	**7.2**	**62**	**1**	**1**	**5**	**9**	**15**	**21**	**42**

707: Removal of internal fixation device (76.97; 78.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	492	1.8	7	<1	<1	1	2	3	4	13
20-34	903	2.0	3	<1	<1	1	2	4	5	10
35-49	463	2.1	4	<1	<1	1	3	4	5	10
50-64	310	2.3	8	<1	<1	1	3	4	6	14
65+	226	3.3	15	<1	<1	2	4	7	10	20
2. MULTIPLE DX										
0-19 YRS	249	3.8	51	<1	<1	2	4	7	15	46
20-34	456	4.2	41	<1	1	2	4	9	15	33
35-49	324	5.5	60	<1	1	3	6	13	21	46
50-64	338	6.2	66	1	1	3	7	14	22	46
65+	501	7.5	80	1	1	4	10	16	22	54
TOT. SINGLE DX	2394	2.1	6	<1	<1	1	2	4	6	13
" MULTIPLE DX	1868	5.6	63	<1	1	3	6	13	20	46
TOTAL 0-19 YRS	741	2.4	23	<1	<1	1	2	4	7	23
20-34	1359	2.7	17	<1	<1	1	3	6	8	21
35-49	787	3.5	30	<1	<1	2	4	7	11	30
50-64	648	4.3	43	<1	<1	2	4	10	15	35
65+	727	6.2	64	<1	1	3	8	14	20	45
GRAND TOTAL	**4262**	**3.7**	**34**	**<1**	**<1**	**2**	**4**	**8**	**13**	**30**

708: Closed reduction of fracture of femur with internal fixation (79.15)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	80	14.1	137	1	2	10	22	32	39	47
20-34	41	8.1	19	3	3	8	10	13	15	26
35-49	27	9.8	93	3	3	8	12	16	25	52
50-64	64	7.4	7	4	4	7	9	10	13	17
65+	111	8.8	11	4	5	8	10	13	14	21
2. MULTIPLE DX										
0-19 YRS	95	14.9	165	3	5	12	18	29	36	75
20-34	96	14.8	131	5	6	11	17	31	48	99+
35-49	61	12.7	80	4	5	9	15	24	31	51
50-64	119	12.7	98	4	5	10	15	23	35	55
65+	676	12.1	60	5	6	10	14	20	25	48
TOT. SINGLE DX	323	9.8	55	3	4	8	11	17	25	41
" MULTIPLE DX	1047	12.7	83	5	6	10	14	22	30	54
TOTAL 0-19 YRS	175	14.5	152	1	3	11	20	30	38	54
20-34	137	12.8	107	4	5	10	14	27	43	99+
35-49	88	11.8	86	4	4	9	15	22	31	53
50-64	183	10.9	73	4	5	8	13	18	27	48
65+	787	11.6	55	5	6	10	13	19	25	47
GRAND TOTAL	**1370**	**12.0**	**78**	**4**	**5**	**10**	**14**	**21**	**29**	**50**

709: Open reduction of fracture of femur with internal fixation (79.35; 79.55)

				PERCENTILES						
TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	127	6.4	20	1	2	5	9	12	13	24
20-34	133	8.9	35	3	4	8	11	15	19	33
35-49	99	7.9	17	3	4	7	10	14	16	23
50-64	229	8.2	16	4	4	8	10	12	15	26
65+	894	10.0	24	4	5	9	12	15	18	25
2. MULTIPLE DX										
0-19 YRS	194	14.3	144	3	5	10	17	28	42	60
20-34	353	14.1	101	5	6	11	17	26	34	51
35-49	229	14.7	190	4	5	11	17	28	47	92
50-64	562	13.5	96	5	6	11	15	25	31	70
65+	5173	12.7	50	6	7	11	15	20	25	42
TOT. SINGLE DX	1482	9.2	25	3	4	9	11	14	17	25
" MULTIPLE DX	6511	12.9	65	5	6	11	15	21	27	47
TOTAL 0-19 YRS	321	11.2	110	2	3	8	13	22	29	49
20-34	486	12.7	89	4	5	10	15	24	31	50
35-49	328	12.7	148	4	4	9	14	23	35	81
50-64	791	11.9	79	4	5	10	14	21	27	58
65+	6067	12.3	48	5	6	11	14	19	24	40
GRAND TOTAL	**7993**	**12.2**	**60**	**5**	**6**	**11**	**14**	**20**	**26**	**46**

710: Reduction of fracture of femur without internal fixation (79.05; 79.25; 79.45)

				PERCENTILES						
TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	222	7.5	93	1	1	3	10	20	25	52
20-34	21	10.8	148	1	2	6	14	28	41	50
35-49	7	5.4	3	3	3	6	7	8	8	8
50-64	15	4.9	16	1	1	4	6	11	14	15
65+	32	6.9	15	1	1	7	9	12	14	15
2. MULTIPLE DX										
0-19 YRS	143	11.7	124	1	2	7	17	29	35	44
20-34	33	17.2	258	2	3	11	27	45	50	60
35-49	21	16.2	157	2	4	13	23	41	69	99+
50-64	29	15.9	309	2	3	10	20	40	64	74
65+	115	13.6	151	3	4	10	15	29	41	67
TOT. SINGLE DX	297	7.5	84	1	1	4	9	18	25	51
" MULTIPLE DX	341	13.5	165	2	2	9	18	32	41	64
TOTAL 0-19 YRS	365	9.2	109	1	1	4	14	23	32	50
20-34	54	14.7	222	2	2	8	21	41	49	60
35-49	28	13.5	140	2	3	9	20	38	51	99+
50-64	44	12.2	235	1	2	7	13	24	50	74
65+	147	12.2	129	2	3	9	14	25	36	60
GRAND TOTAL	**638**	**10.7**	**136**	**1**	**1**	**7**	**14**	**26**	**35**	**59**

711: Closed reduction of fracture with internal fixation, except maxillofacial and femur (79.10-79.14; 79.16-79.19)

				PERCENTILES						
TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	350	2.5	9	<1	1	1	2	5	10	15
20-34	235	2.8	7	<1	<1	2	3	6	8	15
35-49	148	2.8	12	<1	<1	2	4	6	8	10
50-64	103	2.5	3	1	1	2	3	5	7	9
65+	94	2.6	4	<1	1	2	3	6	8	10
2. MULTIPLE DX										
0-19 YRS	132	6.8	158	1	1	3	6	15	25	77
20-34	173	5.6	46	1	1	4	6	12	21	36
35-49	118	5.5	30	1	1	4	7	13	17	29
50-64	88	5.5	47	<1	1	3	7	12	22	34
65+	186	6.9	79	1	1	4	9	15	22	54
TOT. SINGLE DX	930	2.6	8	<1	1	2	3	6	8	15
" MULTIPLE DX	697	6.1	74	1	1	3	7	13	21	40
TOTAL 0-19 YRS	482	3.7	54	<1	1	2	3	8	14	30
20-34	408	4.0	26	<1	1	2	5	8	13	28
35-49	266	4.0	22	<1	1	2	5	9	12	28
50-64	191	3.9	26	1	1	2	4	8	11	31
65+	280	5.4	58	1	1	3	7	12	18	37
GRAND TOTAL	**1627**	**4.1**	**39**	**<1**	**1**	**2**	**4**	**9**	**13**	**30**

712: Open reduction of fracture with internal fixation, except maxillofacial and femur (79.30-79.34; 79.36-79.39; 79.50-79.54; 79.56-79.59)

				PERCENTILES						
TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1938	2.3	3	1	1	2	3	4	5	10
20-34	2507	3.0	7	1	1	2	4	5	7	12
35-49	1728	3.3	7	1	1	3	4	6	7	12
50-64	1086	3.8	7	1	1	3	5	6	8	13
65+	651	4.5	7	1	2	4	6	8	10	13
2. MULTIPLE DX										
0-19 YRS	938	4.7	35	1	1	3	5	9	16	35
20-34	2141	5.8	43	1	1	4	7	12	18	39
35-49	1352	6.1	48	1	1	4	7	12	17	35
50-64	1185	6.8	54	1	2	5	8	13	20	37
65+	1402	7.8	51	2	2	6	10	15	19	37
TOT. SINGLE DX	7910	3.1	7	1	1	3	4	6	7	12
" MULTIPLE DX	7018	6.3	48	1	1	4	7	13	18	37
TOTAL 0-19 YRS	2876	3.1	15	1	1	2	3	6	8	20
20-34	4648	4.3	26	1	1	3	5	8	13	27
35-49	3080	4.5	27	1	1	3	5	8	12	27
50-64	2271	5.4	34	1	2	4	6	10	15	29
65+	2053	6.8	40	1	2	5	8	13	17	32
GRAND TOTAL	**14928**	**4.6**	**29**	**1**	**1**	**3**	**5**	**9**	**13**	**27**

713: Other reduction of fracture without internal fixation, except maxillofacial and femur (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	2108	1.8	4	<1	<1	1	2	3	5	12
20-34	566	2.8	7	<1	1	2	4	5	7	15
35-49	403	3.0	7	<1	1	2	4	6	9	14
50-64	322	2.7	5	<1	1	2	3	5	7	11
65+	320	2.7	5	1	1	2	4	6	7	13
2. MULTIPLE DX										
0-19 YRS	721	4.1	55	1	1	2	4	8	14	36
20-34	549	6.2	66	1	1	3	7	14	24	41
35-49	359	5.8	70	1	1	3	6	12	17	47
50-64	385	5.8	56	1	1	4	6	12	17	42
65+	689	5.7	52	1	1	4	7	12	15	29
TOT. SINGLE DX	3719	2.2	6	<1	1	1	3	5	6	13
" MULTIPLE DX	2703	5.4	60	1	1	3	6	11	17	42
TOTAL 0-19 YRS	2829	2.4	18	<1	1	1	2	4	7	19
20-34	1115	4.5	40	1	1	3	5	9	15	37
35-49	762	4.3	39	1	1	3	5	9	13	39
50-64	707	4.3	35	1	1	3	5	9	13	29
65+	1009	4.8	40	1	1	3	6	9	14	26
GRAND TOTAL	**6422**	**3.6**	**31**	**<1**	**1**	**2**	**4**	**7**	**11**	**28**

714: Closed reduction of dislocation (79.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	185	3.7	23	<1	<1	1	4	10	14	23
20-34	143	2.0	4	<1	<1	1	2	4	5	11
35-49	81	1.9	3	<1	<1	1	2	4	6	9
50-64	91	3.4	17	<1	<1	2	3	7	13	23
65+	184	4.2	34	<1	1	2	5	8	11	23
2. MULTIPLE DX										
0-19 YRS	95	4.9	30	<1	1	3	6	14	18	24
20-34	167	5.7	55	1	1	3	7	14	22	35
35-49	77	7.2	120	1	1	4	7	16	25	63
50-64	113	5.7	35	1	1	4	7	12	15	34
65+	365	6.2	45	1	1	4	8	13	19	36
TOT. SINGLE DX	684	3.2	20	<1	<1	2	4	7	11	21
" MULTIPLE DX	817	6.0	52	1	1	4	7	13	20	36
TOTAL 0-19 YRS	280	4.1	26	<1	<1	2	5	11	17	23
20-34	310	4.0	36	<1	1	2	4	9	17	28
35-49	158	4.5	67	<1	1	2	4	10	15	57
50-64	204	4.7	29	<1	1	3	6	10	15	26
65+	549	5.5	42	1	1	4	7	12	17	33
GRAND TOTAL	**1501**	**4.7**	**39**	**<1**	**1**	**2**	**6**	**11**	**16**	**28**

715: Open reduction of dislocation (79.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	138	2.6	15	1	1	2	3	4	7	16
20-34	224	2.1	3	1	1	2	2	3	4	8
35-49	103	2.2	1	<1	1	2	3	4	5	6
50-64	41	3.7	10	1	1	3	4	6	10	18
65+	17	6.1	15	1	2	6	8	12	15	16
2. MULTIPLE DX										
0-19 YRS	84	4.6	41	1	1	3	4	7	16	39
20-34	125	3.9	25	1	1	3	5	8	9	27
35-49	55	5.2	85	1	1	3	5	9	13	65
50-64	52	6.0	140	1	1	3	6	9	15	85
65+	62	10.5	84	1	3	8	13	22	30	45
TOT. SINGLE DX	523	2.5	8	1	1	2	3	4	6	13
" MULTIPLE DX	378	5.6	68	1	1	3	6	11	17	44
TOTAL 0-19 YRS	222	3.4	26	1	1	2	3	6	9	37
20-34	349	2.7	12	1	1	2	3	5	7	20
35-49	158	3.2	33	1	1	2	4	6	8	20
50-64	93	4.9	83	1	1	3	5	8	14	57
65+	79	9.6	73	1	2	7	12	19	25	44
GRAND TOTAL	**901**	**3.8**	**35**	**1**	**1**	**2**	**4**	**7**	**11**	**30**

716: Arthrotomy and division of joint capsule (80.0-80.1; 80.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	441	2.6	8	<1	1	2	3	5	8	15
20-34	541	2.6	7	<1	<1	2	3	5	7	19
35-49	249	2.8	8	<1	1	2	3	6	8	15
50-64	129	3.8	30	<1	1	2	4	7	12	32
65+	66	6.1	29	1	1	4	8	14	18	24
2. MULTIPLE DX										
0-19 YRS	410	4.6	36	<1	1	2	5	12	17	30
20-34	599	4.1	37	<1	1	2	4	8	14	32
35-49	399	5.3	93	<1	1	3	5	10	18	60
50-64	309	7.2	68	1	1	4	10	18	23	49
65+	368	15.7	249	2	2	11	20	36	51	97
TOT. SINGLE DX	1426	2.9	12	<1	1	2	3	6	8	19
" MULTIPLE DX	2085	6.9	107	<1	1	3	8	17	28	58
TOTAL 0-19 YRS	851	3.6	23	<1	1	2	4	8	13	23
20-34	1140	3.4	24	<1	1	2	4	7	10	28
35-49	648	4.3	62	<1	1	2	4	8	14	47
50-64	438	6.2	60	<1	1	3	7	15	22	46
65+	434	14.2	228	1	2	9	18	34	48	91
GRAND TOTAL	**3511**	**5.3**	**72**	**<1**	**1**	**2**	**5**	**13**	**20**	**48**

717: Excision of intervertebral disc (80.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	122	5.5	15	2	2	4	6	9	15	47
20-34	2792	5.9	13	2	2	5	7	10	13	19
35-49	3993	6.0	12	2	3	5	7	10	12	19
50-64	1742	6.4	11	2	3	6	8	10	13	18
65+	467	7.6	18	3	3	7	9	13	16	23
2. MULTIPLE DX										
0-19 YRS	42	7.5	22	3	4	6	9	15	18	23
20-34	1077	7.8	26	3	3	6	10	14	18	26
35-49	2122	8.0	31	3	3	7	10	14	17	29
50-64	1800	8.6	34	3	4	7	10	15	19	34
65+	1174	10.4	42	4	4	9	13	18	23	34
TOT. SINGLE DX	9116	6.1	13	2	3	5	7	10	13	19
" MULTIPLE DX	6215	8.6	34	3	4	7	10	15	19	32
TOTAL 0-19 YRS	164	6.0	18	2	2	5	7	11	17	26
20-34	3869	6.4	18	2	3	5	8	11	14	22
35-49	6115	6.7	20	2	3	6	8	11	14	22
50-64	3542	7.5	24	3	3	6	9	13	16	27
65+	1641	9.6	37	3	4	8	12	17	21	32
GRAND TOTAL	**15331**	**7.1**	**23**	**2**	**3**	**6**	**9**	**12**	**16**	**25**

718: Excision of semilunar cartilage of knee joint (80.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	258	1.3		<1	<1	1	1	2	3	4
20-34	807	1.6	1	<1	<1	1	2	3	4	6
35-49	525	1.5	1	<1	<1	1	2	3	4	7
50-64	302	1.6	1	<1	<1	1	2	3	4	7
65+	119	2.2	8	<1	<1	1	3	4	6	14
2. MULTIPLE DX										
0-19 YRS	363	2.3	12	<1	<1	1	3	4	5	11
20-34	1167	2.3	4	<1	<1	2	3	4	5	9
35-49	826	2.1	4	<1	<1	1	3	4	5	10
50-64	840	2.2	8	<1	<1	1	2	4	6	14
65+	597	2.5	7	<1	<1	2	3	5	8	12
TOT. SINGLE DX	2011	1.6	2	<1	<1	1	2	3	4	6
" MULTIPLE DX	3793	2.3	7	<1	<1	1	3	4	6	11
TOTAL 0-19 YRS	621	1.9	8	<1	<1	1	2	4	4	7
20-34	1974	2.0	4	<1	<1	1	3	4	5	8
35-49	1351	1.9	3	<1	<1	1	2	4	5	8
50-64	1142	2.1	7	<1	<1	1	2	4	5	11
65+	716	2.5	7	<1	<1	2	3	5	7	12
GRAND TOTAL	**5804**	**2.0**	**5**	**<1**	**<1**	**1**	**2**	**4**	**5**	**9**

719: Miscellaneous excisions of joint structures (80.2-80.3; 80.7-80.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	525	1.7	4	<1	<1	1	2	3	4	13
20-34	996	1.9	5	<1	<1	1	2	3	5	11
35-49	524	2.0	5	<1	<1	1	2	4	5	11
50-64	288	2.4	11	<1	<1	1	2	4	7	14
65+	125	3.2	32	<1	<1	2	3	5	10	37
2. MULTIPLE DX										
0-19 YRS	391	2.8	21	<1	<1	1	3	6	9	29
20-34	880	3.0	24	<1	<1	1	3	6	10	27
35-49	770	3.0	25	<1	<1	1	3	6	9	28
50-64	571	3.8	33	<1	1	2	4	9	13	36
65+	434	6.5	89	1	1	3	7	17	25	42
TOT. SINGLE DX	2458	2.0	7	<1	<1	1	2	4	5	13
" MULTIPLE DX	3046	3.6	37	<1	<1	2	3	8	14	35
TOTAL 0-19 YRS	916	2.2	12	<1	<1	1	2	4	7	18
20-34	1876	2.4	15	<1	<1	1	2	4	7	20
35-49	1294	2.6	18	<1	<1	1	3	5	8	20
50-64	859	3.3	27	<1	<1	2	3	7	11	33
65+	559	5.7	79	<1	1	2	6	16	22	41
GRAND TOTAL	**5504**	**2.9**	**24**	**<1**	**<1**	**1**	**3**	**5**	**10**	**28**

720: Spinal fusion (81.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	179	8.8	9	5	6	8	10	11	13	24
20-34	268	8.1	13	4	4	8	9	12	15	21
35-49	395	7.3	17	3	3	7	9	12	14	21
50-64	172	6.8	19	2	3	6	8	11	12	21
65+	34	8.8	31	3	4	7	12	15	22	26
2. MULTIPLE DX										
0-19 YRS	190	12.3	77	4	5	10	14	23	29	52
20-34	368	11.5	83	4	5	9	12	20	28	65
35-49	499	10.2	75	3	4	8	12	17	22	45
50-64	339	11.8	91	3	4	9	13	23	35	62
65+	184	13.8	134	4	5	11	16	25	35	68
TOT. SINGLE DX	1048	7.7	16	3	4	7	9	12	14	23
" MULTIPLE DX	1580	11.5	89	4	5	9	13	21	28	56
TOTAL 0-19 YRS	369	10.6	48	5	6	9	11	16	24	45
20-34	636	10.1	57	4	4	9	11	16	22	43
35-49	894	8.9	52	3	4	8	10	15	19	40
50-64	511	10.1	73	3	4	8	12	18	28	46
65+	218	13.0	121	4	4	10	15	23	32	62
GRAND TOTAL	**2628**	**10.0**	**63**	**3**	**4**	**8**	**11**	**17**	**23**	**45**

721: Arthrodesis and stabilization of joint (81.1-81.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	86	3.0	4	<1	1	3	4	6	7	10
20-34	209	3.4	7	<1	1	3	4	6	7	14
35-49	183	3.4	5	<1	1	3	5	6	7	11
50-64	206	3.4	15	<1	<1	2	4	7	8	12
65+	109	3.4	5	<1	<1	3	5	7	8	10
2. MULTIPLE DX										
0-19 YRS	112	4.6	24	1	1	4	5	7	11	34
20-34	282	4.1	8	1	1	4	5	7	9	15
35-49	255	4.2	11	1	1	3	5	8	9	20
50-64	291	4.8	43	1	1	4	6	8	12	20
65+	259	5.2	31	1	1	4	7	10	14	29
TOT. SINGLE DX	793	3.3	8	<1	1	3	4	6	7	11
" MULTIPLE DX	1199	4.6	24	1	1	4	6	8	11	22
TOTAL 0-19 YRS	198	3.9	16	1	1	3	5	7	9	24
20-34	491	3.8	8	1	1	3	5	7	8	15
35-49	438	3.8	9	1	1	3	5	7	9	20
50-64	497	4.2	32	<1	1	3	5	8	10	19
65+	368	4.7	25	<1	1	4	6	9	12	28
GRAND TOTAL	**1992**	**4.1**	**18**	**<1**	**1**	**3**	**5**	**7**	**9**	**20**

722: Total hip replacement (81.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	6	8.3	24	2	2	9	10	15	16	16
20-34	57	9.2	6	5	6	9	11	13	14	15
35-49	168	9.8	12	5	6	9	12	15	16	22
50-64	673	9.8	14	6	6	9	11	14	16	24
65+	1254	10.7	10	6	7	10	13	15	16	20
2. MULTIPLE DX										
0-19 YRS	12	12.5	64	5	6	10	12	29	30	30
20-34	116	11.1	25	6	7	10	13	15	22	33
35-49	333	10.5	18	6	6	10	12	16	19	27
50-64	1160	11.9	39	6	7	11	13	18	21	37
65+	3567	12.7	37	7	8	11	14	19	23	37
TOT. SINGLE DX	2158	10.3	12	6	7	10	12	15	16	21
" MULTIPLE DX	5188	12.4	37	6	7	11	14	18	22	37
TOTAL 0-19 YRS	18	11.1	53	3	4	9	12	24	29	30
20-34	173	10.5	20	6	6	10	12	15	19	28
35-49	501	10.3	17	6	6	9	12	15	18	26
50-64	1833	11.1	31	6	7	10	12	16	19	32
65+	4821	12.2	31	7	8	11	14	17	21	35
GRAND TOTAL	**7346**	**11.8**	**31**	**6**	**7**	**11**	**13**	**17**	**21**	**34**

723: Other arthroplasty of hip (81.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	7	3.9	1	1	2	4	5	5	5	5
20-34	12	11.3	19	7	8	10	12	18	22	23
35-49	25	8.7	14	2	3	8	11	13	15	18
50-64	97	10.1	14	4	6	10	13	14	16	24
65+	600	10.7	17	6	7	10	13	15	18	28
2. MULTIPLE DX										
0-19 YRS	16	7.3	25	1	1	7	9	14	18	19
20-34	26	13.0	103	4	5	10	14	24	40	48
35-49	66	11.2	40	3	4	10	14	20	24	35
50-64	270	12.1	48	6	7	10	14	20	23	48
65+	2984	13.0	45	6	7	12	15	20	24	38
TOT. SINGLE DX	741	10.5	18	6	6	10	13	15	17	26
" MULTIPLE DX	3362	12.9	46	6	7	11	15	20	24	38
TOTAL 0-19 YRS	23	6.2	21	1	1	5	8	14	16	19
20-34	38	12.4	76	4	6	10	13	22	32	48
35-49	91	10.5	34	3	4	9	13	17	24	32
50-64	367	11.6	40	5	6	10	13	18	22	44
65+	3584	12.6	42	6	7	11	15	19	23	36
GRAND TOTAL	**4103**	**12.4**	**42**	**6**	**7**	**11**	**14**	**19**	**23**	**37**

724: Arthroplasty of knee (81.41-81.47)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	584	3.1	2	1	1	3	4	5	6	9
20-34	1211	3.3	3	1	1	3	4	5	6	10
35-49	423	4.1	9	1	1	3	5	9	10	16
50-64	558	8.5	17	1	2	9	11	13	15	20
65+	1192	10.1	10	5	6	10	12	14	15	19
2. MULTIPLE DX										
0-19 YRS	647	3.6	5	1	1	3	4	6	7	11
20-34	1646	4.0	8	1	2	4	5	6	8	15
35-49	765	4.9	16	1	1	4	6	10	13	24
50-64	1006	9.6	32	2	3	9	12	15	18	29
65+	2811	11.7	23	6	7	11	14	17	19	29
TOT. SINGLE DX	3968	6.1	18	1	2	5	9	12	14	18
" MULTIPLE DX	6875	8.0	32	2	2	7	11	15	17	26
TOTAL 0-19 YRS	1231	3.4	4	1	1	3	4	5	6	9
20-34	2857	3.7	7	1	1	3	4	6	7	14
35-49	1188	4.6	14	1	1	4	5	9	12	20
50-64	1564	9.2	27	1	3	9	11	14	17	26
65+	4003	11.2	21	6	7	11	13	16	19	27
GRAND TOTAL	**10843**	**7.3**	**27**	**1**	**2**	**6**	**11**	**14**	**16**	**23**

725: Repair of other joint (81.3; 81.48-81.49; 81.7-81.8; 81.93-81.96; 81.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	594	2.2	1	1	1	2	3	4	4	6
20-34	1548	2.3	1	1	1	2	3	4	5	6
35-49	704	2.4	2	1	1	2	3	4	5	7
50-64	544	2.5	2	1	1	2	3	4	6	8
65+	271	3.3	6	1	1	3	4	7	9	12
2. MULTIPLE DX										
0-19 YRS	202	2.5	3	<1	1	2	3	4	5	8
20-34	619	2.7	3	1	1	2	3	5	6	10
35-49	609	3.0	3	1	1	3	4	5	7	10
50-64	773	3.5	11	1	1	3	4	6	8	21
65+	686	4.8	24	1	1	3	6	9	12	22
TOT. SINGLE DX	3661	2.4	2	1	1	2	3	4	5	8
" MULTIPLE DX	2889	3.4	11	1	1	3	4	6	9	18
TOTAL 0-19 YRS	796	2.3	2	1	1	2	3	4	5	7
20-34	2167	2.4	2	1	1	2	3	4	5	8
35-49	1313	2.6	3	1	1	2	3	5	6	9
50-64	1317	3.1	8	1	1	2	4	5	7	15
65+	957	4.4	20	1	1	3	5	9	11	21
GRAND TOTAL	**6550**	**2.9**	**7**	**1**	**1**	**2**	**3**	**5**	**7**	**12**

726: Incision and division of muscle, tendon, fascia, and bursa (82.0; 83.0-83.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	232	2.4	5	<1	<1	1	3	5	7	12
20-34	247	2.6	5	<1	<1	2	4	5	7	11
35-49	216	2.6	4	<1	<1	2	4	5	6	9
50-64	136	1.9	5	<1	<1	1	2	3	6	10
65+	57	2.1	2	<1	<1	1	3	4	6	9
2. MULTIPLE DX										
0-19 YRS	264	4.1	29	1	1	3	4	8	12	28
20-34	329	6.6	98	1	1	4	7	13	19	52
35-49	252	6.2	56	<1	1	4	8	14	19	25
50-64	203	7.4	117	<1	1	4	8	16	31	49
65+	190	7.9	60	<1	1	5	10	19	23	42
TOT. SINGLE DX	888	2.4	5	<1	<1	2	3	5	6	11
" MULTIPLE DX	1238	6.3	74	1	1	4	7	14	20	44
TOTAL 0-19 YRS	496	3.3	19	<1	<1	2	4	6	10	19
20-34	576	4.9	62	<1	1	3	5	9	14	40
35-49	468	4.6	36	<1	<1	3	6	9	16	23
50-64	339	5.2	80	<1	<1	2	5	11	21	45
65+	247	6.6	53	<1	<1	4	9	17	21	41
GRAND TOTAL	**2126**	**4.7**	**49**	**<1**	**<1**	**3**	**5**	**10**	**16**	**36**

727: Excision of lesion of muscle, tendon, fascia, and bursa (82.2; 83.21; 83.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	212	1.5	3	<1	<1	<1	1	2	4	6
20-34	287	1.6	1	<1	<1	<1	2	3	5	7
35-49	234	1.8	2	<1	<1	1	2	4	5	9
50-64	193	1.8	1	<1	<1	1	2	3	5	7
65+	93	2.7	10	<1	<1	1	3	6	9	19
2. MULTIPLE DX										
0-19 YRS	68	4.6	91	<1	<1	1	4	15	44	99+
20-34	132	5.3	57	<1	<1	2	5	14	20	45
35-49	202	4.8	45	<1	<1	2	5	14	18	35
50-64	222	5.4	52	<1	1	3	7	11	15	39
65+	283	8.4	126	1	1	4	10	22	29	66
TOT. SINGLE DX	1019	1.8	3	<1	<1	1	2	3	5	8
" MULTIPLE DX	907	6.1	80	<1	<1	3	7	15	23	52
TOTAL 0-19 YRS	280	2.2	26	<1	<1	1	2	4	6	56
20-34	419	2.7	22	<1	<1	1	3	6	9	26
35-49	436	3.2	25	<1	<1	1	3	7	12	24
50-64	415	3.7	38	<1	<1	2	4	8	11	29
65+	376	7.0	104	<1	<1	3	8	17	25	52
GRAND TOTAL	**1926**	**3.8**	**44**	**<1**	**<1**	**1**	**4**	**8**	**14**	**34**

728: Division and resection of muscle, tendon, and fascia of hand (82.1; 82.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	12	1.7	1	<1	<1	1	2	4	5	5
20-34	26	2.6	9	<1	<1	1	4	6	9	15
35-49	33	1.3		<1	<1	1	1	2	4	4
50-64	163	1.4		<1	<1	1	2	2	3	4
65+	129	1.5		<1	<1	1	2	2	3	5
2. MULTIPLE DX										
0-19 YRS	12	3.4	4	1	1	3	5	7	7	7
20-34	39	3.5	11	<1	1	2	5	8	14	99+
35-49	42	2.8	7	<1	1	2	3	7	9	12
50-64	119	2.9	31	<1	<1	1	3	5	8	41
65+	132	2.4	11	<1	1	1	2	4	8	17
TOT. SINGLE DX	363	1.5	1	<1	<1	1	2	2	3	6
" MULTIPLE DX	344	2.8	18	<1	1	2	3	6	8	32
TOTAL 0-19 YRS	24	2.5	4	<1	<1	2	4	5	7	7
20-34	65	3.1	11	<1	<1	2	4	7	13	86
35-49	75	2.1	5	<1	<1	1	2	4	8	12
50-64	282	2.0	14	<1	<1	1	2	3	4	15
65+	261	1.9	6	<1	<1	1	2	3	4	11
GRAND TOTAL	**707**	**2.1**	**10**	**<1**	**<1**	**1**	**2**	**4**	**7**	**14**

729: Repair and plastic operations on hand (82.4-82.8; 82.91; 82.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	197	1.5	1	<1	<1	1	2	2	3	8
20-34	353	1.5	1	<1	<1	1	2	2	3	6
35-49	159	1.4	1	<1	<1	1	2	2	3	6
50-64	79	1.4		<1	<1	1	2	2	3	3
65+	22	1.5	3	<1	<1	1	1	2	5	9
2. MULTIPLE DX										
0-19 YRS	241	1.8	3	<1	<1	1	2	3	4	11
20-34	502	2.3	5	<1	<1	2	3	4	6	14
35-49	214	2.3	4	<1	<1	1	3	4	6	12
50-64	88	2.3	4	1	1	2	3	5	6	12
65+	74	2.9	10	1	1	2	3	5	8	20
TOT. SINGLE DX	810	1.5	1	<1	<1	1	2	2	3	6
" MULTIPLE DX	1119	2.2	5	<1	1	1	3	4	6	13
TOTAL 0-19 YRS	438	1.6	2	<1	<1	1	2	3	4	8
20-34	855	1.9	4	<1	<1	1	2	4	5	11
35-49	373	1.9	3	<1	<1	1	2	4	6	11
50-64	167	1.9	3	<1	<1	1	2	4	5	10
65+	96	2.6	9	<1	1	2	3	5	8	19
GRAND TOTAL	**1929**	**1.9**	**4**	**<1**	**<1**	**1**	**2**	**3**	**5**	**11**

730: Resection and suture of muscle, tendon, fascia, except hand (83.4-83.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	152	2.0	3	<1	<1	1	3	4	5	12
20-34	438	2.2	3	<1	1	2	3	4	5	11
35-49	437	2.4	2	1	1	2	3	4	5	7
50-64	521	2.9	2	1	1	3	4	5	6	8
65+	237	3.3	3	1	1	3	4	6	6	10
2. MULTIPLE DX										
0-19 YRS	108	3.5	63	<1	1	2	3	6	14	83
20-34	294	3.4	15	<1	1	2	4	6	9	25
35-49	339	3.5	8	1	1	3	4	7	9	15
50-64	484	3.8	15	1	1	3	5	6	8	19
65+	384	5.2	30	1	1	4	6	10	13	25
TOT. SINGLE DX	1785	2.6	3	<1	1	2	3	5	6	9
" MULTIPLE DX	1609	4.0	22	1	1	3	5	8	10	24
TOTAL 0-19 YRS	260	2.6	29	<1	<1	1	3	5	6	30
20-34	732	2.7	9	<1	1	2	3	5	7	18
35-49	776	2.9	6	1	1	2	4	5	7	10
50-64	1005	3.3	9	1	1	3	4	6	7	12
65+	621	4.5	21	1	1	3	5	8	11	24
GRAND TOTAL	**3394**	**3.2**	**12**	**1**	**1**	**2**	**4**	**6**	**8**	**17**

731: Miscellaneous operations on muscle, tendon, fascia, and bursa, except hand (83.71-83.93; 83.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	309	2.1	1	1	1	2	3	4	4	6
20-34	351	2.4	1	1	1	2	3	4	5	7
35-49	241	2.3	2	1	1	2	3	4	5	7
50-64	129	2.6	5	1	1	2	3	5	6	12
65+	60	3.8	6	1	1	3	5	7	8	13
2. MULTIPLE DX										
0-19 YRS	402	3.0	25	<1	1	2	3	5	7	17
20-34	252	5.9	118	1	1	3	5	11	19	79
35-49	165	4.6	53	1	1	3	4	8	16	61
50-64	132	6.1	104	1	1	3	6	13	27	90
65+	115	8.5	116	2	2	5	9	16	28	65
TOT. SINGLE DX	1090	2.4	3	1	1	2	3	4	5	7
" MULTIPLE DX	1066	4.9	75	1	1	3	5	9	16	66
TOTAL 0-19 YRS	711	2.6	15	<1	1	2	3	4	6	13
20-34	603	3.8	54	1	1	2	4	6	9	44
35-49	406	3.2	24	1	1	2	3	5	7	27
50-64	261	4.4	59	1	1	2	4	8	15	42
65+	175	6.9	83	1	2	4	7	14	18	50
GRAND TOTAL	**2156**	**3.6**	**40**	**1**	**1**	**2**	**4**	**6**	**9**	**36**

732: Amputation of fingers and thumb (84.01-84.02)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	38	1.6		<1	1	1	2	3	4	4
20-34	103	1.7	1	<1	<1	1	2	3	4	8
35-49	61	2.3	15	<1	<1	1	2	3	7	26
50-64	47	2.0	3	<1	<1	1	2	5	7	9
65+	22	1.7	1	<1	1	1	2	3	5	6
2. MULTIPLE DX										
0-19 YRS	37	3.3	33	<1	1	2	3	7	9	35
20-34	104	3.4	11	1	1	2	4	8	9	18
35-49	67	4.0	25	1	1	2	4	8	15	27
50-64	69	4.7	38	1	1	2	4	13	20	30
65+	54	5.7	92	<1	1	2	6	18	27	98
TOT. SINGLE DX	271	1.9	5	<1	<1	1	2	3	5	10
" MULTIPLE DX	331	4.1	36	1	1	2	4	9	17	32
TOTAL 0-19 YRS	75	2.4	17	<1	1	1	2	4	7	29
20-34	207	2.5	7	<1	1	2	3	6	8	15
35-49	128	3.2	21	<1	<1	2	3	7	12	27
50-64	116	3.6	26	<1	1	2	4	8	16	28
65+	76	4.6	69	<1	1	2	4	14	20	89
GRAND TOTAL	**602**	**3.1**	**23**	**<1**	**1**	**2**	**3**	**7**	**10**	**27**

733: Amputation of hand, forearm, and upper arm (84.00; 84.03-84.09)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	2	5.5	41	1	1	5	10	10	10	10
20-34	3	10.0	67	3	3	8	16	19	19	19
35-49	3	5.3	14	1	1	7	8	8	8	8
50-64	1	2.0		2	2	2	2	2	2	2
65+	4	3.8	2	2	2	4	5	5	5	5
2. MULTIPLE DX										
0-19 YRS	2	7.5	61	2	2	7	13	13	13	13
20-34	13	15.5	480	1	2	4	21	60	64	65
35-49	12	15.5	559	2	2	5	24	84	97	99+
50-64	12	11.7	74	2	4	9	13	28	30	30
65+	10	14.1	79	4	4	12	20	27	33	33
TOT. SINGLE DX	13	5.7	25	1	1	5	8	12	18	19
" MULTIPLE DX	49	14.0	286	2	2	9	17	39	65	99+
TOTAL 0-19 YRS	4	6.5	35	1	1	6	11	13	13	13
20-34	16	14.5	398	1	2	5	19	56	63	65
35-49	15	13.5	460	1	2	6	15	76	94	99+
50-64	13	10.9	75	2	2	9	13	28	30	30
65+	14	11.1	79	2	3	8	15	23	31	33
GRAND TOTAL	**62**	**12.2**	**241**	**1**	**2**	**7**	**14**	**31**	**61**	**97**

734: Amputation of toes (84.11)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	24	1.8		<1	<1	2	2	3	4	4
20-34	24	3.3	6	1	1	3	4	8	8	9
35-49	6	3.3	4	<1	<1	3	5	6	6	6
50-64	20	4.3	43	1	1	2	4	9	21	30
65+	28	5.6	32	<1	<1	3	9	14	16	24
2. MULTIPLE DX										
0-19 YRS	20	5.4	66	<1	<1	2	6	15	27	33
20-34	66	9.2	79	1	1	6	14	22	26	41
35-49	132	11.3	79	1	2	10	16	23	33	57
50-64	289	12.5	127	2	3	9	16	28	34	60
65+	514	11.8	100	2	3	9	16	25	34	62
TOT. SINGLE DX	102	3.8	21	<1	1	2	4	9	12	27
" MULTIPLE DX	1021	11.6	104	1	2	9	16	25	33	60
TOTAL 0-19 YRS	44	3.4	33	<1	<1	2	3	7	13	33
20-34	90	7.6	67	1	1	5	9	19	22	40
35-49	138	10.9	79	1	2	9	16	22	33	54
50-64	309	12.0	126	1	2	9	15	27	32	60
65+	542	11.5	99	1	2	9	15	24	33	61
GRAND TOTAL	**1123**	**10.9**	**102**	**1**	**2**	**8**	**15**	**24**	**32**	**59**

735: Below-knee amputation (84.15)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	3	8.7	26	3	3	10	12	13	13	13
20-34	6	11.0	46	5	5	8	18	21	21	21
35-49	3	6.3	4	4	4	7	8	8	8	8
50-64	6	12.2	86	2	2	10	17	27	28	28
65+	7	13.0	51	6	6	11	17	24	26	26
2. MULTIPLE DX										
0-19 YRS	9	16.1	149	2	3	20	25	32	33	33
20-34	43	17.5	320	4	5	11	22	44	69	99+
35-49	73	19.0	219	5	5	13	25	40	46	70
50-64	218	19.3	236	5	6	15	23	37	53	87
65+	611	16.8	156	5	6	14	21	31	41	78
TOT. SINGLE DX	25	11.0	48	3	4	8	16	21	26	28
" MULTIPLE DX	954	17.6	187	5	6	14	22	33	44	80
TOTAL 0-19 YRS	12	14.3	125	2	3	11	22	32	33	33
20-34	49	16.7	290	5	5	10	21	42	57	99+
35-49	76	18.5	217	4	5	13	25	40	46	70
50-64	224	19.1	233	5	6	15	23	37	52	86
65+	618	16.8	155	5	6	14	21	31	41	78
GRAND TOTAL	**979**	**17.4**	**184**	**5**	**6**	**14**	**21**	**33**	**44**	**79**

736: Above-knee amputation (84.16-84.17)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	5	7.4	5	5	5	7	8	11	11	11
20-34	4	6.8	3	5	5	6	8	9	9	9
35-49	4	17.3	188	7	7	12	26	37	37	37
50-64	4	10.8	41	4	4	10	15	19	19	19
65+	10	9.8	28	3	4	8	16	18	19	19
2. MULTIPLE DX										
0-19 YRS	6	22.2	909	7	7	8	19	77	83	83
20-34	11	26.5	531	4	5	18	41	61	77	79
35-49	23	19.2	246	4	6	14	25	46	54	69
50-64	109	19.2	257	5	7	13	22	42	52	80
65+	535	14.6	135	4	5	11	19	27	39	70
TOT. SINGLE DX	27	10.1	49	4	5	8	12	18	22	37
" MULTIPLE DX	684	15.7	174	4	5	12	19	31	46	79
TOTAL 0-19 YRS	11	15.5	516	5	6	7	10	45	80	83
20-34	15	21.2	462	4	5	11	30	49	71	79
35-49	27	18.9	231	5	6	14	25	44	50	69
50-64	113	18.9	252	5	7	13	22	41	51	80
65+	545	14.5	134	4	5	11	18	27	38	69
GRAND TOTAL	**711**	**15.5**	**171**	**4**	**5**	**11**	**19**	**30**	**45**	**79**

737: Other amputation of lower extremity (84.10; 84.12-84.14; 84.18-84.19)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	6	4.0	16	1	1	3	4	11	12	12
20-34	3	31.0	2269	3	3	4	65	86	86	86
35-49	2	7.5	25	4	4	7	11	11	11	11
50-64	1	1.0		<1	<1	<1	<1	<1	<1	<1
65+	7	8.6	21	4	4	9	13	15	15	15
2. MULTIPLE DX										
0-19 YRS	8	15.0	305	1	1	8	22	44	52	52
20-34	24	14.0	161	4	4	10	19	25	40	62
35-49	56	14.1	137	2	4	12	17	27	37	68
50-64	86	19.5	219	4	5	15	28	39	55	87
65+	148	18.7	264	5	6	14	23	38	51	94
TOT. SINGLE DX	19	10.2	356	<1	1	4	11	15	54	86
" MULTIPLE DX	322	17.7	226	4	5	13	23	37	51	87
TOTAL 0-19 YRS	14	10.3	203	1	1	4	12	29	47	52
20-34	27	15.9	347	3	4	9	20	30	66	86
35-49	58	13.9	135	2	4	12	17	26	37	68
50-64	87	19.3	221	4	5	15	28	39	55	87
65+	155	18.3	258	4	6	14	22	38	50	93
GRAND TOTAL	**341**	**17.3**	**235**	**3**	**4**	**13**	**22**	**36**	**51**	**87**

738: Reattachment of extremity (84.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	23	3.1	5	<1	1	2	5	6	7	8
20-34	28	5.2	7	<1	1	6	7	8	11	11
35-49	10	3.7	14	1	1	2	4	10	12	12
50-64	4	8.0	90	1	1	4	13	22	22	22
65+	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
0-19 YRS	14	6.4	12	1	2	6	8	12	12	12
20-34	38	8.3	34	1	2	7	10	17	22	27
35-49	11	11.5	111	<1	2	7	20	28	32	32
50-64	9	4.4	20	1	1	3	7	12	12	12
65+	7	6.1	13	1	1	8	9	9	9	9
TOT. SINGLE DX	66	4.4	13	<1	1	4	6	8	11	20
" MULTIPLE DX	79	7.8	40	1	1	7	10	15	24	31
TOTAL 0-19 YRS	37	4.4	10	<1	1	5	6	8	11	12
20-34	66	7.0	25	1	2	6	8	13	18	27
35-49	21	7.8	78	<1	1	4	10	24	29	32
50-64	13	5.5	39	1	1	3	7	14	21	22
65+	8	5.9	12	1	1	7	9	9	9	9
GRAND TOTAL	**145**	**6.3**	**30**	**1**	**1**	**5**	**8**	**12**	**18**	**27**

739: Revision of amputation stump (84.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	13	2.2	1	<1	<1	2	3	4	5	5
20-34	50	3.1	11	<1	<1	2	3	7	11	19
35-49	24	3.2	13	<1	<1	2	4	7	11	17
50-64	14	4.4	6	<1	1	5	5	8	9	10
65+	13	3.1	8	1	1	2	3	8	10	11
2. MULTIPLE DX										
0-19 YRS	11	3.1	12	<1	<1	2	3	10	12	12
20-34	41	5.1	29	1	1	4	6	13	14	30
35-49	51	9.7	136	1	1	5	12	22	29	57
50-64	62	10.1	100	1	1	6	15	27	34	93
65+	130	9.7	73	2	2	7	12	22	32	57
TOT. SINGLE DX	114	3.2	10	<1	<1	2	4	7	10	18
" MULTIPLE DX	295	8.9	85	1	1	6	12	22	29	54
TOTAL 0-19 YRS	24	2.6	7	<1	<1	2	3	5	9	12
20-34	91	4.0	21	<1	1	3	5	10	13	25
35-49	75	7.6	106	<1	1	3	9	21	25	55
50-64	76	9.1	88	1	1	5	13	25	31	85
65+	143	9.1	71	1	2	7	12	22	29	50
GRAND TOTAL	**409**	**7.3**	**70**	**1**	**1**	**4**	**9**	**17**	**25**	**49**

740: Miscellaneous operations on musculoskeletal system (84.40; 84.44; 84.48; 84.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1	14.0		14	14	14	14	14	14	14
20-34										
35-49	2	1.5	1	1	1	1	2	2	2	2
50-64	3	3.0	3	2	2	2	4	5	5	5
65+	3	10.7	66	5	5	7	17	20	20	20
2. MULTIPLE DX										
0-19 YRS										
20-34	2	3.5	5	2	2	3	5	5	5	5
35-49	5	4.2	12	1	1	2	7	9	9	9
50-64	5	6.8	6	3	3	7	9	9	9	9
65+	11	7.5	9	3	4	7	9	12	13	13
TOT. SINGLE DX	9	6.4	42	1	1	5	9	18	20	20
" MULTIPLE DX	23	6.3	10	1	2	7	9	10	12	13
TOTAL 0-19 YRS	1	14.0		14	14	14	14	14	14	14
20-34	2	3.5	5	2	2	3	5	5	5	5
35-49	7	3.4	10	1	1	2	6	9	9	9
50-64	8	5.4	8	2	2	5	8	9	9	9
65+	14	8.1	19	3	4	7	9	14	19	20
GRAND TOTAL	**32**	**6.3**	**18**	**1**	**2**	**6**	**8**	**12**	**14**	**20**

741: Other diagnostic and therapeutic procedures on musculoskeletal structure (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

742: Local exision or destruction of lesion of breast (85.11-85.12; 85.20-85.23)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	48	1.0		<1	<1	<1	1	1	1	2
20-34	273	1.3		<1	<1	<1	1	2	3	5
35-49	700	1.6	1	<1	<1	1	2	3	4	7
50-64	633	1.8	1	<1	<1	1	2	3	4	6
65+	398	2.0	2	<1	<1	1	2	4	5	8
2. MULTIPLE DX										
0-19 YRS	13	1.8	1	<1	<1	1	2	4	5	5
20-34	142	2.2	6	<1	<1	1	3	5	7	15
35-49	557	2.4	12	<1	<1	1	3	5	7	15
50-64	667	3.2	15	<1	<1	2	4	6	10	22
65+	782	4.1	27	<1	<1	2	5	9	14	23
TOT. SINGLE DX	2052	1.7	2	<1	<1	1	2	3	4	7
" MULTIPLE DX	2161	3.2	19	<1	<1	2	4	7	10	21
TOTAL 0-19 YRS	61	1.2		<1	<1	<1	1	2	2	5
20-34	415	1.6	3	<1	<1	1	2	3	5	10
35-49	1257	2.0	7	<1	<1	1	2	4	5	11
50-64	1300	2.5	9	<1	<1	1	3	5	7	17
65+	1180	3.4	20	<1	<1	2	4	8	10	20
GRAND TOTAL	**4213**	**2.5**	**11**	**<1**	**<1**	**1**	**3**	**5**	**8**	**16**

743: Simple mastectomy (85.41-85.42)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	12	1.7		<1	<1	1	2	3	3	3
20-34	23	2.4	2	<1	<1	2	4	5	5	6
35-49	58	3.6	2	1	1	3	4	6	7	9
50-64	59	3.1	3	1	1	3	4	6	7	9
65+	91	3.8	4	1	1	3	5	6	7	13
2. MULTIPLE DX										
0-19 YRS	6	3.5	8	<1	<1	2	6	8	8	8
20-34	26	3.0	3	1	1	3	3	5	6	10
35-49	120	4.0	3	1	2	4	5	7	8	9
50-64	140	3.9	12	1	1	3	4	7	10	17
65+	315	4.8	18	1	2	4	6	8	9	18
TOT. SINGLE DX	243	3.3	4	1	1	3	4	6	7	10
" MULTIPLE DX	607	4.3	14	1	2	4	5	7	9	15
TOTAL 0-19 YRS	18	2.3	4	<1	<1	2	3	5	7	8
20-34	49	2.7	3	<1	1	3	4	5	5	10
35-49	178	3.9	4	1	2	3	5	6	8	9
50-64	199	3.6	10	1	1	3	4	7	8	15
65+	406	4.6	15	1	2	4	6	7	9	16
GRAND TOTAL	**850**	**4.0**	**11**	**1**	**1**	**3**	**5**	**7**	**8**	**14**

744: Extended simple mastectomy and radical mastectomy (85.43-85.48)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	3	2.3	5	1	1	1	4	5	5	5
20-34	52	3.8	2	2	2	4	5	6	7	7
35-49	489	4.1	2	2	2	4	5	6	7	9
50-64	752	4.1	2	2	2	4	5	6	7	9
65+	717	4.6	3	2	2	4	6	7	8	10
2. MULTIPLE DX										
0-19 YRS	6	5.0	6	1	1	6	7	7	7	7
20-34	94	4.4	3	2	2	4	6	7	7	11
35-49	662	4.5	4	2	2	4	6	7	8	13
50-64	1319	4.9	7	2	2	5	6	8	9	15
65+	1871	5.7	12	2	3	5	7	9	11	18
TOT. SINGLE DX	2013	4.3	3	2	2	4	5	7	7	9
" MULTIPLE DX	3952	5.2	9	2	3	5	6	8	10	16
TOTAL 0-19 YRS	9	4.1	7	1	1	5	6	7	7	7
20-34	146	4.2	3	2	2	4	5	7	7	9
35-49	1151	4.3	4	2	2	4	5	7	8	10
50-64	2071	4.6	6	2	2	4	6	7	9	13
65+	2588	5.4	10	2	3	5	6	8	10	17
GRAND TOTAL	**5965**	**4.9**	**7**	**2**	**2**	**4**	**6**	**8**	**9**	**15**

745: Miscellaneous operations on breast (85.0; 85.24-85.25; 85.3; 85.5-85.8; 85.93-85.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	194	2.1	1	<1	1	2	3	4	4	5
20-34	494	2.3	1	<1	1	2	3	4	4	6
35-49	460	2.6	2	<1	1	3	4	4	5	7
50-64	265	2.7	1	1	1	3	4	5	5	7
65+	61	2.7	3	1	1	2	4	4	5	12
2. MULTIPLE DX										
0-19 YRS	101	2.7	2	1	1	2	3	5	6	9
20-34	473	3.1	4	1	1	3	4	5	6	12
35-49	973	3.1	3	1	1	3	4	5	6	8
50-64	722	3.4	7	1	1	3	4	6	7	13
65+	200	3.4	4	1	1	3	4	6	7	12
TOT. SINGLE DX	1474	2.5	2	<1	1	2	3	4	5	6
" MULTIPLE DX	2469	3.2	5	1	1	3	4	5	7	11
TOTAL 0-19 YRS	295	2.3	2	<1	1	2	3	4	5	8
20-34	967	2.7	3	<1	1	2	3	4	5	9
35-49	1433	2.9	3	1	1	3	4	5	6	8
50-64	987	3.2	6	1	1	3	4	5	6	12
65+	261	3.3	5	1	1	3	4	6	7	13
GRAND TOTAL	3943	2.9	4	1	1	3	4	5	6	9

746: Incision and excision of pilonidal cyst or sinus (86.03; 86.21)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	211	1.8	1	<1	1	2	2	3	4	7
20-34	451	1.8	1	<1	1	1	2	3	4	7
35-49	79	2.0	1	<1	1	2	2	3	4	7
50-64	18	1.8	1	<1	1	2	3	3	4	4
65+	4	2.3	2	1	1	2	3	4	4	4
2. MULTIPLE DX										
0-19 YRS	48	5.0	101	<1	1	2	3	12	33	47
20-34	103	2.9	5	<1	1	2	4	6	8	12
35-49	30	3.6	7	1	1	3	4	9	10	10
50-64	19	4.5	15	<1	1	3	6	11	14	15
65+	5	3.6	4	1	1	4	5	6	6	6
TOT. SINGLE DX	763	1.8	2	<1	1	1	2	3	4	7
" MULTIPLE DX	205	3.7	29	<1	1	2	4	7	10	38
TOTAL 0-19 YRS	259	2.4	21	<1	1	2	2	3	4	30
20-34	554	2.0	3	<1	1	1	3	4	5	9
35-49	109	2.4	4	1	1	2	3	5	7	10
50-64	37	3.2	10	<1	1	2	4	6	11	15
65+	9	3.0	4	1	1	3	4	6	6	6
GRAND TOTAL	968	2.2	8	<1	1	2	3	4	5	11

747: Local excision or destruction of lesion or tissue of skin and subcutaneous tissue (86.11; 86.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	376	1.7	3	<1	<1	<1	1	3	5	11
20-34	334	2.0	5	<1	<1	1	2	4	6	10
35-49	315	1.9	4	<1	<1	1	2	4	6	12
50-64	286	2.0	5	<1	<1	1	2	4	6	15
65+	177	2.2	7	<1	<1	1	2	5	8	14
2. MULTIPLE DX										
0-19 YRS	244	5.5	117	<1	<1	2	5	14	37	99+
20-34	371	7.9	102	<1	1	4	10	22	31	49
35-49	429	8.6	129	<1	1	4	10	23	31	61
50-64	480	7.5	112	<1	1	4	9	17	27	66
65+	817	8.8	122	1	1	6	11	20	29	56
TOT. SINGLE DX	1488	1.9	5	<1	<1	1	2	4	6	13
" MULTIPLE DX	2341	8.0	119	<1	1	4	10	21	30	61
TOTAL 0-19 YRS	620	3.2	52	<1	<1	1	2	7	12	59
20-34	705	5.1	65	<1	<1	2	5	14	23	39
35-49	744	5.8	87	<1	<1	2	6	15	25	50
50-64	766	5.5	80	<1	<1	2	6	13	21	53
65+	994	7.7	108	<1	1	4	9	17	27	55
GRAND TOTAL	3829	5.7	83	<1	<1	2	6	14	23	51

748: Other incision, excision, and suture of skin (86.04-86.09; 86.22; 86.4-86.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	867	3.3	24	<1	<1	2	4	7	10	21
20-34	1141	3.6	16	<1	1	2	4	7	11	18
35-49	627	4.0	19	<1	1	2	5	9	13	24
50-64	410	3.9	16	<1	1	3	5	9	11	22
65+	346	4.8	35	<1	1	3	6	10	16	28
2. MULTIPLE DX										
0-19 YRS	1984	4.9	52	<1	1	3	5	11	19	43
20-34	3592	5.9	73	<1	1	3	7	13	21	53
35-49	2258	7.8	96	1	1	4	10	18	27	52
50-64	2006	10.0	119	1	1	7	13	23	32	62
65+	3597	11.1	137	1	2	7	14	24	36	62
TOT. SINGLE DX	3391	3.7	21	<1	1	2	5	8	11	22
" MULTIPLE DX	13437	8.1	104	1	1	5	10	19	29	57
TOTAL 0-19 YRS	2851	4.5	44	<1	1	2	5	10	16	37
20-34	4733	5.4	61	<1	1	3	6	11	18	45
35-49	2885	6.9	82	1	1	4	8	16	24	49
50-64	2416	9.0	107	1	1	6	12	21	30	59
65+	3943	10.5	132	1	1	7	13	23	34	62
GRAND TOTAL	16828	7.2	90	1	1	4	9	17	25	52

749: Free skin grafts (86.6; 86.91)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	141	4.5	41	<1	<1	2	5	10	16	37
20-34	151	3.7	16	<1	<1	2	5	10	13	21
35-49	96	5.0	51	<1	<1	2	5	11	18	42
50-64	71	5.8	36	<1	<1	4	7	15	18	28
65+	81	8.4	91	1	2	6	10	16	24	54
2. MULTIPLE DX										
0-19 YRS	204	9.6	116	<1	1	6	14	26	32	99+
20-34	259	11.1	136	1	1	7	14	29	37	61
35-49	206	14.6	201	1	2	10	20	32	45	76
50-64	248	14.5	171	1	2	11	21	33	40	60
65+	451	15.8	182	2	3	12	20	34	43	61
TOT. SINGLE DX	540	5.1	45	<1	<1	3	6	12	17	36
" MULTIPLE DX	1368	13.6	170	1	2	10	19	31	41	62
TOTAL 0-19 YRS	345	7.5	92	<1	<1	4	9	20	27	63
20-34	410	8.3	105	<1	1	5	10	21	32	48
35-49	302	11.5	174	<1	1	7	15	26	40	62
50-64	319	12.6	154	1	1	9	18	29	37	59
65+	532	14.7	176	2	2	11	19	32	42	59
GRAND TOTAL	**1908**	**11.2**	**149**	**1**	**1**	**7**	**15**	**27**	**36**	**59**

750: Pedicle graft of skin (86.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	51	2.7	22	<1	<1	1	2	7	10	31
20-34	75	3.7	14	<1	<1	2	5	9	13	16
35-49	43	2.9	11	<1	<1	1	3	8	10	17
50-64	16	6.3	141	<1	<1	1	5	21	39	46
65+	19	5.9	59	<1	<1	4	6	14	25	33
2. MULTIPLE DX										
0-19 YRS	54	9.0	179	<1	1	4	11	24	45	65
20-34	170	12.1	216	1	1	6	17	32	49	95
35-49	108	14.5	274	1	1	7	23	38	52	95
50-64	80	14.6	235	1	2	10	18	43	57	89
65+	113	16.8	288	1	2	12	23	50	62	99+
TOT. SINGLE DX	204	3.7	30	<1	<1	2	4	9	12	32
" MULTIPLE DX	525	13.7	247	1	1	8	19	38	56	99+
TOTAL 0-19 YRS	105	5.9	112	<1	<1	2	7	13	29	58
20-34	245	9.5	170	1	1	4	12	27	41	78
35-49	151	11.2	227	<1	1	4	18	32	45	91
50-64	96	13.2	228	<1	1	8	17	39	55	84
65+	132	15.2	269	1	2	11	21	48	60	99+
GRAND TOTAL	**729**	**10.9**	**206**	**<1**	**1**	**5**	**14**	**31**	**49**	**93**

751: Miscellaneous operations on skin and subcutaneous tissue (86.02; 86.23-86.25; 86.8; 86.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	134	1.7	2	<1	<1	1	2	3	4	11
20-34	92	1.8	2	<1	<1	1	2	4	5	7
35-49	131	2.4	5	<1	<1	2	3	5	5	11
50-64	93	1.9	1	<1	<1	1	3	4	4	7
65+	37	1.6	1	<1	<1	1	2	3	7	99+
2. MULTIPLE DX										
0-19 YRS	170	3.1	41	<1	<1	2	3	6	10	92
20-34	183	4.0	31	<1	1	2	5	7	11	29
35-49	243	3.9	19	1	1	3	4	7	10	27
50-64	208	3.5	28	<1	1	2	4	7	10	30
65+	187	6.3	67	1	1	4	8	13	17	39
TOT. SINGLE DX	487	2.0	3	<1	<1	1	2	4	5	8
" MULTIPLE DX	991	4.2	37	<1	1	2	5	8	13	35
TOTAL 0-19 YRS	304	2.5	24	<1	<1	1	2	5	7	55
20-34	275	3.3	22	<1	<1	2	4	6	9	27
35-49	374	3.4	15	<1	1	3	4	6	9	22
50-64	301	3.0	21	<1	<1	2	3	6	8	19
65+	224	5.5	59	<1	1	3	8	11	16	53
GRAND TOTAL	**1478**	**3.4**	**27**	**<1**	**<1**	**2**	**4**	**7**	**10**	**28**

752: Miscellaneous diagnostic and therapeutic procedures on breast, skin, and subcutaneous tissue (85.19; 85.91-85.92; 86.01; 86.19; 86.26; 86.92)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

753: Encephalography and ventriculography (87.01-87.02)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	10	4.0	54	1	1	2	2	14	25	25
35-49	12	2.3	1	1	1	2	3	4	5	5
50-64	6	3.8	11	1	1	2	8	8	8	8
65+	14	2.2	1	<1	1	2	3	4	5	5
2. MULTIPLE DX										
0-19 YRS	16	6.8	112	1	1	3	8	13	35	44
20-34	26	5.5	85	1	2	3	4	9	19	49
35-49	25	7.2	53	1	1	4	10	18	24	29
50-64	48	6.0	33	1	1	4	7	16	19	24
65+	95	8.9	73	2	2	6	12	18	27	44
TOT. SINGLE DX	43	2.9	15	1	1	2	3	5	8	25
" MULTIPLE DX	210	7.5	67	1	1	5	9	16	24	45
TOTAL 0-19 YRS	17	6.6	106	1	1	3	8	13	33	44
20-34	36	5.1	76	1	1	2	4	9	21	49
35-49	37	5.6	42	1	1	4	6	15	21	29
50-64	54	5.7	31	1	1	4	7	13	19	24
65+	109	8.1	70	1	2	5	10	17	26	42
GRAND TOTAL	**253**	**6.7**	**61**	**1**	**1**	**4**	**8**	**15**	**24**	**44**

754: Myelography (87.21)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	163	2.1	9	<1	1	1	2	4	8	19
20-34	2844	2.3	7	1	1	1	2	6	8	14
35-49	3969	2.2	6	1	1	1	2	5	8	12
50-64	2100	1.9	4	1	1	1	2	4	7	11
65+	709	2.1	6	1	1	1	2	4	7	12
2. MULTIPLE DX										
0-19 YRS	127	3.2	13	1	1	2	4	8	9	19
20-34	1750	3.7	18	1	1	2	5	9	12	21
35-49	2864	3.6	21	1	1	2	4	9	12	21
50-64	2428	3.6	21	1	1	2	4	9	13	21
65+	1917	4.8	34	1	1	2	6	12	16	29
TOT. SINGLE DX	9785	2.1	6	1	1	1	2	5	8	12
" MULTIPLE DX	9086	3.9	24	1	1	2	5	9	13	22
TOTAL 0-19 YRS	290	2.6	12	1	1	1	2	6	9	19
20-34	4594	2.8	12	1	1	1	3	7	10	17
35-49	6833	2.8	13	1	1	1	3	7	9	17
50-64	4528	2.8	14	1	1	1	3	7	10	19
65+	2626	4.1	28	1	1	2	5	10	14	27
GRAND TOTAL	**18871**	**3.0**	**15**	**1**	**1**	**1**	**3**	**8**	**10**	**19**

755: Cerebral arteriography (88.41)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	34	2.6	6	1	1	2	3	6	9	11
20-34	160	2.7	8	1	1	1	3	6	10	13
35-49	230	2.4	7	<1	1	1	3	5	9	13
50-64	435	2.7	14	<1	1	2	3	6	7	15
65+	550	2.5	8	1	1	2	3	5	7	13
2. MULTIPLE DX										
0-19 YRS	60	4.5	33	<1	1	2	5	9	13	37
20-34	234	5.0	44	1	1	3	6	10	16	41
35-49	451	5.4	55	1	1	3	6	11	17	41
50-64	1282	4.8	45	1	1	3	5	11	15	30
65+	2682	5.0	29	1	1	3	7	11	15	27
TOT. SINGLE DX	1409	2.6	10	1	1	1	3	6	8	14
" MULTIPLE DX	4709	4.9	37	1	1	3	6	11	15	30
TOTAL 0-19 YRS	94	3.8	24	1	1	2	5	8	12	29
20-34	394	4.0	31	1	1	2	5	9	12	28
35-49	681	4.4	41	1	1	2	5	9	13	35
50-64	1717	4.2	39	1	1	2	5	9	14	28
65+	3232	4.5	27	1	1	3	6	10	14	26
GRAND TOTAL	**6118**	**4.4**	**32**	**1**	**1**	**2**	**5**	**10**	**13**	**27**

756: Coronary arteriography (88.55-88.57)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34	14	3.2	7	<1	1	2	5	7	9	10
35-49	94	2.1	5	<1	1	1	2	4	9	12
50-64	194	2.0	4	1	1	1	2	4	8	10
65+	86	2.1	3	<1	1	1	2	5	6	9
2. MULTIPLE DX										
0-19 YRS	6	1.2		1	1	1	1	2	2	2
20-34	31	4.5	10	1	1	4	7	9	12	12
35-49	333	3.2	10	1	1	2	4	7	10	15
50-64	981	3.1	9	1	1	2	4	7	9	16
65+	861	3.4	12	<1	1	2	5	8	10	17
TOT. SINGLE DX	390	2.1	5	<1	1	1	2	5	7	11
" MULTIPLE DX	2212	3.3	11	1	1	2	4	8	10	16
TOTAL 0-19 YRS	8	1.3		1	1	1	2	2	2	2
20-34	45	4.1	10	1	1	3	6	9	10	12
35-49	427	3.0	10	1	1	2	4	7	10	14
50-64	1175	2.9	9	1	1	2	4	7	9	15
65+	947	3.3	12	<1	1	2	4	8	10	16
GRAND TOTAL	**2602**	**3.1**	**10**	**1**	**1**	**2**	**4**	**7**	**9**	**16**

757: Other arteriography and phlebography (88.40; 88.42-88.49; 88.50-88.54; 88.58; 88.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	75	3.1	9	<1	1	2	5	7	9	16
20-34	341	4.1	10	<1	1	3	7	8	10	13
35-49	422	4.0	12	1	1	3	6	9	10	13
50-64	560	3.4	9	<1	1	2	5	8	10	12
65+	619	3.3	10	<1	1	2	5	8	10	14
2. MULTIPLE DX										
0-19 YRS	146	5.7	121	1	1	2	6	11	18	93
20-34	607	6.1	38	1	1	5	8	12	15	33
35-49	1033	5.8	29	1	1	5	8	12	14	23
50-64	2167	5.4	30	1	1	4	8	11	14	26
65+	4104	5.9	32	1	1	5	8	12	15	26
TOT. SINGLE DX	2017	3.6	11	<1	1	2	6	8	10	13
" MULTIPLE DX	8057	5.8	34	1	1	4	8	12	15	27
TOTAL 0-19 YRS	221	4.8	84	1	1	2	6	10	15	83
20-34	948	5.4	30	1	1	4	8	11	13	28
35-49	1455	5.3	25	1	1	4	8	11	13	21
50-64	2727	5.0	27	1	1	3	7	10	13	24
65+	4723	5.6	30	1	1	4	8	12	15	24
GRAND TOTAL	**10074**	**5.4**	**30**	**1**	**1**	**4**	**8**	**11**	**14**	**25**

758: Other radiography and special diagnostic procedures (87.03-87.17; 87.22-87.99; 88.0-88.3; 88.7-88.8; 92.0-92.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	4054	2.9	12	<1	1	2	3	6	8	17
20-34	7178	3.3	16	<1	1	2	4	6	9	17
35-49	5079	3.5	16	1	1	2	4	7	9	18
50-64	3511	3.9	12	1	1	3	5	8	10	17
65+	3195	4.6	18	1	1	3	6	9	11	23
2. MULTIPLE DX										
0-19 YRS	7950	5.6	78	1	1	3	5	11	19	53
20-34	13224	4.9	41	1	1	3	6	9	14	33
35-49	13476	5.5	37	1	1	4	7	11	15	32
50-64	21890	6.1	34	1	2	4	7	12	15	30
65+	56450	6.9	33	2	2	5	9	13	17	29
TOT. SINGLE DX	23017	3.5	16	1	1	2	4	7	9	18
" MULTIPLE DX	112990	6.2	39	1	2	5	8	12	16	32
TOTAL 0-19 YRS	12004	4.7	58	1	1	3	5	9	15	44
20-34	20402	4.4	33	1	1	3	5	8	12	30
35-49	18555	4.9	33	1	1	3	6	10	13	30
50-64	25401	5.8	32	1	2	4	7	11	15	29
65+	59645	6.8	33	2	2	5	8	13	16	29
GRAND TOTAL	**136007**	**5.8**	**36**	**1**	**1**	**4**	**7**	**11**	**15**	**31**

759: Therapeutic radiology and nuclear therapy (92.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

760: Special therapies and rehabilitation (93.0-93.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	2948	4.2	34	1	1	2	4	8	17	31
20-34	1221	4.8	27	1	1	3	6	9	12	26
35-49	1366	4.9	17	1	1	4	6	9	11	21
50-64	1021	4.6	15	1	1	4	6	9	11	19
65+	875	5.5	31	1	2	4	7	10	13	30
2. MULTIPLE DX										
0-19 YRS	5117	5.6	76	1	1	3	5	11	20	52
20-34	2354	6.7	77	1	1	4	7	13	21	49
35-49	2912	6.9	65	1	2	5	8	14	20	48
50-64	5083	6.9	53	1	2	5	8	13	19	40
65+	13977	7.6	48	2	2	6	9	14	20	38
TOT. SINGLE DX	7431	4.6	27	1	1	3	5	9	13	28
" MULTIPLE DX	29443	7.0	59	1	2	5	8	14	20	43
TOTAL 0-19 YRS	8065	5.1	61	1	1	3	5	10	19	43
20-34	3575	6.0	61	1	1	4	7	12	18	46
35-49	4278	6.2	51	1	1	4	7	12	18	37
50-64	6104	6.5	48	1	2	5	8	13	18	38
65+	14852	7.5	48	2	2	6	9	14	20	38
GRAND TOTAL	**36874**	**6.5**	**53**	**1**	**2**	**4**	**8**	**13**	**19**	**40**

Appendix

ICD-9-CM Codes for Selected Operation Groups

ICD-9-CM Codes for Selected Operation Groups

ICD-9-CM codes for operation groups 552, 557, 576, 619, 686, 713, and 741

552	Operations on tongue, oral cavity, and facial region except palatoplasty and operations on salivary glands	25.01-25.02; 25.1-25.5; 25.92-25.99; 27.0-27.24; 27.3-27.5; 27.7; 27.92-27.99
557	Other diagnostic and therapeutic procedures on nose, mouth, and pharynx	21.00-21.01; 21.21; 21.29; 22.19; 24.19; 25.09; 25.91; 26.19; 27.29; 27.91; 28.19; 29.11; 29.19
576	Other diagnostic and therapeutic procedures on larynx, trachea, bronchus, lungs, and heart	31.41-31.42; 31.48-31.49; 33.21; 33.28-33.29; 34.28-34.29; 34.91-34.92; 37.29
619	Miscellaneous diagnostic and therapeutic procedures on digestive tract, abdominal cavity, and abdominal wall	42.22; 42.29; 44.12; 44.19; 45.12; 45.19; 45.22; 45.24; 45.28-45.29; 48.22-48.23; 48.29; 49.21; 49.29; 49.41-49.42; 50.19; 51.19; 52.19; 54.29
686	Miscellaneous diagnostic and therapeutic procedures on female genital system	65.19; 66.19; 67.19; 68.11; 68.19; 69.6; 69.7; 69.92; 70.21; 70.29; 71.19
713	Other reduction of fracture without internal fixation, except maxillofacial and femur	79.00-79.04; 79.06-79.09; 79.20-79.24; 79.26-79.29; 79.40-79.44; 79.46-79.49
741	Other diagnostic and therapeutic procedures on musculoskeletal structure	76.19; 76.96; 81.91-81.92; 81.98; 82.92-82.96; 83.29; 83.94-83.98; 84.41-84.43; 84.45-84.47

Index to the Length of Stay Tables

If an operation does not appear in the Index, its corresponding *ICD-9-CM* code can be found in the *International Classification of Diseases, 9th Revision, Clinical Modification,* Volume 3, Procedures: Tabular List and Alphabetic Index, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978. The operation group containing the *ICD-9-CM* code can then be located in the length of stay tables.

761: Psychiatric diagnostic and therapeutic procedures (94.0-94.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

762: Non-specific removal of foreign body (98.0-98.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

763: Other non-operative therapeutic procedures (99.0-99.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

764: Miscellaneous diagnostic and therapeutic procedures (89.0-91.9; 95.0-97.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	3063	2.7	14	<1	1	2	3	5	6	16
20-34	3405	2.5	14	<1	<1	1	3	5	7	19
35-49	1947	3.3	18	<1	1	2	4	7	9	22
50-64	1920	3.8	13	1	1	3	5	8	10	16
65+	1926	4.3	17	1	1	3	5	8	11	21
2. MULTIPLE DX										
0-19 YRS	7692	5.5	80	1	1	3	5	11	20	56
20-34	5758	4.7	49	<1	1	3	5	9	16	38
35-49	6962	4.8	31	1	1	3	6	9	13	29
50-64	14862	5.5	29	1	1	4	7	11	14	27
65+	38004	6.4	31	1	2	5	8	12	16	28
TOT. SINGLE DX	12261	3.2	16	<1	1	2	4	6	9	19
" MULTIPLE DX	73278	5.8	38	1	1	4	7	11	16	31
TOTAL 0-19 YRS	10755	4.7	63	<1	1	3	4	9	16	49
20-34	9163	3.9	37	<1	<1	2	4	8	12	31
35-49	8909	4.5	29	1	1	3	5	9	12	28
50-64	16782	5.3	28	1	1	4	7	10	14	26
65+	39930	6.3	31	1	2	5	8	12	16	28
GRAND TOTAL	**85539**	**5.4**	**36**	**1**	**1**	**4**	**7**	**11**	**15**	**30**

OPERATION INDEX

This operation index lists common operations and gives the number of the *ICD-9-CM List B* operation group to which each operation belongs.

Group Number	Title
555	Adenoidectomy, except with tonsillectomy
554	With tonsillectomy
515	Adrenalectomy
549	Alveolectomy
549	Alveoloplasty
695	Amniocentesis (diagnostic)
694	For termination of pregnancy
	Amputation
668	Cervix
732	Finger
737	Foot
733	Forearm
733	Hand
737	Hip
736	Leg, above knee
735	Leg, below knee
739	Revision (any site)
732	Thumb
734	Toe
733	Upper arm
	Anastomosis
617	Bile duct
581	Blood vessel
617	Gallbladder
601	Intestine
609	Rectum
757	Angiocardiography, except coronary vessels
756	Coronary vessels
757	Angiography, except cardiac and cerebral vessels
756	Cardiac vessels
755	Cerebral vessels
546	Antrotomy, except radical maxillary
545	Radical maxillary
572	Aortocoronary bypass
757	Aortography

OPERATION INDEX (continued)

Group Number	Title
603	Appendectomy, except incidental
604	Incidental
	Arteriography
757	Aorta
755	Cerebral
756	Coronary
757	Femoral
755	Head
756	Heart
757	Renal
741	Arthrocentesis
721	Arthrodesis, except spinal
720	Spinal
725	Arthroplasty, except hip, knee, and temporomandibular
723	Hip, except total replacement
722	Total replacement
724	Knee
699	Temporomandibular
719	Arthroscopy
716	Arthrotomy
	Artificial
686	Insemination
690	Rupture of membranes for delivery
	Aspiration
752	Breast, except for biopsy
742	Biopsy
741	Bursa
682	Cul-de-sac
677	Curettage, uterus, except for termination of pregnancy
674	Termination of pregnancy
651	Hydrocele, except of spermatic cord
656	Spermatic cord
632	Kidney
614	Liver, percutaneous, except for biopsy
615	Biopsy
537	Middle ear
546	Nasal sinus
663	Ovary
752	Skin
656	Spermatocele
529	Vitreous

OPERATION INDEX (continued)

Group Number	Title
	Augmentation
745	Breast
699	Chin
	Biopsy
515	Adrenal gland
611	Anus
638	Bladder, except transurethral approach
637	Transurethral approach
705	Bone, except facial
698	Facial
586	Bone marrow
501	Brain
742	Breast
563	Bronchus
501	Cerebral meninges
668	Cervix
597	Colon
597	Duodenum
668	Endocervical
588	Esophagus
532	Eyeball
517	Eyelid
666	Fallopian tubes
597	Intestine (large) (small)
719	Joint structure
632	Kidney
597	Large intestine
558	Larynx
552	Lip
615	Liver
565	Lung
582	Lymph nodes
570	Mediastinum
	Meninges
501	Cerebral
507	Spinal
727	Muscle
543	Nose
532	Orbit
660	Ovary, except by aspiration
663	Aspiration

OPERATION INDEX (continued)

Group Number	Title
	Biopsy (continued)
618	Pancreas
658	Penis
508	Peripheral nerve
626	Peritoneum
556	Pharynx
570	Pleura
650	Prostate
606	Rectum
651	Scrotum
747	Skin
597	Small intestine
507	Spinal meninges
654	Testes
514	Thyroid
552	Tongue
559	Trachea
670	Uterus
682	Vagina
558	Vocal cord
683	Vulva
518	Blepharorrhaphy
763	Blood transfusion, except intrauterine exchange
696	Intrauterine exchange
585	Bone marrow transplant
745	Breast augmentation
688	Breech extraction for delivery
567	Bronchoscopy
704	Bunionectomy
730	Bursectomy, except of hand
728	Hand
726	Bursotomy
	Bypass, graft or shunt
572	Aortocoronary
578	Blood vessels (systemic)
572	Coronary
596	Gastric
572	Heart
579	Heart-lung
601	Intestine
596	Stomach
634	Urinary

OPERATION INDEX (continued)

Group Number	Title
763	Cancer chemotherapy
	Cardiac
573	Catheterization
764	Function tests
	Massage
763	Closed
575	Open
574	Pacemaker insertion or replacement
575	Revascularization, except coronary bypass
572	Coronary bypass
764	Stress tests
509	Carpal tunnel decompression or release
760	Cast application
758	C.A.T. scan
526	Cataract extraction, except intracapsular
525	Intracapsular
	Catheterization
647	Bladder, except suprapubic approach
638	Suprapubic approach
581	Blood vessel
573	Cardiac
645	Ureteral
647	Urethral, indwelling
587	Vein, except umbilical
581	Umbilical
669	Cerclage, cervix
692	Cesarean section, except low cervical
691	Low cervical
763	Chemotherapy
758	Cholangiogram (intravenous) (percutaneous)
616	Cholecystectomy
758	Cholecystogram
617	Cholecystotomy
764	Circulatory monitoring
657	Circumcision, except newborn
	Closure
617	Cholecystostomy
601	Colostomy
	Fistula – *see Fistulectomy*
596	Gastric anastomosis
601	Sigmoidostomy
570	Thoracostomy

OPERATION INDEX (continued)

Group Number	Title
	Closure (continued)
635	Ureterostomy
640	Urethrostomy
599	Colectomy
568	Collapse of lung, surgical
619	Colonoscopy, except surgical approach
609	Surgical approach (transabdominal)
602	Colostomy, except loop
600	Loop
681	Colporrhaphy, except for cystocele or rectocele repair
680	Cystocele or rectocele repair
758	Computerized axial tomography (C.A.T. scan)
667	Conization of cervix
520	Conjunctivoplasty
764	Consultation
	Control of hemorrhage
638	Bladder
581	Blood vessel
569	Chest
627	Laparotomy site
544	Nose, except by anterior packing
557	Anterior packing
569	Pleura
581	Postoperative, not elsewhere classified
650	Prostate
590	Stomach
556	Tonsil
521	Corneal transplant
572	Coronary bypass
503	Cranioplasty
502	Craniotomy
668	Cryoconization, cervix
682	Culdocentesis
682	Culdoscopy, except for tubal ligation
664	Tubal ligation
523	Cyclocryotherapy (eye)
523	Cyclodialysis
638	Cystectomy (bladder)
680	Cystocele repair
636	Cystoscopy
638	Cystostomy
638	Cystotomy

OPERATION INDEX (continued)

Group Number	Title
675	D and C (uterus), except for termination of pregnancy
674	Termination of pregnancy
519	Dacryocystorhinostomy
	Debridement
748	Burn (skin)
705	Fracture, except of skull
503	Skull
748	Skin (infection) (wound)
	Decompression
509	Carpal tunnel
502	Cranial
506	Laminectomy
506	Spinal
	Delivery
690	Artificial rupture of membranes
688	Breech extraction
692	Cesarean section, except low cervical
691	Low cervical
689	Forceps, except low forceps
687	Low forceps
689	Internal and combined version
751	Dermabrasion
601	Derotation, intestine
580	Dialysis, except peritoneal
629	Peritoneal
	Dilation
638	Bladder (neck)
635	Ureteral meatus
645	Ureterovesical orifice
641	Urethra, urethrovesical junction
675	Dilation and curettage (D and C), uterus, except for termination of pregnancy
674	Termination of pregnancy
	Dislocation-reduction, except temporomandibular
714	Closed
715	Open
702	Temporomandibular (joint)
	Division
	Adhesions — *see Lysis, adhesions*
613	Anal sphincter
726	Fascia, exept of hand
728	Hand

OPERATION INDEX (continued)

Group Number	Title
	Division (continued)
508	Peripheral nerve
511	Sympathetic nerve or ganglion
659	Dorsal or lateral slit of prepuce
	Drainage – *see also Incision (and drainage)*
647	Bladder, except surgical approach
638	Surgical approach (suprapubic)
569	Chest
537	Middle ear
763	Drug therapy
598	Duodenectomy
764	ECG (electrocardiogram)
758	Echoencephalography
764	EEG (electroencephalogram)
764	EKG (electrocardiogram)
764	Electrocardiogram (ECG) (EKG)
764	Electroencephalogram (EEG)
752	Electrolysis, skin
753	Encephalography
	Endoscopy
636	Bladder
567	Bronchus
619	Colon, except surgical approach
609	Surgical approach (transabdominal)
682	Cul-de-sac, except for tubal ligation
664	Tubal ligation
589	Esophagus
589	Gastric, except surgical approach
596	Surgical approach (transabdominal)
576	Larynx
628	Peritoneum
557	Pharynx
609	Small intestine
589	Stomach, except surgical approach
596	Surgical approach (transabdominal)
570	Thorax, transpleural
636	Urethra
679	Uterus
686	Vagina
602	Enterostomy
532	Enucleation, eyeball

OPERATION INDEX (continued)

Group Number	Title
533	Epilation, eyelid
697	Episioperinorrhaphy
697	Episiorrhaphy
690	Episiotomy, except with forceps delivery
687	With low forceps delivery
689	With other forceps delivery
544	Epistaxis control, except by anterior packing
557	Anterior packing
588	Esophagectomy
589	Esophagoscopy, except surgical approach
619	Surgical approach
588	Esophagotomy
613	Evacuation, hemorrhoids
	Evisceration
532	Eyeball
673	Pelvic
	Examination
764	Eye
764	General physical
764	Gynecologic
764	Pelvic
761	Psychiatric
763	Exchange transfusion, except intrauterine
696	Intrauterine
	Excision – *see also Excision of lesion (and destruction of tissue)*
610	Anal fistula
727	Baker's cyst
705	Bone, except facial
699	Facial, except partial
698	Partial
556	Branchial cleft cyst
704	Bunion
517	Chalazion, eyelid
599	Colon
665	Fallopian tubes, bilateral, except endoscopic approach
664	Endoscopic approach
670	Fibroid, uterine
616	Gallbladder
508	Ganglion, except of tendon
727	Tendon (of hand)
612	Hemorrhoids

OPERATION INDEX (continued)

Group Number	Title
	Excision (continued)
	Hydrocele
679	Round ligament
656	Spermatic cord
651	Tunica vaginalis
717	Intervertebral disc or cartilage
719	Joint, except intervertebral disc and cartilage of knee
717	Intervertebral disc
718	Knee cartilage
631	Kidney, except partial
632	Partial
718	Knee cartilage (semilunar)
582	Lymph nodes, except radical
583	Radical
508	Neuroma, peripheral nerve
	Ovary
662	Bilateral
661	Unilateral
550	Parotid gland
746	Pilonidal cyst or sinus
515	Pituitary gland
649	Prostate, except transurethral approach
648	Transurethral approach
522	Pterygium
747	Sebaceous cyst, except of eyelid
517	Eyelid, eyebrow
718	Semilunar cartilage, knee
586	Spleen
514	Thyroglossal duct or tract
513	Thyroid
751	Toenail
552	Tongue
553	Tonsil, except with adenoids
554	With adenoids
556	Tonsil tag
	Tubes and ovaries
662	Bilateral
661	Unilateral
670	Uterine fibroid
577	Varicocele, except of spermatic cord
656	Spermatic cord

OPERATION INDEX (continued)

Group Number	Title
	Excision of lesion (and destruction of tissue)
626	Abdominal wall
611	Anus
617	Bile duct
638	Bladder, except transurethral approach
637	Transurethral approach
705	Bone, except facial
698	Facial
501	Brain
742	Breast
563	Bronchus
501	Cerebral meninges
668	Cervix, except by conization
667	Conization
597	Colon
520	Conjunctiva
522	Cornea
597	Duodenum
534	Ear, external
588	Esophagus
532	Eye
517	Eyelid
666	Fallopian tube
549	Gingiva, gums
597	Intestine
524	Iris
632	Kidney
597	Large intestine
558	Larynx
552	Lip
565	Lung
	Meninges
501	Cerebral
507	Spinal
727	Muscle
	Nerve
508	Peripheral
511	Sympathetic
543	Nose, except submucous resection
541	Submucous resection

OPERATION INDEX (continued)

Group Number	Title
	Excision of lesion (continued)
660	Ovary
550	Parotid gland
658	Penis
	Perineum
683	Female
747	Male
508	Peripheral nerve
607	Perirectal tissue
626	Peritoneum
606	Rectum
550	Salivary gland
524	Sclera
651	Scrotum
747	Skin, except radical and of pilonidal cyst or sinus
746	Pilonidal cyst or sinus
748	Radical
501	Skull
597	Small intestine
507	Spinal meninges
592	Stomach
727	Tendon
654	Testis
552	Tongue
559	Trachea
635	Ureter
640	Urethra
679	Uterine ligament
670	Uterus
682	Vagina
559	Vocal cord
683	Vulva
	Exenteration
532	Eyeball, orbit
673	Pelvic
	Exploration
627	Abdominal cavity
617	Bile duct
632	Kidney
627	Exploratory laparotomy
600	Exteriorization, intestine
579	Extracorporeal circulation

OPERATION INDEX (continued)

Group Number	Title
	Extraction
688	Breech, for delivery
547	Dental
686	Menstrual
547	Teeth
689	Vacuum, for delivery
751	Face lift
730	Fasciectomy, except of hand
728	Hand
726	Fasciotomy, except of hand
728	Hand
	Fistulectomy
610	Anal
638	Bladder
556	Branchial cleft
564	Bronchus
601	Intestine
542	Nasal
542	Nasolabial
546	Oroantral
609	Perirectal
556	Pharynx
640	Rectourethral
679	Rectouterine
681	Rectovaginal
638	Rectovesical
609	Rectum
562	Tracheoesophageal
523	Fistulization, sclera (for glaucoma)
741	Fitting, limb prosthesis
706	Fixation, internal, of bone, except with fracture-reduction
	With fracture-reduction — *see Fracture-reduction*
689	Forceps delivery, except low forceps
687	Low forceps
	Formation
581	Arteriovenous shunt for dialysis
634	Ileal conduit or bladder
	Fracture-reduction, except facial bone, femur, and nose
713	Closed, except with internal fixation
711	With internal fixation
713	Open, except with internal fixation
712	With internal fixation

OPERATION INDEX (continued)

Group Number	Title
	Fracture-reduction, except facial bone, femur, and nose (continued)
701	Facial bone, except closed reduction
700	Closed reduction
	Femur
710	Closed, except with internal fixation
708	With internal fixation
710	Open, except with internal fixation
709	With internal fixation
701	Mandible, except closed reduction
700	Closed reduction
701	Maxillofacial, except closed reduction
700	Closed reduction
544	Nose
552	Frenectomy (labial) (tongue)
557	Frenotomy (labial) (tongue)
721	Fusion, joint, except spinal
720	Spinal
508	Ganglionectomy, except of tendon
727	Tendon (of hand)
508	Gasserian ganglionectomy
593	Gastrectomy, except total
594	Total
589	Gastroscopy, except surgical approach
596	Surgical approach (transabdominal)
591	Gastrostomy
590	Gastrotomy
699	Genioplasty
758	G.I. series x-ray
549	Gingivectomy, gingivoplasty
523	Glaucoma operation
552	Glossectomy
	Graft
706	Bone, except facial and skull
702	Facial
503	Skull
749	Free, of skin
552	Lip
731	Muscle, except of hand
729	Hand
750	Pedicle, of skin

OPERATION INDEX (continued)

Group Number	Title
	Graft (continued)
	Skin
749	Free
750	Pedicle
731	Tendon, except of hand
729	Hand
573	Heart catheterization
579	Heart-lung bypass
599	Hemicolectomy
580	Hemodialysis
612	Hemorrhoidectomy
615	Hepatectomy
	Herniorrhaphy
625	Diaphragmatic
624	Epigastric
622	Femoral
624	Incisional
	Inguinal
621	Bilateral
620	Unilateral
623	Umbilical
624	Ventral
723	Hip replacement, except total
722	Total
576	His bundle study
515	Hypophysectomy
671	Hysterectomy, except radical and vaginal
673	Radical
672	Vaginal
678	Hysteropexy
679	Hysteroscopy
670	Hysterotomy, except for termination of pregnancy
693	Termination of pregnancy
602	Ileostomy, except loop
600	Loop
634	Ileoureterostomy
	Implant, implantation
745	Breast
740	Limb prosthesis

OPERATION INDEX (continued)

Group Number	Title
	Incision (and drainage)
626	Abdominal wall
610	Anal fistula
605	Appendix
683	Bartholin's gland or abscess
703	Bone, except facial
702	Facial
501	Brain
745	Breast
501	Cerebral meninges
569	Chest (wall)
522	Cornea
502	Cranial sinus
534	Ear, external
518	Eyelid
552	Floor of mouth
617	Gallbladder
549	Gingiva, gums
600	Intestine
716	Joint
519	Lacrimal gland or sac
614	Liver
582	Lymph nodes
539	Mastoid
	Meninges
501	Cerebral
506	Spinal
537	Middle ear
726	Muscle
	Nasal sinus – *see Sinusotomy*
726	Palmar space (hand)
618	Pancreas
613	Perianal tissue
	Perineum
683	Female
748	Male
607	Perirectal tissue
627	Peritoneum, except via cul-de-sac
682	Via cul-de-sac
746	Pilonidal cyst or sinus
569	Pleura
607	Rectovaginal septum
607	Rectum

OPERATION INDEX (continued)

Group Number	Title
	Incision (and drainage) (continued)
626	Retroperitoneal abscess
651	Scrotum
	Sinus (nasal) – *see Sinusotomy*
748	Skin, except pilonidal cyst or sinus
746	Pilonidal cyst or sinus
506	Spinal meninges
726	Tendon
569	Thorax
633	Ureter
682	Vagina
683	Vulva
690	Induction of labor (medical or surgical) for delivery
	Injection
694	Intra-amniotic, for termination of pregnancy
763	Therapeutic agent (drugs)
745	Breast
741	Bursa
741	Joint
741	Tendon
686	Insemination, artificial
	Insertion
574	Cardiac pacemaker
686	Intrauterine contraceptive device
679	Laminaria, uterus
666	Insufflation, fallopian tubes
694	Intra-amniotic injection for termination of pregnancy
758	Intravenous pyelogram (IVP)
764	Intubation, nonoperative
764	Irrigation, nonoperative
758	IVP (intravenous pyelogram)
	Laceration repair (suture) – *see Repair, by site*
506	Laminectomy, except for excision of intervertebral disc
717	Excision of intervertebral disc
628	Laparoscopy, except for tubal ligation
664	Tubal ligation
627	Laparotomy, exploratory
560	Laryngectomy, except partial
559	Partial
576	Laryngoscopy

OPERATION INDEX (continued)

Group Number	Title
562	Laryngotomy, except permanent
561	Permanent
706	Lengthening of bone
526	Lens extraction, except intracapsular
525	Intracapsular
	Ligation
665	Fallopian tubes (bilateral), except endoscopic approach
664	Endoscopic approach
612	Hemorrhoids
577	Varicose veins
655	Vas deferens
577	Ligation and stripping, varicose veins
	Lobectomy
501	Brain
615	Liver
566	Lung, except partial
565	Partial
687	Low forceps delivery
512	Lumbar puncture
	Lysis, adhesions
630	Abdominal
741	Hand
524	Iris
716	Joint
731	Muscle, except of hand
741	Hand
630	Pelvis
630	Peritoneum
731	Tendon, except of hand
741	Hand
745	Mammary augmentation
745	Mammectomy
758	Mammography
745	Mammoplasty, reduction
699	Mandibulectomy, except partial
698	Partial
699	Mandibulotomy
	Mastectomy
743	Complete
743	Simple, except extended
744	Extended

OPERATION INDEX (continued)

Group Number	Title
	Mastectomy (continued)
742	Subtotal
744	Radical
743	Partial
538	Mastoidectomy, except revision
539	Revision
745	Mastotomy
	Meatotomy
635	Ureteral
639	Urethral
690	Medical induction of labor
718	Meniscectomy, knee
686	Menstrual extraction or regulation
699	Mentoplasty
764	Monitoring, circulatory (CVP) (PCW)
754	Myelography
670	Myomectomy, uterus
537	Myringotomy
631	Nephrectomy (complete)
632	Nephropexy
682	Obliteration, vagina or vaginal vault
751	Onychectomy
751	Onychoplasty
	Oophorectomy
662	Bilateral
661	Unilateral
533	Ophthalmoscopy
652	Orchiectomy
653	Orchiopexy
654	Orchioplasty, except suspension
653	Suspension
705	Ostectomy, except facial bone
699	Facial bone, except partial
698	Partial
706	Osteoplasty, except facial bone
699	Facial bone
703	Osteotomy, except facial bone
699	Facial bone
540	Otoscopy

OPERATION INDEX (continued)

Group Number	Title
551	Palatoplasty
618	Pancreatectomy
618	Pancreatotomy
	Paracentesis
626	Abdominal
524	Anterior chamber (eye)
576	Thoracic
514	Parathyroidectomy
550	Parotidectomy
673	Pelvic exenteration
575	Pericardiocentesis
629	Peritoneal dialysis
628	Peritoneoscopy
557	Pharyngoscopy
556	Pharyngotomy
757	Phlebography
540	Piercing, ear
576	Pleurocentesis
	Plication
644	Urethral, urethrovesical
581	Vena cava
753	Pneumoencephalography
566	Pneumonectomy
659	Preputiotomy
608	Proctectomy
609	Proctopexy
619	Proctosigmoidoscopy, except surgical approach
609	Surgical approach (transabdominal)
607	Proctotomy
649	Prostatectomy, except transurethral approach
648	Transurethral approach
761	Psychiatric testing and evaluation
761	Psychotherapy
	Puncture
501	Cranial
512	Lumbar
501	Skull, for drainage
512	Spinal
758	Pyelogram (intravenous) (retrograde)
636	Pyeloscopy
632	Pyelotomy
590	Pyloromyotomy
596	Pyloroplasty

OPERATION INDEX (continued)

Group Number	Title
759	Radiation therapy
	Radiography
757	Arteries, except cerebral and coronary
755	Cerebral
756	Coronary
758	Breast
755	Cerebral
755	Arteries
753	Ventricles
758	Chest
758	Gallbladder
758	Kidney
758	Skeletal
758	Spine, except myelogram
754	Myelogram
757	Veins
	Reattachment
738	Extremity
528	Retina
731	Tendon, except of hand
729	Hand
530	Recession, ocular muscle
	Reconstruction
535	Ear ossicles
699	Mandible
729	Thumb
680	Rectocele repair
	Reduction
	Dislocation, except temporomandibular
714	Closed
715	Open
702	Temporomandibular (joint)
	Fracture, except facial bone, femur, and nose
713	Closed, except with internal fixation
711	With internal fixation
713	Open, except with internal fixation
712	With internal fixation
701	Facial bone, except closed reduction
700	Closed reduction

OPERATION INDEX (continued)

Group Number	Title
	Reduction (continued)
	Femur
710	Closed, except with internal fixation
708	With internal fixation
710	Open, except with internal fixation
709	With internal fixation
701	Mandible, except closed reduction
700	Closed reduction
701	Maxillofacial, except closed reduction
700	Closed reduction
544	Nose
619	Hemorrhoids
	Hernia – *see also Herniorrhaphy*
764	Manual
601	Intestinal torsion
601	Intussusception, intestine
745	Mammoplasty
601	Volvulus, intestine
	Release
	Adhesions – *see Lysis, adhesions*
728	Dupuytren's contracture
749	Scar contracture, skin
642	Urethral stricture
	Removal
	Calculus
617	Biliary tract
638	Bladder
632	Kidney, except transurethral approach
635	Transurethral approach
519	Lacrimal tract (by incision)
533	Without incision
633	Ureter, except transurethral approach
635	Transurethral approach
764	Catheter, nonoperatively
764	Cholecystotomy tube
693	Ectopic fetus
707	Fixation device, internal
	Foreign body
762	Bronchus, except with incision
563	With incision
532	Eye, except as below
524	Anterior chamber
520	Conjunctiva

OPERATION INDEX (continued)

Group Number	Title
	Removal (continued)
524	Iris
527	Lens
	Prosthesis
745	Breast
716	Joint
697	Retained placenta, manually
764	Sutures
764	T-tube, gallbladder
764	Therapeutic device, nonoperatively
529	Vitreous
580	Renal dialysis
	Repair
630	Abdominal wall
613	Anal fistula, except by excision
610	Excision
581	Aneurysm (arteriovenous)
638	Bladder, except obstetric laceration
697	Obstetric laceration
518	Blepharoptosis
581	Blood vessel
706	Bone, except facial
699	Facial
745	Breast
564	Bronchial fistula
704	Bunion
571	Cardiac septal defect
669	Cervix, except obstetric laceration
697	Obstetric laceration
570	Chest wall
551	Cleft palate
520	Conjunctiva
522	Cornea, except transplant
521	Transplant
680	Cystocele, vagina
730	Diastasis recti
534	Ear, external
518	Ectropion or entropion, eyelid
697	Episiotomy
518	Eyelid
	Fistula — *see Fistulectomy*
704	Hallux valgus
729	Hand

OPERATION INDEX (continued)

Group Number **Title**

- Repair (continued)
  - Hernia – *see Herniorrhaphy*
  - 723 Hip, except total replacement
    - 722 Total replacement
  - Hydrocephalus, by ventricular shunt
    - 504 Extracranial
    - 505 Intracranial (ventriculostomy)
  - 601 Intestine
  - 725 Joint, except hip and knee
    - 723 Hip, except total replacement
      - 722 Total replacement
    - 724 Knee
  - 724 Knee (joint)
  - Laceration – *see also Repair, by site*
    - 697 Obstetric
  - 562 Larynx
  - 552 Lip
  - 615 Liver
  - 568 Lung
  - 731 Muscle, except extraocular and of hand
    - 531 Extraocular
    - 729 Hand
  - 556 Nasopharyngeal atresia
  - 542 Nose
  - 663 Ovary
  - 551 Palate
  - 658 Penis
  - 685 Perineum, female, except obstetric laceration
    - 697 Obstetric laceration
  - 509 Peripheral nerve
  - 596 Pylorus, stomach
  - 680 Rectocele, vagina
  - 609 Rectum
  - 528 Retinal detachment or tear
  - 730 Rotator-cuff (shoulder)
  - 503 Skull
  - 507 Spina bifida
  - 507 Spinal meningocele
  - 596 Stomach
  - 644 Stress incontinence, except urethral suspension
    - 643 Urethral suspension
  - 731 Tendon, except of hand
    - 729 Hand

OPERATION INDEX (continued)

Group Number	Title
	Repair (continued)
654	Testis
562	Trachea
635	Ureter
640	Urethra
679	Uterus, except obstetric laceration and supporting structures
697	Obstetric laceration
678	Supporting structures
681	Vagina, except for cystocele and rectocele, and obstetric laceration
680	Cystocele and rectocele
697	Obstetric laceration
552	Vestibular arch (mouth)
685	Vulva, except obstetric laceration
697	Obstetric laceration
	Replacement
574	Cardiac pacemaker
571	Heart valve
725	Joint, except hip and knee
723	Hip, except total replacement
722	Total replacement
724	Knee
647	Urinary catheter
	Resection
638	Bladder
581	Blood vessel
564	Bronchus
599	Large intestine
730	Muscle, except of hand
728	Hand
541	Nasal septum, submucous
530	Ocular muscle
660	Ovary
608	Rectum (abdominoperineal) (pull-through)
549	Root of tooth
598	Small intestine
730	Tendon, except of hand
728	Hand
548	Restoration, tooth
758	Retrograde pyelogram
	Revision
739	Amputation stump
581	Arteriovenous shunt for dialysis
596	Gastric anastomosis

OPERATION INDEX (continued)

Group Number	Title
	Revision (continued)
601	Intestinal anastomosis
539	Mastoidectomy
562	Tracheostomy
539	Tympanoplasty
505	Ventricular shunt
542	Rhinoplasty
751	Rhytidectomy, facial
549	Root canal therapy
549	Root resection (tooth)
690	Rupture of membranes for delivery
	Salpingectomy
665	Bilateral
666	Unilateral
	Salpingo-oophorectomy
662	Bilateral
661	Unilateral
730	Scalenectomy
726	Scalenotomy
	Scan
758	C.A.T. (computerized axial tomography)
758	Radioisotope
528	Scleral buckling, for retinal detachment
706	Shortening, bone
	Shunt — *see also Bypass*
504	Cerebral ventricles, except intracranial and revision
505	Intracranial
505	Revision
578	Peripheral vessels
630	Peritoneovenous
578	Systemic vessels
550	Sialoadenectomy
599	Sigmoidectomy
546	Sinusectomy, nasal
546	Sinusotomy, except radical maxillary
545	Radical maxillary
751	Size-reduction, skin tissue except breast
745	Breast
	Sphincterotomy
617	Ampullary (of Vater) (pancreas)
613	Anus

OPERATION INDEX (continued)

Group Number	Title
	Sphincterotomy (continued)
638	Bladder neck
	Spinal
720	Fusion
512	Tap or puncture
586	Splenectomy
721	Stabilization of joint, except foot and knee
725	Foot
724	Knee
535	Stapedectomy
535	Stapes mobilization
644	Stress incontinence repair, except by urethral suspension
643	Urethral suspension
	Stress test
764	Cardiac
764	Fetal
764	Uterine
541	Submucous nasal resection
690	Surgical induction of labor for delivery
	Suspension
643	Urethra, except with bladder neck
644	With bladder neck
644	Urethrovesical
	Suture – *see also Repair, by site*
730	Muscle, except of hand
729	Hand
748	Skin
730	Tendon, except of hand
729	Hand
510	Sympathectomy
719	Synovectomy
554	T and A
	Takedown – *see Closure*
730	Tenosynovectomy, except of hand
728	Hand
726	Tenotomy, except of hand
728	Hand
	Termination of pregnancy
676	Aspiration curettage
674	Dilation and curettage

OPERATION INDEX (continued)

Group Number	Title
	Termination of pregnancy (continued)
691	Hysterotomy
694	Intra-amniotic injection
	Therapy
761	Behavior
763	Cancer (chemical)
761	Electroconvulsive (ECT)
760	Occupational
760	Physical
761	Psychiatric
759	Radiation
760	Rehabilitation
761	Shock (EST)
760	Speech
758	Thermography
576	Thoracentesis
570	Thoracoscopy, transpleural
569	Thoracotomy
515	Thymectomy
513	Thyroidectomy
552	Tongue-tie operation
553	Tonsillectomy, except with adenoidectomy
554	With adenoidectomy
548	Tooth restoration
562	Tracheostomy, except permanent
561	Permanent
760	Traction, skeletal, except with fracture-reduction
	With fracture-reduction – *see Reduction, fracture*
	Transfer – *see Transplant*
	Transfusion
763	Blood
763	Exchange, except intrauterine
696	Intrauterine
585	Bone marrow
763	Coagulation factor
763	Gamma globulin
763	Plasma
	Transplant, transplantation
585	Bone marrow
521	Corneal
571	Heart
632	Kidney

OPERATION INDEX (continued)

Group Number	Title
	Transplant, transplantation (continued)
731	Muscle, except of hand
729	Hand
731	Tendon, except of hand
729	Hand
648	TUR of prostate
543	Turbinectomy, nasal
536	Tympanoplasty, except revision
539	Revision
537	Tympanotomy
758	Ultrasound, diagnostic
635	Ureterectomy
634	Ureterostomy
633	Ureterotomy
636	Urethroscopy
642	Urethrotomy
634	Urinary diversion
764	Uroflowmetry, uroflometry
763	Vaccination
689	Vacuum extraction for delivery
686	Vaginoscopy
595	Vagotomy
577	Varicose vein operation
655	Vasectomy
656	Vasoplasty
655	Vasotomy
656	Vasovasostomy
757	Venography
504	Ventricular shunt, except revision
505	Revision
753	Ventriculography
684	Vulvectomy
	X-ray — *see Radiography*
751	Z-plasty, skin

R3850-1.11 U
11/86

LOS

LENGTH OF STAY

CPHA PUBLICATIONS

Length of Stay by Diagnosis, Canada, 1985

Commission on Professional and Hospital Activities
Ann Arbor, Michigan
October, 1986

LENGTH OF STAY

Copyright 1986 by Commission on Professional and Hospital Activities (CPHA), Ann Arbor, Michigan. All rights reserved. Printed in the United States of America. This book, or parts thereof, may not be reproduced in any form without permission of the publisher.

Library of Congress Catalog Card Number: 73-173193

This volume is one of the books in a series entitled
Length of Stay . . .

. . . by Diagnosis, United States, 1985
. . . by Diagnosis, United States, North Central Region, 1985
. . . by Diagnosis, United States, Northeastern Region, 1985
. . . by Diagnosis, United States, Southern Region, 1985
. . . by Diagnosis, United States, Western Region, 1985
. . . by Diagnosis, Canada, 1985

. . . by Operation, United States, 1985
. . . by Operation, United States, North Central Region, 1985
. . . by Operation, United States, Northeastern Region, 1985
. . . by Operation, United States, Southern Region, 1985
. . . by Operation, United States, Western Region, 1985
. . . by Operation, Canada, 1985

Geriatric Length of Stay, by Diagnosis and Operation, United States, 1985
Pediatric Length of Stay, by Diagnosis and Operation, United States, 1985

The length of stay series began in 1963, and certain volumes are still available from the Commission on Professional and Hospital Activities.

PREFACE

This book is one volume of a set of 14 books presenting statistics on hospital stay during 1985 in North America. The complete set is the latest in a series of publications on length of stay in hospitals that participate in the Professional Activity Study (PAS) of the Commission on Professional and Hospital Activities. Several organizations have contributed data to CPHA from other abstracting services. Some of those data were included in the 1985 series.

These statistics, which are also available on computer-readable magnetic tape, can provide a valuable perspective for physicians, administrators, utilization review authorities, and planners who make decisions based on length of hospitalization. They can also serve as an aid in establishing check points for "continued stay review" and in the implementation or revision of utilization review systems.

We extend our appreciation to the hospitals and state organizations that supported this study by making their data available.

PROJECT STAFF
1985 LENGTH OF STAY BOOKS

Peg Eby, Research Assistant, Research Services
Carol A. Prevost, Research Associate
Jeanine DeLay, Assistant Director
Edward J. Kobrinski, Director

CONTENTS

Preface iii
Discussion of the Data 1
  Source of the Data. 1
  Data Quality. 2
  Coverage 3
  Organization of Length of Stay Tables. 5
    Definition of Multiple Diagnosis Patients 5
    Definition of Operated Patients 5
  Explanation of Statistics. 6
  Defining the Extended Stay Case 7
Length of Stay Tables 17
  Summary of All Patients. 18
  Summary of All Patients Except Newborn 19
  Diagnosis Groups 1-398 20
Appendix: *ICD-9-CM* Codes for Selected Diagnosis Groups 219
Index to Length of Stay Tables 223

DISCUSSION OF THE DATA

Source of the Data

Data in the length of stay books were compiled from individual patient separation records submitted by hospitals participating in the Professional Activity Study (PAS) of the Commission on Professional and Hospital Activities (CPHA). In addition, some books contain separation data from hospitals participating in information systems other than PAS.

CPHA is an organization dedicated to the improvement of hospital and medical care through research, education, publishing, and systems development. Established in 1955 under grants from the W.K. Kellogg Foundation, CPHA is nonprofit, nongovernmental, noncommercial. CPHA is sponsored by the American College of Physicians, the American College of Surgeons, the American Hospital Association, and the Southwestern Michigan Hospital Council.

The following steps explain the PAS method of storing and retrieving medical data:

1. In each participating hospital, personnel transfer data from the medical record of each separated patient into the PAS System via PAS+ microcomputer, PAS Case Abstract, or magnetic tape.
2. The disk, abstract, or tape is mailed to the center of PAS operations in Ann Arbor, Michigan, where it is entered into the computer system.
3. Data then undergo a comprehensive editing process and errors are corrected by CPHA and contributing hospitals.
4. The computer system continually adds data to the permanent history file. Participating hospitals are provided access to these data through interactive systems, reports, and in-house computers. The stored data are also available to researchers on a contractual basis.
5. Length of stay statistics from this file are published annually in this series of books.

Data Quality

Data quality has always been and remains one of CPHA's major concerns. Although the hospital has basic responsibility for the quality of PAS data, CPHA shares that responsibility in its function as an extension of the hospital's medical information network. CPHA's position of leadership in health information processing systems and data usage necessitates a constant striving for data accuracy.

CPHA goes to considerable length to prevent and correct errors in data submission by training hospital medical record personnel in coding and abstracting methods, by monitoring submitted data, and by meticulously checking and editing the data for errors. Over 350 checks are performed during the processing of each record to ensure the reasonableness of the data received. Examples of discrepancies in the data that are detected by the audit are: hospital day of operative episode exceeding total stay, cesarean section with a normal delivery diagnosis, a sex-specific diagnosis or operation with the wrong sex recorded, incalculable age or stay, unrecorded or invalid diagnosis. When illogical, invalid, or missing data are detected, about 40 percent of the errors are corrected by the computer. The remainder are referred to the hospital staff through error messages generated by the computer.

In addition to the initial data editing, the computer system that produces the length of stay tables does numerous edits to eliminate uncorrected or unusual data. The following events noted on a record cause that record to be excluded:

1. death
2. stillborn
3. admitted from other short-term hospital
4. separated to other short-term hospital
5. separated against medical advice
6. length of stay greater than 99 days (included only in the percentile calculations)

These patient records were excluded because they do not represent typical short-term patients. Data that pass all the edits represent patients whose length of stay was solely determined and managed by the physician.

Coverage

The data chosen for inclusion in this book are from general, nonfederal, short-term hospitals in Canada. Short-term hospitals are defined as those in which the median stay is shorter than 45 days. Hospitals participating in PAS from the United States, United States Territories, and Puerto Rico were excluded from this book. Data from psychiatric hospitals were excluded because the psychiatric hospitals are not general hospitals. Data from psychiatric units within general hospitals were included.

Characteristics of all the hospitals with data included in the Canada length of stay books are displayed on the following page.

Bed Size and Province: Included Hospitals Compared with All Short-Term Nonfederal Hospitals[1] in Canada January-December 1985

Hospital Class (1)	Short-Term Nonfederal Hospitals: Canada Total[2] (2)	Number in Books (3)	Percent in Books (4)	Short-Term Nonfederal Hospital Beds: Canada Total[2] (5)	Number in Books (6)	Percent in Books (7)
Bed Size						
Less than 25 beds	242	23	9.5	3,434	393	11.4
25-49	194	65	33.5	6,680	2,204	33.0
50-99	174	39	22.4	12,300	2,584	21.0
100-199	120	19	15.8	16,507	2,494	15.1
200-299	74	7	9.5	17,869	1,627	9.1
300-399	58	5	8.6	20,119	1,723	8.6
400-499	20	3	15.0	8,981	1,435	16.0
500+	37	7	18.9	25,481	5,018	20.0
Total	919	168	18.3	111,371	17,478	15.7
Province or Territory						
Alberta	125	111	88.8	11,653	9,926	85.2
British Columbia	111	17	15.3	12,355	2,268	18.4
Manitoba	78	–	–	5,150	–	–
New Brunswick	33	32	97.0	3,924	3,584	91.3
Newfoundland	35	1	2.9	2,588	37	1.4
Nova Scotia	48	5	10.4	4,833	1,562	32.3
Ontario	207	–	–	37,688	–	–
Prince Edward Island	9	–	–	644	–	–
Quebec	138	–	–	26,125	–	–
Saskatchewan	132	–	–	6,260	–	–
Northwest Territories	3	2	66.7	151	101	66.9
Yukon	–	–	–	–	–	–
Total	919	168	18.3	111,371	17,478	15.7

---

[1] Hospitals with average stay less than 45 days, excluding psychiatric hospitals.

[2] *Canadian Hospital Directory*, 1980, Canadian Hospital Association, Ottawa, 1980.

Organization of Length of Stay Tables

The length of stay tables are organized according to CPHA's cross classification, a patient classification system called *ICD-9-CM List A: Hospital Diagnosis Groups.*[1] Within each diagnosis group, patients are further stratified by single or multiple diagnoses, operation status, and age. For diagnosis groups 393-395, which pertain exclusively to newborn, age is replaced by birthweight in grams as a means of stratifying patients.

Patient data were assigned *ICD-9-CM List A* groups on the basis of the principal diagnosis. This is the diagnosis that after study explains why the patient was admitted to the hospital. Diagnosis information for all patient data included in this book was coded using *ICD-9-CM.*

Definition of Multiple Diagnosis Patients

Patients are classified in the multiple diagnosis category if they had at least one valid secondary diagnosis in addition to the principal. The following codes are not considered valid secondary diagnoses for purposes of this classification:

1) Manifestation codes (conditions that evolved from underlying diseases [etiology] and are in italics in *ICD-9-CM Volume 1*[2])
2) Codes V27.0-V27.9 (outcome of delivery)
3) E codes (external causes of injury and poisoning)

---

[1] *ICD-9-CM List A: Hospital Diagnosis Groups* is based on the *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM),* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[2] *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM), Volume 1, Diseases: Tabular List,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

Definition of Operated Patients

Operated patients are those who had at least one procedure that had an operative or anesthetic risk, required highly trained personnel, or required special facilities or equipment. For a complete list of these procedures refer to the Class 1 procedure section of *UHDDS Classes of Procedures, ICD-9-CM,*[1] Commission on Professional and Hospital Activities, Ann Arbor, Michigan 1978. Patients with only Class 2-4 procedures are considered nonoperated.

Explanation of Statistics

The *List A* diagnosis group titles heading the tables are followed in parentheses by the *ICD-9-CM* diagnosis codes included in that *List A* group.

Length of stay was calculated by the computer from admission and separation dates by counting the day of admission but not the day of separation. Patients who left the hospital on the day of admission were counted as staying one day in the calculation of average stay and variance but as staying less than one day in the calculation of the percentiles. Thus, if more than 5 percent of the patients in a cell (one line of data within a table) left the hospital on the day of admission, the 5th percentile is shown as "<1."

Patients who were hospitalized 100 days or longer are not included in Number of Patients, Average Stay, or Variance. The percentiles shown in columns 5 through 11, however, do include these patients.

The variance displayed is an unbiased estimate of the mean squared deviation from the average. For each cell it is calculated as $\sum_{i=1}^{N} (X_i - \bar{X})^2/(N - 1)$, where the X_i's are the length of stay for each patient, $\bar{X}$ is the average stay in the cell, and N is the number of patients in the cell.

The 5th, 10th, 50th, 75th, 90th, 95th, and 99th percentiles of stay are displayed in days. If, for example, the 10th percentile for a group of patients is four, it means that 10 percent of the patients stayed four days or less. The 50th percentile is the median. Any percentile with a value of 100 days or more is listed as 99+.

Determining a stay percentile for a group of patients is done by arranging the individual patient stays from low to high. Counting up from the lowest stay to the point where half of the patients have been counted yields the value of the 50th percentile. Counting off one-tenth of the total patients gives the 10th percentile, and so on.

[1] Additional information regarding classes of procedures can be obtained in *UHDDS Classes of Procedures, ICD-9-CM,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

Defining the Extended Stay Case

Although utilization review in Canadian hospitals has not had the regulatory impetus of programs in the United States, Canadian hospitals have equal reason to be concerned about the wise use of resources. The instructions that follow are those found in the length of stay books for the United States. The techniques employed can be used by any Canadian hospital conducting a review of those cases whose stay exceeds the norms for matching cases listed in ***Length of Stay by Diagnosis, Canada, 1985*** or ***Length of Stay by Operation, Canada, 1985***

Concurrent review of a continuous hospital stay that equals or exceeds the period defined in the hospital's utilization review plan or memorandum of understanding with the utilization review authority is called extended stay review. This review, whether applied universally to all patients within the facility or focused on known or suspected problem areas, is designed to answer the following question: Is further hospitalization medically necessary?

Ideally, this question is posed at that point in the patient's hospitalization which is neither so early as to be annoyingly pointless nor so late that opportunity for cost containment has passed. The median (50th percentile) stay for similar patients, as reflected in current length of stay tables, represents an effort to arrive at a sensible compromise as to the "correct day" on which to initiate the review process.

To satisfy the requirements for extended stay review, a method of defining an extended stay must begin with a definition of factors that affect stay. Presented here is a technique for determining extended stay review dates according to the admitting diagnosis, whether the patient had single or multiple diagnoses, whether the patient had an operation, and the patient's age. In some instances it is appropriate to determine the date for extended stay review by referring to an operation table rather than the one based on the diagnosis.

An extended stay review date can be projected for each patient at the time of admission to the hospital by using one of the length of stay books published by CPHA. With the appropriate book, the six steps to determine a review date are as follows:

Step 1. Find the length of stay diagnosis group (derived from the *ICD-9-CM List A: Hospital Diagnosis Groups*[1]) that contains the admission diagnosis in one of the following ways:

a. Usually the diagnosis can be found in *Concurrent Review Screening,*[2] developed for admission certification and extended stay review purposes, in which diagnoses are listed alphabetically. The length of stay group for each diagnosis is given in column 4.

b. Diagnoses can also be found in the Alphabetic Index at the back of the length of stay books.

c. If a diagnosis is not listed in the index to the length of stay tables, the code for the diagnosis can be found in Volume 2 of *ICD-9-CM.*[3] That code can then be located in *List A* or in the heading of the length of stay table.

d. If a diagnosis is not clearly specified and therefore might fall into one of several diagnosis groups, the attending physician should be consulted.

Step 2. Find the appropriate table in the length of stay book. The group number precedes the title of each table.

Step 3. Find the appropriate part of the table for single or multiple diagnoses.

Step 4. If surgery is planned, find the applicable section for operated patients. For some diagnoses two or more operations with widely different lengths of stay could be performed, e.g., primary malignancy of trachea, bronchus, and lung, where the planned operation may be either bronchoscopy or a major lung resection. The second edition of *Concurrent Review Screening* directs the UR coordinator to the appropriate operation length of stay table.

Step 5. Determine the patient's age on day of admission and locate the correct age group to find the appropriate cell.

[1] *ICD-9-CM List A: Hospital Diagnosis Groups,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[2] *Concurrent Review Screening – Criteria for Hospital Admission and Assignment of Length of Stay,* Second Edition, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[3] *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM), Volume 2, Diseases: Alphabetic Index,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

Step 6. Find the 50th percentile of stay for similar patients at the point where the 50th percentile column (column 7) of the table intersects the horizontal line that includes the pertinent variables for the patient having an extended stay review date assigned.

Example: On 3 November a 47-year-old patient is admitted to a hospital for elective surgery. The admitting diagnosis is cholelithiasis and no secondary diagnoses are recorded. The following illustrations show the six steps for finding the date on which the patient becomes an extended stay case and must be reviewed.

Step 1. The length of stay group can be found in any of the following ways:

a. Cholelithiasis is listed as a diagnosis in *Concurrent Review Screening.* The length of stay table is number 215.

1 ADMITTING DIAGNOSIS	2 Suggested Admission Category	3 Your Hospital's Admission Category	4 Length of Stay Group
Cervix, cervical			
chronic erosion and ulceration	2		252
stricture of os	2		252
Chest pain	3		335
Criteria for admission			
1. Suspicion of life threatening disease, e.g.			
a. acute myocardial infarction			
b. dissecting aortic aneurysm			
c. acute pericarditis			
2. Respiratory distress--cyanosis, severe dyspnea (> 30 resp/min)			
3.			
4.			
Choking sensation	4		340
Cholangitis, acute			
with calculus	1		217
without mention of calculus	1		218
Cholecystitis			
acute			
with calculus	1		215
without mention of calculus	1		216
chronic or unspecified			
with calculus	2		215
without mention of calculus	2		216
Choledocholithiasis	2		217
Cholelithiasis	**2**		**215**
Cholesteatoma, ear	2		134

b. The Alphabetic Index at the back of the length of stay book shows that cholelithiasis is included in diagnosis group 215.

DIAGNOSIS INDEX (continued)

Group Number	Title
390	Cardiac arrest, postoperative
109	Cardiac neurosis
189	Cardiospasm
119	Carpal tunnel syndrome
125	Cataract, except senile and diabetic
73	Cataract, diabetic
124	Cataract, senile
221	Celiac disease
292	Cellulitis, digit
291	Cellulitis, skin and subcutaneous tissue, except digit
117	Central nervous system disease, except epilepsy, inflammatory, multiple sclerosis, and paralysis agitans
154	Cerebral hemorrhage, except subarachnoid, without paralysis
155	Cerebral hemorrhage, except subarachnoid, with paralysis
161	Cerebrovascular accident, without paralysis
162	Cerebrovascular accident, with paralysis
268	Cervical incompetence
280	Cervical incompetence, with delivery
246	Cervical infection
246	Cervicitis
340	Chemical diabetes mellitus
385	Chemical poisoning
398	Chemotherapy session or treatment
8	Chickenpox
97	Childhood psychoses
218	Cholangitis
216	Cholecystitis, without cholelithiasis
215	Cholecystitis, with cholelithiasis
217	Choledocholithiasis
215	**Cholelithiasis**
36	Choriocarcinoma
128	Chorioretinitis
104	Chronic alcoholism
181	Chronic bronchitis
241	Chronic cystic disease of breast
48	Chronic leukemia, except lymphocytic or lymphoid
47	Chronic leukemia, lymphocytic or lymphoid
88	Chronic lymphadenitis, except mesenteric
213	Cirrhosis, except Laennec's
212	Cirrhosis, alcoholic
213	Cirrhosis, biliary
212	Cirrhosis, Laennec's
321	Cleft palate and lip

c. Cholelithiasis can be found in Volume 2 of *ICD-9-CM* on page 124.



Cholangitis **INDEX TO DISEASES**

- **Cholangitis** (acute) (ascending) (catarrhal) (chronic) (infective) (malignant) (primary) (recurrent) (sclerosing) (secondary) (stenosing) (suppurative) 576.1
  - chronic nonsuppurative destructive 571.6
  - nonsuppurative destructive (chronic) 571.6
- **Cholecystdocholithiasis** — *see* Choledocholithiasis
- **Cholecystitis** (chronic) 575.1

> *Note — Use the following fifth-digit subclassification with category 574:*
>
> *0 without mention of obstruction*
>
> *1 with obstruction*

- with
  - calculus, stones in
    - bile duct (common) (hepatic) 574.4
    - gallbladder 574.1
  - choledocholithiasis 574.4
  - cholelithiasis 574.1
- acute 575.0
  - with
    - calculus, stones in
      - bile duct (common) (hepatic) 574.3
      - gallbladder 574.0
    - choledocholithiasis 574.3
    - cholelithiasis 574.0
- emphysematous (acute) *(see also* Cholecystitis, acute) 575.0
- gangrenous *(see also* Cholecystitis, acute) 575.0
- paratyphoidal, current *(see also* Fever, paratyphoid) 002.9
- suppurative *(see also* cholecystitis, acute) 575.0
- typhoidal 002.0
- **Choledochitis** (suppurative) 576.1
- **Choledocholith** — *see* Choledocholithiasis
- **Choledocholithiasis** 574.5

> *Note — Use the following fifth-digit subclassification with category 574:*
>
> *0 without mention of obstruction*
>
> *1 with obstruction*

- with cholecystitis (chronic) 574.4
  - acute 574.3
- **Cholelithiasis** (impacted) (multiple) 574.2

> *Note — Use the following fifth-digit subclassification with category 574:*
>
> *0 without mention of obstruction*
>
> *1 with obstruction*

- with cholecystitis (chronic) 574.1
  - acute 574.0
- **Cholemia** *(see also* Jaundice) 782.4
  - familial 277.4
  - Gilbert's (familial nonhemolytic) 277.4
- **Cholemic gallstone** — *see* Cholelithiasis
- **Choleperitoneum, choleperitonitis** *(see also* Disease, gallbladder) 567.8
- **Cholera** (algid) (Asiatic) (asphyctic) (epidemic) (gravis) (Indian) (malignant) (morbus) (pestilential) (spasmodic) 001.9
  - antimonial 985.4
  - carrier (suspected) of V02.0
  - classical 001.0
  - contact V01.0
  - due to
    - Vibrio
      - cholerae (Inaba, Ogawa, Hikojima serotypes) 001.0
        - El Tor 001.1
  - El Tor 001.1
  - exposure to V01.0
  - vaccination, prophylactic (against) V03.0
- **Cholerine** *(see also* Cholera) 001.9
- **Cholestasis** *(see also* Disease, gallbladder) 575.8
- **Cholesteatoma** (ear) 385.30
  - attic (primary) 385.31
  - diffuse 385.35
  - external ear (canal) 380.21
  - marginal (middle ear) 385.32
    - with involvement of mastoid cavity 385.33
    - secondary (with middle ear involvement) 385.33
  - mastoid cavity 385.30
  - middle ear 385.30
    - secondary 385.32
      - with involvement of mastoid cavity 385.33
  - postmastoidectomy cavity (recurrent) 383.32
  - primary 385.31
  - recurrent, postmastoidectomy cavity 383.32
  - secondary (middle ear) 385.32
    - with involvement of mastoid cavity 385.33
- **Cholesteatosis** (middle ear) *(see also* Cholesteatoma) 385.30
  - diffuse 385.35

215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	231	3.8	5	1	1	3	5	7	8	11
20-34	1724	3.4	5	1	1	3	4	6	7	11
35-49	1625	3.6	6	1	1	3	5	7	8	12
50-64	1648	4.2	8	1	1	4	5	8	10	14
65+	1465	5.3	16	1	2	5	7	9	11	17
B. *Operated*										
0-19 YRS	1267	7.5	10	4	5	7	9	11	13	18
20-34	15024	7.4	8	4	5	7	8	11	13	17
35-49	13018	7.9	11	5	5	7	9	11	13	18
50-64	13588	8.6	13	5	5	8	10	13	15	21
65+	7394	10.4	24	5	6	9	12	16	19	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	156	4.7	10	1	2	4	6	9	11	15
20-34	1472	4.4	10	1	1	4	6	8	10	16
35-49	1964	5.2	14	1	2	4	7	9	12	17
50-64	3826	5.8	15	2	2	5	7	10	13	19
65+	7503	7.6	32	2	3	6	10	14	17	28
B. *Operated*										
0-19 YRS	671	9.6	30	5	5	8	11	15	17	32
20-34	9073	9.2	24	5	5	8	11	14	17	27
35-49	11544	9.9	27	5	6	8	12	16	19	30
50-64	17699	11.4	41	5	6	10	13	18	23	35
65+	18538	15.1	82	6	7	13	18	25	32	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6693	4.1	9	1	1	3	5	8	9	14
B. *Operated*	50291	8.3	14	5	5	7	9	12	15	21
2. MULTIPLE DX										
A. *Not Operated*	14921	6.5	24	2	2	5	8	12	15	25
B. *Operated*	57525	11.9	54	5	6	10	14	20	25	41
1. SINGLE DX	56984	7.8	15	3	4	7	9	12	14	21
2. MULTIPLE DX	72446	10.8	53	3	5	9	13	19	24	39
A. NOT OPERATED	21614	5.7	21	1	2	5	7	11	14	22
B. OPERATED	107816	10.2	38	5	6	8	12	17	21	34
TOTAL 0-19 YRS	2325	7.5	19	2	3	7	9	12	14	22
20-34	27293	7.6	16	3	4	7	9	12	14	21
35-49	28151	8.3	21	3	4	7	10	13	16	24
50-64	36761	9.4	31	3	5	8	11	16	19	30
65+	34900	12.1	68	3	5	10	15	21	27	44
GRAND TOTAL	**129430**	**9.5**	**38**	**3**	**4**	**8**	**11**	**16**	**20**	**33**

Step 3. There are no secondary diagnoses recorded, so attention is directed to the top ten lines of the table (1. Single Dx).



215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	231	3.8	5	1	1	3	5	7	8	11
20-34	1724	3.4	5	1	1	3	4	6	7	11
35-49	1625	3.6	6	1	1	3	5	7	8	12
50-64	1648	4.2	8	1	1	4	5	8	10	14
65+	1465	5.3	16	1	2	5	7	9	11	17
B. *Operated*										
0-19 YRS	1267	7.5	10	4	5	7	9	11	13	18
20-34	15024	7.4	8	4	5	7	8	11	13	17
35-49	13018	7.9	11	5	5	7	9	11	13	18
50-64	13588	8.6	13	5	5	8	10	13	15	21
65+	7394	10.4	24	5	6	9	12	16	19	28

Step 4. Since surgery is scheduled, use the second five lines of the table (Section 1.B.).



215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	231	3.8	5	1	1	3	5	7	8	11
20-34	1724	3.4	5	1	1	3	4	6	7	11
35-49	1625	3.6	6	1	1	3	5	7	8	12
50-64	1648	4.2	8	1	1	4	5	8	10	14
65+	1465	5.3	16	1	2	5	7	9	11	17
B. *Operated*										
0-19 YRS	1267	7.5	10	4	5	7	9	11	13	18
20-34	15024	7.4	8	4	5	7	8	11	13	17
35-49	13018	7.9	11	5	5	7	9	11	13	18
50-64	13588	8.6	13	5	5	8	10	13	15	21
65+	7394	10.4	24	5	6	9	12	16	19	28

Step 5. The patient is 47-years-old and therefore falls in the age group 35-49.

215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	231	3.8	5	1	1	3	5	7	8	11
20-34	1724	3.4	5	1	1	3	4	6	7	11
35-49	1625	3.6	6	1	1	3	5	7	8	12
50-64	1648	4.2	8	1	1	4	5	8	10	14
65+	1465	5.3	16	1	2	5	7	9	11	17
B. *Operated*										
0-19 YRS	1267	7.5	10	4	5	7	9	11	13	18
20-34	15024	7.4	8	4	5	7	8	11	13	17
35-49	13018	7.9	11	5	5	7	9	11	13	18
50-64	13588	8.6	13	5	5	8	10	13	15	21
65+	7394	10.4	24	5	6	9	12	16	19	28

Step 6. The 50th percentile day is the date assigned for the initial extended stay review. Column 7 shows the seventh day after admission to be the day that this patient comes up for extended stay review.

215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	231	3.8	5	1	1	3	5	7	8	11
20-34	1724	3.4	5	1	1	3	4	6	7	11
35-49	1625	3.6	6	1	1	3	5	7	8	12
50-64	1648	4.2	8	1	1	4	5	8	10	14
65+	1465	5.3	16	1	2	5	7	9	11	17
B. *Operated*										
0-19 YRS	1267	7.5	10	4	5	7	9	11	13	18
20-34	15024	7.4	8	4	5	7	8	11	13	17
35-49	13018	7.9	11	5	5	7	9	11	13	18
50-64	13588	8.6	13	5	5	8	10	13	15	21
65+	7394	10.4	24	5	6	9	12	16	19	28

The patient was admitted on 3 November; therefore, the seventh day will fall on 10 November. Prior to or on 10 November, the groups responsible for conducting extended stay review will make a finding as to whether further stay is medically necessary.

In the above example, the stay percentile used to define extended stay was the 50th percentile (column 7). If, based on the initial review, the patient's stay in the hospital was approved for extension beyond the 50th percentile, the date for the second extended stay review is determined in accordance with the hospital's plan, e.g., the 75th percentile.

Subsequent extended stay review dates should be set by the physician advisor or the utilization review committee as necessary based on the patient's medical condition and the attending physician's evaluation of the patient's progress.

Length of Stay Tables

SUMMARY OF ALL PATIENTS IN DIAGNOSIS GROUPS

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	66314	3.9	13	1	1	3	5	7	8	17
20-34	41066	4.1	28	<1	1	3	5	7	10	28
35-49	15160	5.5	52	<1	1	3	6	11	17	38
50-64	12414	6.6	58	1	1	4	8	14	20	40
65+	16153	8.1	85	1	1	5	10	17	24	55
B. *Operated*										
0-19 YRS	24615	3.1	12	<1	1	2	4	6	8	17
20-34	48700	3.9	13	<1	1	3	5	7	9	16
35-49	20708	4.8	21	<1	1	4	6	9	12	22
50-64	15528	5.9	33	1	1	4	8	12	16	28
65+	14768	7.1	56	1	2	5	9	15	21	38
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	69723	5.3	31	1	2	4	6	9	13	30
20-34	27595	6.3	81	1	1	4	7	13	22	54
35-49	20186	7.5	80	1	1	5	9	16	24	52
50-64	29950	8.6	83	1	2	6	11	18	25	53
65+	62543	11.1	134	2	2	8	14	24	36	93
B. *Operated*										
0-19 YRS	14974	6.0	86	1	1	3	6	13	22	64
20-34	51804	6.0	42	1	2	5	7	10	15	37
35-49	27322	7.7	68	1	2	6	9	15	21	46
50-64	28828	10.1	117	1	2	7	13	22	31	65
65+	36989	13.2	183	2	2	9	17	30	44	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	151107	4.8	34	<1	1	3	5	9	13	31
B. *Operated*	124319	4.5	23	<1	1	3	6	9	12	24
2. MULTIPLE DX										
A. *Not Operated*	209997	7.8	86	1	2	5	9	17	25	58
B. *Operated*	159917	8.7	105	1	2	6	10	19	28	65
1. SINGLE DX	275426	4.7	29	<1	1	3	5	9	13	27
2. MULTIPLE DX	369914	8.2	94	1	2	5	9	18	26	62
A. NOT OPERATED	361104	6.6	67	1	1	4	7	14	21	48
B. OPERATED	284236	6.9	73	<1	1	4	8	15	22	51
TOTAL 0-19 YRS	175626	4.5	27	1	1	4	5	8	11	27
20-34	169165	5.0	37	<1	1	4	6	9	13	33
35-49	83376	6.5	58	<1	1	5	8	13	19	41
50-64	86720	8.3	84	1	2	6	10	18	25	52
65+	130453	10.9	137	1	2	7	14	24	35	86
GRAND TOTAL	**645340**	**6.7**	**70**	**1**	**1**	**4**	**8**	**14**	**21**	**49**

SUMMARY OF ALL PATIENTS IN DIAGNOSIS GROUPS EXCEPT NEWBORN

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	41785	3.8	18	<1	1	3	5	7	10	20
20-34	41066	4.1	28	<1	1	3	5	7	10	28
35-49	15160	5.5	52	<1	1	3	6	11	17	38
50-64	12414	6.6	58	1	1	4	8	14	20	40
65+	16153	8.1	85	1	1	5	10	17	24	55
B. *Operated*										
0-19 YRS	24604	3.1	12	<1	1	2	4	6	8	17
20-34	48700	3.9	13	<1	1	3	5	7	9	16
35-49	20708	4.8	21	<1	1	4	6	9	12	22
50-64	15528	5.9	33	1	1	4	8	12	16	28
65+	14768	7.1	56	1	2	5	9	15	21	38
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	33906	5.3	39	1	1	4	6	10	15	32
20-34	27595	6.3	81	1	1	4	7	13	22	54
35-49	20186	7.5	80	1	1	5	9	16	24	52
50-64	29950	8.6	83	1	2	6	11	18	25	53
65+	62543	11.1	134	2	2	8	14	24	36	93
B. *Operated*										
0-19 YRS	14480	5.5	60	1	1	3	6	12	19	46
20-34	51804	6.0	42	1	2	5	7	10	15	37
35-49	27322	7.7	68	1	2	6	9	15	21	46
50-64	28828	10.1	117	1	2	7	13	22	31	65
65+	36989	13.2	183	2	2	9	17	30	44	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	126578	4.9	40	<1	1	3	6	10	14	33
B. *Operated*	124308	4.5	23	<1	1	3	6	9	12	24
2. MULTIPLE DX										
A. *Not Operated*	174180	8.4	98	1	1	5	10	18	27	64
B. *Operated*	159423	8.7	103	1	2	6	10	19	28	64
1. SINGLE DX	250886	4.7	32	<1	1	3	6	9	13	28
2. MULTIPLE DX	333603	8.5	100	1	2	6	10	19	28	64
A. NOT OPERATED	300758	6.9	76	1	1	4	8	15	22	52
B. OPERATED	283731	6.8	72	<1	1	4	8	15	22	50
TOTAL 0-19 YRS	114775	4.3	29	<1	1	3	5	8	12	28
20-34	169165	5.0	37	<1	1	4	6	9	13	33
35-49	83376	6.5	58	<1	1	5	8	13	19	41
50-64	86720	8.3	84	1	2	6	10	18	25	52
65+	130453	10.9	137	1	2	7	14	24	35	86
GRAND TOTAL	**584489**	**6.9**	**74**	**1**	**1**	**4**	**8**	**15**	**22**	**51**

1: Intestinal infectious disease (001-009)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1254	3.8	9	1	1	3	5	7	9	15
20-34	285	3.0	4	<1	1	2	4	6	7	11
35-49	120	3.5	11	1	1	3	5	6	9	17
50-64	99	3.9	10	1	1	3	5	9	11	14
65+	95	5.4	18	1	2	4	7	12	16	18
B. *Operated*										
0-19 YRS	6	5.2	7	3	3	4	8	9	9	9
20-34	33	5.5	16	1	2	4	7	11	14	18
35-49	9	4.7	2	3	3	5	5	7	8	8
50-64	4	7.5	2	6	6	7	8	9	9	9
65+	2	9.5	25	6	6	9	13	13	13	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1036	5.8	22	1	2	4	7	11	14	25
20-34	191	3.8	11	1	1	3	5	7	9	21
35-49	87	4.3	9	1	1	3	6	8	9	17
50-64	123	5.6	30	1	2	4	7	12	15	34
65+	216	7.8	65	1	2	5	9	15	22	44
B. *Operated*										
0-19 YRS	16	12.6	155	3	4	8	14	29	45	52
20-34	26	6.8	31	2	3	6	8	13	17	29
35-49	14	6.7	13	2	3	6	8	10	15	17
50-64	17	12.7	184	3	3	7	17	26	47	57
65+	14	14.2	63	3	3	14	20	31	83	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1853	3.7	9	1	1	3	5	7	9	15
B. *Operated*	54	5.6	12	2	2	5	7	10	13	18
2. MULTIPLE DX										
A. *Not Operated*	1653	5.7	27	1	2	4	7	11	15	28
B. *Operated*	87	10.2	92	3	3	7	13	20	30	84
1. SINGLE DX	1907	3.8	9	1	1	3	5	7	10	15
2. MULTIPLE DX	1740	5.9	31	1	2	4	7	12	15	30
A. NOT OPERATED	3506	4.7	18	1	1	3	6	9	12	22
B. OPERATED	141	8.4	66	2	3	6	11	17	25	60
TOTAL 0-19 YRS	2312	4.7	17	1	1	4	6	9	12	21
20-34	535	3.6	10	1	1	3	4	7	9	15
35-49	230	4.1	10	1	1	3	5	8	9	17
50-64	243	5.5	36	1	1	3	7	11	15	32
65+	327	7.4	54	1	2	5	9	15	20	44
GRAND TOTAL	**3647**	**4.8**	**21**	**1**	**1**	**4**	**6**	**9**	**13**	**23**

2: Respiratory tuberculosis (010-012)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	47.0	1231	4	7	36	82	94	95	95
20-34	11	13.7	106	2	3	12	22	30	32	32
35-49	12	22.3	601	4	5	17	27	53	86	92
50-64	7	21.3	378	5	5	15	33	53	57	57
65+	7	13.0	112	2	3	10	18	31	33	33
B. *Operated*										
0-19 YRS	1	35.0		35	35	35	35	35	35	35
20-34	9	23.4	618	7	7	16	30	64	84	84
35-49	6	19.0	126	8	8	16	26	37	38	38
50-64	6	7.0	4	5	5	6	7	11	11	11
65+	7	16.3	50	6	7	16	23	24	24	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	10	49.4	1451	6	7	64	95	99+	99+	99+
20-34	13	22.9	626	1	2	15	28	65	80	83
35-49	13	33.7	502	5	14	31	57	77	95	99+
50-64	8	21.9	245	6	11	22	99+	99+	99+	99+
65+	22	22.7	220	3	6	24	36	48	68	99+
B. *Operated*										
0-19 YRS										
20-34	11	25.0	239	7	7	23	39	70	96	99+
35-49	16	23.2	405	7	8	16	27	57	72	78
50-64	15	23.1	337	10	11	18	30	79	95	99+
65+	5	31.0	809	7	8	29	76	98	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	44	22.5	551	3	4	14	30	54	91	95
B. *Operated*	29	17.8	257	6	6	14	23	35	40	84
2. MULTIPLE DX										
A. *Not Operated*	66	28.9	602	3	6	23	57	99+	99+	99+
B. *Operated*	47	24.4	363	7	8	19	32	77	99+	99+
1. SINGLE DX	73	20.6	434	4	5	14	27	37	80	94
2. MULTIPLE DX	113	27.0	503	6	7	20	47	94	99+	99+
A. NOT OPERATED	110	26.3	586	3	5	21	43	92	99+	99+
B. OPERATED	76	21.9	329	6	7	17	30	58	84	99+
TOTAL 0-19 YRS	18	47.7	1214	5	7	53	92	98	99+	99+
20-34	44	21.3	390	2	4	16	28	57	83	99+
35-49	47	25.3	449	5	6	18	36	62	79	99+
50-64	36	19.8	283	5	6	17	30	99+	99+	99+
65+	41	21.0	250	3	6	19	31	48	84	99+
GRAND TOTAL	**186**	**24.5**	**484**	**4**	**6**	**18**	**36**	**82**	**99+**	**99+**

3: Nonrespiratory tuberculosis (013-018)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	8.0		8	8	8	8	8	8	8
20-34	2	18.5	113	11	11	18	26	26	26	26
35-49	2	14.5	181	5	5	14	24	24	24	24
50-64										
65+	1	4.0		4	4	4	4	4	4	4
B. *Operated*										
0-19 YRS	5	4.8	11	<1	<1	5	8	8	8	8
20-34	9	8.1	53	1	1	5	15	19	21	21
35-49	4	14.5	44	9	9	12	19	24	24	24
50-64	2	10.0	162	<1	<1	9	19	19	19	19
65+	6	11.5	46	3	3	12	14	21	22	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	20.5	1	20	20	20	21	21	21	21
20-34	6	20.5	333	4	4	16	31	49	51	51
35-49	9	20.4	649	4	4	13	19	63	85	85
50-64	4	11.3	8	7	7	12	13	13	13	13
65+	3	10.7	10	7	7	12	13	13	13	13
B. *Operated*										
0-19 YRS	2	22.5	545	6	6	22	39	39	39	39
20-34	10	19.8	292	2	3	9	39	43	45	45
35-49	5	8.6	40	3	3	5	15	16	16	16
50-64	9	26.1	480	5	6	22	30	63	77	77
65+	7	28.6	517	4	6	20	41	64	70	70
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7	12.3	81	4	4	8	21	26	26	26
B. *Operated*	26	9.4	50	<1	1	8	14	21	22	24
2. MULTIPLE DX										
A. *Not Operated*	24	17.7	319	4	4	13	20	33	61	85
B. *Operated*	33	21.8	365	3	4	15	37	43	66	77
1. SINGLE DX	33	10.0	55	<1	2	8	14	22	24	26
2. MULTIPLE DX	57	20.1	344	4	4	13	28	42	63	84
A. NOT OPERATED	31	16.5	266	4	4	12	21	30	50	85
B. OPERATED	59	16.4	262	1	2	11	22	40	44	76
TOTAL 0-19 YRS	11	11.5	124	<1	1	8	17	28	38	39
20-34	27	16.0	218	2	2	10	25	41	46	51
35-49	20	15.7	323	3	4	12	16	27	57	85
50-64	15	20.0	348	1	5	15	23	41	68	77
65+	17	17.9	297	3	4	13	20	41	60	70
GRAND TOTAL	**90**	**16.4**	**260**	**2**	**3**	**12**	**21**	**39**	**45**	**82**

4: Streptococcal sore throat and scarlet fever (034)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	162	2.8	3	1	1	3	3	5	5	7
20-34	41	3.0	2	1	2	3	4	5	6	6
35-49	9	3.2	2	1	1	3	4	6	6	6
50-64	4	3.5	3	2	2	3	5	6	6	6
65+	2	6.0	18	3	3	6	9	9	9	9
B. *Operated*										
0-19 YRS	4	3.3	4	1	1	3	5	5	5	5
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	183	3.6	7	1	1	3	5	7	8	15
20-34	35	4.1	11	1	2	3	5	6	10	19
35-49	8	3.4	2	1	1	3	4	5	6	6
50-64	6	6.3	6	3	3	6	8	10	10	10
65+	6	7.3	9	4	4	6	11	11	11	11
B. *Operated*										
0-19 YRS	5	7.4	25	2	2	8	10	15	15	15
20-34	1	14.0		14	14	14	14	14	14	14
35-49	1	6.0		6	6	6	6	6	6	6
50-64	1	5.0		5	5	5	5	5	5	5
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	218	2.9	3	1	1	3	4	5	6	8
B. *Operated*	4	3.3	4	1	1	3	5	5	5	5
2. MULTIPLE DX										
A. *Not Operated*	238	3.9	8	1	1	3	5	7	8	16
B. *Operated*	8	7.8	21	2	3	7	11	15	15	15
1. SINGLE DX	222	2.9	3	1	1	3	4	5	6	8
2. MULTIPLE DX	246	4.0	9	1	1	3	5	7	9	16
A. NOT OPERATED	456	3.4	6	1	1	3	4	6	7	14
B. OPERATED	12	6.3	20	1	2	5	8	14	15	15
TOTAL 0-19 YRS	354	3.3	6	1	1	3	4	6	7	15
20-34	77	3.7	8	1	2	3	4	6	7	18
35-49	18	3.4	3	1	1	3	4	6	6	6
50-64	11	5.2	6	2	2	5	7	9	10	10
65+	8	7.0	9	3	3	6	10	11	11	11
GRAND TOTAL	**468**	**3.5**	**6**	**1**	**1**	**3**	**4**	**6**	**8**	**15**

5: Septicemia (038)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	46	5.0	13	1	2	4	7	9	10	22
20-34	6	14.3	201	6	6	9	12	40	43	43
35-49	2	6.5	5	5	5	6	8	8	8	8
50-64	4	5.5	4	4	4	5	7	8	8	8
65+	17	7.0	23	<1	1	6	9	15	16	16
B. *Operated*										
0-19 YRS										
20-34	1	4.0		4	4	4	4	4	4	4
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	75	7.4	34	2	3	6	9	13	19	32
20-34	12	9.0	17	3	3	8	12	14	17	17
35-49	19	8.4	40	2	3	8	10	16	24	29
50-64	38	12.3	132	3	4	8	14	32	50	99+
65+	133	15.9	172	5	6	11	18	34	49	63
B. *Operated*										
0-19 YRS	4	12.0	164	1	1	11	23	25	25	25
20-34	1	11.0		11	11	11	11	11	11	11
35-49	5	17.8	32	10	10	19	21	25	25	25
50-64	10	29.4	446	6	6	25	46	58	63	63
65+	32	22.8	284	7	9	19	25	45	47	92
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	75	6.3	33	1	2	5	8	11	15	38
B. *Operated*	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*	277	12.3	126	3	4	9	14	26	36	62
B. *Operated*	52	22.5	286	5	7	19	26	46	53	91
1. SINGLE DX	76	6.3	33	1	2	5	8	11	15	38
2. MULTIPLE DX	329	13.9	165	3	4	10	17	29	45	63
A. NOT OPERATED	352	11.0	112	2	3	8	12	22	34	60
B. OPERATED	53	22.2	287	4	7	19	26	45	53	91
TOTAL 0-19 YRS	125	6.7	32	2	2	5	8	12	19	31
20-34	20	10.5	71	3	4	8	12	15	30	43
35-49	26	10.1	49	3	4	8	14	20	26	29
50-64	52	15.0	228	4	4	8	18	45	55	99
65+	182	16.2	191	4	5	12	19	34	46	64
GRAND TOTAL	**405**	**12.5**	**149**	**2**	**3**	**8**	**15**	**27**	**43**	**63**

6: Miscellaneous bacterial diseases (020-033; 035-037; 039-041)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	94	7.6	64	1	2	6	10	13	19	48
20-34	13	3.2	4	<1	1	3	4	6	8	8
35-49	9	4.8	8	1	1	5	7	9	9	9
50-64	14	5.3	18	1	2	4	6	10	16	18
65+	18	8.4	67	2	3	6	9	14	29	39
B. *Operated*										
0-19 YRS										
20-34	1	15.0		15	15	15	15	15	15	15
35-49	2	11.0	128	3	3	11	19	19	19	19
50-64	4	6.0	11	2	2	6	8	10	10	10
65+	3	11.0	37	7	7	8	15	18	18	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	69	8.4	48	2	2	6	10	17	25	33
20-34	16	8.6	29	1	2	8	11	15	19	21
35-49	12	8.5	40	3	3	5	13	20	20	20
50-64	12	9.8	24	4	5	9	12	16	21	22
65+	32	8.7	62	3	3	5	11	18	21	41
B. *Operated*										
0-19 YRS	3	15.3	89	8	8	12	22	26	26	26
20-34	1	13.0		13	13	13	13	13	13	13
35-49	1	5.0		5	5	5	5	5	5	5
50-64	4	38.8	654	15	15	32	54	75	75	75
65+	11	25.9	518	7	9	13	38	66	71	72
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	148	6.9	53	1	2	5	9	13	18	40
B. *Operated*	10	9.4	36	2	2	7	15	18	19	19
2. MULTIPLE DX										
A. *Not Operated*	141	8.6	45	2	3	6	11	18	22	34
B. *Operated*	20	25.2	469	6	7	14	32	67	73	75
1. SINGLE DX	158	7.1	52	1	2	5	9	13	18	38
2. MULTIPLE DX	161	10.7	125	2	3	7	13	21	31	71
A. NOT OPERATED	289	7.8	50	2	2	6	10	15	20	37
B. OPERATED	30	19.9	376	3	5	13	26	51	72	75
TOTAL 0-19 YRS	166	8.1	58	2	2	6	10	15	22	33
20-34	31	6.7	27	1	1	5	10	15	15	21
35-49	24	7.2	32	2	3	5	9	19	20	20
50-64	34	10.9	186	2	3	6	12	23	33	75
65+	64	11.7	175	3	4	7	13	22	41	71
GRAND TOTAL	**319**	**8.9**	**92**	**2**	**2**	**6**	**11**	**18**	**23**	**64**

7: Poliomyelitis and other enteroviral diseases of central nervous system (045; 047-048)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	69	4.7	10	1	2	4	6	8	10	17
20-34	66	4.6	7	1	2	4	6	8	10	14
35-49	10	4.1	8	1	1	3	4	9	11	11
50-64	1	4.0		4	4	4	4	4	4	4
65+	2	11.5	13	9	9	11	14	14	14	14
B. *Operated*										
0-19 YRS										
20-34	2	3.5	13	1	1	3	6	6	6	6
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	16	6.1	9	2	3	5	9	10	11	11
20-34	16	6.3	15	2	3	5	8	13	15	16
35-49	11	5.8	16	2	2	4	8	12	15	15
50-64	3	12.7	96	7	7	7	20	24	24	24
65+	1	8.0		8	8	8	8	8	8	8
B. *Operated*										
0-19 YRS										
20-34	3	8.7	1	8	8	8	10	10	10	10
35-49	3	18.3	104	11	11	14	26	30	30	30
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	148	4.7	9	1	2	4	6	9	11	15
B. *Operated*	2	3.5	13	1	1	3	6	6	6	6
2. MULTIPLE DX										
A. *Not Operated*	47	6.6	18	2	3	6	9	11	15	24
B. *Operated*	6	13.5	70	8	8	10	14	28	30	30
1. SINGLE DX	150	4.7	9	1	2	4	6	9	11	15
2. MULTIPLE DX	53	7.3	28	2	3	6	9	13	16	30
A. NOT OPERATED	195	5.1	12	1	2	4	7	9	11	17
B. OPERATED	8	11.0	73	1	2	9	12	25	30	30
TOTAL 0-19 YRS	85	4.9	10	1	2	4	7	9	10	17
20-34	87	5.0	9	2	2	4	6	9	11	16
35-49	24	6.7	40	2	2	4	9	14	19	30
50-64	4	10.5	83	4	4	7	16	24	24	24
65+	3	10.3	10	8	8	9	13	14	14	14
GRAND TOTAL	**203**	**5.4**	**15**	**1**	**2**	**4**	**7**	**10**	**12**	**21**

8: Viral diseases with exanthem (050-057)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	219	3.7	11	1	1	3	5	7	9	17
20-34	34	3.9	4	1	1	4	5	6	8	9
35-49	20	6.1	41	1	2	5	6	10	22	31
50-64	35	7.1	47	<1	<1	6	7	16	26	31
65+	76	10.5	67	1	3	8	15	19	25	42
B. *Operated*										
0-19 YRS										
20-34	4	6.5	12	3	3	6	9	10	10	10
35-49										
50-64	2	7.0	18	4	4	7	10	10	10	10
65+	3	5.0	1	4	4	5	6	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	263	5.0	18	1	2	4	6	10	13	26
20-34	45	5.4	8	1	2	5	7	9	10	13
35-49	19	6.3	16	2	2	5	9	13	14	14
50-64	44	7.7	38	2	3	6	9	12	14	42
65+	196	14.0	181	3	3	9	18	30	47	67
B. *Operated*										
0-19 YRS	3	10.3	49	3	3	11	15	17	17	17
20-34	3	4.7		4	4	5	5	5	5	5
35-49	4	11.3	28	7	7	10	15	18	18	18
50-64	6	17.3	357	2	2	9	30	48	50	50
65+	15	21.9	319	5	6	14	34	66	90	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	384	5.5	33	1	1	4	7	10	16	31
B. *Operated*	9	6.1	8	3	3	5	9	10	10	10
2. MULTIPLE DX										
A. *Not Operated*	567	8.4	92	2	2	5	10	18	27	52
B. *Operated*	31	16.8	251	3	4	12	27	47	66	99+
1. SINGLE DX	393	5.5	33	1	1	4	7	10	16	31
2. MULTIPLE DX	598	8.8	104	2	2	5	10	19	29	55
A. NOT OPERATED	951	7.2	70	1	2	5	8	15	23	47
B. OPERATED	40	14.4	215	3	4	10	17	41	58	99+
TOTAL 0-19 YRS	485	4.4	16	1	1	3	5	8	11	24
20-34	86	4.8	7	1	2	4	6	9	10	12
35-49	43	6.6	29	2	2	5	8	13	16	31
50-64	87	8.1	65	<1	2	6	9	14	29	47
65+	290	13.4	162	3	3	9	16	29	43	72
GRAND TOTAL	**991**	**7.5**	**78**	**1**	**2**	**5**	**8**	**15**	**25**	**51**

9: Viral hepatitis (070)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	66	4.9	9	1	2	4	6	8	10	18
20-34	50	7.7	26	3	3	6	10	14	17	25
35-49	17	4.6	11	1	1	3	6	8	13	15
50-64	8	6.1	8	2	2	6	8	10	10	10
65+	3	10.7	22	7	7	9	14	16	16	16
B. *Operated*										
0-19 YRS	1	10.0		10	10	10	10	10	10	10
20-34	4	11.0	118	1	1	9	19	25	25	25
35-49	4	5.3	12	2	2	4	7	10	10	10
50-64	2	10.5	61	5	5	10	16	16	16	16
65+	1	8.0		8	8	8	8	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	36	8.2	52	2	3	6	10	15	18	42
20-34	24	6.9	22	2	3	6	8	15	18	22
35-49	12	7.7	14	3	4	7	10	14	15	15
50-64	9	8.7	3	6	6	8	10	11	11	11
65+	6	13.3	124	5	5	8	20	32	33	33
B. *Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	5	13.0	16	6	6	15	15	15	15	15
35-49	3	9.7	2	8	8	10	11	11	11	11
50-64	2	19.0	8	17	17	19	21	21	21	21
65+	6	17.7	271	4	5	12	18	47	50	50
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	144	6.0	17	1	2	5	8	11	15	22
B. *Operated*	12	8.7	48	1	2	7	12	19	24	25
2. MULTIPLE DX										
A. *Not Operated*	87	8.2	39	2	3	6	10	15	19	39
B. *Operated*	17	14.2	109	3	4	12	16	20	40	50
1. SINGLE DX	156	6.2	20	1	2	5	8	11	15	25
2. MULTIPLE DX	104	9.1	54	3	3	7	11	16	20	46
A. NOT OPERATED	231	6.8	26	2	2	6	8	13	16	27
B. OPERATED	29	11.9	89	2	3	11	15	20	26	50
TOTAL 0-19 YRS	104	6.0	26	1	2	5	7	10	15	30
20-34	83	8.0	29	2	3	6	11	15	19	25
35-49	36	6.1	14	1	2	5	8	11	14	15
50-64	21	8.9	21	3	4	8	10	16	19	21
65+	16	14.1	145	4	5	10	17	32	45	50
GRAND TOTAL	**260**	**7.4**	**36**	**2**	**2**	**6**	**9**	**15**	**17**	**32**

10: Infectious mononucleosis (075)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	210	4.6	8	1	2	4	5	8	11	15
20-34	57	5.1	10	1	2	5	7	8	10	19
35-49	9	6.7	10	3	3	6	10	11	11	11
50-64	2	8.0	8	6	6	8	10	10	10	10
65+										
B. *Operated*										
0-19 YRS										
20-34	2	10.5	25	7	7	10	14	14	14	14
35-49	1	9.0		9	9	9	9	9	9	9
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	115	4.9	9	2	2	4	6	9	12	15
20-34	46	4.4	6	1	2	4	6	7	8	15
35-49	5	7.0	2	5	5	7	8	8	8	8
50-64	3	7.7	8	6	6	6	10	11	11	11
65+										
B. *Operated*										
0-19 YRS	6	17.3	449	3	3	10	13	55	60	60
20-34	1	8.0		8	8	8	8	8	8	8
35-49	1	8.0		8	8	8	8	8	8	8
50-64										
65+	1	31.0		31	31	31	31	31	31	31
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	278	4.8	8	1	2	4	6	8	11	15
B. *Operated*	3	10.0	13	7	7	9	13	14	14	14
2. MULTIPLE DX										
A. *Not Operated*	169	4.9	8	2	2	4	6	8	11	15
B. *Operated*	9	16.8	326	3	5	8	17	48	60	60
1. SINGLE DX	281	4.9	9	1	2	4	6	8	11	15
2. MULTIPLE DX	178	5.5	29	2	2	4	6	9	12	27
A. NOT OPERATED	447	4.9	8	1	2	4	6	8	11	15
B. OPERATED	12	15.1	249	3	6	9	13	40	57	60
TOTAL 0-19 YRS	331	5.0	18	2	2	4	6	8	11	16
20-34	106	4.9	9	1	2	4	6	8	10	17
35-49	16	7.0	6	3	3	7	9	10	11	11
50-64	5	7.8	6	6	6	6	10	11	11	11
65+	1	31.0		31	31	31	31	31	31	31
GRAND TOTAL	**459**	**5.1**	**17**	**1**	**2**	**4**	**6**	**8**	**11**	**17**

11: Viral warts (078.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	4.3	24	1	1	2	8	10	10	10
20-34	2	1.0		<1	<1	<1	1	1	1	1
35-49	1	1.0		1	1	1	1	1	1	1
50-64										
65+	1	7.0		7	7	7	7	7	7	7
B. *Operated*										
0-19 YRS	135	1.4	2	<1	<1	1	1	2	3	9
20-34	195	1.7	2	<1	<1	1	2	3	4	9
35-49	35	1.5	1	<1	<1	<1	2	2	3	7
50-64	12	2.5	2	<1	<1	2	3	4	5	5
65+	6	2.8	1	2	2	3	3	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	3.0	2	2	2	3	4	4	4	4
20-34	3	1.3		<1	<1	1	2	2	2	2
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	28	2.3	4	<1	<1	2	3	4	6	11
20-34	55	3.2	8	<1	<1	2	4	7	10	15
35-49	20	4.5	54	<1	<1	2	3	15	24	30
50-64	10	4.4	16	1	1	3	5	11	14	14
65+	8	4.8	18	1	1	3	7	12	13	13
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7	3.3	14	<1	<1	1	6	9	10	10
B. *Operated*	383	1.6	2	<1	<1	1	2	3	4	9
2. MULTIPLE DX										
A. *Not Operated*	5	2.0	2	<1	<1	2	3	4	4	4
B. *Operated*	121	3.4	16	<1	<1	2	3	8	12	21
1. SINGLE DX	390	1.6	2	<1	<1	1	2	3	4	9
2. MULTIPLE DX	126	3.4	16	<1	<1	2	3	7	11	21
A. NOT OPERATED	12	2.8	8	<1	<1	2	3	8	10	10
B. OPERATED	504	2.0	6	<1	<1	1	2	4	6	13
TOTAL 0-19 YRS	168	1.6	3	<1	<1	1	2	3	4	10
20-34	255	2.0	4	<1	<1	1	2	4	6	11
35-49	56	2.5	22	<1	<1	1	2	3	10	29
50-64	22	3.4	9	<1	1	3	4	6	11	14
65+	15	4.1	11	1	2	3	5	9	12	13
GRAND TOTAL	**516**	**2.1**	**6**	**<1**	**<1**	**1**	**2**	**4**	**6**	**13**

12: Miscellaneous viral diseases (046; 049; 060-066; 071-074; 076-077; 078.0; 078.2-079)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	304	2.9	3	1	1	3	4	5	6	9
20-34	66	3.4	7	<1	1	3	5	7	8	16
35-49	35	4.0	4	<1	1	4	5	6	7	10
50-64	10	3.8	6	1	1	3	5	7	9	9
65+	23	5.0	12	1	2	5	6	8	12	18
B. *Operated*										
0-19 YRS	16	1.9	4	<1	<1	1	2	5	7	8
20-34	4	3.0	16	<1	<1	1	5	9	9	9
35-49	5	5.8	31	1	1	3	9	15	15	15
50-64										
65+	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	300	3.6	6	1	1	3	4	6	8	13
20-34	71	4.9	17	1	2	4	6	9	12	23
35-49	45	6.2	77	1	1	4	7	12	15	58
50-64	44	5.4	20	1	2	4	6	12	15	20
65+	89	8.0	47	2	2	6	9	16	21	38
B. *Operated*										
0-19 YRS	10	11.4	217	1	1	6	15	33	49	49
20-34	12	19.3	174	3	5	16	28	39	46	47
35-49	5	11.4	315	1	1	4	15	43	43	43
50-64	5	7.2	2	6	6	7	8	9	9	9
65+	5	33.0	1311	2	2	16	61	87	87	87
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	438	3.2	5	1	1	3	4	6	7	10
B. *Operated*	26	2.9	12	<1	<1	1	3	8	10	15
2. MULTIPLE DX										
A. *Not Operated*	549	4.8	23	1	1	4	6	9	12	24
B. *Operated*	37	16.3	352	1	1	9	20	46	52	87
1. SINGLE DX	464	3.2	5	<1	1	3	4	6	7	10
2. MULTIPLE DX	586	5.5	51	1	1	4	6	11	15	43
A. NOT OPERATED	987	4.1	16	1	1	3	5	7	10	20
B. OPERATED	63	10.8	253	<1	<1	6	12	30	48	83
TOTAL 0-19 YRS	630	3.3	9	1	1	3	4	6	7	13
20-34	153	5.3	41	1	1	3	6	10	19	35
35-49	90	5.6	59	1	1	4	6	10	14	52
50-64	59	5.3	16	1	2	4	6	10	14	20
65+	118	8.4	111	1	2	6	9	16	23	64
GRAND TOTAL	**1050**	**4.5**	**32**	**1**	**1**	**3**	**5**	**8**	**11**	**27**

13: Rickettsioses and other arthropod-borne diseases (080-088)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	4.9	8	3	3	3	7	10	10	10
20-34	16	4.2	10	1	1	3	5	10	11	12
35-49	8	5.4	18	2	2	4	6	13	15	15
50-64	2	6.5	5	5	5	6	8	8	8	8
65+	1	3.0		3	3	3	3	3	3	3
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	5.0	32	1	1	5	9	9	9	9
20-34	6	8.7	74	4	4	5	8	24	26	26
35-49	1	4.0		4	4	4	4	4	4	4
50-64	3	8.7	9	6	6	8	11	12	12	12
65+										
B. *Operated*										
0-19 YRS										
20-34	1	25.0		25	25	25	25	25	25	25
35-49										
50-64	1	14.0		14	14	14	14	14	14	14
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	34	4.7	11	1	2	4	6	10	12	15
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	12	7.7	42	1	3	6	9	16	25	26
B. *Operated*	2	19.5	61	14	14	19	25	25	25	25
1. SINGLE DX	34	4.7	11	1	2	4	6	10	12	15
2. MULTIPLE DX	14	9.4	58	2	3	7	12	25	26	26
A. NOT OPERATED	46	5.5	20	1	2	4	7	10	13	26
B. OPERATED	2	19.5	61	14	14	19	25	25	25	25
TOTAL 0-19 YRS	9	4.9	10	1	2	3	8	10	10	10
20-34	23	6.3	44	1	2	4	7	15	25	26
35-49	9	5.2	16	2	2	4	6	12	15	15
50-64	6	8.8	12	5	5	8	12	14	14	14
65+	1	3.0		3	3	3	3	3	3	3
GRAND TOTAL	**48**	**6.1**	**28**	**1**	**2**	**4**	**8**	**12**	**16**	**26**

14: Syphilis and other venereal diseases (090-099)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	20	4.7	5	1	2	5	6	7	9	11
20-34	53	5.5	15	1	1	5	6	10	11	25
35-49	8	5.8	14	2	2	5	8	11	12	12
50-64	1	11.0		11	11	11	11	11	11	11
65+										
B. *Operated*										
0-19 YRS	6	3.5	6	<1	<1	3	5	7	7	7
20-34	12	5.4	28	<1	<1	3	8	15	16	16
35-49	4	6.8	118	<1	<1	1	12	23	23	23
50-64	1	2.0		2	2	2	2	2	2	2
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	37	5.5	17	3	3	5	6	9	13	25
20-34	37	5.9	41	1	2	5	6	8	9	42
35-49	4	9.0	33	3	3	8	13	16	16	16
50-64	3	12.7	60	4	4	15	18	19	19	19
65+	6	14.0	122	2	3	10	18	32	34	34
B. *Operated*										
0-19 YRS	2	6.0		6	6	6	6	6	6	6
20-34	8	11.0	87	4	5	7	13	27	32	32
35-49	5	5.4	20	2	2	5	7	13	13	13
50-64	1	13.0		13	13	13	13	13	13	13
65+	2	25.5	145	17	17	25	34	34	34	34
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	82	5.4	13	1	2	5	6	10	11	21
B. *Operated*	23	5.0	33	<1	<1	2	7	14	18	23
2. MULTIPLE DX										
A. *Not Operated*	87	6.7	40	2	3	5	7	11	18	39
B. *Operated*	18	10.6	86	2	3	7	13	28	33	34
1. SINGLE DX	105	5.3	17	<1	1	5	6	10	12	24
2. MULTIPLE DX	105	7.3	49	2	3	5	7	15	20	38
A. NOT OPERATED	169	6.0	27	1	2	5	7	11	14	32
B. OPERATED	41	7.5	63	<1	<1	5	9	17	27	34
TOTAL 0-19 YRS	65	5.1	12	1	3	5	6	7	10	23
20-34	110	6.0	31	1	1	5	7	10	14	36
35-49	21	6.5	33	<1	1	5	10	14	19	23
50-64	6	10.7	43	2	2	12	15	19	19	19
65+	8	16.9	136	2	4	14	26	34	34	34
GRAND TOTAL	**210**	**6.3**	**34**	**1**	**2**	**5**	**7**	**11**	**17**	**34**

15: Mycoses (110-118)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	65	4.7	10	1	1	4	6	9	12	15
20-34	9	3.2	4	<1	<1	3	4	7	7	7
35-49	5	4.4	10	<1	<1	5	6	9	9	9
50-64	7	5.7	30	2	2	3	7	15	17	17
65+	15	3.9	9	2	2	2	5	7	11	12
B. *Operated*										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	1	6.0		6	6	6	6	6	6	6
35-49	4	5.3	4	3	3	5	7	8	8	8
50-64	2	6.5	61	<1	<1	6	12	12	12	12
65+	1	10.0		10	10	10	10	10	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	101	6.0	18	1	2	5	9	12	14	19
20-34	7	6.4	25	1	1	7	10	13	14	14
35-49	5	5.4	24	2	2	4	7	14	14	14
50-64	11	9.4	147	2	2	4	11	26	42	44
65+	38	16.1	194	2	2	14	21	37	46	59
B. *Operated*										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	1	6.0		6	6	6	6	6	6	6
35-49	3	10.3	16	6	6	11	13	14	14	14
50-64	6	11.8	241	2	2	4	15	39	42	42
65+	6	18.0	229	5	6	14	15	45	48	48
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	101	4.5	10	1	1	4	6	9	12	16
B. *Operated*	9	5.7	15	<1	<1	5	8	11	12	12
2. MULTIPLE DX										
A. *Not Operated*	162	8.6	84	1	2	5	12	18	24	48
B. *Operated*	17	12.8	172	1	2	11	14	37	46	48
1. SINGLE DX	110	4.6	11	<1	1	4	6	9	12	16
2. MULTIPLE DX	179	9.0	93	1	2	6	12	18	26	49
A. NOT OPERATED	263	7.0	60	1	2	4	9	15	21	44
B. OPERATED	26	10.3	127	<1	<1	6	14	15	43	48
TOTAL 0-19 YRS	168	5.4	15	1	1	4	7	12	13	18
20-34	18	4.8	13	<1	1	4	7	10	13	14
35-49	17	5.9	16	1	2	5	8	13	14	14
50-64	26	8.7	122	1	2	4	12	17	42	44
65+	60	13.1	173	2	2	10	18	30	45	58
GRAND TOTAL	**289**	**7.3**	**66**	**1**	**2**	**5**	**9**	**15**	**21**	**46**

16: Helminthiases (120-129)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	12	2.6	1	1	1	2	3	4	5	5
20-34	4	8.0	25	3	3	7	11	15	15	15
35-49	1	3.0		3	3	3	3	3	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS	8	3.8	2	2	2	4	5	6	6	6
20-34	1	19.0		19	19	19	19	19	19	19
35-49	1	7.0		7	7	7	7	7	7	7
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7	4.3	3	2	2	5	6	6	6	6
20-34	2	9.0	32	5	5	9	13	13	13	13
35-49	2	3.5	1	3	3	3	4	4	4	4
50-64										
65+	1	5.0		5	5	5	5	5	5	5
B. *Operated*										
0-19 YRS	2	18.0	512	2	2	18	34	34	34	34
20-34	3	16.7	69	10	10	14	23	26	26	26
35-49	4	16.8	13	14	14	15	19	22	22	22
50-64	3	49.7	1826	24	24	26	81	99	99	99+
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	17	3.9	11	1	1	3	4	7	12	15
B. *Operated*	10	5.6	25	2	2	4	6	13	19	19
2. MULTIPLE DX										
A. *Not Operated*	12	5.0	8	2	2	5	6	8	12	13
B. *Operated*	12	25.2	613	3	8	19	26	53	92	99
1. SINGLE DX	27	4.5	16	1	2	3	5	7	16	19
2. MULTIPLE DX	24	15.1	403	2	2	8	19	27	53	99
A. NOT OPERATED	29	4.3	10	1	2	3	5	7	13	15
B. OPERATED	22	16.3	431	2	2	12	22	29	60	99
TOTAL 0-19 YRS	29	4.4	35	1	2	3	5	6	8	34
20-34	10	11.9	49	3	4	11	15	22	26	26
35-49	8	10.5	52	3	3	10	15	20	22	22
50-64	3	49.7	1826	24	24	26	81	99	99	99+
65+	1	5.0		5	5	5	5	5	5	5
GRAND TOTAL	**51**	**9.5**	**222**	**2**	**2**	**5**	**12**	**23**	**26**	**98**

17: Miscellaneous infective and parasitic diseases (100-104; 130-136)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	35	5.7	14	1	2	5	8	13	16	99+
20-34	24	7.3	30	2	2	6	10	14	18	26
35-49	9	6.2	17	1	1	5	9	12	14	14
50-64	3	11.0	103	2	2	9	19	22	22	22
65+	3	5.3	5	4	4	4	7	8	8	8
B. *Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	27	5.5	18	2	2	4	7	11	16	18
35-49	17	8.2	39	2	2	5	13	17	20	22
50-64	14	8.3	40	2	2	6	13	17	21	22
65+	4	6.5	16	3	3	6	10	10	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	49	7.6	40	2	3	6	10	13	22	37
20-34	17	5.3	9	2	2	5	7	10	11	11
35-49	17	7.5	59	1	2	5	8	15	28	34
50-64	10	6.2	26	2	2	4	5	15	17	17
65+	22	14.0	119	3	4	11	18	34	38	42
B. *Operated*										
0-19 YRS	3	12.7	10	9	9	14	15	15	15	15
20-34	27	11.6	54	2	3	11	15	21	28	32
35-49	16	14.8	174	2	2	12	14	39	46	49
50-64	20	11.4	70	1	2	11	14	21	29	37
65+	10	21.8	268	5	6	19	27	47	62	62
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	74	6.5	22	2	2	5	9	14	16	81
B. *Operated*	63	6.8	29	2	2	5	10	16	18	22
2. MULTIPLE DX										
A. *Not Operated*	115	8.4	59	2	3	6	10	17	26	39
B. *Operated*	76	13.6	116	2	3	12	15	27	36	59
1. SINGLE DX	137	6.6	25	2	2	5	9	14	17	35
2. MULTIPLE DX	191	10.4	88	2	3	8	13	21	32	46
A. NOT OPERATED	189	7.6	45	2	2	6	9	15	22	40
B. OPERATED	139	10.5	87	2	2	9	14	20	27	50
TOTAL 0-19 YRS	88	6.9	30	2	2	6	9	14	17	75
20-34	95	7.6	35	2	2	6	11	15	19	30
35-49	59	9.5	85	2	2	7	13	17	31	48
50-64	47	9.3	54	2	2	8	14	20	22	37
65+	39	14.6	158	3	4	10	19	33	39	62
GRAND TOTAL	**328**	**8.9**	**65**	**2**	**2**	**7**	**11**	**17**	**26**	**43**

18: Late effects of infectious and parasitic diseases (137-139)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	1	4.0		4	4	4	4	4	4	4
65+	1	5.0		5	5	5	5	5	5	5
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	1	10.0		10	10	10	10	10	10	10
50-64	2	5.5	1	5	5	5	6	6	6	6
65+	3	13.7	158	2	2	12	23	27	27	27
B. *Operated*										
0-19 YRS										
20-34	2	3.5	5	2	2	3	5	5	5	5
35-49										
50-64										
65+	2	20.0	648	2	2	20	38	38	38	38
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	4.5	1	4	4	4	5	5	5	5
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	6	10.3	79	2	2	8	12	25	27	27
B. *Operated*	4	11.8	308	2	2	4	21	38	38	38
1. SINGLE DX	2	4.5	1	4	4	4	5	5	5	5
2. MULTIPLE DX	10	10.9	147	2	2	6	12	32	38	38
A. NOT OPERATED	8	8.9	64	2	3	6	11	22	27	27
B. OPERATED	4	11.8	308	2	2	4	21	38	38	38
TOTAL 0-19 YRS										
20-34	2	3.5	5	2	2	3	5	5	5	5
35-49	1	10.0		10	10	10	10	10	10	10
50-64	3	5.0	1	4	4	5	6	6	6	6
65+	6	14.3	223	2	2	8	27	37	38	38
GRAND TOTAL	**12**	**9.8**	**127**	**2**	**2**	**5**	**11**	**30**	**37**	**38**

19: Malignant neoplasm of lip, oral cavity, and pharynx (140-149)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	1	5.0		5	5	5	5	5	5	5
35-49	2	13.5	85	7	7	13	20	20	20	20
50-64	12	9.9	55	1	3	8	11	22	27	28
65+	13	7.3	12	2	4	7	10	12	13	13
B. *Operated*										
0-19 YRS	2	4.0		4	4	4	4	4	4	4
20-34	7	5.0	3	2	3	5	5	7	8	8
35-49	22	7.6	51	1	2	5	9	18	26	28
50-64	31	9.3	117	1	2	6	11	20	35	51
65+	45	8.9	117	1	2	6	9	23	30	58
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	3.7		3	3	4	4	4	4	4
20-34										
35-49	11	14.7	140	3	4	8	24	34	36	36
50-64	29	14.0	195	2	2	11	17	35	44	62
65+	46	14.7	204	1	1	11	19	32	42	75
B. *Operated*										
0-19 YRS										
20-34	8	13.6	151	2	2	11	20	33	37	37
35-49	25	11.5	197	2	3	8	13	16	47	67
50-64	91	19.1	333	2	3	13	25	50	63	94
65+	105	18.2	390	2	3	10	24	52	69	94
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	29	8.7	34	1	4	7	11	17	21	28
B. *Operated*	107	8.4	94	1	2	5	9	18	26	54
2. MULTIPLE DX										
A. *Not Operated*	89	14.1	186	1	2	11	17	32	41	70
B. *Operated*	229	17.7	341	2	3	11	23	48	64	92
1. SINGLE DX	136	8.5	81	1	2	6	10	18	25	52
2. MULTIPLE DX	318	16.7	299	2	3	11	21	41	62	86
A. NOT OPERATED	118	12.8	154	1	2	9	17	30	37	66
B. OPERATED	336	14.7	280	2	2	9	19	39	57	86
TOTAL 0-19 YRS	6	4.0		3	3	4	4	5	5	5
20-34	16	9.3	92	2	2	5	12	22	33	37
35-49	60	10.7	130	2	3	7	14	25	34	64
50-64	163	15.7	262	2	2	10	20	40	56	83
65+	209	14.8	281	1	2	9	18	35	58	85
GRAND TOTAL	**454**	**14.2**	**248**	**2**	**2**	**9**	**18**	**35**	**52**	**81**

20: Malignant neoplasm of esophagus (150)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	1	2.0		2	2	2	2	2	2	2
50-64	10	15.8	829	2	2	6	12	55	97	97
65+	12	6.8	115	1	1	3	6	17	37	40
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64	12	13.0	183	1	1	7	25	35	37	37
65+	12	18.4	201	3	4	11	24	44	45	45
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	7.0		7	7	7	7	7	7	7
35-49	1	2.0		2	2	2	2	2	2	2
50-64	19	7.9	37	2	3	6	10	13	22	29
65+	20	11.2	75	4	5	7	15	24	32	35
B. *Operated*										
0-19 YRS										
20-34										
35-49	6	30.8	1217	8	8	15	36	93	99	99+
50-64	40	19.3	222	3	6	15	24	34	53	71
65+	41	24.4	334	3	4	21	35	51	63	71
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	23	10.5	420	1	2	5	7	18	60	97
B. *Operated*	24	15.7	191	1	2	11	24	38	44	45
2. MULTIPLE DX										
A. *Not Operated*	41	9.3	57	3	3	7	11	18	29	35
B. *Operated*	87	22.5	338	3	5	16	30	47	67	89
1. SINGLE DX	47	13.1	304	1	2	7	13	36	44	97
2. MULTIPLE DX	128	18.3	285	3	4	13	24	37	53	77
A. NOT OPERATED	64	9.8	183	2	2	6	10	18	31	89
B. OPERATED	111	21.0	312	2	3	16	28	44	60	82
TOTAL 0-19 YRS										
20-34	1	7.0		7	7	7	7	7	7	7
35-49	8	23.6	1047	2	2	11	27	80	99	99+
50-64	81	15.3	257	2	2	11	18	33	37	89
65+	85	17.9	266	2	3	12	25	44	50	70
GRAND TOTAL	**175**	**16.9**	**293**	**2**	**2**	**12**	**23**	**37**	**49**	**91**

21: Malignant neoplasm of stomach (151)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	39.0		39	39	39	39	39	39	39
35-49										
50-64	10	15.7	332	4	4	9	15	43	65	65
65+	19	8.6	55	2	3	6	12	17	26	33
B. *Operated*										
0-19 YRS										
20-34										
35-49	5	18.6	21	14	14	17	23	24	24	24
50-64	16	13.6	44	2	5	13	17	21	26	28
65+	31	19.5	168	4	7	18	21	39	52	57
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	6.5	61	1	1	6	12	12	12	12
35-49	13	5.2	5	3	3	4	6	8	10	11
50-64	26	9.0	56	2	2	7	11	18	27	33
65+	75	10.2	73	2	3	7	16	24	36	99+
B. *Operated*										
0-19 YRS	1	21.0		21	21	21	21	21	21	21
20-34	3	16.3	30	10	10	19	20	20	20	20
35-49	25	19.2	116	8	9	17	24	27	44	55
50-64	78	20.6	196	6	9	16	25	38	53	71
65+	144	21.8	227	6	8	18	26	41	56	80
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	30	12.0	174	3	4	7	15	27	39	65
B. *Operated*	52	17.6	121	4	7	17	21	26	48	57
2. MULTIPLE DX										
A. *Not Operated*	116	9.3	63	2	3	7	12	21	31	99+
B. *Operated*	251	21.1	203	7	9	17	25	38	55	75
1. SINGLE DX	82	15.6	146	3	4	14	20	26	43	62
2. MULTIPLE DX	367	17.4	188	3	4	14	22	34	49	79
A. NOT OPERATED	146	9.9	86	2	3	7	13	22	33	99+
B. OPERATED	303	20.5	190	6	9	17	24	37	52	73
TOTAL 0-19 YRS	1	21.0		21	21	21	21	21	21	21
20-34	6	16.8	165	1	2	15	20	37	39	39
35-49	43	14.9	111	3	4	12	22	26	32	55
50-64	130	17.0	179	3	5	14	19	32	38	70
65+	269	17.4	195	3	4	14	22	35	51	86
GRAND TOTAL	**449**	**17.0**	**181**	**3**	**4**	**14**	**21**	**33**	**49**	**75**

22: Malignant neoplasm of small intestine (152)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34	1	18.0		18	18	18	18	18	18	18
35-49	1	11.0		11	11	11	11	11	11	11
50-64	4	20.0	111	9	9	21	29	29	29	29
65+	1	28.0		28	28	28	28	28	28	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	3	2.0	3	1	1	1	3	4	4	4
35-49	2	6.0	32	2	2	6	10	10	10	10
50-64	5	11.4	149	3	3	7	14	33	33	33
65+	6	12.5	278	2	2	7	10	42	46	46
B. *Operated*										
0-19 YRS										
20-34	2	13.5	25	10	10	13	17	17	17	17
35-49	9	10.8	40	1	3	9	13	20	24	24
50-64	11	16.9	122	3	7	15	20	31	45	46
65+	8	25.8	656	10	10	19	40	95	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	7	19.6	80	9	9	18	29	29	29	29
2. MULTIPLE DX										
A. *Not Operated*	16	9.4	153	1	1	6	9	31	42	46
B. *Operated*	30	17.2	246	3	8	15	20	33	86	99+
1. SINGLE DX	7	19.6	80	9	9	18	29	29	29	29
2. MULTIPLE DX	46	14.5	224	1	2	10	18	31	52	99+
A. NOT OPERATED	16	9.4	153	1	1	6	9	31	42	46
B. OPERATED	37	17.6	213	5	9	15	21	29	71	99+
TOTAL 0-19 YRS										
20-34	6	8.5	60	1	1	7	17	18	18	18
35-49	12	10.0	35	1	2	10	12	18	23	24
50-64	20	16.2	123	3	5	13	21	31	39	46
65+	15	20.6	475	2	3	16	26	84	96	99+
GRAND TOTAL	**53**	**15.2**	**206**	**1**	**3**	**11**	**19**	**30**	**46**	**99+**

23: Malignant neoplasm of colon (153)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	4	3.3	20	1	1	1	6	10	10	10
50-64	4	5.5	38	<1	<1	3	10	14	14	14
65+	10	8.8	36	2	2	9	12	17	21	21
B. *Operated*										
0-19 YRS										
20-34	1	9.0		9	9	9	9	9	9	9
35-49	23	13.5	28	6	8	11	18	22	23	24
50-64	55	13.2	24	6	9	13	15	19	22	32
65+	103	15.9	73	6	9	14	19	23	31	55
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	28	3.6	16	<1	1	2	4	11	13	16
50-64	45	6.9	81	<1	1	4	6	15	26	52
65+	103	12.0	135	2	3	8	14	26	39	58
B. *Operated*										
0-19 YRS	1	23.0		23	23	23	23	23	23	23
20-34	4	9.8	27	5	5	9	14	16	16	16
35-49	43	16.0	121	5	6	13	18	25	40	64
50-64	212	17.8	99	9	10	15	20	28	40	71
65+	531	21.8	179	9	11	19	26	37	52	87
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	18	6.8	35	<1	1	6	10	14	18	21
B. *Operated*	182	14.8	54	6	9	13	18	22	25	47
2. MULTIPLE DX										
A. *Not Operated*	176	9.3	112	1	1	6	12	20	34	51
B. *Operated*	791	20.4	158	9	10	17	24	36	48	84
1. SINGLE DX	200	14.1	57	2	7	13	17	22	25	45
2. MULTIPLE DX	967	18.3	168	3	6	15	22	34	45	82
A. NOT OPERATED	194	9.1	105	1	1	6	12	18	33	50
B. OPERATED	973	19.3	143	9	10	16	22	33	44	81
TOTAL 0-19 YRS	1	23.0		23	23	23	23	23	23	23
20-34	5	9.6	20	5	5	9	13	16	16	16
35-49	98	11.3	95	1	1	10	16	21	25	54
50-64	316	15.3	98	3	4	13	18	26	34	56
65+	747	19.5	171	5	7	16	23	35	48	83
GRAND TOTAL	**1167**	**17.6**	**15[illegible]**	**3**	**6**	**15**	**21**	**33**	**43**	**75**

24: Malignant neoplasm of rectum, rectosigmoid junction and anus (154)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	2	5.5	25	2	2	5	9	9	9	9
50-64	7	9.0	142	<1	<1	5	10	30	35	35
65+	9	6.0	39	1	1	4	7	17	20	20
B. *Operated*										
0-19 YRS										
20-34	2	19.0	2	18	18	19	20	20	20	20
35-49	14	13.9	75	1	3	15	17	22	32	35
50-64	56	15.4	46	5	7	15	21	24	26	33
65+	98	14.6	97	1	3	14	18	26	33	53
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	3	6.3	20	2	2	6	10	11	11	11
35-49	12	7.2	46	2	2	5	9	17	24	25
50-64	46	7.6	43	1	2	5	9	16	24	26
65+	91	12.7	111	3	3	10	18	25	36	88
B. *Operated*										
0-19 YRS										
20-34	8	18.8	190	1	4	16	25	41	46	46
35-49	52	14.1	131	4	5	12	17	23	34	70
50-64	177	18.2	127	7	10	16	21	28	31	82
65+	292	21.6	188	4	8	18	26	42	53	98
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	18	7.1	72	<1	1	4	9	18	29	35
B. *Operated*	170	14.9	77	2	3	14	20	24	29	38
2. MULTIPLE DX										
A. *Not Operated*	152	10.6	89	2	2	8	15	24	26	70
B. *Operated*	529	19.7	167	5	7	17	24	35	46	92
1. SINGLE DX	188	14.1	81	1	3	13	20	24	29	38
2. MULTIPLE DX	681	17.6	163	3	5	15	22	32	44	84
A. NOT OPERATED	170	10.2	88	1	2	7	14	23	26	64
B. OPERATED	699	18.5	149	4	6	16	23	32	43	70
TOTAL 0-19 YRS										
20-34	13	15.9	144	1	2	15	21	32	43	46
35-49	80	12.8	111	2	3	12	17	21	32	64
50-64	286	15.7	112	3	4	15	20	26	29	53
65+	490	18.2	170	3	4	15	24	35	46	86
GRAND TOTAL	**869**	**16.9**	**148**	**3**	**4**	**15**	**21**	**31**	**40**	**70**

25: Malignant neoplasm of abdominal cavity, except specified intestinal tract and pancreas (155-156; 158-159)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	13	5.2	16	3	3	4	5	13	15	16
50-64	6	11.7	361	<1	<1	4	9	46	50	50
65+	5	18.6	433	7	7	7	26	55	55	55
B. *Operated*										
0-19 YRS										
20-34	1	21.0		21	21	21	21	21	21	21
35-49	5	10.6	53	4	4	9	15	22	22	22
50-64	8	18.4	168	5	6	15	24	39	44	44
65+	6	15.7	55	5	5	16	22	25	25	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	4.3		4	4	4	5	5	5	5
20-34										
35-49	8	5.0	8	1	1	5	6	9	10	10
50-64	16	12.4	91	2	4	9	15	30	34	35
65+	33	14.5	209	1	2	10	16	44	48	48
B. *Operated*										
0-19 YRS	5	17.0	46	7	7	18	22	24	24	24
20-34	4	17.8	38	12	12	17	23	24	24	24
35-49	15	19.6	299	5	6	16	25	71	93	99+
50-64	36	20.5	103	5	6	22	29	34	35	41
65+	64	19.0	146	5	8	16	27	34	44	95
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	24	9.6	192	1	2	4	8	20	51	55
B. *Operated*	20	15.8	99	4	5	14	22	26	35	44
2. MULTIPLE DX										
A. *Not Operated*	60	12.2	151	1	2	8	14	33	45	48
B. *Operated*	124	19.4	141	5	7	17	27	34	41	99+
1. SINGLE DX	44	12.4	156	2	3	8	17	25	46	55
2. MULTIPLE DX	184	17.1	155	3	4	14	25	34	42	91
A. NOT OPERATED	84	11.4	162	1	3	7	13	31	48	53
B. OPERATED	144	18.9	136	5	6	17	27	32	41	99+
TOTAL 0-19 YRS	8	12.3	69	4	4	10	20	23	24	24
20-34	5	18.4	30	12	12	21	22	24	24	24
35-49	41	11.1	162	2	3	7	16	24	49	99+
50-64	66	17.5	137	1	4	15	27	34	36	49
65+	108	17.4	172	3	4	14	25	36	48	82
GRAND TOTAL	**228**	**16.2**	**158**	**3**	**4**	**13**	**24**	**32**	**43**	**81**

26: Malignant neoplasm of pancreas (157)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	5	4.2	1	3	3	4	5	5	5	5
50-64	17	12.2	121	3	4	10	13	17	40	52
65+	11	6.5	16	1	2	6	11	39	91	99+
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64	4	12.8	76	2	2	13	19	23	23	23
65+	11	18.2	156	1	5	16	20	36	49	50
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	9.5	1	9	9	9	10	10	10	10
35-49	21	5.0	10	<1	<1	4	7	9	11	12
50-64	22	10.5	44	3	4	10	12	17	24	32
65+	60	9.6	62	2	2	8	12	18	27	38
B. *Operated*										
0-19 YRS										
20-34	2	32.5	1105	9	9	32	56	56	56	56
35-49	20	18.4	110	8	9	15	22	32	43	51
50-64	68	22.9	141	7	9	22	29	42	44	51
65+	97	22.7	99	7	10	22	28	39	42	76
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	33	9.1	77	2	3	7	12	15	45	99+
B. *Operated*	15	16.7	134	1	2	15	20	27	44	50
2. MULTIPLE DX										
A. *Not Operated*	105	8.9	50	1	2	7	12	17	22	36
B. *Operated*	187	22.4	122	8	9	21	28	39	43	54
1. SINGLE DX	48	11.5	105	2	3	10	15	22	50	99+
2. MULTIPLE DX	292	17.5	138	2	4	16	24	35	42	51
A. NOT OPERATED	138	8.9	56	1	2	7	12	17	23	57
B. OPERATED	202	22.0	125	6	9	20	28	39	43	54
TOTAL 0-19 YRS										
20-34	4	21.0	545	9	9	10	33	56	56	56
35-49	46	10.7	97	1	1	8	15	24	30	51
50-64	111	18.4	146	4	5	15	25	37	43	51
65+	179	17.0	127	2	3	16	23	35	41	85
GRAND TOTAL	**340**	**16.7**	**138**	**2**	**4**	**15**	**23**	**35**	**42**	**52**

27: Malignant neoplasm of bronchus, lung, and trachea (162)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	5.0		5	5	5	5	5	5	5
35-49	24	3.5	9	1	2	2	4	7	10	14
50-64	75	7.0	48	1	1	4	10	15	25	29
65+	59	12.1	105	1	3	9	16	23	29	59
B. *Operated*										
0-19 YRS										
20-34	1	55.0		55	55	55	55	55	55	55
35-49	25	12.3	35	5	5	11	16	23	24	26
50-64	167	12.1	58	2	3	11	16	22	26	35
65+	145	14.5	107	3	4	12	18	28	36	50
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	4.5	13	2	2	4	7	7	7	7
20-34										
35-49	47	10.0	115	1	2	6	13	21	41	43
50-64	347	7.2	67	1	2	4	9	17	24	50
65+	358	10.6	96	2	2	8	15	21	28	99+
B. *Operated*										
0-19 YRS										
20-34	7	16.9	35	8	8	20	22	23	23	23
35-49	89	17.2	118	3	4	16	22	30	41	53
50-64	443	17.4	145	3	4	16	23	32	39	90
65+	536	19.9	172	4	7	17	26	37	43	92
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	159	8.3	72	1	2	6	12	18	26	34
B. *Operated*	338	13.3	83	2	4	11	17	25	32	43
2. MULTIPLE DX										
A. *Not Operated*	754	9.0	86	1	2	6	12	20	27	66
B. *Operated*	1075	18.6	157	3	5	16	24	35	41	87
1. SINGLE DX	497	11.7	85	2	2	10	15	23	29	42
2. MULTIPLE DX	1829	14.7	150	2	2	12	21	30	39	81
A. NOT OPERATED	913	8.9	84	1	2	6	12	20	27	62
B. OPERATED	1413	17.3	144	3	5	15	23	33	40	70
TOTAL 0-19 YRS	2	4.5	13	2	2	4	7	7	7	7
20-34	9	19.8	216	5	6	20	22	42	55	55
35-49	185	12.9	114	2	2	11	18	27	39	44
50-64	1032	12.4	119	2	2	10	18	26	34	53
65+	1098	15.7	153	2	4	13	21	32	40	90
GRAND TOTAL	**2326**	**14.0**	**138**	**2**	**2**	**11**	**19**	**29**	**37**	**67**

28: Other malignant neoplasm of respiratory system and thoracic cavity (160-161; 163-165)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	1.0		1	1	1	1	1	1	1
35-49	4	1.8		1	1	2	2	2	2	2
50-64	11	10.5	220	2	2	4	13	32	50	52
65+	9	7.0	50	<1	<1	3	13	18	19	19
B. *Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	3	4.7	30	1	1	2	9	11	11	11
35-49	13	14.2	214	1	1	10	22	29	49	53
50-64	46	8.4	71	1	1	4	14	21	25	32
65+	37	9.3	167	<1	1	4	13	21	34	66
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	1	38.0		38	38	38	38	38	38	38
35-49	13	8.5	44	2	3	7	9	17	25	27
50-64	23	6.9	26	1	2	7	11	15	16	16
65+	20	18.3	554	2	3	8	20	53	77	92
B. *Operated*										
0-19 YRS	3	6.7	52	2	2	3	12	15	15	15
20-34	4	8.5	20	2	2	10	11	12	12	12
35-49	9	14.3	99	<1	1	13	24	28	29	29
50-64	63	16.6	254	1	2	12	26	36	47	68
65+	69	16.3	251	1	2	10	27	40	43	94
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	25	7.5	120	<1	1	3	8	19	27	52
B. *Operated*	100	9.3	124	1	1	4	14	22	26	59
2. MULTIPLE DX										
A. *Not Operated*	58	11.6	244	2	2	7	12	26	41	90
B. *Operated*	148	15.9	233	1	2	11	26	38	43	70
1. SINGLE DX	125	8.9	123	1	1	4	14	21	25	56
2. MULTIPLE DX	206	14.7	239	1	2	9	23	37	43	79
A. NOT OPERATED	83	10.4	208	1	2	6	12	20	40	82
B. OPERATED	248	13.2	199	1	2	9	21	34	40	69
TOTAL 0-19 YRS	5	5.0	32	2	2	3	6	15	15	15
20-34	9	9.7	135	1	1	9	11	28	38	38
35-49	39	11.0	120	1	2	8	15	25	28	53
50-64	143	12.0	171	1	2	7	16	29	36	65
65+	135	14.0	269	1	2	7	19	39	43	93
GRAND TOTAL	**331**	**12.5**	**202**	**1**	**2**	**7**	**18**	**32**	**40**	**69**

29: Malignant neoplasm of bone and connective tissue including peripheral and autonomic nerves (170-171)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	21	3.0	2	1	1	3	4	5	5	5
20-34	1	8.0		8	8	8	8	8	8	8
35-49	2	4.0	18	1	1	4	7	7	7	7
50-64	5	9.4	32	1	1	10	12	17	17	17
65+	7	5.3	35	1	1	4	6	16	18	18
B. *Operated*										
0-19 YRS	9	7.7	131	2	2	3	7	27	37	37
20-34	10	11.7	43	2	4	11	12	22	24	24
35-49	6	18.7	218	5	5	11	37	38	38	38
50-64	14	11.3	83	1	3	7	21	24	26	27
65+	12	9.1	50	1	2	7	12	20	25	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	18	5.8	39	1	2	4	5	13	22	27
20-34	17	6.8	40	1	2	6	9	14	21	25
35-49	2	8.5	25	5	5	8	12	12	12	12
50-64	15	9.2	34	2	3	7	13	16	21	23
65+	10	9.5	86	2	2	4	21	23	24	24
B. *Operated*										
0-19 YRS	10	14.6	189	1	2	10	19	36	47	47
20-34	16	36.9	556	4	8	40	51	69	78	81
35-49	12	29.6	564	10	11	19	37	72	83	85
50-64	24	18.9	420	2	2	13	24	46	65	87
65+	36	20.8	352	3	4	17	26	58	74	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	36	4.5	16	1	1	4	5	10	15	18
B. *Operated*	51	11.1	93	2	2	8	13	25	36	38
2. MULTIPLE DX										
A. *Not Operated*	62	7.6	45	2	2	5	11	17	24	27
B. *Operated*	98	23.4	444	2	3	17	37	56	75	94
1. SINGLE DX	87	8.4	71	1	2	5	10	21	26	38
2. MULTIPLE DX	160	17.3	348	2	2	11	23	48	62	87
A. NOT OPERATED	98	6.5	36	1	2	4	8	15	22	26
B. OPERATED	149	19.2	357	2	3	13	25	49	64	87
TOTAL 0-19 YRS	58	6.6	77	1	2	4	5	16	27	46
20-34	44	18.9	411	2	2	10	27	50	60	81
35-49	22	22.4	434	3	5	13	33	48	74	85
50-64	58	13.7	219	1	2	9	18	26	43	84
65+	65	15.2	257	2	2	10	21	39	61	97
GRAND TOTAL	**247**	**14.1**	**268**	**2**	**2**	**8**	**18**	**39**	**50**	**85**

30: Malignant melanoma of skin, excluding genital organs (172)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	2.5	5	1	1	2	4	4	4	4
35-49	1	36.0		36	36	36	36	36	36	36
50-64	1	11.0		11	11	11	11	11	11	11
65+	1	4.0		4	4	4	4	4	4	4
B. *Operated*										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	12	8.5	32	2	3	6	14	16	19	19
35-49	14	9.1	106	<1	1	5	15	19	35	39
50-64	21	8.1	37	<1	1	7	12	17	21	22
65+	19	8.7	55	1	2	7	13	19	24	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	3.5	1	3	3	3	4	4	4	4
35-49	6	9.7	51	3	3	8	15	20	21	21
50-64	12	6.7	21	2	2	6	8	14	17	17
65+	6	26.8	357	6	7	23	28	59	62	62
B. *Operated*										
0-19 YRS	1	12.0		12	12	12	12	12	12	12
20-34	9	8.9	38	2	3	6	15	18	18	18
35-49	16	10.8	53	2	2	10	15	21	25	27
50-64	16	16.7	572	2	2	8	18	51	81	92
65+	32	13.5	254	2	2	7	16	36	48	67
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5	11.2	206	1	1	4	17	36	36	36
B. *Operated*	67	8.5	53	1	2	6	12	18	21	37
2. MULTIPLE DX										
A. *Not Operated*	26	11.8	164	2	3	7	17	26	35	62
B. *Operated*	74	13.0	246	2	2	9	16	29	47	86
1. SINGLE DX	72	8.7	61	1	2	6	12	18	22	38
2. MULTIPLE DX	100	12.7	224	2	2	8	16	27	44	79
A. NOT OPERATED	31	11.7	164	2	2	7	16	27	36	62
B. OPERATED	141	10.9	158	2	2	7	14	21	34	69
TOTAL 0-19 YRS	2	9.0	18	6	6	9	12	12	12	12
20-34	25	7.8	32	2	2	4	14	18	18	19
35-49	37	10.6	86	2	2	8	15	21	33	39
50-64	50	10.6	214	2	2	7	12	20	22	92
65+	58	13.2	214	2	2	8	18	32	45	67
GRAND TOTAL	**172**	**11.0**	**159**	**2**	**2**	**7**	**14**	**22**	**35**	**66**

31: Other malignant neoplasm of skin, excluding genital organs (173)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	4.0		4	4	4	4	4	4	4
35-49										
50-64										
65+	8	7.8	50	1	2	5	10	20	23	23
B. *Operated*										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34	10	3.5	15	<1	<1	2	4	9	14	14
35-49	32	4.7	29	<1	1	3	5	10	16	27
50-64	31	3.3	6	<1	<1	3	4	7	10	11
65+	85	5.2	43	<1	1	3	5	10	19	34
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	8.0		8	8	8	8	8	8	8
35-49	1	5.0		5	5	5	5	5	5	5
50-64	2	1.0		1	1	1	1	1	1	1
65+	13	8.7	26	1	3	9	13	26	84	99+
B. *Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	4	8.5	60	<1	<1	8	15	17	17	17
35-49	14	6.4	48	<1	2	4	6	13	25	28
50-64	46	9.2	141	2	2	4	12	24	35	59
65+	115	9.7	157	<1	1	6	11	23	32	70
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	9	7.3	45	1	2	5	10	19	23	23
B. *Operated*	160	4.6	31	<1	<1	3	5	10	14	33
2. MULTIPLE DX										
A. *Not Operated*	17	7.5	26	<1	1	7	12	17	67	99+
B. *Operated*	180	9.2	141	<1	2	5	11	23	31	65
1. SINGLE DX	169	4.7	32	<1	<1	3	5	10	14	33
2. MULTIPLE DX	197	9.1	131	<1	2	5	11	23	32	72
A. NOT OPERATED	26	7.5	31	1	1	6	11	18	34	99+
B. OPERATED	340	7.0	95	<1	1	3	8	17	25	59
TOTAL 0-19 YRS	3	2.0	1	1	1	2	3	3	3	3
20-34	16	5.1	26	<1	<1	3	6	14	16	17
35-49	47	5.2	34	<1	1	3	6	11	18	28
50-64	79	6.7	93	<1	1	3	7	17	27	54
65+	221	7.8	106	<1	1	4	9	18	28	69
GRAND TOTAL	**366**	**7.1**	**90**	**<1**	**1**	**4**	**9**	**17**	**25**	**63**

32: Malignant neoplasm of breast (female) (male) (174-175)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	5	5.6	44	1	1	4	8	17	17	17
35-49	3	5.7	32	1	1	4	10	12	12	12
50-64	7	6.0	40	<1	<1	4	14	76	99+	99+
65+	25	11.9	95	1	3	8	19	29	31	36
B. *Operated*										
0-19 YRS										
20-34	25	5.8	10	<1	1	6	8	10	11	12
35-49	154	7.6	34	1	2	7	9	13	17	30
50-64	217	7.6	20	1	2	7	10	12	15	23
65+	241	8.2	23	2	3	8	10	14	16	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	17	10.3	117	<1	1	6	12	31	34	35
35-49	64	9.4	92	1	1	7	13	23	34	92
50-64	104	9.9	129	1	2	8	12	20	24	75
65+	135	13.4	165	2	3	9	19	28	42	62
B. *Operated*										
0-19 YRS	1	9.0		9	9	9	9	9	9	9
20-34	42	7.1	8	4	4	7	8	11	13	15
35-49	229	8.1	27	2	3	7	10	14	18	29
50-64	383	9.1	32	2	4	8	11	16	22	33
65+	445	10.8	83	3	4	9	13	19	28	59
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	40	9.6	80	<1	1	7	15	26	32	99+
B. *Operated*	637	7.8	24	2	2	7	10	13	15	28
2. MULTIPLE DX										
A. *Not Operated*	320	11.3	138	1	2	8	15	23	33	71
B. *Operated*	1100	9.5	52	2	3	8	11	17	22	48
1. SINGLE DX	677	7.9	28	1	2	7	10	14	16	30
2. MULTIPLE DX	1420	9.9	72	2	3	8	12	18	25	53
A. NOT OPERATED	360	11.1	132	1	2	8	15	24	33	72
B. OPERATED	1737	8.9	43	2	3	8	11	15	20	37
TOTAL 0-19 YRS	1	9.0		9	9	9	9	9	9	9
20-34	89	7.3	32	1	2	7	9	12	17	34
35-49	450	8.1	39	1	2	7	10	14	21	31
50-64	711	8.7	43	2	3	8	11	15	21	33
65+	846	10.5	82	2	3	8	12	19	28	58
GRAND TOTAL	**2097**	**9.3**	**59**	**2**	**3**	**8**	**11**	**17**	**23**	**47**

33: Malignant neoplasm of cervix uteri excluding carcinoma in situ (180)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	7	3.9	4	2	2	3	5	7	7	7
35-49	15	3.1	3	1	1	3	4	6	6	6
50-64	9	3.8	8	1	1	3	4	8	11	11
65+	6	2.3	1	2	2	2	2	4	4	4
B. *Operated*										
0-19 YRS										
20-34	45	6.0	57	<1	1	3	7	12	23	38
35-49	46	6.8	67	<1	1	4	8	15	22	40
50-64	25	6.7	218	<1	1	3	6	8	29	76
65+	9	12.8	163	2	2	7	20	34	40	40
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	22	4.0	9	1	1	3	6	8	11	12
35-49	28	4.9	17	<1	1	4	6	12	13	15
50-64	31	9.1	77	1	1	5	13	24	27	32
65+	25	11.6	420	2	2	4	9	24	74	84
B. *Operated*										
0-19 YRS										
20-34	51	12.5	158	1	1	8	17	34	37	56
35-49	74	13.5	200	1	2	8	20	36	43	56
50-64	63	12.6	214	1	1	6	18	36	48	57
65+	39	14.8	199	2	2	9	24	37	45	50
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	37	3.3	4	1	1	3	4	6	7	11
B. *Operated*	125	6.9	100	<1	1	3	8	14	27	49
2. MULTIPLE DX										
A. *Not Operated*	106	7.5	133	1	1	4	8	15	24	77
B. *Operated*	227	13.3	192	1	1	8	18	36	45	56
1. SINGLE DX	162	6.1	80	<1	1	3	7	12	19	40
2. MULTIPLE DX	333	11.4	180	1	1	6	14	32	41	56
A. NOT OPERATED	143	6.4	103	1	1	4	6	12	21	72
B. OPERATED	352	11.0	168	1	1	6	14	32	40	56
TOTAL 0-19 YRS										
20-34	125	8.2	100	1	1	4	9	19	35	48
35-49	163	9.2	128	<1	1	4	11	26	37	54
50-64	128	10.0	173	1	1	4	11	26	37	61
65+	79	12.6	254	2	2	6	15	33	45	80
GRAND TOTAL	**495**	**9.7**	**154**	**1**	**1**	**4**	**11**	**26**	**37**	**56**

34: Malignant neoplasm of corpus uteri (179; 182)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	2	4.5	13	2	2	4	7	7	7	7
50-64	8	4.6	7	1	2	5	5	9	10	10
65+	12	12.2	152	2	2	7	20	32	36	37
B. *Operated*										
0-19 YRS										
20-34	1	1.0		1	1	1	1	1	1	1
35-49	18	5.9	16	<1	1	7	10	11	12	13
50-64	77	5.6	21	<1	1	6	8	10	15	24
65+	78	6.1	24	<1	1	6	9	10	15	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	2	4.0	8	2	2	4	6	6	6	6
50-64	7	5.3	43	1	1	2	7	17	19	19
65+	27	9.7	159	1	2	3	12	32	35	49
B. *Operated*										
0-19 YRS										
20-34	7	7.7	22	2	2	8	10	15	16	16
35-49	35	9.4	68	<1	3	7	11	15	22	48
50-64	157	9.8	68	1	2	8	12	19	24	50
65+	205	11.9	125	1	2	9	15	23	38	74
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	22	8.7	97	1	2	5	12	24	33	37
B. *Operated*	174	5.8	22	<1	1	6	8	10	14	25
2. MULTIPLE DX										
A. *Not Operated*	36	8.6	130	1	1	3	7	30	32	49
B. *Operated*	404	10.8	97	1	2	8	13	20	29	51
1. SINGLE DX	196	6.1	31	<1	1	5	8	11	16	28
2. MULTIPLE DX	440	10.6	100	1	2	8	13	21	31	51
A. NOT OPERATED	58	8.6	116	1	1	3	10	28	32	48
B. OPERATED	578	9.3	79	1	1	8	11	19	25	48
TOTAL 0-19 YRS										
20-34	8	6.9	24	1	1	7	9	14	16	16
35-49	57	7.9	50	<1	1	7	10	14	16	46
50-64	249	8.2	55	1	1	7	9	17	20	38
65+	322	10.3	109	1	2	8	12	22	32	53
GRAND TOTAL	**636**	**9.2**	**83**	**1**	**1**	**7**	**11**	**19**	**26**	**48**

35: Malignant neoplasm of ovary (183.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	3.7		3	3	4	4	4	4	4
20-34	2	3.5	1	3	3	3	4	4	4	4
35-49	1	8.0		8	8	8	8	8	8	8
50-64	14	3.5	11	1	1	3	3	9	12	13
65+	6	7.3	44	1	1	6	7	19	20	20
B. *Operated*										
0-19 YRS	4	7.5	26	4	4	5	10	15	15	15
20-34	9	8.2	2	6	6	8	10	10	10	10
35-49	12	8.8	9	5	5	8	11	13	14	14
50-64	12	9.7	16	2	5	10	12	14	17	18
65+	10	13.1	20	7	7	13	16	19	20	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	4.0		4	4	4	4	4	4	4
20-34	3	9.0	148	1	1	3	18	23	23	23
35-49	20	6.6	34	1	1	6	7	11	20	28
50-64	49	6.1	49	1	1	4	7	13	21	33
65+	50	7.4	38	1	2	6	10	18	24	99
B. *Operated*										
0-19 YRS	4	10.8	35	6	6	9	15	19	19	19
20-34	14	10.6	18	5	6	10	15	16	18	18
35-49	46	11.2	25	5	6	10	13	18	21	27
50-64	111	15.7	151	7	7	11	18	29	39	72
65+	97	20.6	190	6	7	17	27	41	48	66
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	26	4.6	18	1	1	3	6	9	14	20
B. *Operated*	47	9.7	15	5	6	9	12	15	18	20
2. MULTIPLE DX										
A. *Not Operated*	124	6.7	42	1	1	5	8	14	23	50
B. *Operated*	272	16.3	147	6	7	12	19	30	44	66
1. SINGLE DX	73	7.9	22	1	2	8	10	14	18	20
2. MULTIPLE DX	396	13.3	134	2	3	10	16	27	36	66
A. NOT OPERATED	150	6.3	39	1	1	4	8	13	21	33
B. OPERATED	319	15.4	133	6	7	12	18	29	39	66
TOTAL 0-19 YRS	13	7.1	24	3	3	5	8	16	18	19
20-34	28	9.1	24	3	3	8	11	16	18	23
35-49	79	9.6	28	3	5	8	12	16	19	28
50-64	186	11.8	127	1	2	10	14	25	32	65
65+	163	15.6	165	2	3	13	20	33	45	66
GRAND TOTAL	**469**	**12.5**	**120**	**2**	**3**	**10**	**15**	**26**	**33**	**65**

36: Malignant neoplasm of other female genital organs (181; 183.2-183.9; 184)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	1	7.0		7	7	7	7	7	7	7
50-64										
65+	6	7.7	54	3	3	3	15	19	19	19
B. *Operated*										
0-19 YRS										
20-34										
35-49	3	2.7		2	2	3	3	3	3	3
50-64	6	8.7	57	<1	<1	8	13	19	20	20
65+	11	10.5	90	2	2	8	13	28	30	30
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	3.0	7	<1	<1	2	5	6	6	6
20-34	9	4.7	14	2	2	3	6	11	13	13
35-49	3	7.7	25	3	3	7	11	13	13	13
50-64	3	8.7	154	1	1	2	18	23	23	23
65+	6	9.7	52	2	2	9	14	20	21	21
B. *Operated*										
0-19 YRS	1	61.0		61	61	61	61	61	61	61
20-34	4	22.3	513	2	2	19	41	49	49	49
35-49	8	9.0	188	<1	<1	4	9	32	42	42
50-64	21	17.6	142	3	5	16	27	35	40	45
65+	27	21.0	265	2	3	18	31	49	61	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7	7.6	45	3	3	3	13	18	19	19
B. *Operated*	20	8.8	70	1	2	5	12	23	28	30
2. MULTIPLE DX										
A. *Not Operated*	24	6.6	39	1	2	4	9	15	22	23
B. *Operated*	61	19.0	256	2	2	14	30	47	53	95
1. SINGLE DX	27	8.5	62	1	2	4	13	20	27	30
2. MULTIPLE DX	85	15.5	225	1	2	10	26	42	49	86
A. NOT OPERATED	31	6.8	39	1	2	3	10	17	21	23
B. OPERATED	81	16.5	228	2	2	11	27	43	49	87
TOTAL 0-19 YRS	4	17.5	846	<1	<1	4	33	61	61	61
20-34	13	10.1	209	2	2	5	9	36	47	49
35-49	15	7.3	104	<1	2	3	8	13	35	42
50-64	30	14.9	136	1	1	13	21	32	36	45
65+	50	15.7	204	2	2	11	26	41	50	99+
GRAND TOTAL	**112**	**13.8**	**194**	**2**	**2**	**9**	**21**	**35**	**48**	**75**

37: Malignant neoplasm of prostate (185)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	8	4.3	10	1	1	3	6	9	10	10
65+	29	11.2	152	1	2	7	15	30	44	48
B. *Operated*										
0-19 YRS										
20-34										
35-49	1	10.0		10	10	10	10	10	10	10
50-64	84	9.9	35	2	3	9	13	19	21	29
65+	306	9.5	45	2	2	8	13	19	22	34
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	66	7.4	43	1	2	5	9	18	22	31
65+	282	12.0	159	2	3	8	14	31	45	99+
B. *Operated*										
0-19 YRS										
20-34										
35-49	3	9.3	21	4	4	12	12	12	12	12
50-64	230	13.9	155	2	3	10	18	29	37	70
65+	920	13.1	115	2	3	10	16	24	33	58
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	37	9.7	128	1	2	5	12	17	42	48
B. *Operated*	391	9.6	43	2	3	8	13	19	22	33
2. MULTIPLE DX										
A. *Not Operated*	348	11.1	140	2	2	7	13	28	42	99
B. *Operated*	1153	13.2	123	2	3	10	16	25	34	59
1. SINGLE DX	428	9.6	50	2	2	8	13	19	22	36
2. MULTIPLE DX	1501	12.7	127	2	3	10	16	25	35	65
A. NOT OPERATED	385	11.0	138	2	2	7	13	27	42	93
B. OPERATED	1544	12.3	105	2	3	10	15	23	31	54
TOTAL 0-19 YRS										
20-34										
35-49	4	9.5	14	4	4	11	12	12	12	12
50-64	388	11.7	114	2	2	9	15	24	30	49
65+	1537	12.1	112	2	3	9	15	23	34	59
GRAND TOTAL	**1929**	**12.0**	**112**	**2**	**3**	**9**	**15**	**23**	**33**	**58**

38: Malignant neoplasm of male genitalia, except prostate (186-187)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	6	4.3	1	3	3	5	5	5	5	5
35-49	1	40.0		40	40	40	40	40	40	40
50-64										
65+	1	24.0		24	24	24	24	24	24	24
B. *Operated*										
0-19 YRS	3	7.0	7	4	4	8	9	9	9	9
20-34	38	6.9	14	2	3	7	9	11	14	19
35-49	19	5.7	12	2	2	4	8	11	12	12
50-64	3	6.0	7	3	3	7	8	8	8	8
65+	4	9.8	31	4	4	10	14	15	15	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	6.8	2	6	6	6	8	9	9	9
20-34	37	6.2	26	1	2	5	5	16	19	22
35-49	18	6.3	61	1	2	5	6	6	25	37
50-64										
65+	5	8.0	48	1	1	5	13	18	18	18
B. *Operated*										
0-19 YRS	2	11.0	32	7	7	11	15	15	15	15
20-34	12	10.8	111	1	2	7	14	26	37	39
35-49	13	9.5	53	3	3	8	10	22	27	28
50-64	3	16.0	333	4	4	7	29	37	37	37
65+	6	10.0	70	2	2	9	14	22	23	23
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8	11.3	183	3	3	5	15	35	40	40
B. *Operated*	67	6.7	14	2	3	6	9	11	14	18
2. MULTIPLE DX										
A. *Not Operated*	64	6.4	35	1	2	5	6	15	19	35
B. *Operated*	36	10.6	86	2	3	8	14	23	34	39
1. SINGLE DX	75	7.2	32	2	3	6	9	12	15	36
2. MULTIPLE DX	100	7.9	57	1	2	5	8	18	22	38
A. NOT OPERATED	72	6.9	51	1	2	5	6	17	22	39
B. OPERATED	103	8.1	42	2	3	7	10	15	20	38
TOTAL 0-19 YRS	9	7.8	10	4	5	7	9	13	15	15
20-34	93	7.0	32	2	3	5	8	15	19	32
35-49	51	7.5	62	2	2	6	8	12	28	40
50-64	6	11.0	166	3	3	7	8	34	37	37
65+	16	10.2	57	1	2	9	15	22	24	24
GRAND TOTAL	**175**	**7.6**	**46**	**2**	**3**	**5**	**9**	**15**	**21**	**39**

39: Malignant neoplasm of bladder (188)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	3	9.3	89	2	2	6	16	20	20	20
65+	10	7.4	166	<1	<1	2	4	29	41	41
B. *Operated*										
0-19 YRS	3	9.7	20	5	5	10	13	14	14	14
20-34	8	4.0	4	1	1	4	5	7	7	7
35-49	46	4.7	22	<1	2	3	5	8	14	27
50-64	121	4.7	22	1	1	4	5	8	12	28
65+	366	6.1	65	1	2	4	6	12	22	39
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	2	9.0	50	4	4	9	14	14	14	14
50-64	31	6.4	42	1	2	3	10	15	18	29
65+	49	13.3	257	1	1	8	16	28	45	85
B. *Operated*										
0-19 YRS										
20-34	3	7.0	16	3	3	7	10	11	11	11
35-49	34	6.1	36	1	2	4	7	14	16	30
50-64	202	9.0	117	1	2	5	11	22	30	57
65+	692	10.0	103	2	2	7	12	23	32	55
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	13	7.8	140	<1	<1	2	9	24	38	41
B. *Operated*	544	5.7	51	1	2	4	6	11	18	35
2. MULTIPLE DX										
A. *Not Operated*	82	10.6	180	1	2	7	14	21	33	78
B. *Operated*	931	9.7	104	2	2	6	12	23	31	55
1. SINGLE DX	557	5.7	53	1	2	4	6	11	19	36
2. MULTIPLE DX	1013	9.7	110	2	2	6	12	23	31	56
A. NOT OPERATED	95	10.2	174	1	1	6	14	20	37	75
B. OPERATED	1475	8.2	88	1	2	5	9	20	27	48
TOTAL 0-19 YRS	3	9.7	20	5	5	10	13	14	14	14
20-34	11	4.8	8	1	2	4	7	9	11	11
35-49	82	5.4	28	1	2	4	6	13	16	29
50-64	357	7.3	82	1	2	4	8	17	25	40
65+	1117	8.9	102	2	2	5	10	21	30	52
GRAND TOTAL	**1570**	**8.3**	**93**	**1**	**2**	**5**	**10**	**20**	**28**	**50**

40: Malignant neoplasm of kidney and other urinary organs (189)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	3.0	2	2	2	3	4	4	4	4
20-34										
35-49	2	2.0	2	1	1	2	3	3	3	3
50-64	5	5.6	5	3	3	6	7	9	9	9
65+	6	9.0	19	5	5	8	10	16	17	17
B. *Operated*										
0-19 YRS	1	19.0		19	19	19	19	19	19	19
20-34	3	15.0	75	5	5	20	20	20	20	20
35-49	22	12.5	26	4	7	12	15	20	22	24
50-64	28	12.0	36	1	4	12	14	19	23	30
65+	39	16.1	101	2	3	14	22	31	36	45
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	24.0		24	24	24	24	24	24	24
20-34										
35-49	2	34.5	1513	7	7	34	62	62	62	62
50-64	44	6.7	45	1	2	4	8	18	21	31
65+	31	14.8	312	2	2	7	19	43	55	77
B. *Operated*										
0-19 YRS	3	13.0	181	2	2	9	23	28	28	28
20-34	3	13.3	49	6	6	14	18	20	20	20
35-49	24	19.3	175	3	7	17	21	31	51	64
50-64	104	16.9	89	5	8	15	20	30	39	47
65+	114	20.1	115	6	8	18	25	35	41	53
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	15	6.1	16	1	2	6	8	10	15	17
B. *Operated*	93	14.0	64	2	5	13	18	24	29	42
2. MULTIPLE DX										
A. *Not Operated*	78	10.9	199	2	2	5	13	22	44	73
B. *Operated*	248	18.5	111	5	8	17	23	33	40	50
1. SINGLE DX	108	12.9	64	2	3	12	17	23	27	40
2. MULTIPLE DX	326	16.7	142	2	3	15	22	32	41	60
A. NOT OPERATED	93	10.1	172	2	2	5	12	22	41	71
B. OPERATED	341	17.3	102	4	7	15	21	31	38	47
TOTAL 0-19 YRS	7	12.6	120	2	2	9	23	27	28	28
20-34	6	14.2	51	5	5	17	20	20	20	20
35-49	50	16.2	157	2	5	14	19	28	45	64
50-64	181	13.4	87	2	3	12	17	23	33	47
65+	190	18.1	147	2	5	16	23	34	43	58
GRAND TOTAL	**434**	**15.8**	**125**	**2**	**3**	**14**	**20**	**30**	**38**	**56**

41: Malignant neoplasm of eye (190)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	1.0		1	1	1	1	1	1	1
35-49										
50-64										
65+	2	2.0	2	1	1	2	3	3	3	3
B. *Operated*										
0-19 YRS	6	4.7	11	1	1	4	8	9	9	9
20-34	1	12.0		12	12	12	12	12	12	12
35-49	3	9.7	40	6	6	6	14	17	17	17
50-64	1	6.0		6	6	6	6	6	6	6
65+	7	7.0	20	2	2	6	9	14	15	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	3	6.7	30	1	1	7	11	12	12	12
35-49	2	6.0	18	3	3	6	9	9	9	9
50-64	1	7.0		7	7	7	7	7	7	7
65+	2	4.0	18	1	1	4	7	7	7	7
B. *Operated*										
0-19 YRS	1	12.0		12	12	12	12	12	12	12
20-34	3	5.0	1	4	4	5	6	6	6	6
35-49	1	6.0		6	6	6	6	6	6	6
50-64	5	7.6	13	4	4	6	11	12	12	12
65+	10	14.9	374	3	3	8	16	42	68	68
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3	1.7	1	1	1	1	3	3	3	3
B. *Operated*	18	6.9	20	1	2	6	9	14	16	17
2. MULTIPLE DX										
A. *Not Operated*	8	5.9	15	1	1	7	8	11	12	12
B. *Operated*	20	11.0	198	3	4	6	12	16	42	68
1. SINGLE DX	21	6.1	20	1	1	6	8	13	16	17
2. MULTIPLE DX	28	9.5	149	1	3	6	11	16	21	68
A. NOT OPERATED	11	4.7	15	1	1	3	7	10	12	12
B. OPERATED	38	9.1	115	2	3	6	11	16	17	68
TOTAL 0-19 YRS	7	5.7	17	1	1	5	9	11	12	12
20-34	8	6.0	18	1	1	5	9	12	12	12
35-49	6	7.8	24	3	3	6	9	16	17	17
50-64	7	7.3	9	4	4	6	10	12	12	12
65+	21	10.0	200	1	2	6	11	16	39	68
GRAND TOTAL	**49**	**8.1**	**95**	**1**	**2**	**5**	**10**	**15**	**16**	**68**

42: Malignant neoplasm of brain (191)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	4.8	22	1	1	3	6	13	13	13
20-34	17	4.6	13	1	2	3	5	10	14	15
35-49	10	4.7	27	<1	<1	3	6	13	18	18
50-64	17	16.6	203	1	2	11	26	40	45	47
65+	3	13.7	82	7	7	10	20	24	24	24
B. *Operated*										
0-19 YRS	10	17.9	121	6	7	15	25	34	42	42
20-34	16	19.3	251	4	5	13	29	45	52	54
35-49	18	19.4	237	5	8	13	23	45	57	63
50-64	18	23.8	358	6	8	16	25	55	63	67
65+	11	34.3	510	8	9	29	48	69	70	70
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	14	4.9	32	<1	<1	3	6	9	20	23
20-34	12	8.3	86	2	2	6	13	99+	99+	99+
35-49	10	19.6	344	2	2	18	38	72	98	99+
50-64	19	14.9	281	1	2	13	33	99+	99+	99+
65+	20	14.9	141	4	5	11	19	28	42	54
B. *Operated*										
0-19 YRS	14	23.3	297	2	7	20	36	59	90	99+
20-34	25	27.7	425	4	5	22	50	63	73	99+
35-49	17	22.1	419	5	6	13	30	65	86	99+
50-64	24	24.8	333	6	9	19	45	63	99+	99+
65+	13	26.9	209	8	10	24	37	51	51	51
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	52	9.1	110	1	1	4	11	24	32	47
B. *Operated*	73	22.5	308	5	7	16	29	50	62	70
2. MULTIPLE DX										
A. *Not Operated*	75	12.6	188	1	2	9	19	54	99+	99+
B. *Operated*	93	25.2	341	5	7	20	40	63	86	99+
1. SINGLE DX	125	16.9	268	1	3	11	23	46	52	69
2. MULTIPLE DX	168	19.5	310	2	3	15	32	61	99+	99+
A. NOT OPERATED	127	11.1	158	1	2	7	15	35	69	99+
B. OPERATED	166	24.0	326	5	7	19	36	58	66	99+
TOTAL 0-19 YRS	43	13.9	200	1	1	9	22	37	54	99+
20-34	70	16.8	313	2	3	9	29	55	66	99+
35-49	55	17.6	300	1	2	12	23	57	65	99+
50-64	78	20.4	306	2	4	16	32	62	99+	99+
65+	47	22.7	296	5	7	17	31	50	56	70
GRAND TOTAL	**293**	**18.4**	**293**	**2**	**3**	**12**	**28**	**54**	**66**	**99+**

43: Malignant neoplasm of other parts of nervous system (192)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	24.0		24	24	24	24	24	24	24
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49	1	25.0		25	25	25	25	25	25	25
50-64	2	2.0	2	1	1	2	3	3	3	3
65+	1	13.0		13	13	13	13	13	13	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	40.0		40	40	40	40	40	40	40
20-34										
35-49	2	11.0	32	7	7	11	15	15	15	15
50-64	1	9.0		9	9	9	9	9	9	9
65+										
B. *Operated*										
0-19 YRS	5	12.6	46	3	3	16	17	19	19	19
20-34	1	29.0		29	29	29	29	29	29	29
35-49	2	14.5	13	12	12	17	79	99+	99+	99+
50-64	4	20.8	121	8	8	21	29	33	33	33
65+	1	48.0		48	48	48	48	48	48	48
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	24.0		24	24	24	24	24	24	24
B. *Operated*	4	10.5	121	1	1	8	19	25	25	25
2. MULTIPLE DX										
A. *Not Operated*	4	17.8	232	7	7	12	27	40	40	40
B. *Operated*	13	19.4	146	4	7	17	29	53	90	99+
1. SINGLE DX	5	13.2	127	1	1	13	24	25	25	25
2. MULTIPLE DX	17	19.0	154	5	7	16	29	46	79	99+
A. NOT OPERATED	5	19.0	182	7	7	15	28	40	40	40
B. OPERATED	17	17.3	148	2	3	16	26	43	79	99+
TOTAL 0-19 YRS	6	17.2	162	3	3	16	19	38	40	40
20-34	2	26.5	13	24	24	26	29	29	29	29
35-49	5	15.2	44	7	7	16	25	92	99+	99+
50-64	7	13.7	143	1	1	9	23	32	33	33
65+	2	30.5	613	13	13	30	48	48	48	48
GRAND TOTAL	**22**	**17.7**	**148**	**2**	**3**	**16**	**26**	**42**	**66**	**99+**

44: Malignant neoplasm of endocrine glands (193-194)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	3.5	1	3	3	3	4	4	4	4
20-34	8	6.9	10	<1	1	7	9	10	10	10
35-49	13	7.7	18	2	3	7	11	13	15	16
50-64	10	6.9	9	3	3	7	9	11	11	11
65+	6	7.0	21	3	3	5	11	14	14	14
B. *Operated*										
0-19 YRS	2	12.5	181	3	3	12	22	22	22	22
20-34	22	4.8	3	2	3	4	6	7	9	10
35-49	20	6.1	4	3	4	6	7	8	10	12
50-64	10	6.4	12	4	4	5	7	12	15	15
65+	4	15.8	208	4	4	11	26	36	36	36
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	5.3	17	2	2	4	7	12	13	13
20-34	19	7.1	13	1	2	7	10	12	13	13
35-49	25	7.7	21	2	3	7	10	14	16	19
50-64	14	8.1	26	1	3	9	10	13	19	21
65+	12	9.7	13	3	6	10	12	14	17	17
B. *Operated*										
0-19 YRS	6	11.0	74	3	3	8	16	25	26	26
20-34	24	7.2	26	2	3	5	11	14	19	20
35-49	28	9.9	91	2	3	6	13	24	35	40
50-64	24	8.6	33	3	4	7	10	16	20	29
65+	29	13.6	293	3	4	9	13	25	52	88
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	39	7.0	13	2	3	7	10	11	13	16
B. *Operated*	58	6.5	27	3	4	5	7	10	16	35
2. MULTIPLE DX										
A. *Not Operated*	76	7.7	19	2	3	7	11	13	15	20
B. *Operated*	111	10.0	118	3	3	7	12	17	29	65
1. SINGLE DX	97	6.7	21	3	3	6	8	11	15	29
2. MULTIPLE DX	187	9.1	79	3	3	7	11	16	20	46
A. NOT OPERATED	115	7.5	17	2	3	7	11	12	14	20
B. OPERATED	169	8.8	89	3	3	6	10	16	26	48
TOTAL 0-19 YRS	16	8.1	54	2	3	5	11	21	25	26
20-34	73	6.4	14	2	3	5	8	11	13	20
35-49	86	8.0	40	3	3	6	10	15	17	38
50-64	58	7.8	23	3	3	7	9	14	16	28
65+	51	12.1	189	3	4	9	12	17	36	88
GRAND TOTAL	**284**	**8.3**	**60**	**3**	**3**	**7**	**10**	**15**	**18**	**39**

45: Malignant neoplasm of ill-defined and secondary sites (195-199)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	2.0	2	1	1	2	3	3	3	3
35-49	5	3.0	12	<1	<1	1	4	9	9	9
50-64	16	9.8	64	1	2	7	13	22	28	30
65+	36	11.6	184	2	3	6	16	24	40	69
B. *Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	6	6.2	8	2	2	6	8	10	10	10
35-49	5	7.6	35	3	3	4	13	15	15	15
50-64	30	10.4	78	2	3	8	13	23	29	39
65+	36	13.1	210	1	1	9	16	31	47	68
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	3.8		3	3	4	4	4	4	4
20-34	60	7.2	54	1	2	4	8	15	26	38
35-49	177	8.7	55	2	3	6	10	18	28	36
50-64	384	11.6	142	2	2	9	14	24	37	78
65+	554	12.3	157	2	3	9	15	25	36	79
B. *Operated*										
0-19 YRS	5	6.6	62	1	1	4	10	20	20	20
20-34	60	11.1	81	1	2	8	18	27	33	93
35-49	176	14.6	176	2	3	10	20	27	46	58
50-64	451	14.5	172	2	3	11	19	30	38	79
65+	460	16.7	219	2	3	13	22	33	42	84
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	59	10.1	136	1	2	6	13	23	31	67
B. *Operated*	78	11.0	133	1	2	8	13	24	34	64
2. MULTIPLE DX										
A. *Not Operated*	1179	11.3	133	2	3	8	13	23	34	75
B. *Operated*	1152	15.2	188	2	3	11	20	31	39	81
1. SINGLE DX	137	10.6	134	1	2	7	13	24	32	68
2. MULTIPLE DX	2331	13.2	164	2	3	9	17	28	37	80
A. NOT OPERATED	1238	11.2	133	2	3	8	13	23	34	74
B. OPERATED	1230	14.9	185	2	3	11	20	31	39	81
TOTAL 0-19 YRS	10	4.9	32	1	1	4	4	13	20	20
20-34	128	8.9	68	1	2	6	11	23	29	52
35-49	363	11.4	122	2	3	8	14	24	33	55
50-64	881	13.0	155	2	3	10	16	28	37	78
65+	1086	14.2	190	2	3	10	18	30	39	81
GRAND TOTAL	**2468**	**13.1**	**163**	**2**	**3**	**9**	**17**	**28**	**36**	**79**

46: Hodgkin's disease (201)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	1.4	1	1	1	1	2	3	3	3
20-34	45	2.1	4	<1	1	2	2	3	7	11
35-49	4	2.8	1	2	2	3	3	4	4	4
50-64	7	3.3	3	2	2	2	5	5	5	5
65+	2	15.0	288	3	3	15	27	27	27	27
B. *Operated*										
0-19 YRS	10	10.9	59	1	1	11	17	20	23	23
20-34	40	12.4	70	2	3	10	16	22	32	36
35-49	21	11.3	102	1	2	9	17	25	32	41
50-64	8	16.8	127	2	4	15	22	33	38	38
65+	1	11.0		11	11	11	11	11	11	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	13	3.4	11	1	1	2	5	9	11	11
20-34	16	6.6	33	<1	<1	5	10	16	19	20
35-49	5	5.8	40	1	1	2	10	16	16	16
50-64	10	8.2	80	1	1	4	11	21	31	31
65+	8	6.3	42	1	1	4	8	17	20	20
B. *Operated*										
0-19 YRS	6	12.2	56	4	4	11	20	21	21	21
20-34	27	16.7	173	1	2	15	26	38	44	48
35-49	9	13.6	42	2	4	14	19	22	22	22
50-64	5	13.8	29	8	8	15	17	21	21	21
65+	8	28.0	522	3	5	25	32	65	78	78
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	63	2.6	13	<1	1	2	2	5	7	25
B. *Operated*	80	12.4	81	2	2	10	17	23	32	40
2. MULTIPLE DX										
A. *Not Operated*	52	6.0	38	1	1	3	9	13	19	31
B. *Operated*	55	17.1	188	1	3	15	22	31	42	76
1. SINGLE DX	143	8.1	74	1	1	5	12	21	25	38
2. MULTIPLE DX	107	11.7	145	1	1	8	16	27	32	61
A. NOT OPERATED	115	4.1	27	<1	1	2	5	11	15	28
B. OPERATED	135	14.3	129	2	2	12	19	29	36	52
TOTAL 0-19 YRS	34	6.9	48	1	1	4	11	18	21	23
20-34	128	9.0	96	1	1	6	14	22	30	44
35-49	39	10.2	79	1	2	8	16	22	25	41
50-64	30	10.3	87	2	2	8	15	22	31	38
65+	19	16.6	342	1	2	11	26	33	59	78
GRAND TOTAL	**250**	**9.6**	**107**	**1**	**1**	**6**	**15**	**22**	**30**	**43**

47: Lymphoid leukemia (204)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	9	5.7	78	<1	<1	<1	7	22	24	24
20-34	6	1.7	3	<1	<1	1	1	5	5	5
35-49	8	2.3	2	1	1	2	3	4	5	5
50-64	12	3.4	6	<1	<1	3	6	7	7	7
65+	15	15.9	435	1	2	7	25	70	92	99+
B. *Operated*										
0-19 YRS	20	6.4	62	<1	1	3	7	19	27	28
20-34	2	38.0	98	31	31	38	45	45	45	45
35-49	1	8.0		8	8	8	8	8	8	8
50-64	9	8.8	22	2	3	7	11	16	17	17
65+	6	5.2	18	<1	<1	5	9	10	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	42	4.1	21	<1	<1	3	5	11	12	24
20-34	2	2.0	2	1	1	2	3	3	3	3
35-49										
50-64	21	11.7	166	1	1	10	15	24	41	58
65+	58	11.4	218	1	1	9	15	29	73	99+
B. *Operated*										
0-19 YRS	32	18.1	311	2	2	9	29	39	43	82
20-34	5	62.8	206	44	44	70	74	76	76	76
35-49	1	11.0		11	11	11	11	11	11	11
50-64	16	17.5	196	3	4	15	21	36	52	59
65+	24	16.8	228	2	5	12	21	38	58	58
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	50	7.2	174	<1	<1	3	6	21	52	99+
B. *Operated*	38	8.5	93	<1	1	6	10	24	30	45
2. MULTIPLE DX										
A. *Not Operated*	123	8.8	150	<1	1	5	11	18	38	99+
B. *Operated*	78	20.3	368	2	3	13	27	49	66	80
1. SINGLE DX	88	7.7	138	<1	<1	4	8	22	33	89
2. MULTIPLE DX	201	13.3	265	1	1	8	16	36	58	98
A. NOT OPERATED	173	8.3	156	<1	1	4	11	19	39	99+
B. OPERATED	116	16.4	307	1	2	9	23	40	58	78
TOTAL 0-19 YRS	103	9.0	159	<1	<1	4	10	27	35	61
20-34	15	26.9	906	<1	<1	5	49	73	75	76
35-49	10	3.7	11	1	1	2	5	9	11	11
50-64	58	11.1	139	1	1	8	15	23	33	59
65+	103	13.0	244	1	2	9	16	38	61	99+
GRAND TOTAL	**289**	**11.6**	**232**	**<1**	**1**	**6**	**14**	**31**	**51**	**98**

48: Leukemia, except lymphoid (205-208)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	18	3.8	14	<1	<1	2	6	10	12	12
20-34	3	1.7		1	1	2	2	2	2	2
35-49	5	3.2	11	1	1	2	4	9	9	9
50-64	14	7.3	216	<1	<1	2	3	21	48	56
65+	24	5.7	54	1	1	3	5	15	22	33
B. *Operated*										
0-19 YRS	4	11.5	46	5	5	10	16	21	21	21
20-34	5	3.6	3	2	2	4	5	6	6	6
35-49	8	18.1	176	3	4	19	30	33	33	33
50-64	11	15.6	262	1	2	6	28	42	47	47
65+	12	6.9	16	2	3	5	10	13	13	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	17	3.4	14	<1	<1	1	6	8	12	14
20-34	11	9.4	119	1	1	6	11	29	33	33
35-49	7	7.7	44	1	1	5	13	17	18	18
50-64	28	6.9	55	1	1	4	9	22	24	27
65+	52	8.9	100	1	1	6	13	23	38	98
B. *Operated*										
0-19 YRS	9	35.2	653	1	3	30	59	71	77	77
20-34	28	31.1	404	3	4	29	38	62	72	79
35-49	19	27.2	418	3	5	26	35	54	71	83
50-64	26	30.7	422	4	5	30	42	57	73	80
65+	38	24.6	352	5	6	20	37	62	90	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	64	5.1	71	<1	<1	2	5	12	17	53
B. *Operated*	40	11.6	136	2	2	6	13	31	35	47
2. MULTIPLE DX										
A. *Not Operated*	115	7.6	76	<1	1	5	10	20	27	66
B. *Operated*	120	28.6	408	3	5	26	38	60	78	99+
1. SINGLE DX	104	7.6	105	<1	<1	3	9	21	32	51
2. MULTIPLE DX	235	18.3	356	1	1	12	29	49	63	99+
A. NOT OPERATED	179	6.7	76	<1	1	3	8	17	25	54
B. OPERATED	160	24.4	393	3	4	22	35	56	71	98
TOTAL 0-19 YRS	48	10.2	276	<1	<1	5	10	30	59	77
20-34	47	21.2	415	1	2	17	31	52	66	79
35-49	39	18.7	328	1	2	13	31	37	54	83
50-64	79	16.0	339	<1	1	7	26	43	55	77
65+	126	12.8	218	1	2	8	19	38	54	99+
GRAND TOTAL	**339**	**15.0**	**303**	**<1**	**1**	**8**	**24**	**40**	**56**	**84**

49: Lymphatic and hematopoietic neoplasm, except hodgkin's disease and leukemia (200; 202-203)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	10	4.9	25	<1	<1	3	6	13	14	14
20-34	39	3.2	30	1	1	2	3	6	11	33
35-49	68	2.9	8	<1	1	2	3	7	8	13
50-64	107	3.7	19	1	1	2	4	10	14	21
65+	93	5.6	53	1	1	3	6	11	27	34
B. *Operated*										
0-19 YRS	4	15.8	166	2	2	14	25	32	32	32
20-34	19	12.8	220	1	2	8	19	25	47	64
35-49	43	9.4	49	1	2	7	12	21	24	28
50-64	81	11.4	87	2	3	9	16	26	31	42
65+	75	13.3	119	2	3	11	21	29	35	89
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	30	7.4	217	<1	1	3	6	11	32	79
20-34	16	9.7	71	1	1	6	13	26	28	29
35-49	29	7.7	39	2	2	5	9	19	20	24
50-64	110	7.5	79	1	1	5	8	17	28	76
65+	193	11.1	102	1	2	8	15	24	32	53
B. *Operated*										
0-19 YRS	5	30.6	551	4	4	35	43	65	65	65
20-34	20	16.7	336	<1	1	10	24	34	57	79
35-49	46	15.5	223	1	2	12	18	40	47	77
50-64	125	19.8	206	2	3	16	28	37	46	67
65+	169	20.5	283	3	4	16	30	47	69	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	317	4.1	29	1	1	2	5	9	13	32
B. *Operated*	222	11.9	103	2	2	9	17	25	32	60
2. MULTIPLE DX										
A. *Not Operated*	378	9.4	100	1	2	6	12	22	30	58
B. *Operated*	365	19.5	257	2	3	16	28	41	53	79
1. SINGLE DX	539	7.3	74	1	1	4	10	19	26	36
2. MULTIPLE DX	743	14.4	203	1	2	10	20	33	45	78
A. NOT OPERATED	695	7.0	75	1	1	4	8	17	25	44
B. OPERATED	587	16.6	212	2	3	13	23	35	48	78
TOTAL 0-19 YRS	49	9.9	249	<1	<1	4	10	32	37	79
20-34	94	9.1	165	1	1	4	12	25	32	72
35-49	186	8.3	98	1	1	5	11	18	23	48
50-64	423	10.9	141	1	1	6	15	28	36	58
65+	530	13.4	182	1	2	9	20	32	43	81
GRAND TOTAL	**1282**	**11.4**	**161**	**1**	**1**	**7**	**16**	**29**	**37**	**75**

50: Benign neoplasm of lip, oral cavity, and pharynx (210)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	1	3.0		3	3	3	3	3	3	3
65+										
B. *Operated*										
0-19 YRS	18	3.7	9	<1	1	3	5	8	10	12
20-34	44	4.2	4	<1	2	4	5	7	8	10
35-49	37	4.2	6	2	2	4	5	7	9	13
50-64	51	4.4	5	1	2	4	5	8	9	11
65+	18	6.1	9	3	3	6	8	10	12	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	2	1.0		1	1	1	1	1	1	1
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	3	13.3	122	3	3	12	22	25	25	25
20-34	9	3.4	2	<1	1	4	4	5	5	5
35-49	16	6.3	16	2	2	5	8	13	15	16
50-64	20	4.9	6	1	2	5	6	8	10	12
65+	17	5.8	11	1	2	5	8	10	12	13
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	3.0		3	3	3	3	3	3	3
B. *Operated*	168	4.4	6	1	2	4	6	7	9	13
2. MULTIPLE DX										
A. *Not Operated*	3	1.3		1	1	1	2	2	2	2
B. *Operated*	65	5.7	16	1	2	4	7	10	13	24
1. SINGLE DX	169	4.4	6	1	2	4	5	7	9	13
2. MULTIPLE DX	68	5.5	16	1	2	4	7	10	13	23
A. NOT OPERATED	4	1.8	1	1	1	2	2	3	3	3
B. OPERATED	233	4.8	9	1	2	4	6	8	10	15
TOTAL 0-19 YRS	22	5.0	30	<1	1	3	5	12	17	25
20-34	55	3.9	4	<1	1	4	5	6	7	10
35-49	53	4.8	9	2	2	4	6	8	13	16
50-64	72	4.5	6	1	2	4	6	8	9	12
65+	35	6.0	10	2	3	6	8	10	12	14
GRAND TOTAL	**237**	**4.7**	**9**	**1**	**2**	**4**	**6**	**8**	**10**	**14**

51: Benign neoplasm of other parts of digestive system (211)

				PERCENTILES						
TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	7	4.9	45	1	1	2	4	17	20	20
50-64	3	1.3		<1	<1	1	2	2	2	2
65+	10	2.5	3	<1	<1	2	3	5	7	7
B. *Operated*										
0-19 YRS	7	4.0	15	1	1	2	7	10	11	11
20-34	16	5.7	17	<1	1	5	10	11	12	12
35-49	23	7.0	32	1	1	7	10	15	19	22
50-64	53	6.1	30	<1	1	4	9	15	18	24
65+	73	6.5	49	<1	1	4	8	12	22	36
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	3	11.3	108	3	3	8	19	23	23	23
35-49	3	5.7	4	4	4	5	7	8	8	8
50-64	6	6.7	19	3	3	5	7	14	15	15
65+	15	5.8	18	1	1	6	10	12	12	12
B. *Operated*										
0-19 YRS	5	5.0	28	1	1	3	7	14	14	14
20-34	12	8.7	36	2	3	7	11	17	23	24
35-49	39	10.6	189	1	1	6	11	24	43	70
50-64	73	10.1	68	1	2	9	14	20	24	40
65+	138	11.9	88	2	3	10	15	25	34	42
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	20	3.2	18	<1	<1	2	3	5	13	20
B. *Operated*	172	6.3	36	1	1	4	9	13	17	34
2. MULTIPLE DX										
A. *Not Operated*	27	6.6	25	1	2	6	9	12	16	23
B. *Operated*	267	10.9	94	1	2	9	14	22	33	44
1. SINGLE DX	192	5.9	35	<1	1	4	9	12	17	32
2. MULTIPLE DX	294	10.5	90	1	2	8	14	22	30	44
A. NOT OPERATED	47	5.1	24	<1	1	3	7	12	16	23
B. OPERATED	439	9.1	77	1	1	7	12	20	25	41
TOTAL 0-19 YRS	12	4.4	19	1	1	3	6	12	14	14
20-34	31	7.4	33	1	1	6	10	13	23	24
35-49	72	8.7	120	1	1	6	10	18	25	65
50-64	135	8.2	54	1	1	6	12	17	21	37
65+	236	9.4	77	1	1	7	12	21	29	39
GRAND TOTAL	**486**	**8.7**	**73**	**1**	**1**	**6**	**12**	**19**	**24**	**40**

52: Benign neoplasm of respiratory system and intrathoracic organs (212)

				PERCENTILES						
TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+	2	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-19 YRS	20	3.4	12	1	2	2	2	9	12	15
20-34	18	3.2	13	<1	1	2	3	5	12	17
35-49	19	5.3	27	<1	1	2	7	15	17	17
50-64	17	5.8	22	<1	1	4	10	13	14	15
65+	12	5.6	60	1	1	2	4	22	23	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34										
35-49										
50-64	1	5.0		5	5	5	5	5	5	5
65+	4	6.5	7	3	3	7	8	9	9	9
B. *Operated*										
0-19 YRS	5	4.2	37	1	1	2	5	15	15	15
20-34	5	5.0	5	2	2	5	6	8	8	8
35-49	4	9.3	38	3	3	9	14	15	15	15
50-64	17	7.9	69	<1	1	4	13	22	27	28
65+	19	6.5	24	<1	1	4	10	14	15	16
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	2.0		2	2	2	2	2	2	2
B. *Operated*	86	4.5	24	<1	2	2	5	13	16	22
2. MULTIPLE DX										
A. *Not Operated*	6	6.3	5	3	3	6	8	9	9	9
B. *Operated*	50	6.8	39	1	1	4	10	15	16	28
1. SINGLE DX	88	4.5	24	<1	2	2	5	12	16	22
2. MULTIPLE DX	56	6.8	35	1	1	5	10	15	16	28
A. NOT OPERATED	8	5.3	7	2	2	5	7	9	9	9
B. OPERATED	136	5.4	31	<1	1	2	8	14	16	25
TOTAL 0-19 YRS	26	3.7	16	1	1	2	2	10	15	15
20-34	23	3.6	12	<1	1	2	4	6	11	17
35-49	23	6.0	30	1	1	3	9	15	16	17
50-64	35	6.8	44	<1	1	4	10	15	22	28
65+	37	6.0	32	1	2	3	9	14	19	23
GRAND TOTAL	**144**	**5.4**	**29**	**1**	**1**	**3**	**8**	**14**	**16**	**24**

53: Benign neoplasm of bone, muscle, and connective tissue (213-215)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	5.8	8	3	3	5	8	9	9	9
20-34	1	2.0		2	2	2	2	2	2	2
35-49	7	3.6	18	<1	<1	2	4	11	13	13
50-64	1	1.0		<1	<1	<1	<1	<1	<1	<1
65+	3	7.3	2	6	6	7	8	9	9	9
B. *Operated*										
0-19 YRS	138	3.0	3	1	1	3	4	5	6	9
20-34	150	3.4	7	<1	<1	3	4	7	8	13
35-49	168	2.8	8	<1	<1	2	3	6	7	14
50-64	123	3.4	11	<1	<1	2	3	8	11	18
65+	45	3.3	7	<1	1	3	4	6	9	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	3.0	6	1	1	2	4	7	7	7
20-34	3	1.3		1	1	1	2	2	2	2
35-49	3	2.3	1	1	1	3	3	3	3	3
50-64	3	3.3	4	1	1	4	5	5	5	5
65+	5	5.4	54	<1	<1	1	9	18	18	18
B. *Operated*										
0-19 YRS	26	7.3	37	<1	2	4	13	16	19	22
20-34	39	3.9	11	<1	<1	3	5	10	12	15
35-49	71	4.3	17	<1	1	3	6	8	13	23
50-64	103	5.1	29	<1	1	3	6	11	12	33
65+	91	5.3	25	<1	1	4	7	13	15	27
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	16	4.6	13	<1	<1	3	7	9	12	13
B. *Operated*	624	3.2	7	<1	<1	2	4	6	8	14
2. MULTIPLE DX										
A. *Not Operated*	19	3.3	16	<1	1	2	4	7	13	18
B. *Operated*	330	5.0	24	<1	1	3	7	11	15	26
1. SINGLE DX	640	3.2	7	<1	<1	2	4	6	8	14
2. MULTIPLE DX	349	4.9	24	<1	1	3	6	11	15	26
A. NOT OPERATED	35	3.9	15	<1	1	2	6	9	12	18
B. OPERATED	954	3.8	14	<1	<1	3	4	8	11	18
TOTAL 0-19 YRS	173	3.7	10	1	1	3	4	7	9	18
20-34	193	3.5	8	<1	<1	3	4	7	9	14
35-49	249	3.3	11	<1	<1	2	4	7	8	16
50-64	230	4.1	19	<1	<1	3	5	10	12	21
65+	144	4.7	20	<1	1	3	6	11	14	26
GRAND TOTAL	**989**	**3.8**	**14**	**<1**	**<1**	**3**	**4**	**8**	**11**	**18**

54: Benign neoplasm of skin, blood vessels, and miscellaneous sites (216; 228-229)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	11	3.2	3	1	1	4	4	5	6	6
20-34	2	4.5	13	2	2	4	7	7	7	7
35-49	5	4.0	11	<1	<1	3	7	8	8	8
50-64	2	6.0	2	5	5	6	7	7	7	7
65+										
B. *Operated*										
0-19 YRS	132	2.3	11	<1	<1	1	2	4	5	15
20-34	74	3.0	8	<1	<1	2	4	7	9	14
35-49	38	2.9	11	<1	<1	1	3	9	10	14
50-64	34	3.6	23	<1	<1	2	3	7	18	22
65+	23	3.7	19	<1	<1	2	4	11	14	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	4.2	5	<1	<1	5	6	7	7	7
20-34	2	5.5	1	5	5	5	6	6	6	6
35-49	2	10.5	41	6	6	10	15	15	15	15
50-64	4	7.0	17	4	4	5	9	13	13	13
65+	5	4.8	23	1	1	3	7	13	13	13
B. *Operated*										
0-19 YRS	36	6.0	45	<1	<1	4	8	10	22	33
20-34	35	6.0	101	<1	<1	3	7	13	19	57
35-49	36	7.4	113	<1	<1	3	8	21	33	48
50-64	25	4.3	38	<1	<1	2	4	12	17	30
65+	22	5.0	18	<1	1	3	8	12	14	15
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	20	3.8	5	<1	1	4	6	7	8	8
B. *Operated*	301	2.8	12	<1	<1	2	3	6	9	18
2. MULTIPLE DX										
A. *Not Operated*	18	5.8	16	<1	1	5	6	13	14	15
B. *Operated*	154	5.9	68	<1	<1	3	8	13	21	48
1. SINGLE DX	321	2.9	12	<1	<1	2	3	6	9	18
2. MULTIPLE DX	172	5.9	63	<1	<1	3	7	13	20	46
A. NOT OPERATED	38	4.8	11	<1	1	4	6	8	13	15
B. OPERATED	455	3.9	33	<1	<1	2	4	9	13	33
TOTAL 0-19 YRS	184	3.2	19	<1	<1	2	4	7	9	31
20-34	113	4.0	38	<1	<1	2	5	8	12	34
35-49	81	5.2	61	<1	<1	2	6	13	20	45
50-64	65	4.1	28	<1	<1	2	4	9	15	29
65+	50	4.4	19	<1	<1	2	7	12	14	17
GRAND TOTAL	**493**	**3.9**	**32**	**<1**	**<1**	**2**	**4**	**9**	**13**	**32**

55: Benign neoplasm of breast (217)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	30	1.6		<1	<1	2	2	2	3	3
20-34	83	1.7	1	<1	<1	2	2	3	3	4
35-49	78	1.9	1	<1	<1	2	2	3	4	6
50-64	24	2.5	1	1	2	2	3	4	5	5
65+	16	3.3	8	1	1	2	3	8	10	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	1.0		1	1	1	1	1	1	1
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	4	3.5	2	2	2	3	4	5	5	5
20-34	25	2.0	1	<1	<1	2	2	3	4	4
35-49	54	2.6	5	<1	<1	2	3	6	6	14
50-64	42	3.1	4	1	1	2	4	6	8	11
65+	32	4.8	16	<1	1	4	6	9	13	20
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	231	1.9	1	<1	<1	2	2	3	4	7
2. MULTIPLE DX										
A. *Not Operated*	1	1.0		1	1	1	1	1	1	1
B. *Operated*	157	3.1	7	<1	<1	2	4	6	8	14
1. SINGLE DX	231	1.9	1	<1	<1	2	2	3	4	7
2. MULTIPLE DX	158	3.1	7	<1	<1	2	4	6	8	14
A. NOT OPERATED	1	1.0		1	1	1	1	1	1	1
B. OPERATED	388	2.4	4	<1	<1	2	3	4	6	11
TOTAL 0-19 YRS	34	1.8	1	<1	<1	2	2	3	4	5
20-34	109	1.7	1	<1	<1	2	2	3	3	4
35-49	132	2.2	3	<1	<1	2	2	4	6	8
50-64	66	2.9	3	1	2	2	4	5	6	11
65+	48	4.3	14	1	1	3	6	8	11	20
GRAND TOTAL	**389**	**2.4**	**4**	**<1**	**<1**	**2**	**3**	**4**	**6**	**11**

56: Uterine leiomyoma (218)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	3.0	2	2	2	3	4	4	4	4
35-49	9	3.7	7	<1	<1	2	6	7	7	7
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34	78	5.6	7	1	1	6	7	8	9	13
35-49	278	6.5	6	1	2	7	8	9	10	13
50-64	35	7.1	11	1	2	7	8	10	14	17
65+	4	6.5	2	5	5	6	7	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	3.0	2	2	2	3	4	4	4	4
20-34	7	3.3	5	<1	<1	3	5	7	7	7
35-49	23	4.1	23	<1	<1	2	5	11	15	20
50-64	5	4.4	18	<1	<1	2	8	10	10	10
65+	3	5.0	16	<1	<1	5	8	9	9	9
B. *Operated*										
0-19 YRS										
20-34	273	6.8	8	2	4	7	8	10	11	18
35-49	1745	7.2	8	2	5	7	8	10	12	18
50-64	344	7.5	10	1	4	7	8	11	13	19
65+	47	11.7	64	6	6	9	12	20	21	57
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	11	3.5	5	<1	1	2	6	7	7	7
B. *Operated*	395	6.3	7	1	2	7	8	9	10	14
2. MULTIPLE DX										
A. *Not Operated*	40	4.0	17	<1	<1	2	5	9	12	20
B. *Operated*	2409	7.3	10	2	5	7	8	10	12	19
1. SINGLE DX	406	6.3	7	1	2	7	8	9	10	14
2. MULTIPLE DX	2449	7.2	10	1	5	7	8	10	12	19
A. NOT OPERATED	51	3.9	14	<1	<1	2	5	8	11	20
B. OPERATED	2804	7.2	10	1	5	7	8	10	12	18
TOTAL 0-19 YRS	2	3.0	2	2	2	3	4	4	4	4
20-34	360	6.5	8	1	2	6	8	9	11	17
35-49	2055	7.1	8	1	5	7	8	10	12	18
50-64	384	7.4	10	1	2	7	8	10	13	19
65+	54	11.0	60	5	6	9	12	19	21	56
GRAND TOTAL	**2855**	**7.1**	**10**	**1**	**4**	**7**	**8**	**10**	**12**	**18**

57: Benign neoplasm of uterus, except leiomyoma (219)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	2.0		2	2	2	2	2	2	2
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	2	2.0	2	1	1	2	3	3	3	3
35-49	8	7.1	10	2	3	8	9	11	12	12
50-64	1	11.0		11	11	11	11	11	11	11
65+	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	1	6.0		6	6	6	6	6	6	6
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34	13	5.2	5	<1	2	5	7	7	8	8
35-49	62	7.9	6	5	6	8	9	11	13	16
50-64	15	6.8	17	<1	1	8	10	12	13	13
65+	5	4.4	8	2	2	3	6	9	9	9
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	2.0		2	2	2	2	2	2	2
B. *Operated*	13	6.2	13	1	2	6	8	11	12	12
2. MULTIPLE DX										
A. *Not Operated*	1	6.0		6	6	6	6	6	6	6
B. *Operated*	95	7.2	9	2	3	7	8	11	12	16
1. SINGLE DX	14	5.9	13	1	2	6	8	11	12	12
2. MULTIPLE DX	96	7.2	9	2	3	7	8	11	12	16
A. NOT OPERATED	2	4.0	8	2	2	4	6	6	6	6
B. OPERATED	108	7.1	9	2	2	7	8	11	12	15
TOTAL 0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	16	4.6	5	<1	1	5	7	7	8	8
35-49	71	7.8	6	4	5	8	9	11	12	16
50-64	16	7.1	17	<1	1	8	10	12	13	13
65+	6	4.0	7	2	2	3	5	9	9	9
GRAND TOTAL	**110**	**7.0**	**9**	**2**	**2**	**7**	**8**	**11**	**12**	**15**

58: Benign neoplasm of ovary (220)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	3.0		3	3	3	3	3	3	3
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	24	6.5	5	4	5	6	7	10	12	12
20-34	116	5.6	2	3	4	5	7	8	8	10
35-49	49	6.6	4	4	5	6	7	9	9	15
50-64	20	7.4	5	4	5	7	9	10	12	13
65+	17	8.8	16	5	6	7	10	16	17	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	22	6.7	11	4	4	6	7	9	15	19
20-34	119	6.4	4	4	4	6	7	9	10	15
35-49	112	7.6	8	4	5	7	9	11	13	19
50-64	61	10.0	26	6	6	8	12	18	22	26
65+	45	11.9	106	6	7	9	12	18	19	74
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	3.0		3	3	3	3	3	3	3
B. *Operated*	226	6.3	5	4	4	6	7	9	10	15
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*	359	8.1	26	4	5	7	9	13	17	23
1. SINGLE DX	227	6.3	5	4	4	6	7	9	10	15
2. MULTIPLE DX	359	8.1	26	4	5	7	9	13	17	23
A. NOT OPERATED	1	3.0		3	3	3	3	3	3	3
B. OPERATED	585	7.4	18	4	5	7	8	11	14	20
TOTAL 0-19 YRS	46	6.6	8	4	5	6	7	10	12	19
20-34	236	6.0	3	4	4	6	7	8	9	12
35-49	161	7.3	7	4	5	7	8	11	13	18
50-64	81	9.3	22	5	6	8	10	17	20	25
65+	62	11.0	82	6	6	8	12	18	19	67
GRAND TOTAL	**586**	**7.4**	**18**	**4**	**5**	**7**	**8**	**11**	**14**	**20**

59: Beni[illegible]lasm of female genitalia, except uterus and ovary (221)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	4.0		4	4	4	4	4	4	4
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	2	1.0		<1	<1	<1	1	1	1	1
20-34	3	2.7	4	<1	<1	2	4	5	5	5
35-49	6	2.7	4	<1	<1	2	4	6	6	6
50-64	2	1.5	1	<1	<1	1	2	2	2	2
65+	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	1	1.0		<1	<1	<1	<1	<1	<1	<1
65+										
B. *Operated*										
0-19 YRS										
20-34	3	4.0	7	<1	<1	5	6	6	6	6
35-49	6	7.3	22	2	2	6	8	15	16	16
50-64	3	6.0	7	3	3	7	8	8	8	8
65+	3	8.0	1	7	7	8	9	9	9	9
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	4.0		4	4	4	4	4	4	4
B. *Operated*	14	2.2	3	<1	<1	2	2	5	6	6
2. MULTIPLE DX										
A. *Not Operated*	1	1.0		<1	<1	<1	<1	<1	<1	<1
B. *Operated*	15	6.5	12	<1	2	6	8	9	14	16
1. SINGLE DX	15	2.3	3	<1	<1	2	3	5	6	6
2. MULTIPLE DX	16	6.2	13	<1	<1	6	8	9	14	16
A. NOT OPERATED	2	2.5	5	<1	<1	2	4	4	4	4
B. OPERATED	29	4.4	12	<1	<1	4	6	8	9	16
TOTAL 0-19 YRS	2	1.0		<1	<1	<1	1	1	1	1
20-34	7	3.4	4	<1	<1	4	5	6	6	6
35-49	12	5.0	18	<1	1	5	6	10	15	16
50-64	6	3.7	9	<1	<1	2	7	8	8	8
65+	4	6.5	10	2	2	7	8	9	9	9
GRAND TOTAL	**31**	**4.3**	**12**	**<1**	**<1**	**4**	**6**	**8**	**9**	**16**

60: Benign neoplasm of male genital organ (222)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34	5	3.2	5	<1	<1	3	4	7	7	7
35-49	1	1.0		1	1	1	1	1	1	1
50-64	1	5.0		5	5	5	5	5	5	5
65+	4	9.3	230	1	1	2	17	32	32	32
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49	3	2.0	3	1	1	1	3	4	4	4
50-64	2	3.5	1	3	3	3	4	4	4	4
65+	2	16.5	13	14	14	16	19	19	19	19
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	11	5.4	81	<1	<1	2	5	17	31	32
2. MULTIPLE DX										
A. *Not Operated*	1	4.0		4	4	4	4	4	4	4
B. *Operated*	7	6.6	50	1	1	4	12	18	19	19
1. SINGLE DX	11	5.4	81	<1	<1	2	5	17	31	32
2. MULTIPLE DX	8	6.3	43	1	1	4	9	17	19	19
A. NOT OPERATED	1	4.0		4	4	4	4	4	4	4
B. OPERATED	18	5.8	66	<1	1	3	5	17	27	32
TOTAL 0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	5	3.2	5	<1	<1	3	4	7	7	7
35-49	4	1.8	2	1	1	1	3	4	4	4
50-64	3	4.0	1	3	3	4	5	5	5	5
65+	6	11.7	155	1	1	8	19	31	32	32
GRAND TOTAL	**19**	**5.7**	**62**	**<1**	**1**	**3**	**5**	**17**	**26**	**32**

61: Benign neoplasm of urinary organ (223)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	3	2.3	5	<1	<1	1	4	5	5	5
35-49	1	12.0		12	12	12	12	12	12	12
50-64	8	8.0	61	2	2	5	9	21	26	26
65+	6	6.3	21	2	2	5	11	12	12	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	1	7.0		7	7	7	7	7	7	7
65+	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-19 YRS										
20-34	1	4.0		4	4	4	4	4	4	4
35-49	4	7.3	18	2	2	7	10	12	12	12
50-64	8	8.1	66	2	2	5	12	22	25	25
65+	11	6.1	22	1	2	5	8	13	17	17
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	19	6.5	37	<1	1	5	10	12	20	26
2. MULTIPLE DX										
A. *Not Operated*	2	4.0	18	1	1	4	7	7	7	7
B. *Operated*	24	6.9	33	1	2	5	9	15	19	25
1. SINGLE DX	19	6.5	37	<1	1	5	10	12	20	26
2. MULTIPLE DX	26	6.7	32	1	2	5	9	15	19	25
A. NOT OPERATED	2	4.0	18	1	1	4	7	7	7	7
B. OPERATED	43	6.7	34	1	2	5	9	13	20	26
TOTAL 0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	4	2.8	4	<1	<1	2	4	5	5	5
35-49	5	8.2	18	2	2	9	12	12	12	12
50-64	17	8.0	56	2	2	6	9	23	26	26
65+	18	5.9	20	1	1	4	8	12	15	17
GRAND TOTAL	**45**	**6.6**	**33**	**1**	**2**	**5**	**9**	**12**	**19**	**26**

62: Benign neoplasm of eye (224)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	1	3.0		3	3	3	3	3	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34	5	1.4	1	<1	<1	<1	1	3	3	3
35-49	3	1.3		<1	<1	<1	2	2	2	2
50-64	3	2.0		2	2	2	2	2	2	2
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34	1	1.0		<1	<1	<1	<1	<1	<1	<1
35-49	2	1.0		<1	<1	<1	<1	<1	<1	<1
50-64	1	4.0		4	4	4	4	4	4	4
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	3.0		3	3	3	3	3	3	3
B. *Operated*	11	1.5		<1	<1	<1	2	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*	4	1.8	2	<1	<1	<1	2	4	4	4
1. SINGLE DX	12	1.7	1	<1	<1	1	2	3	3	3
2. MULTIPLE DX	4	1.8	2	<1	<1	<1	2	4	4	4
A. NOT OPERATED	1	3.0		3	3	3	3	3	3	3
B. OPERATED	15	1.6	1	<1	<1	<1	2	3	4	4
TOTAL 0-19 YRS										
20-34	6	1.3	1	<1	<1	<1	<1	3	3	3
35-49	6	1.5	1	<1	<1	<1	2	3	3	3
50-64	4	2.5	1	2	2	2	3	4	4	4
65+										
GRAND TOTAL	**16**	**1.7**	**1**	**<1**	**<1**	**<1**	**2**	**3**	**4**	**4**

63: Benign neoplasm of central nervous system (225)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	2.0		2	2	2	2	2	2	2
35-49	1	9.0		9	9	9	9	9	9	9
50-64	3	9.0	64	1	1	9	15	17	17	17
65+	5	5.6	17	1	1	6	9	11	11	11
B. *Operated*										
0-19 YRS	2	11.0	2	10	10	11	12	12	12	12
20-34	10	12.8	27	4	6	13	14	20	24	24
35-49	16	10.7	21	2	2	12	14	15	16	16
50-64	16	14.8	65	3	6	14	17	29	31	31
65+	6	15.5	170	5	5	12	15	38	41	41
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34										
35-49	1	9.0		9	9	9	9	9	9	9
50-64	3	8.0	57	1	1	7	14	16	16	16
65+	4	23.5	820	5	5	11	40	66	66	66
B. *Operated*										
0-19 YRS	3	25.3	324	13	13	17	39	46	46	46
20-34	11	18.3	73	8	9	18	23	30	36	37
35-49	14	23.4	369	8	10	16	29	44	73	81
50-64	29	19.9	220	3	4	17	26	35	53	70
65+	27	26.3	345	9	10	18	32	58	71	74
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	10	6.6	27	1	1	7	9	14	17	17
B. *Operated*	50	13.0	52	2	4	12	15	20	30	41
2. MULTIPLE DX										
A. *Not Operated*	9	14.4	399	1	2	8	16	83	99+	99+
B. *Operated*	84	22.5	266	6	8	17	27	43	64	79
1. SINGLE DX	60	11.9	53	2	2	12	15	17	27	40
2. MULTIPLE DX	93	21.7	281	3	8	17	27	44	69	92
A. NOT OPERATED	19	10.3	207	1	1	8	13	41	83	99+
B. OPERATED	134	19.0	207	3	8	15	23	36	46	75
TOTAL 0-19 YRS	6	16.8	225	3	4	12	17	43	46	46
20-34	22	15.0	62	3	7	14	21	27	59	99+
35-49	32	16.2	207	2	6	13	16	31	40	81
50-64	51	16.9	163	2	3	15	20	31	36	70
65+	42	22.0	352	4	6	16	27	49	68	74
GRAND TOTAL	**153**	**17.9**	**214**	**2**	**5**	**14**	**21**	**36**	**51**	**81**

64: Benign neoplasm of thyroid glands (226)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	7	4.1	2	2	2	4	5	6	6	6
20-34	59	4.6	3	3	3	4	5	7	7	12
35-49	73	5.0	3	3	3	5	6	7	8	12
50-64	46	5.2	3	3	3	5	6	8	8	10
65+	16	5.6	10	2	3	5	6	8	14	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	1	7.0		7	7	7	7	7	7	7
65+	1	5.0		5	5	5	5	5	5	5
B. *Operated*										
0-19 YRS										
20-34	22	5.0	5	3	3	4	5	8	11	12
35-49	43	5.8	8	3	4	5	6	8	11	19
50-64	33	6.2	9	4	4	5	6	10	14	17
65+	27	10.0	61	4	4	8	12	20	23	41
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	201	4.9	4	3	3	5	6	7	8	12
2. MULTIPLE DX										
A. *Not Operated*	2	6.0	2	5	5	6	7	7	7	7
B. *Operated*	125	6.7	22	3	4	5	7	11	15	25
1. SINGLE DX	201	4.9	4	3	3	5	6	7	8	12
2. MULTIPLE DX	127	6.7	22	3	4	5	7	11	15	25
A. NOT OPERATED	2	6.0	2	5	5	6	7	7	7	7
B. OPERATED	326	5.6	11	3	3	5	6	8	11	19
TOTAL 0-19 YRS	7	4.1	2	2	2	4	5	6	6	6
20-34	81	4.7	3	3	3	4	5	7	8	12
35-49	116	5.3	5	3	3	5	6	7	9	16
50-64	80	5.6	6	3	4	5	6	8	10	16
65+	44	8.3	45	3	4	6	9	16	20	41
GRAND TOTAL	**328**	**5.6**	**11**	**3**	**3**	**5**	**6**	**8**	**11**	**19**

65: Benign neoplasm of endocrine glands, except thyroid (227)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	4.0	2	3	3	4	5	5	5	5
35-49	1	10.0		10	10	10	10	10	10	10
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34	17	10.6	68	2	3	9	12	17	31	38
35-49	7	8.3	41	4	4	5	9	19	22	22
50-64	7	10.1	78	4	4	5	14	25	28	28
65+	6	10.3	137	4	4	5	9	31	34	34
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	11.0		11	11	11	11	11	11	11
20-34	6	4.3	3	2	2	4	6	6	6	6
35-49	5	7.0	12	4	4	5	10	12	12	12
50-64										
65+	4	5.5	23	1	1	4	9	12	12	12
B. *Operated*										
0-19 YRS	3	12.7	46	5	5	15	17	18	18	18
20-34	14	13.4	50	5	5	11	18	24	27	28
35-49	18	11.8	42	5	5	11	15	22	26	28
50-64	33	12.6	66	4	5	8	21	25	28	29
65+	20	19.4	130	3	5	18	30	35	36	37
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3	6.0	13	3	3	5	9	10	10	10
B. *Operated*	37	10.0	70	3	4	8	11	21	32	38
2. MULTIPLE DX										
A. *Not Operated*	16	5.9	12	1	2	5	8	12	12	12
B. *Operated*	88	14.1	78	4	5	11	21	28	32	37
1. SINGLE DX	40	9.7	66	3	4	8	10	20	31	38
2. MULTIPLE DX	104	12.8	76	4	4	10	19	28	30	36
A. NOT OPERATED	19	5.9	11	1	2	5	8	11	12	12
B. OPERATED	125	12.9	78	4	4	10	18	28	32	37
TOTAL 0-19 YRS	4	12.3	32	5	5	13	16	18	18	18
20-34	39	10.3	57	2	3	9	12	20	26	38
35-49	31	10.2	38	4	4	9	12	21	23	28
50-64	40	12.2	67	4	4	8	20	26	28	29
65+	30	15.7	141	3	3	13	26	34	36	37
GRAND TOTAL	**144**	**12.0**	**75**	**3**	**4**	**9**	**16**	**26**	**30**	**37**

66: Carcinoma in situ of cervix (233.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	1	2.0		2	2	2	2	2	2	2
50-64										
65+										
B. *Operated*										
0-19 YRS	4	2.5		2	2	2	3	3	3	3
20-34	264	3.5	4	<1	<1	3	5	7	7	9
35-49	117	4.3	7	<1	1	4	6	8	8	10
50-64	34	4.5	8	<1	1	4	7	8	9	10
65+	6	4.2	9	2	2	3	8	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	12.0		12	12	12	12	12	12	12
35-49	3	3.0	12	1	1	1	6	7	7	7
50-64										
65+										
B. *Operated*										
0-19 YRS	2	3.0	2	2	2	3	4	4	4	4
20-34	241	5.2	9	<1	1	5	7	9	10	15
35-49	194	6.3	9	1	2	7	8	10	12	15
50-64	29	6.3	8	2	2	7	8	10	10	12
65+	4	13.5	238	3	3	7	23	36	36	36
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	2.0		2	2	2	2	2	2	2
B. *Operated*	425	3.8	5	<1	1	3	6	7	8	10
2. MULTIPLE DX										
A. *Not Operated*	4	5.3	28	1	1	4	9	12	12	12
B. *Operated*	470	5.8	12	<1	2	6	8	9	11	16
1. SINGLE DX	426	3.8	5	<1	1	3	6	7	8	10
2. MULTIPLE DX	474	5.8	12	<1	2	6	8	9	11	16
A. NOT OPERATED	5	4.6	23	1	1	2	8	12	12	12
B. OPERATED	895	4.8	10	<1	1	5	7	8	10	14
TOTAL 0-19 YRS	6	2.7	1	2	2	3	3	4	4	4
20-34	506	4.3	8	<1	1	3	6	8	9	14
35-49	315	5.5	9	<1	2	6	7	9	11	15
50-64	63	5.3	8	1	2	6	8	9	10	12
65+	10	7.9	107	2	2	4	8	23	36	36
GRAND TOTAL	**900**	**4.8**	**10**	**<1**	**1**	**5**	**7**	**8**	**10**	**14**

67: Carcinoma in situ, except cervix uteri (230-233.0; 233.2-234)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	2	6.5	5	5	5	6	8	8	8	8
35-49	2	8.5	1	8	8	8	9	9	9	9
50-64	1	3.0		3	3	3	3	3	3	3
65+	5	4.4	32	1	1	1	7	14	14	14
B. *Operated*										
0-19 YRS										
20-34	7	4.0	7	<1	<1	3	6	8	8	8
35-49	15	5.3	18	2	2	4	7	9	16	18
50-64	12	6.4	43	2	2	3	9	17	22	23
65+	33	4.3	24	<1	1	3	4	10	18	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	12.0		12	12	12	12	12	12	12
20-34										
35-49										
50-64										
65+	13	8.2	31	1	2	8	11	15	20	21
B. *Operated*										
0-19 YRS										
20-34	10	7.0	46	2	2	5	7	17	25	25
35-49	27	6.4	40	1	2	4	8	16	22	27
50-64	50	7.2	46	<1	1	6	9	16	22	31
65+	70	9.8	78	2	2	7	14	20	28	42
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	11	5.1	18	1	1	5	8	11	14	14
B. *Operated*	67	4.9	24	<1	1	3	7	10	18	23
2. MULTIPLE DX										
A. *Not Operated*	14	8.5	29	1	2	8	12	15	20	21
B. *Operated*	157	8.2	60	1	2	6	11	19	25	36
1. SINGLE DX	78	4.9	23	<1	1	3	7	10	17	22
2. MULTIPLE DX	171	8.2	57	1	2	6	11	19	24	36
A. NOT OPERATED	25	7.0	27	1	1	7	10	14	16	21
B. OPERATED	224	7.2	52	1	2	5	9	18	22	35
TOTAL 0-19 YRS	2	6.5	61	1	1	6	12	12	12	12
20-34	19	5.8	28	1	2	5	7	9	18	25
35-49	44	6.1	31	2	2	4	8	12	19	27
50-64	63	7.0	44	1	1	5	9	16	22	30
65+	121	7.9	61	1	1	5	12	18	22	38
GRAND TOTAL	**249**	**7.2**	**49**	**1**	**1**	**5**	**9**	**17**	**21**	**34**

68: Neoplasms of uncertain behavior and unspecified nature (235-239)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	12	3.7	10	1	1	3	5	9	11	11
20-34	8	3.9	12	1	1	3	5	10	11	11
35-49	12	6.2	22	<1	1	4	10	14	14	14
50-64	18	5.3	21	<1	1	4	6	13	17	18
65+	30	8.9	220	1	1	3	9	25	32	75
B. *Operated*										
0-19 YRS	10	10.6	307	<1	<1	2	18	38	56	56
20-34	38	5.9	23	<1	1	5	9	13	16	21
35-49	34	6.1	18	<1	1	6	8	10	17	18
50-64	47	6.1	41	1	1	4	8	11	23	34
65+	60	6.9	46	<1	1	5	9	15	18	38
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	5.6	18	1	1	5	10	10	10	10
20-34	12	6.9	51	1	1	4	9	20	23	23
35-49	16	5.4	19	<1	1	4	7	10	16	18
50-64	34	7.6	113	1	1	5	8	16	23	61
65+	70	10.1	82	1	2	8	17	27	44	99+
B. *Operated*										
0-19 YRS	17	11.8	110	3	3	9	17	24	37	43
20-34	34	8.9	73	1	2	6	10	21	32	35
35-49	36	9.2	39	2	3	8	13	20	28	99+
50-64	71	10.6	102	1	2	8	14	22	29	56
65+	110	12.4	138	2	2	10	16	26	41	85
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	80	6.4	95	1	1	4	7	14	21	62
B. *Operated*	189	6.5	48	<1	1	5	8	14	18	38
2. MULTIPLE DX										
A. *Not Operated*	137	8.5	79	1	1	6	10	21	31	99+
B. *Operated*	268	11.0	106	1	2	8	14	23	33	73
1. SINGLE DX	269	6.5	61	<1	1	4	8	14	18	39
2. MULTIPLE DX	405	10.2	98	1	2	7	14	23	33	99+
A. NOT OPERATED	217	7.7	86	1	1	5	10	19	26	99+
B. OPERATED	457	9.2	86	1	2	7	12	20	28	56
TOTAL 0-19 YRS	44	8.6	122	1	1	4	10	19	30	56
20-34	92	7.0	45	1	1	5	9	14	21	34
35-49	98	7.1	28	<1	1	6	9	15	18	66
50-64	170	8.2	82	1	1	6	9	18	24	56
65+	270	10.2	115	1	1	7	14	23	34	99+
GRAND TOTAL	**674**	**8.7**	**86**	**1**	**1**	**6**	**11**	**20**	**28**	**71**

69: Simple and nontoxic nodular goiter (240-241)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	2	4.0	8	2	2	4	6	6	6	6
50-64										
65+	5	10.2	40	5	5	7	16	18	18	18
B. *Operated*										
0-19 YRS	2	2.0	2	1	1	2	3	3	3	3
20-34	25	4.6	4	2	4	4	5	6	8	13
35-49	48	4.7	2	3	3	5	6	7	7	7
50-64	60	5.3	2	3	4	5	6	7	8	11
65+	19	5.9	3	4	4	6	7	8	10	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	5	3.2	5	1	1	3	5	6	6	6
35-49	3	3.0	3	<1	<1	4	4	4	4	4
50-64	3	2.0	1	1	1	2	3	3	3	3
65+	9	4.6	6	<1	1	4	7	8	8	8
B. *Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	10	4.8	1	3	3	5	5	6	7	7
35-49	27	5.5	4	3	4	5	6	9	10	12
50-64	39	7.1	17	4	4	6	7	12	18	22
65+	35	8.9	34	4	5	7	9	16	24	30
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7	8.4	37	2	3	6	14	18	18	18
B. *Operated*	154	5.0	3	3	3	5	6	7	8	11
2. MULTIPLE DX										
A. *Not Operated*	20	3.6	5	<1	<1	3	5	7	8	8
B. *Operated*	112	7.0	20	4	4	6	7	11	17	28
1. SINGLE DX	161	5.2	4	3	3	5	6	7	8	16
2. MULTIPLE DX	132	6.5	19	2	3	6	7	10	16	27
A. NOT OPERATED	27	4.9	17	<1	1	4	6	8	16	18
B. OPERATED	266	5.9	11	3	4	5	6	9	11	22
TOTAL 0-19 YRS	3	2.3	1	1	1	3	3	3	3	3
20-34	40	4.5	4	1	3	4	5	6	7	13
35-49	80	4.9	3	3	3	5	6	7	8	11
50-64	102	5.9	9	3	4	5	6	8	10	20
65+	68	7.6	24	3	4	6	8	12	18	29
GRAND TOTAL	**293**	**5.8**	**11**	**3**	**3**	**5**	**6**	**9**	**11**	**21**

70: Other diseases of thyroid gland (242-246)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	16	6.3	18	1	1	5	9	13	15	16
20-34	22	4.3	20	<1	1	3	5	9	16	20
35-49	23	6.5	16	1	2	5	10	13	14	14
50-64	19	6.2	12	2	2	5	8	11	14	15
65+	22	11.4	266	1	2	7	13	19	46	80
B. *Operated*										
0-19 YRS	2	7.0	2	6	6	7	8	8	8	8
20-34	42	5.7	14	3	3	5	6	8	17	20
35-49	25	4.6	2	1	3	5	6	7	7	7
50-64	26	4.6	1	3	3	5	5	6	7	7
65+	17	7.2	10	4	5	6	8	13	14	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	13	5.9	9	1	2	6	9	9	10	10
20-34	26	5.7	12	2	2	5	8	11	13	15
35-49	42	8.6	60	2	2	8	10	13	24	42
50-64	56	8.8	61	2	3	7	10	17	24	49
65+	95	15.9	278	3	4	9	17	45	57	75
B. *Operated*										
0-19 YRS	2	8.0	8	6	6	8	10	10	10	10
20-34	18	6.2	6	3	4	5	7	9	12	14
35-49	34	7.3	54	3	3	5	7	14	22	41
50-64	25	9.4	92	2	4	6	11	18	27	49
65+	19	8.1	18	3	4	8	9	14	19	20
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	102	7.0	74	1	2	5	8	13	16	51
B. *Operated*	112	5.5	8	3	3	5	6	7	11	19
2. MULTIPLE DX										
A. *Not Operated*	232	11.2	157	2	3	8	12	22	42	64
B. *Operated*	98	7.8	47	3	4	6	8	14	19	45
1. SINGLE DX	214	6.2	40	2	2	5	7	11	14	22
2. MULTIPLE DX	330	10.2	126	2	3	7	11	20	34	62
A. NOT OPERATED	334	9.9	135	2	2	7	11	17	29	63
B. OPERATED	210	6.6	28	3	3	5	7	11	16	31
TOTAL 0-19 YRS	33	6.3	12	1	2	6	9	10	13	16
20-34	108	5.5	14	2	2	5	7	9	14	20
35-49	124	7.0	40	2	2	5	8	13	15	41
50-64	126	7.7	50	2	3	6	8	13	20	49
65+	153	13.3	224	3	4	8	14	25	54	79
GRAND TOTAL	**544**	**8.6**	**96**	**2**	**3**	**6**	**9**	**15**	**22**	**58**

71: Diabetes mellitus without complication (250.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	84	7.3	24	2	2	6	10	15	18	23
20-34	43	6.5	23	1	2	6	8	13	17	22
35-49	69	6.9	20	1	2	6	8	14	15	24
50-64	96	8.2	35	2	3	7	11	14	21	32
65+	169	8.4	43	2	2	7	11	17	22	31
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64	2	10.5	113	3	3	10	18	18	18	18
65+	3	25.0	457	1	1	32	39	42	42	42
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	45	6.2	22	1	1	5	9	13	15	19
20-34	42	7.4	26	2	2	7	10	12	17	29
35-49	122	7.6	25	1	2	7	9	15	16	23
50-64	297	9.0	44	2	3	8	12	17	19	37
65+	639	11.4	124	2	3	8	14	24	36	87
B. *Operated*										
0-19 YRS										
20-34	6	19.2	142	4	5	18	23	37	39	39
35-49	9	16.4	226	1	2	13	23	42	48	48
50-64	13	18.0	146	2	4	16	25	37	42	43
65+	30	17.8	138	4	6	14	25	34	45	49
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	461	7.8	33	1	2	6	10	15	19	26
B. *Operated*	5	19.2	320	1	1	18	34	42	42	42
2. MULTIPLE DX										
A. *Not Operated*	1145	10.1	88	2	3	8	12	19	28	60
B. *Operated*	58	17.8	146	4	5	14	25	36	44	49
1. SINGLE DX	466	7.9	37	1	2	6	10	15	20	31
2. MULTIPLE DX	1203	10.4	93	2	3	8	13	20	30	59
A. NOT OPERATED	1606	9.4	73	2	3	7	12	18	24	54
B. OPERATED	63	17.9	155	2	4	14	25	37	44	49
TOTAL 0-19 YRS	129	6.9	23	1	2	6	9	14	16	21
20-34	91	7.8	40	1	2	6	10	14	22	35
35-49	200	7.8	35	1	2	7	10	15	17	33
50-64	408	9.1	48	2	3	8	12	17	20	38
65+	841	11.1	112	2	3	8	14	23	33	75
GRAND TOTAL	**1669**	**9.7**	**79**	**2**	**3**	**7**	**12**	**19**	**26**	**53**

72: Diabetic acidosis or coma (250.1-250.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	90	5.5	16	1	1	4	8	12	13	18
20-34	54	4.9	8	2	2	4	6	10	11	14
35-49	25	5.7	17	1	1	5	8	12	14	16
50-64	13	5.5	6	2	2	5	7	8	11	12
65+	17	9.0	26	2	3	9	10	18	19	20
B. *Operated*										
0-19 YRS										
20-34	3	14.0	304	2	2	6	27	34	34	34
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	106	6.5	73	1	1	4	7	11	22	52
20-34	38	7.3	25	2	2	6	10	14	16	24
35-49	55	7.7	31	2	2	6	9	15	20	27
50-64	47	11.0	61	3	3	8	15	22	28	34
65+	90	16.5	205	3	4	12	22	37	50	91
B. *Operated*										
0-19 YRS	2	10.5	181	1	1	10	20	20	20	20
20-34	6	13.0	40	5	5	14	19	20	20	20
35-49	4	24.5	108	15	15	24	33	34	34	34
50-64	4	28.3	80	18	18	28	35	39	39	39
65+	7	30.4	264	13	13	26	40	55	58	58
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	199	5.6	15	1	2	4	8	11	13	19
B. *Operated*	3	14.0	304	2	2	6	27	34	34	34
2. MULTIPLE DX										
A. *Not Operated*	386	9.7	100	1	2	7	12	21	28	59
B. *Operated*	23	22.7	179	4	6	20	32	40	48	58
1. SINGLE DX	202	5.8	19	1	2	5	8	11	13	19
2. MULTIPLE DX	409	10.4	113	1	2	7	13	23	34	60
A. NOT OPERATED	585	8.3	75	1	2	6	10	17	24	50
B. OPERATED	26	21.7	190	2	5	19	33	39	45	58
TOTAL 0-19 YRS	198	6.0	47	1	1	4	7	12	16	39
20-34	151	6.8	27	2	2	5	9	13	16	24
35-49	84	7.9	44	1	2	6	10	15	22	34
50-64	64	10.9	75	2	3	8	15	25	30	38
65+	114	16.2	200	3	4	12	21	36	50	85
GRAND TOTAL	**611**	**8.9**	**87**	**1**	**2**	**6**	**11**	**19**	**27**	**51**

73: Other complicated diabetes mellitus (250.4-250.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	174	7.4	26	2	2	6	10	15	18	23
20-34	114	6.7	16	2	3	6	8	13	15	19
35-49	139	6.7	21	2	2	6	8	12	14	29
50-64	205	7.8	26	3	3	7	10	14	18	25
65+	300	9.0	52	2	3	7	12	17	22	45
B. *Operated*										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	4	5.8	18	3	3	4	8	12	12	12
35-49	8	5.4	14	2	2	4	8	11	12	12
50-64	11	7.9	59	1	1	6	10	19	27	28
65+	13	5.2	11	2	2	5	6	11	12	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	108	7.7	99	1	1	5	10	15	21	54
20-34	206	8.2	43	2	2	7	10	15	20	37
35-49	362	8.8	65	2	3	7	10	15	22	47
50-64	769	9.8	52	3	3	8	13	19	23	43
65+	1386	11.9	102	3	4	9	15	24	32	82
B. *Operated*										
0-19 YRS	6	11.0	73	2	2	9	12	25	27	27
20-34	42	12.0	140	2	3	7	19	36	66	99+
35-49	84	15.2	215	2	3	11	20	42	50	99+
50-64	170	20.7	383	3	4	15	25	57	76	99+
65+	238	23.9	372	2	4	20	37	65	86	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	932	7.8	33	2	3	7	10	15	18	28
B. *Operated*	37	6.1	26	1	2	5	8	12	13	28
2. MULTIPLE DX										
A. *Not Operated*	2831	10.5	81	2	3	8	13	21	27	57
B. *Operated*	540	20.5	344	2	4	15	29	57	80	99+
1. SINGLE DX	969	7.8	33	2	3	7	10	15	18	28
2. MULTIPLE DX	3371	12.1	137	2	3	9	15	25	38	99
A. NOT OPERATED	3763	9.9	71	2	3	8	12	19	25	54
B. OPERATED	577	19.6	336	2	3	14	28	54	77	99+
TOTAL 0-19 YRS	289	7.6	54	1	2	6	10	15	18	28
20-34	366	8.1	48	2	3	6	10	15	21	48
35-49	593	9.2	82	2	3	7	10	16	27	55
50-64	1155	11.0	112	3	3	8	13	21	28	74
65+	1937	12.9	145	3	3	9	16	27	40	99+
GRAND TOTAL	**4340**	**11.1**	**117**	**2**	**3**	**8**	**14**	**22**	**32**	**82**

74: Ovarian dysfunction (256)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	5.7	41	1	1	3	10	13	13	13
20-34	5	3.8	7	1	1	4	5	8	8	8
35-49	1	2.0		2	2	2	2	2	2	2
50-64										
65+										
B. *Operated*										
0-19 YRS	3	8.7	12	5	5	9	11	12	12	12
20-34	25	5.0	6	1	2	5	6	7	10	11
35-49	2	3.0	2	2	2	3	4	4	4	4
50-64	1	8.0		8	8	8	8	8	8	8
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	5.0	18	2	2	5	8	8	8	8
20-34	6	5.7	30	2	2	4	7	15	16	16
35-49	1	2.0		2	2	2	2	2	2	2
50-64										
65+										
B. *Operated*										
0-19 YRS	2	12.0	2	11	11	12	13	13	13	13
20-34	38	5.9	15	2	2	5	7	8	10	26
35-49	9	5.3	8	<1	<1	6	8	8	8	8
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	9	4.2	15	1	1	3	5	11	13	13
B. *Operated*	31	5.3	8	1	2	5	7	9	11	12
2. MULTIPLE DX										
A. *Not Operated*	9	5.1	22	2	2	2	7	13	16	16
B. *Operated*	49	6.0	14	1	2	6	7	8	11	26
1. SINGLE DX	40	5.1	9	1	1	5	7	9	11	13
2. MULTIPLE DX	58	5.9	15	1	2	5	7	8	12	25
A. NOT OPERATED	18	4.7	18	1	1	3	7	12	15	16
B. OPERATED	80	5.7	12	1	2	5	7	9	11	22
TOTAL 0-19 YRS	10	7.7	22	1	1	8	12	13	13	13
20-34	74	5.4	12	1	2	5	7	8	11	24
35-49	13	4.5	7	<1	1	5	7	8	8	8
50-64	1	8.0		8	8	8	8	8	8	8
65+										
GRAND TOTAL	**98**	**5.5**	**13**	**1**	**2**	**5**	**7**	**9**	**12**	**21**

75: Disease of endocrine glands, except thyroid, ovary, and diabetes mellitus (251-255; 257-259)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	41	4.9	113	<1	1	2	4	7	17	67
20-34	32	3.6	12	1	1	3	5	7	8	18
35-49	27	4.5	19	1	1	3	6	8	13	22
50-64	14	6.7	23	1	2	5	9	14	15	15
65+	45	5.8	29	1	1	4	7	12	17	25
B. *Operated*										
0-19 YRS	7	5.7	7	4	4	4	7	10	11	11
20-34	5	9.0	54	1	1	9	13	20	20	20
35-49	5	7.2	15	2	2	8	10	12	12	12
50-64	4	4.3		4	4	4	5	5	5	5
65+	1	7.0		7	7	7	7	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	60	3.5	8	1	1	3	5	7	9	12
20-34	68	6.1	119	1	1	3	6	11	18	72
35-49	70	6.8	61	1	1	5	9	15	18	45
50-64	87	6.6	24	1	1	6	9	14	16	22
65+	211	8.8	86	1	2	6	11	17	24	55
B. *Operated*										
0-19 YRS	7	9.0	27	2	3	8	10	17	19	19
20-34	12	20.1	548	<1	2	12	27	47	82	88
35-49	15	7.7	42	1	1	5	10	13	24	27
50-64	11	17.7	465	4	4	10	15	52	75	77
65+	19	14.8	174	3	4	10	26	41	76	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	159	5.0	45	1	1	3	6	11	15	25
B. *Operated*	22	6.6	18	2	3	5	9	11	15	20
2. MULTIPLE DX										
A. *Not Operated*	496	7.1	69	1	1	5	9	15	20	50
B. *Operated*	64	14.0	253	2	4	10	15	29	59	98
1. SINGLE DX	181	5.2	42	1	1	3	6	11	14	24
2. MULTIPLE DX	560	7.9	95	1	1	5	10	16	24	57
A. NOT OPERATED	655	6.6	64	1	1	4	8	14	18	47
B. OPERATED	86	12.1	202	2	4	8	13	28	39	96
TOTAL 0-19 YRS	115	4.4	47	1	1	3	5	8	11	38
20-34	117	7.0	147	1	1	3	6	14	28	82
35-49	117	6.4	47	1	1	5	8	13	18	42
50-64	116	7.6	72	1	1	6	10	14	17	50
65+	276	8.7	86	1	2	6	11	19	26	56
GRAND TOTAL	**741**	**7.2**	**83**	**1**	**1**	**5**	**9**	**15**	**22**	**54**

76: Nutritional deficiencies (260-269)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	6.3	12	3	3	6	9	10	10	10
20-34	1	1.0		1	1	1	1	1	1	1
35-49	2	7.0	18	4	4	7	10	10	10	10
50-64	1	3.0		3	3	3	3	3	3	3
65+	5	10.6	70	4	4	8	14	25	25	25
B. *Operated*										
0-19 YRS										
20-34	1	1.0		1	1	1	1	1	1	1
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	19	10.8	52	1	3	9	15	23	26	26
20-34	3	5.0	28	1	1	3	9	11	11	11
35-49	5	9.6	56	2	2	7	13	22	22	22
50-64	17	18.9	472	4	6	10	19	59	76	81
65+	41	13.7	142	2	3	10	19	30	41	55
B. *Operated*										
0-19 YRS	3	9.7	10	6	6	11	12	12	12	12
20-34										
35-49	7	20.0	350	5	6	15	21	52	60	60
50-64	5	13.8	67	8	8	11	17	28	28	28
65+	11	29.7	851	4	4	22	33	83	93	94
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	12	7.5	40	1	2	6	10	15	24	25
B. *Operated*	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. *Not Operated*	85	13.5	183	2	3	10	17	26	40	76
B. *Operated*	26	21.7	495	4	5	14	23	57	79	94
1. SINGLE DX	13	7.0	40	1	1	6	10	13	23	25
2. MULTIPLE DX	111	15.5	264	2	3	10	20	29	54	86
A. NOT OPERATED	97	12.8	169	2	3	9	16	25	36	74
B. OPERATED	27	21.0	492	3	4	13	23	55	78	94
TOTAL 0-19 YRS	25	10.2	43	2	3	9	12	20	25	26
20-34	5	3.4	19	1	1	1	5	11	11	11
35-49	14	14.4	214	2	4	10	20	26	52	60
50-64	23	17.1	370	3	5	10	16	36	71	81
65+	57	16.5	302	3	3	10	21	34	51	93
GRAND TOTAL	**124**	**14.6**	**247**	**2**	**3**	**10**	**19**	**28**	**48**	**84**

77: Cystic fibrosis (277.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	76	12.3	28	2	4	14	15	18	21	22
20-34	12	11.4	5	7	8	12	13	14	14	14
35-49	3	7.7	9	5	5	7	10	11	11	11
50-64										
65+										
B. *Operated*										
0-19 YRS	2	13.5	25	10	10	13	17	17	17	17
20-34	1	18.0		18	18	18	18	18	18	18
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	66	13.8	70	3	5	14	15	21	32	52
20-34	26	13.4	63	3	5	12	17	26	30	34
35-49	3	14.0	16	10	10	14	17	18	18	18
50-64										
65+										
B. *Operated*										
0-19 YRS	7	22.7	508	2	3	18	33	60	66	66
20-34	6	18.2	91	2	3	19	25	29	29	29
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	91	12.0	25	3	5	14	15	17	20	22
B. *Operated*	3	15.0	19	10	10	17	18	18	18	18
2. MULTIPLE DX										
A. *Not Operated*	95	13.7	65	3	5	14	16	21	31	46
B. *Operated*	13	20.6	297	2	2	18	27	41	61	66
1. SINGLE DX	94	12.1	25	3	5	14	15	17	20	22
2. MULTIPLE DX	108	14.6	96	3	5	14	16	26	34	60
A. NOT OPERATED	186	12.9	46	3	5	14	15	18	22	35
B. OPERATED	16	19.6	246	2	3	17	25	34	57	66
TOTAL 0-19 YRS	151	13.5	70	3	4	14	16	20	24	55
20-34	45	13.6	52	3	6	13	16	25	29	34
35-49	6	10.8	22	5	5	10	14	18	18	18
50-64										
65+										
GRAND TOTAL	**202**	**13.4**	**64**	**3**	**5**	**14**	**16**	**21**	**26**	**45**

78: Obesity of nonendocrine origin (278.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	15	5.5	13	1	2	5	7	9	13	15
20-34	8	7.9	44	2	2	5	12	18	19	19
35-49	4	5.0	11	3	3	4	7	10	10	10
50-64	3	7.0	3	5	5	8	8	8	8	8
65+										
B. *Operated*										
0-19 YRS	7	7.1	2	4	5	8	8	8	8	8
20-34	110	8.2	3	6	7	8	9	10	11	14
35-49	82	7.9	13	5	6	7	8	10	13	28
50-64	8	6.9	7	2	3	7	9	10	10	10
65+	2	7.0		7	7	7	7	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	13	6.7	24	2	2	4	10	13	17	18
20-34	21	6.1	19	1	1	5	10	11	14	17
35-49	26	7.5	51	1	2	5	9	13	28	29
50-64	25	9.9	66	2	2	8	14	27	44	99+
65+	22	15.6	131	3	4	13	22	37	38	38
B. *Operated*										
0-19 YRS	3	8.7	4	7	7	8	10	11	11	11
20-34	73	10.4	43	6	7	9	10	15	23	43
35-49	107	11.4	73	6	7	9	11	18	27	55
50-64	23	17.0	337	6	7	10	17	32	72	75
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	30	6.2	19	2	2	5	8	12	17	19
B. *Operated*	209	8.0	7	5	6	8	9	10	11	15
2. MULTIPLE DX										
A. *Not Operated*	107	9.3	71	1	2	7	12	22	29	64
B. *Operated*	206	11.7	93	6	7	9	12	18	27	68
1. SINGLE DX	239	7.7	9	3	5	8	9	10	12	17
2. MULTIPLE DX	313	10.9	86	3	3	9	12	19	29	68
A. NOT OPERATED	137	8.7	61	1	2	6	11	19	28	45
B. OPERATED	415	9.8	53	6	6	8	10	14	19	46
TOTAL 0-19 YRS	38	6.4	14	2	2	7	8	12	14	18
20-34	212	8.7	21	3	6	8	9	12	15	31
35-49	219	9.5	50	3	5	8	10	14	20	43
50-64	59	12.1	173	2	3	8	14	22	50	97
65+	24	14.9	126	3	4	10	21	37	37	38
GRAND TOTAL	**552**	**9.5**	**55**	**3**	**4**	**8**	**10**	**15**	**21**	**46**

79: Miscellaneous metabolic disorders (270-273; 275; 277.1-277.9; 278.1-278.8; 279)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	54	4.0	14	1	1	3	5	9	12	18
20-34	18	5.9	82	1	2	4	5	10	29	41
35-49	15	6.7	41	<1	<1	4	10	13	22	25
50-64	14	6.0	20	<1	1	4	9	13	15	16
65+	19	7.0	48	1	1	5	9	13	23	31
B. *Operated*										
0-19 YRS	11	5.5	24	1	1	4	8	13	17	17
20-34	59	4.7	12	<1	1	4	6	9	12	18
35-49	51	4.0	11	<1	1	3	5	7	10	20
50-64	35	6.1	29	<1	<1	4	7	14	17	26
65+	4	7.3	25	3	3	6	11	14	14	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	51	6.9	98	1	2	4	7	10	28	63
20-34	33	6.1	26	<1	<1	5	8	15	16	21
35-49	50	8.8	89	1	1	6	10	22	35	42
50-64	39	7.7	48	1	2	6	9	17	23	33
65+	58	9.6	46	2	3	8	13	22	26	94
B. *Operated*										
0-19 YRS	21	11.9	345	1	1	5	10	32	59	80
20-34	96	6.6	22	2	3	5	7	12	17	26
35-49	112	8.4	111	2	3	5	9	15	25	57
50-64	68	12.0	182	1	3	7	15	24	39	75
65+	30	16.0	271	2	3	10	21	34	46	79
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	120	5.4	34	1	1	4	7	12	14	34
B. *Operated*	160	4.9	17	<1	1	4	6	10	13	20
2. MULTIPLE DX										
A. *Not Operated*	231	8.0	65	1	2	6	10	17	26	46
B. *Operated*	327	9.5	135	2	3	6	10	21	29	79
1. SINGLE DX	280	5.1	24	<1	1	4	6	11	14	26
2. MULTIPLE DX	558	8.9	107	1	2	6	10	20	28	62
A. NOT OPERATED	351	7.1	56	1	1	5	9	15	23	41
B. OPERATED	487	8.0	101	1	2	5	9	17	25	51
TOTAL 0-19 YRS	137	6.4	101	1	1	4	7	11	24	65
20-34	206	5.9	25	1	2	5	7	12	15	26
35-49	228	7.4	82	1	2	5	8	15	24	38
50-64	156	9.1	106	<1	2	6	11	19	27	51
65+	111	10.8	115	2	2	8	13	25	30	87
GRAND TOTAL	**838**	**7.6**	**82**	**1**	**2**	**5**	**9**	**16**	**24**	**46**

80: Gout (274)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	8	2.0	2	<1	<1	1	3	4	4	4
35-49	24	3.8	6	<1	<1	3	5	7	9	10
50-64	26	5.7	16	<1	<1	5	8	11	14	16
65+	52	6.9	52	2	2	4	8	12	27	35
B. *Operated*										
0-19 YRS										
20-34										
35-49	7	3.9	14	1	1	2	4	10	12	12
50-64	4	5.0	21	1	1	4	8	11	11	11
65+	4	2.8	2	1	1	3	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	3	3.0	4	<1	<1	3	4	5	5	5
35-49	16	9.4	82	3	3	6	11	28	31	32
50-64	38	6.1	24	1	2	5	8	13	17	23
65+	159	8.4	60	2	3	6	11	15	20	34
B. *Operated*										
0-19 YRS										
20-34										
35-49	6	10.3	65	1	1	11	15	21	22	22
50-64	16	10.7	87	2	2	8	16	21	32	37
65+	13	21.4	261	2	4	20	36	42	46	47
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	111	5.6	32	<1	1	4	7	10	14	35
B. *Operated*	15	3.9	12	1	1	3	4	11	12	12
2. MULTIPLE DX										
A. *Not Operated*	216	8.0	55	2	3	6	10	15	20	33
B. *Operated*	35	14.6	168	2	2	11	21	37	40	47
1. SINGLE DX	126	5.4	30	<1	1	4	7	11	13	35
2. MULTIPLE DX	251	8.9	76	2	3	6	12	17	30	41
A. NOT OPERATED	327	7.2	49	1	2	5	9	14	18	34
B. OPERATED	50	11.4	144	1	2	6	16	34	39	47
TOTAL 0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	11	2.3	2	<1	<1	2	4	5	5	5
35-49	53	6.2	43	<1	1	4	8	13	21	32
50-64	84	6.8	36	1	2	5	9	15	17	32
65+	228	8.7	78	2	3	6	11	16	30	42
GRAND TOTAL	**377**	**7.8**	**63**	**1**	**2**	**5**	**9**	**15**	**23**	**38**

81: Disorders of fluid, electrolyte, and acid-base balance (276)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	15	2.7	3	1	1	2	3	5	7	7
20-34	9	2.9	3	1	1	3	4	5	6	6
35-49	7	2.1	1	1	1	2	3	4	4	4
50-64	10	5.1	16	1	1	4	7	11	14	14
65+	37	7.8	43	1	2	6	9	14	24	33
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+	1	12.0		12	12	12	12	12	12	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	71	3.8	10	1	1	3	4	8	9	18
20-34	35	5.1	21	1	1	3	7	11	16	19
35-49	37	5.7	24	1	1	4	8	12	17	21
50-64	92	10.2	146	2	3	7	11	21	35	68
65+	480	12.9	173	2	3	9	16	28	43	81
B. *Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34										
35-49	6	7.7	65	<1	<1	5	8	22	23	23
50-64	16	16.3	586	<1	1	7	18	61	78	84
65+	38	20.3	331	2	3	14	35	58	88	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	78	5.4	29	1	1	4	7	11	14	31
B. *Operated*	1	12.0		12	12	12	12	12	12	12
2. MULTIPLE DX										
A. *Not Operated*	715	10.9	148	2	2	7	13	24	37	77
B. *Operated*	61	17.7	375	1	1	10	24	52	79	99+
1. SINGLE DX	79	5.5	29	1	1	4	7	11	14	31
2. MULTIPLE DX	776	11.4	169	1	2	7	14	27	42	81
A. NOT OPERATED	793	10.4	139	1	2	7	12	23	35	76
B. OPERATED	62	17.6	369	1	1	10	24	51	79	99+
TOTAL 0-19 YRS	87	3.6	9	1	1	3	4	7	9	17
20-34	44	4.7	18	1	1	3	6	9	16	19
35-49	50	5.4	26	1	1	4	8	11	18	23
50-64	118	10.6	197	1	2	6	11	22	41	78
65+	556	13.1	179	2	3	9	16	30	45	97
GRAND TOTAL	**855**	**10.9**	**159**	**1**	**2**	**7**	**13**	**25**	**39**	**78**

82: Iron deficiency anemia (280)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	55	6.1	14	1	3	5	8	11	15	16
20-34	11	4.3	5	1	2	4	5	8	9	9
35-49	17	3.4	8	1	1	2	5	8	9	10
50-64	9	5.6	39	1	1	4	6	16	21	21
65+	69	7.0	33	1	2	5	9	15	20	28
B. *Operated*										
0-19 YRS	2	13.0	50	8	8	13	18	18	18	18
20-34	2	7.5	5	6	6	7	9	9	9	9
35-49	3	5.0	3	3	3	6	6	6	6	6
50-64	4	11.8	32	8	8	10	15	20	20	20
65+	13	11.9	59	3	4	9	17	23	26	27
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	83	7.1	31	2	2	6	9	13	18	32
20-34	23	4.7	18	1	1	4	6	12	15	16
35-49	49	6.7	36	1	2	6	8	12	15	39
50-64	61	7.0	20	1	2	7	10	14	15	18
65+	306	9.6	93	1	2	7	12	20	27	63
B. *Operated*										
0-19 YRS	2	11.0	50	6	6	11	16	16	16	16
20-34	9	9.9	24	3	3	10	14	16	16	16
35-49	20	10.3	22	3	4	11	14	16	17	17
50-64	46	14.9	89	4	5	12	18	30	33	44
65+	113	15.8	87	5	6	14	21	28	36	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	161	6.0	23	1	2	5	8	12	16	22
B. *Operated*	24	10.8	44	3	4	8	14	22	24	27
2. MULTIPLE DX										
A. *Not Operated*	522	8.4	68	1	2	6	10	16	22	48
B. *Operated*	190	14.6	81	4	5	13	19	28	34	81
1. SINGLE DX	185	6.7	28	1	2	5	8	14	18	25
2. MULTIPLE DX	712	10.1	79	1	2	8	13	21	28	53
A. NOT OPERATED	683	7.8	58	1	2	6	10	16	20	42
B. OPERATED	214	14.2	78	4	5	13	18	27	33	71
TOTAL 0-19 YRS	142	6.9	25	2	2	6	8	13	17	22
20-34	45	5.8	20	1	1	4	8	14	15	16
35-49	89	6.8	31	1	2	6	9	14	16	31
50-64	120	10.1	63	1	2	9	13	19	29	37
65+	501	10.7	91	2	2	8	14	22	29	63
GRAND TOTAL	**897**	**9.4**	**70**	**1**	**2**	**7**	**12**	**19**	**25**	**48**

83: Sickle-cell anemia and trait (282.5-282.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	5.0	3	3	3	5	6	7	7	7
20-34	2	1.0		<1	<1	<1	1	1	1	1
35-49										
50-64	1	5.0		5	5	5	5	5	5	5
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	10	7.0	14	2	3	6	8	12	16	16
20-34	4	8.5	12	4	4	9	11	12	12	12
35-49	3	3.7	9	<1	<1	3	6	7	7	7
50-64	1	6.0		6	6	6	6	6	6	6
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7	3.9	5	<1	<1	4	6	7	7	7
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	18	6.7	13	1	2	6	8	11	14	16
B. *Operated*										
1. SINGLE DX	7	3.9	5	<1	<1	4	6	7	7	7
2. MULTIPLE DX	18	6.7	13	1	2	6	8	11	14	16
A. NOT OPERATED	25	5.9	12	<1	1	6	8	10	13	16
B. OPERATED										
TOTAL 0-19 YRS	14	6.4	12	2	3	6	8	10	15	16
20-34	6	6.0	22	<1	<1	6	10	12	12	12
35-49	3	3.7	9	<1	<1	3	6	7	7	7
50-64	2	5.5	1	5	5	5	6	6	6	6
65+										
GRAND TOTAL	**25**	**5.9**	**12**	**<1**	**1**	**6**	**8**	**10**	**13**	**16**

84: Anemia, except iron deficiency and sickle-cell (281; 282.0-282.4; 282.7-282.9; 283-285)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	48	5.4	27	<1	<1	4	8	11	14	28
20-34	16	4.4	12	<1	1	4	7	10	11	12
35-49	18	6.3	43	<1	<1	4	9	13	21	27
50-64	19	6.9	83	1	1	2	11	16	29	38
65+	121	6.9	81	1	1	4	8	14	24	48
B. *Operated*										
0-19 YRS	6	6.8	13	1	1	7	10	10	10	10
20-34	5	25.6	1235	3	3	13	32	88	88	88
35-49	7	6.3	12	2	2	7	9	11	11	11
50-64	9	16.1	233	4	4	11	20	43	48	48
65+	24	13.2	58	4	5	12	18	22	28	33
2 MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	107	4.7	45	<1	<1	1	6	13	18	34
20-34	34	7.2	71	<1	1	5	9	13	20	47
35-49	45	7.5	45	<1	1	5	12	19	21	26
50-64	109	6.4	49	1	1	4	8	15	20	37
65+	480	9.2	97	1	1	7	12	20	29	99
B. *Operated*										
0-19 YRS	19	13.9	183	1	2	10	16	28	47	60
20-34	16	16.2	174	4	5	9	23	39	44	46
35-49	17	13.8	476	2	3	8	10	26	72	95
50-64	30	17.0	221	4	7	11	22	34	36	77
65+	139	17.0	149	4	6	14	21	31	45	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	222	6.4	61	<1	1	4	8	13	20	41
B. *Operated*	51	13.2	194	3	4	10	15	24	35	88
2. MULTIPLE DX										
A. *Not Operated*	775	8.0	82	1	1	5	11	18	25	62
B. *Operated*	221	16.4	186	3	5	13	21	31	45	96
1. SINGLE DX	273	7.6	93	1	1	4	10	15	25	47
2. MULTIPLE DX	996	9.9	117	1	1	7	13	22	31	77
A. NOT OPERATED	997	7.6	78	1	1	5	10	17	24	54
B. OPERATED	272	15.8	188	3	5	12	19	31	43	93
TOTAL 0-19 YRS	180	5.9	61	<1	<1	2	8	14	21	37
20-34	71	9.9	181	1	1	6	10	22	40	79
35-49	87	8.4	128	<1	1	6	10	17	23	71
50-64	167	8.9	110	1	1	6	11	21	33	46
65+	764	10.4	114	1	2	8	14	23	32	94
GRAND TOTAL	**1269**	**9.4**	**113**	**1**	**1**	**7**	**12**	**21**	**30**	**69**

85: Hemophilia (congenital factor VIII disorder) (286.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	10	4.5	4	2	2	4	5	7	9	9
20-34										
35-49	1	4.0		4	4	4	4	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	11	6.8	82	<1	<1	5	7	19	32	33
20-34	11	5.5	21	1	1	4	8	13	15	15
35-49	1	2.0		2	2	2	2	2	2	2
50-64	2	7.5	25	4	4	7	11	11	11	11
65+										
B. *Operated*										
0-19 YRS										
20-34	2	6.5	1	6	6	6	7	7	7	7
35-49	1	11.0		11	11	11	11	11	11	11
50-64	1	7.0		7	7	7	7	7	7	7
65+	1	12.0		12	12	12	12	12	12	12
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	11	4.5	3	2	2	4	5	7	9	9
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	25	6.1	45	<1	1	4	7	12	19	33
B. *Operated*	5	8.6	7	6	6	7	11	12	12	12
1. SINGLE DX	11	4.5	3	2	2	4	5	7	9	9
2. MULTIPLE DX	30	6.5	39	1	1	5	8	12	15	33
A. NOT OPERATED	36	5.6	33	1	1	4	6	11	14	33
B. OPERATED	5	8.6	7	6	6	7	11	12	12	12
TOTAL 0-19 YRS	21	5.7	44	<1	1	4	6	9	20	33
20-34	13	5.7	18	1	1	6	7	13	15	15
35-49	3	5.7	22	2	2	4	9	11	11	11
50-64	3	7.3	12	4	4	7	10	11	11	11
65+	1	12.0		12	12	12	12	12	12	12
GRAND TOTAL	**41**	**6.0**	**30**	**1**	**1**	**5**	**7**	**11**	**13**	**33**

86: Disease of hematopoietic system, except anemia and hemophilia (286.1-286.9; 287-289.0; 289.4-289.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	97	5.0	18	1	1	4	6	10	11	23
20-34	13	5.0	9	<1	2	4	7	9	11	12
35-49	9	4.1	10	<1	<1	3	6	9	10	10
50-64	18	4.1	9	1	1	3	7	9	10	10
65+	16	10.2	114	1	1	6	15	23	36	41
B. *Operated*										
0-19 YRS	34	7.9	47	1	2	6	9	15	26	30
20-34	37	9.1	31	3	4	7	12	17	20	28
35-49	20	8.0	9	5	5	7	9	12	15	17
50-64	16	8.8	17	4	5	8	10	16	18	18
65+	18	6.6	36	1	2	5	8	11	21	27
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	103	5.4	20	1	1	4	7	10	13	25
20-34	24	5.5	33	1	2	3	6	14	21	24
35-49	37	6.5	23	1	2	4	9	14	16	21
50-64	60	7.4	32	1	2	6	10	13	17	29
65+	102	8.8	87	1	2	6	11	17	22	60
B. *Operated*										
0-19 YRS	34	7.4	33	2	2	6	8	14	19	30
20-34	17	14.8	507	2	3	8	17	23	72	98
35-49	29	15.2	146	2	4	10	23	35	36	44
50-64	34	15.3	161	4	5	12	17	34	42	64
65+	65	18.2	243	2	5	13	22	38	57	75
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	153	5.4	28	1	1	4	7	10	14	24
B. *Operated*	125	8.2	31	2	3	7	10	14	20	28
2. MULTIPLE DX										
A. *Not Operated*	326	7.0	46	1	2	5	9	14	17	31
B. *Operated*	179	14.8	207	2	3	11	18	33	44	74
1. SINGLE DX	278	6.6	31	1	2	5	8	12	18	28
2. MULTIPLE DX	505	9.8	117	1	2	7	12	20	30	60
A. NOT OPERATED	479	6.5	41	1	2	5	8	13	17	30
B. OPERATED	304	12.1	145	2	3	8	14	25	35	62
TOTAL 0-19 YRS	268	5.8	25	1	2	5	8	11	14	29
20-34	91	8.6	124	2	2	6	10	18	21	69
35-49	95	9.2	72	1	2	7	11	17	33	40
50-64	128	9.2	75	1	2	7	11	17	25	48
65+	201	11.8	154	1	2	8	14	24	36	62
GRAND TOTAL	**783**	**8.6**	**89**	**1**	**2**	**6**	**10**	**17**	**25**	**54**

87: Nonspecific mesenteric lymphadenitis (289.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	285	1.9	1	1	1	2	2	3	4	6
20-34	44	1.8	1	<1	1	2	2	3	3	4
35-49	6	2.2	1	1	1	2	3	3	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS	102	4.0	2	2	3	4	5	6	6	7
20-34	32	4.6	2	2	3	5	5	6	7	7
35-49	2	8.5	25	5	5	8	12	12	12	12
50-64										
65+	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	74	2.2	3	1	1	2	2	4	5	11
20-34	12	3.8	12	1	1	3	4	9	12	13
35-49	1	1.0		1	1	1	1	1	1	1
50-64										
65+	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-19 YRS	37	4.9	6	3	3	4	5	8	9	16
20-34	12	4.8	2	3	3	5	6	7	7	7
35-49	2	33.0	392	19	19	33	47	47	47	47
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	335	1.9	1	1	1	2	2	3	4	6
B. *Operated*	137	4.2	2	2	3	4	5	6	7	8
2. MULTIPLE DX										
A. *Not Operated*	88	2.4	4	1	1	2	3	4	6	13
B. *Operated*	51	6.0	43	3	3	5	6	8	16	47
1. SINGLE DX	472	2.5	3	1	1	2	3	5	6	7
2. MULTIPLE DX	139	3.7	21	1	1	3	4	6	8	22
A. NOT OPERATED	423	2.0	2	1	1	2	2	3	4	8
B. OPERATED	188	4.7	14	2	3	4	5	6	7	18
TOTAL 0-19 YRS	498	2.6	3	1	1	2	3	5	6	8
20-34	100	3.3	4	1	1	3	5	6	7	10
35-49	11	8.8	192	1	1	3	10	30	46	47
50-64										
65+	2	2.5	5	1	1	2	4	4	4	4
GRAND TOTAL	**611**	**2.8**	**7**	**1**	**1**	**2**	**4**	**5**	**6**	**11**

88: Lymphatic disease, except acute lymphadenitis and mesenteric adenitis (289.1; 289.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	45	4.2	8	<1	1	4	6	8	10	13
20-34	4	3.3	2	2	2	3	4	5	5	5
35-49	4	5.5	20	<1	<1	5	9	11	11	11
50-64	1	2.0		2	2	2	2	2	2	2
65+	2	5.5	13	3	3	5	8	8	8	8
B. *Operated*										
0-19 YRS	28	4.5	13	<1	1	4	6	11	13	13
20-34	11	2.8	12	<1	<1	2	3	8	13	13
35-49	4	5.5	49	2	2	2	9	16	16	16
50-64	4	3.5	4	2	2	3	5	6	6	6
65+	6	2.5	4	1	1	2	3	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	24	4.5	10	1	2	3	6	8	11	16
20-34	5	3.8	3	<1	<1	5	5	5	5	5
35-49	4	4.0	3	2	2	4	5	6	6	6
50-64	3	3.3	1	2	2	4	4	4	4	4
65+	1	4.0		4	4	4	4	4	4	4
B. *Operated*										
0-19 YRS	5	7.4	35	2	2	5	11	17	17	17
20-34	7	9.0	73	2	2	6	12	24	26	26
35-49	8	7.9	83	<1	<1	3	13	23	26	26
50-64	4	3.8	5	2	2	3	5	7	7	7
65+	7	7.0	25	1	1	5	11	13	14	14
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	56	4.3	8	<1	1	4	6	8	10	13
B. *Operated*	53	3.9	14	<1	1	2	5	10	13	16
2. MULTIPLE DX										
A. *Not Operated*	37	4.2	7	1	2	4	5	7	8	16
B. *Operated*	31	7.3	47	1	2	5	11	16	25	26
1. SINGLE DX	109	4.1	11	<1	1	3	5	9	12	14
2. MULTIPLE DX	68	5.6	27	1	2	4	6	13	16	26
A. NOT OPERATED	93	4.2	8	<1	1	4	5	8	9	15
B. OPERATED	84	5.2	28	<1	1	3	6	13	16	26
TOTAL 0-19 YRS	102	4.5	11	<1	1	4	6	9	12	16
20-34	27	4.7	29	<1	1	3	5	12	16	26
35-49	20	6.2	44	<1	1	3	9	16	21	26
50-64	12	3.4	3	2	2	3	4	6	7	7
65+	16	4.9	16	1	1	4	7	11	13	14
GRAND TOTAL	**177**	**4.7**	**18**	**<1**	**1**	**3**	**6**	**10**	**13**	**23**

89: Transient organic psychotic conditions (293)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	13	17.5	240	2	3	12	29	39	51	54
35-49	3	3.0	7	<1	<1	2	5	6	6	6
50-64	4	19.5	288	4	4	16	33	41	41	41
65+	8	14.6	513	3	3	7	11	53	70	70
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	2.5	9	1	1	1	4	7	7	7
20-34	19	15.4	251	4	4	10	22	53	85	99+
35-49	12	15.4	137	1	1	17	26	31	32	32
50-64	13	16.0	247	2	4	11	17	36	57	62
65+	51	11.6	123	1	2	8	19	34	45	99+
B. *Operated*										
0-19 YRS										
20-34	1	15.0		15	15	15	15	15	15	15
35-49										
50-64										
65+	3	32.7	54	27	27	41	99+	99+	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	29	15.1	286	2	2	8	20	39	55	70
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	99	13.0	163	1	2	9	21	32	52	99+
B. *Operated*	4	28.3	114	15	16	35	99+	99+	99+	99+
1. SINGLE DX	29	15.1	286	2	2	8	20	39	55	70
2. MULTIPLE DX	103	13.6	169	1	2	9	22	36	74	99+
A. NOT OPERATED	128	13.5	190	1	2	9	20	34	54	99+
B. OPERATED	4	28.3	114	15	16	35	99+	99+	99+	99+
TOTAL 0-19 YRS	5	3.4	11	1	1	1	7	7	7	7
20-34	33	16.2	233	3	4	11	22	37	68	99+
35-49	15	12.9	135	<1	1	9	23	30	31	32
50-64	17	16.8	241	3	4	11	23	39	55	62
65+	62	13.0	182	2	2	9	22	41	99+	99+
GRAND TOTAL	**132**	**13.9**	**193**	**1**	**2**	**9**	**22**	**36**	**67**	**99+**

90: Chronic organic brain syndrome, except arteriosclerotic dementia (290.0-290.3; 290.8-290.9; 294; 310)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	15	4.8	71	1	1	1	4	12	28	33
20-34	16	11.6	603	1	1	2	7	35	79	97
35-49	9	29.1	840	1	2	16	44	76	92	92
50-64	19	16.1	449	1	2	4	27	67	87	99+
65+	138	16.7	401	1	2	9	22	61	96	99+
B. *Operated*										
0-19 YRS										
20-34										
35-49	1	3.0		3	3	3	3	3	3	3
50-64	1	2.0		2	2	2	2	2	2	2
65+	1	9.0		9	9	9	9	9	9	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	8	18.6	438	1	1	22	41	82	99+	99+
20-34	28	12.9	227	1	1	8	15	34	45	66
35-49	14	19.6	412	1	2	18	32	98	99+	99+
50-64	53	19.9	369	3	3	13	29	55	60	69
65+	414	20.6	377	3	4	15	34	83	99+	99+
B. *Operated*										
0-19 YRS	1	9.0		9	9	9	9	9	9	9
20-34										
35-49	1	38.0		38	38	38	38	38	38	38
50-64	4	29.0	221	14	14	30	62	99+	99+	99+
65+	27	35.4	808	4	5	48	77	99+	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	197	15.9	427	1	1	8	21	60	94	99+
B. *Operated*	3	4.7	14	2	2	3	7	9	9	9
2. MULTIPLE DX										
A. *Not Operated*	517	20.1	370	2	4	15	33	75	99+	99+
B. *Operated*	33	33.9	702	4	6	37	72	99+	99+	99+
1. SINGLE DX	200	15.7	422	1	1	8	20	59	93	99+
2. MULTIPLE DX	550	20.9	400	3	4	15	35	81	99+	99+
A. NOT OPERATED	714	18.9	389	1	3	13	30	70	99+	99+
B. OPERATED	36	31.5	710	3	5	34	70	99+	99+	99+
TOTAL 0-19 YRS	24	9.6	220	1	1	1	14	37	66	99+
20-34	44	12.4	353	1	1	5	14	36	50	97
35-49	25	23.1	550	1	2	17	37	90	99+	99+
50-64	77	19.2	379	2	3	13	30	57	67	99+
65+	580	20.4	414	2	4	14	34	84	99+	99+
GRAND TOTAL	**750**	**19.5**	**411**	**1**	**3**	**13**	**33**	**74**	**99+**	**99+**

91: Arteriosclerotic dementia (290.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+	3	27.3	581	2	2	30	45	50	50	50
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	2	8.0	50	3	3	8	13	13	13	13
65+	32	21.3	443	3	3	14	38	60	68	99+
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+	4	54.0	897	25	25	55	96	99+	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3	27.3	581	2	2	30	45	50	50	50
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	34	20.5	428	3	3	13	32	58	68	99+
B. *Operated*	4	54.0	897	25	25	55	96	99+	99+	99+
1. SINGLE DX	3	27.3	581	2	2	30	45	50	50	50
2. MULTIPLE DX	38	24.1	563	3	3	15	48	68	97	99+
A. NOT OPERATED	37	21.1	428	2	3	13	35	58	68	99+
B. OPERATED	4	54.0	897	25	25	55	96	99+	99+	99+
TOTAL 0-19 YRS										
20-34										
35-49										
50-64	2	8.0	50	3	3	8	13	13	13	13
65+	39	25.1	563	2	3	18	49	68	97	99+
GRAND TOTAL	**41**	**24.3**	**550**	**2**	**3**	**15**	**48**	**68**	**97**	**99+**

92: Alcoholic psychoses (291)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	3.0	7	<1	<1	2	5	6	6	6
20-34	40	2.7	3	<1	<1	2	4	5	6	6
35-49	68	4.5	40	1	1	3	5	9	11	43
50-64	40	8.3	248	1	1	4	8	14	24	99
65+	12	4.7	8	1	2	4	6	9	10	10
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+	1	16.0		16	16	16	16	16	16	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	2.0	1	1	1	2	2	3	3	3
20-34	139	5.2	39	1	1	3	5	12	19	32
35-49	201	7.1	96	1	2	4	8	13	20	62
50-64	220	8.8	70	2	2	7	11	17	25	47
65+	87	15.4	261	3	4	10	19	36	57	99
B. *Operated*										
0-19 YRS										
20-34	1	3.0		3	3	3	3	3	3	3
35-49	7	13.7	332	2	2	6	16	46	53	53
50-64	12	22.9	283	2	5	21	39	62	93	99+
65+	6	45.5	997	11	11	60	99+	99+	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	163	5.0	82	1	1	3	5	9	13	45
B. *Operated*	1	16.0		16	16	16	16	16	16	16
2. MULTIPLE DX										
A. *Not Operated*	652	8.3	105	1	2	5	10	18	27	59
B. *Operated*	26	24.9	562	2	3	20	53	99+	99+	99+
1. SINGLE DX	164	5.1	82	1	1	3	5	9	14	45
2. MULTIPLE DX	678	9.0	132	1	2	5	10	20	31	93
A. NOT OPERATED	815	7.7	102	1	2	4	9	16	24	58
B. OPERATED	27	24.6	543	2	3	20	53	99+	99+	99+
TOTAL 0-19 YRS	8	2.4	3	<1	<1	2	3	5	6	6
20-34	180	4.7	31	1	1	3	5	10	17	31
35-49	276	6.6	89	1	2	4	7	13	19	57
50-64	272	9.4	112	1	2	6	11	20	27	57
65+	106	15.9	327	2	3	10	20	48	94	99+
GRAND TOTAL	**842**	**8.2**	**125**	**1**	**2**	**5**	**9**	**19**	**29**	**92**

93: Drug psychoses (292)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	15	9.6	178	<1	1	3	10	36	39	40
20-34	24	10.3	118	<1	1	7	14	24	35	46
35-49	6	4.0	25	1	1	2	3	13	14	14
50-64	3	14.7	92	6	6	13	22	25	25	25
65+	5	9.0	25	2	2	10	13	14	14	14
B. *Operated*										
0-19 YRS										
20-34										
35-49	1	10.0		10	10	10	10	10	10	10
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	14	15.2	171	<1	1	11	25	39	40	40
20-34	59	11.1	160	1	1	6	15	28	43	58
35-49	23	9.6	60	<1	1	7	15	22	23	24
50-64	19	12.8	67	2	3	13	17	24	28	31
65+	34	13.4	155	1	3	8	17	37	39	52
B. *Operated*										
0-19 YRS										
20-34	3	16.3	24	13	13	14	20	22	22	22
35-49										
50-64	1	9.0		9	9	9	9	9	9	9
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	53	9.5	113	<1	1	5	13	25	35	46
B. *Operated*	1	10.0		10	10	10	10	10	10	10
2. MULTIPLE DX										
A. *Not Operated*	149	12.0	132	1	2	8	16	27	39	52
B. *Operated*	4	14.5	30	9	9	13	18	22	22	22
1. SINGLE DX	54	9.5	111	<1	1	5	13	25	35	46
2. MULTIPLE DX	153	12.1	130	1	2	8	16	26	39	52
A. NOT OPERATED	202	11.3	128	1	1	8	15	26	38	49
B. OPERATED	5	13.6	26	9	9	13	16	22	22	22
TOTAL 0-19 YRS	29	12.3	177	<1	1	8	18	38	40	40
20-34	86	11.0	143	1	1	7	15	25	42	54
35-49	30	8.5	55	1	1	6	14	21	23	24
50-64	23	12.9	64	2	3	13	17	24	27	31
65+	39	12.9	140	1	3	8	16	34	39	52
GRAND TOTAL	**207**	**11.4**	**125**	**1**	**1**	**8**	**15**	**25**	**38**	**49**

94: Paranoid schizophrenia (295.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	12	25.8	313	1	4	24	40	46	55	56
20-34	170	21.4	337	2	3	16	29	54	71	99+
35-49	120	20.8	258	2	3	17	29	41	48	77
50-64	39	22.9	406	2	3	20	31	61	99	99+
65+	16	18.1	220	3	3	16	25	41	48	51
B. *Operated*										
0-19 YRS										
20-34										
35-49	1	11.0		11	11	11	11	11	11	11
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	49.8	376	25	25	51	63	72	72	72
20-34	131	21.9	378	1	3	20	30	52	76	99+
35-49	61	22.6	275	2	4	20	32	42	65	98
50-64	39	24.6	420	4	6	21	34	77	94	99+
65+	15	27.8	694	1	2	14	47	60	81	88
B. *Operated*										
0-19 YRS										
20-34	7	27.0	187	14	14	27	34	48	51	51
35-49	1	77.0		77	77	77	77	77	77	77
50-64	5	29.4	10	25	25	31	32	32	32	32
65+	2	47.5	421	33	33	47	62	62	62	62
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	357	21.3	310	2	3	17	30	45	63	99+
B. *Operated*	1	11.0		11	11	11	11	11	11	11
2. MULTIPLE DX										
A. *Not Operated*	250	23.3	385	2	3	20	32	54	82	99+
B. *Operated*	15	33.9	303	14	15	32	34	62	73	77
1. SINGLE DX	358	21.3	309	2	3	17	30	45	63	99+
2. MULTIPLE DX	265	23.9	385	2	4	21	33	55	77	99+
A. NOT OPERATED	607	22.1	341	2	3	18	31	49	70	99+
B. OPERATED	16	32.4	316	12	14	31	34	61	72	77
TOTAL 0-19 YRS	16	31.8	420	2	6	32	45	56	67	72
20-34	308	21.7	350	2	3	17	30	52	71	99+
35-49	183	21.6	277	2	3	20	30	42	52	86
50-64	83	24.1	385	2	5	22	32	66	99	99+
65+	33	24.3	478	2	3	16	37	58	62	88
GRAND TOTAL	**623**	**22.4**	**343**	**2**	**3**	**19**	**32**	**49**	**71**	**99+**

95: Acute schizophrenic episode (295.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	12.0	32	8	8	12	16	16	16	16
20-34	14	11.7	48	3	4	13	20	92	99+	99+
35-49	5	11.8	158	1	1	5	21	31	31	31
50-64	3	30.0	559	8	8	27	48	55	55	55
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	19.0	338	6	6	32	83	99+	99+	99+
20-34	8	13.3	102	4	4	13	24	74	99+	99+
35-49	7	10.0	75	2	2	6	16	23	25	25
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+	1	27.0		27	27	27	27	27	27	27
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	24	14.0	142	2	4	13	22	53	99+	99+
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	17	12.6	102	2	3	13	24	73	99+	99+
B. *Operated*	1	27.0		27	27	27	27	27	27	27
1. SINGLE DX	24	14.0	142	2	4	13	22	53	99+	99+
2. MULTIPLE DX	18	13.4	107	2	3	13	26	67	99+	99+
A. NOT OPERATED	41	13.4	123	2	4	13	22	55	99+	99+
B. OPERATED	1	27.0		27	27	27	27	27	27	27
TOTAL 0-19 YRS	4	15.5	140	6	6	16	49	99+	99+	99+
20-34	22	12.3	64	3	4	13	21	99+	99+	99+
35-49	12	10.8	99	1	2	5	17	27	30	31
50-64	3	30.0	559	8	8	27	48	55	55	55
65+	1	27.0		27	27	27	27	27	27	27
GRAND TOTAL	**42**	**13.8**	**124**	**2**	**4**	**13**	**24**	**53**	**99+**	**99+**

96: Miscellaneous schizophrenia (295.0-295.2; 295.5-295.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	42	26.8	431	3	6	23	40	68	99+	99+
20-34	405	20.2	382	1	2	15	29	53	72	99+
35-49	203	20.0	351	2	3	14	27	50	62	86
50-64	100	18.7	228	2	3	14	28	41	51	84
65+	23	19.3	454	1	2	14	24	47	66	95
B. *Operated*										
0-19 YRS	1	34.0		34	34	34	34	34	34	34
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	31	26.9	637	2	3	20	41	74	83	99+
20-34	304	24.5	528	1	2	19	35	67	87	99+
35-49	168	18.1	334	1	2	12	28	48	73	99+
50-64	74	22.8	414	4	5	16	32	60	91	99+
65+	46	20.3	383	3	3	15	27	56	68	99+
B. *Operated*										
0-19 YRS	1	9.0		9	9	9	9	9	9	9
20-34	12	35.3	357	15	16	30	46	64	77	79
35-49	8	29.1	377	4	10	27	48	88	99+	99+
50-64	1	69.0		69	69	69	69	69	69	69
65+	2	26.5	113	19	19	34	83	99+	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	773	20.3	360	1	3	15	29	51	69	99+
B. *Operated*	1	34.0		34	34	34	34	34	34	34
2. MULTIPLE DX										
A. *Not Operated*	623	22.4	462	1	3	16	32	61	85	99+
B. *Operated*	24	32.8	383	8	15	30	48	78	99+	99+
1. SINGLE DX	774	20.3	359	1	3	15	29	51	69	99+
2. MULTIPLE DX	647	22.8	463	2	3	17	32	63	86	99+
A. NOT OPERATED	1396	21.2	406	1	3	15	30	56	79	99+
B. OPERATED	25	32.9	367	8	15	31	47	77	99+	99+
TOTAL 0-19 YRS	75	26.7	502	2	4	22	41	70	93	99+
20-34	721	22.3	449	1	2	16	31	58	83	99+
35-49	379	19.4	345	1	2	14	27	50	70	99+
50-64	175	20.7	321	3	4	15	30	50	69	99+
65+	71	20.1	392	3	3	15	28	52	90	99+
GRAND TOTAL	**1421**	**21.4**	**408**	**1**	**3**	**16**	**30**	**56**	**79**	**99+**

97: Childhood psychosis (299)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	10	24.2	134	8	10	22	32	40	47	47
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	17.4	76	8	8	17	22	31	31	31
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	10	24.2	134	8	10	22	32	40	47	47
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	5	17.4	76	8	8	17	22	31	31	31
B. *Operated*										
1. SINGLE DX	10	24.2	134	8	10	22	32	40	47	47
2. MULTIPLE DX	5	17.4	76	8	8	17	22	31	31	31
A. NOT OPERATED	15	21.9	119	8	8	19	31	32	43	47
B. OPERATED										
TOTAL 0-19 YRS	15	21.9	119	8	8	19	31	32	43	47
20-34										
35-49										
50-64										
65+										
GRAND TOTAL	**15**	**21.9**	**119**	**8**	**8**	**19**	**31**	**32**	**43**	**47**

98: Major depressive psychoses (296.2-296.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	39	18.9	454	<1	2	11	22	50	78	80
20-34	191	16.1	264	1	2	11	22	41	54	96
35-49	227	17.9	241	2	2	14	25	38	51	71
50-64	205	19.9	230	3	5	16	27	42	53	74
65+	171	23.8	352	3	5	20	31	50	64	97
B. *Operated*										
0-19 YRS										
20-34										
35-49	1	78.0		78	78	78	78	78	78	78
50-64										
65+	1	27.0		27	27	27	27	27	27	27
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	45	17.5	240	1	1	13	27	44	53	99+
20-34	313	23.3	431	2	3	18	35	54	70	95
35-49	339	22.1	352	3	4	18	30	52	70	99+
50-64	311	25.7	343	4	6	22	37	51	75	99+
65+	320	24.2	333	4	6	20	33	51	65	99+
B. *Operated*										
0-19 YRS	3	29.3	676	3	3	30	49	55	55	55
20-34	12	37.6	845	6	8	27	60	79	92	94
35-49	14	35.0	439	10	13	42	82	99+	99+	99+
50-64	29	35.4	424	13	14	30	45	66	71	96
65+	28	29.6	472	5	7	25	37	71	99	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	833	19.2	282	2	3	15	26	43	54	87
B. *Operated*	2	52.5	1301	27	27	52	78	78	78	78
2. MULTIPLE DX										
A. *Not Operated*	1328	23.6	362	3	4	19	34	52	70	99+
B. *Operated*	86	33.5	492	6	10	29	49	81	99+	99+
1. SINGLE DX	835	19.3	285	2	3	15	26	43	55	86
2. MULTIPLE DX	1414	24.2	375	3	5	20	35	54	72	99+
A. NOT OPERATED	2161	21.9	335	2	4	17	31	49	63	99+
B. OPERATED	88	34.0	503	6	10	29	49	80	99+	99+
TOTAL 0-19 YRS	87	18.6	344	1	2	12	24	47	74	92
20-34	516	21.0	395	2	3	14	30	52	67	95
35-49	581	20.9	324	2	4	17	29	49	67	99+
50-64	545	24.0	318	4	6	19	34	50	65	99+
65+	520	24.3	346	4	6	20	33	51	65	99+
GRAND TOTAL	**2249**	**22.4**	**347**	**2**	**4**	**18**	**31**	**50**	**66**	**99+**

168 Hospitals, Canada, January-December 1985

99: Other affective psychoses (296.0-296.1; 296.4-296.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	18	20.5	119	3	8	20	30	34	39	42
20-34	239	19.4	233	2	4	15	25	41	50	74
35-49	218	19.3	251	2	3	15	27	41	49	82
50-64	169	21.9	290	3	4	17	30	42	54	83
65+	61	21.8	241	5	6	18	29	41	51	75
B. *Operated*										
0-19 YRS										
20-34	1	33.0		33	33	33	33	33	33	33
35-49										
50-64										
65+	1	20.0		20	20	20	20	20	20	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	33	25.0	293	3	4	23	37	60	92	99+
20-34	204	26.0	408	4	6	21	38	58	77	99+
35-49	205	22.6	317	3	5	18	29	49	59	88
50-64	177	25.4	269	4	6	24	33	51	59	97
65+	117	21.9	335	1	1	21	32	49	65	99+
B. *Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	7	42.9	253	22	23	42	54	65	67	67
35-49	4	70.3	569	35	35	79	84	87	87	87
50-64	15	46.9	677	15	23	41	78	92	98	99+
65+	8	45.9	565	11	15	48	76	90	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	705	20.2	250	2	4	16	28	41	50	77
B. *Operated*	2	26.5	85	20	20	26	33	33	33	33
2. MULTIPLE DX										
A. *Not Operated*	736	24.2	333	2	5	21	33	53	65	99+
B. *Operated*	35	47.3	614	11	20	46	76	86	97	99+
1. SINGLE DX	707	20.2	250	2	4	16	28	41	50	77
2. MULTIPLE DX	771	25.3	368	2	5	22	35	55	74	99+
A. NOT OPERATED	1441	22.2	296	2	4	18	30	48	59	97
B. OPERATED	37	46.2	605	11	20	42	76	85	97	99+
TOTAL 0-19 YRS	52	23.0	236	3	4	22	31	55	67	99+
20-34	451	22.7	328	2	5	18	31	51	62	99+
35-49	427	21.4	309	2	4	17	28	46	59	88
50-64	361	24.6	318	4	5	22	33	50	66	93
65+	187	22.9	332	1	2	20	34	49	71	99+
GRAND TOTAL	**1478**	**22.8**	**318**	**2**	**4**	**19**	**31**	**49**	**63**	**99**

100: Miscellaneous psychoses (297; 298)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	23	10.0	150	<1	<1	5	11	33	36	39
20-34	86	12.8	171	<1	<1	9	18	30	42	88
35-49	83	10.5	75	<1	1	8	17	22	28	37
50-64	57	13.9	173	<1	1	10	22	31	48	97
65+	68	13.5	214	1	1	8	20	31	52	96
B. *Operated*										
0-19 YRS	2	5.0	2	4	4	5	6	6	6	6
20-34										
35-49										
50-64										
65+	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	26	16.4	203	<1	1	12	26	43	62	99+
20-34	134	18.6	262	2	3	14	26	41	57	90
35-49	107	16.5	181	2	3	13	25	32	43	67
50-64	95	18.5	245	2	5	14	24	42	70	99+
65+	288	17.1	353	2	3	11	22	41	67	99+
B. *Operated*										
0-19 YRS										
20-34	4	48.5	841	14	14	66	83	99+	99+	99+
35-49	5	32.2	391	12	12	27	43	64	64	64
50-64	3	23.3	662	7	7	10	42	53	53	53
65+	10	29.8	606	6	9	32	92	99+	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	317	12.3	154	<1	1	8	18	29	39	86
B. *Operated*	3	4.0	4	2	2	4	5	6	6	6
2. MULTIPLE DX										
A. *Not Operated*	650	17.5	283	2	3	12	25	41	60	99+
B. *Operated*	22	32.9	582	7	10	34	66	99+	99+	99+
1. SINGLE DX	320	12.3	153	<1	1	8	18	29	39	85
2. MULTIPLE DX	672	18.0	300	2	3	13	25	42	65	99+
A. NOT OPERATED	967	15.8	247	1	2	11	22	36	55	99+
B. OPERATED	25	29.4	601	4	5	27	64	99+	99+	99+
TOTAL 0-19 YRS	51	13.0	180	<1	<1	8	24	33	45	99
20-34	224	16.9	259	1	2	12	24	41	58	99+
35-49	195	14.4	156	1	2	11	21	29	36	61
50-64	155	16.9	226	1	2	13	23	40	60	99+
65+	367	16.7	338	1	2	11	23	41	71	99+
GRAND TOTAL	**992**	**16.1**	**259**	**1**	**2**	**11**	**23**	**37**	**58**	**99+**

101: Anxiety states (300.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	49	4.4	24	<1	<1	3	6	8	11	32
20-34	165	4.9	44	<1	<1	3	5	12	16	40
35-49	138	5.9	64	<1	1	4	7	12	16	31
50-64	81	5.5	43	<1	1	4	7	11	15	41
65+	125	8.1	99	1	1	5	9	20	29	46
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+	2	4.5	13	2	2	4	7	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	81	8.3	100	1	1	4	10	24	32	45
20-34	269	8.8	121	<1	1	5	11	22	33	58
35-49	280	8.0	75	1	1	5	9	18	25	43
50-64	291	9.0	113	1	2	6	11	18	30	62
65+	414	8.7	88	1	2	6	11	18	24	61
B. *Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	18	11.1	100	2	3	6	21	27	30	31
35-49	12	7.8	49	2	2	8	13	99+	99+	99+
50-64	16	8.7	27	2	3	8	10	16	20	22
65+	9	20.2	377	2	4	12	31	53	56	56
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	558	5.9	61	<1	1	4	7	13	18	36
B. *Operated*	2	4.5	13	2	2	4	7	7	7	7
2. MULTIPLE DX										
A. *Not Operated*	1335	8.6	98	1	1	5	11	19	29	55
B. *Operated*	56	11.0	122	2	2	8	14	28	53	99+
1. SINGLE DX	560	5.9	60	<1	1	4	7	13	18	36
2. MULTIPLE DX	1391	8.7	99	1	1	5	11	20	29	58
A. NOT OPERATED	1893	7.8	88	1	1	5	9	18	24	50
B. OPERATED	58	10.8	119	2	2	8	14	27	52	99+
TOTAL 0-19 YRS	131	6.8	74	<1	1	4	8	16	32	38
20-34	452	7.5	96	<1	1	4	9	20	29	51
35-49	430	7.3	71	1	1	5	9	16	23	51
50-64	388	8.2	97	1	1	5	10	17	27	59
65+	550	8.7	96	1	2	6	11	18	25	60
GRAND TOTAL	**1951**	**7.9**	**89**	**1**	**1**	**5**	**10**	**18**	**25**	**53**

102: Neurotic depression (300.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	44	10.7	122	1	1	6	14	28	37	42
20-34	224	8.8	110	1	1	5	10	21	32	57
35-49	203	10.6	147	1	1	6	13	26	36	59
50-64	116	10.4	100	2	3	7	13	23	31	49
65+	91	14.6	222	2	3	9	18	37	49	69
B. *Operated*										
0-19 YRS										
20-34	1	4.0		4	4	4	4	4	4	4
35-49	1	21.0		21	21	21	21	21	21	21
50-64										
65+	1	23.0		23	23	23	23	23	23	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	73	14.2	217	1	2	9	21	36	44	69
20-34	364	13.2	198	1	2	8	18	34	43	63
35-49	365	14.5	198	2	3	10	19	36	50	80
50-64	263	13.3	154	2	3	10	16	28	38	78
65+	250	13.5	109	2	4	10	20	28	35	56
B. *Operated*										
0-19 YRS	2	39.0	1250	14	14	39	64	64	64	64
20-34	19	30.5	501	1	4	31	49	64	67	67
35-49	16	40.1	767	7	11	33	56	88	91	92
50-64	14	29.9	1007	6	6	17	35	92	94	94
65+	9	42.1	941	6	7	34	72	81	82	82
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	678	10.5	138	1	1	6	14	26	36	56
B. *Operated*	3	16.0	109	4	4	21	22	23	23	23
2. MULTIPLE DX										
A. *Not Operated*	1315	13.7	173	2	2	9	18	32	42	67
B. *Operated*	60	35.0	746	6	6	29	58	79	90	94
1. SINGLE DX	681	10.5	137	1	1	6	14	26	36	56
2. MULTIPLE DX	1375	14.6	216	2	2	10	19	34	47	82
A. NOT OPERATED	1993	12.6	163	1	2	8	17	30	41	63
B. OPERATED	63	34.0	730	5	6	27	56	78	90	94
TOTAL 0-19 YRS	119	13.3	202	1	2	8	19	34	43	67
20-34	608	12.1	189	1	2	7	15	32	42	63
35-49	585	13.8	217	1	2	9	18	35	49	82
50-64	393	13.1	178	2	3	9	16	28	38	83
65+	351	14.6	177	2	3	10	20	30	43	69
GRAND TOTAL	**2056**	**13.3**	**194**	**1**	**2**	**8**	**17**	**32**	**43**	**71**

103: Miscellaneous neuroses and personality disorders (300.1-300.3; 300.5-300.9; 301-302)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	82	8.8	126	<1	<1	3	10	30	33	48
20-34	209	9.5	152	<1	<1	5	12	23	35	61
35-49	76	11.1	228	1	1	6	14	29	52	97
50-64	37	8.6	107	1	1	5	10	29	38	99+
65+	33	11.6	189	<1	2	8	11	27	34	73
B. *Operated*										
0-19 YRS	1	14.0		14	14	14	14	14	14	14
20-34	6	4.7	13	<1	<1	4	8	10	10	10
35-49	6	4.2	7	1	1	4	5	9	9	9
50-64	1	8.0		8	8	8	8	8	8	8
65+	1	8.0		8	8	8	8	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	106	11.4	110	1	1	7	20	30	32	66
20-34	498	14.5	255	1	1	9	21	38	53	95
35-49	234	14.5	222	1	2	9	20	34	48	74
50-64	120	14.6	331	1	1	8	20	33	63	99
65+	95	14.8	197	2	3	10	21	36	43	67
B. *Operated*										
0-19 YRS	8	26.6	1019	2	2	18	35	81	97	97
20-34	22	25.1	686	2	3	15	31	69	87	90
35-49	13	23.7	193	5	8	24	34	62	92	99+
50-64	13	13.8	201	3	3	8	15	38	48	50
65+	8	15.5	98	5	6	14	26	74	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	437	9.7	159	<1	1	5	11	25	34	75
B. *Operated*	15	5.5	15	<1	1	5	8	10	13	14
2. MULTIPLE DX										
A. *Not Operated*	1053	14.2	237	1	1	9	20	35	48	90
B. *Operated*	64	21.5	454	3	4	14	30	60	91	99+
1. SINGLE DX	452	9.6	154	<1	1	5	11	24	34	73
2. MULTIPLE DX	1117	14.6	252	1	1	9	21	36	50	97
A. NOT OPERATED	1490	12.9	218	1	1	7	18	32	46	88
B. OPERATED	79	18.5	409	2	3	11	25	53	87	99+
TOTAL 0-19 YRS	197	10.9	160	<1	1	6	18	31	34	74
20-34	735	13.3	245	<1	1	8	19	34	48	90
35-49	329	13.9	225	1	2	8	20	34	49	90
50-64	171	13.2	275	1	1	7	17	31	51	99+
65+	137	14.0	188	2	3	9	19	34	43	79
GRAND TOTAL	**1569**	**13.2**	**229**	**1**	**1**	**8**	**19**	**32**	**47**	**91**

104: Alcoholic dependence syndrome (303)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	19	5.8	73	<1	<1	2	5	24	26	26
20-34	203	6.2	52	<1	1	4	6	19	25	31
35-49	339	6.2	49	<1	1	4	7	17	24	31
50-64	190	7.1	55	1	1	4	8	20	25	30
65+	60	6.3	36	1	1	4	9	14	15	32
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	19	6.2	96	1	1	2	3	24	30	35
20-34	319	7.2	66	1	1	4	9	19	25	28
35-49	477	7.4	75	1	1	5	8	17	24	42
50-64	481	8.8	105	1	2	6	11	18	26	75
65+	241	12.3	154	2	2	8	17	28	38	74
B. *Operated*										
0-19 YRS	1	8.0		8	8	8	8	8	8	8
20-34	8	18.6	212	1	2	16	31	38	40	40
35-49	13	18.5	288	4	5	14	22	39	63	69
50-64	18	20.1	186	5	6	14	29	40	45	47
65+	12	22.2	539	2	3	13	37	62	64	64
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	811	6.4	50	<1	1	4	7	18	25	31
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	1537	8.5	98	1	1	5	10	20	26	55
B. *Operated*	52	19.7	280	3	4	14	28	43	60	69
1. SINGLE DX	811	6.4	50	<1	1	4	7	18	25	31
2. MULTIPLE DX	1589	8.9	108	1	1	5	11	21	28	60
A. NOT OPERATED	2348	7.8	83	1	1	5	9	19	25	46
B. OPERATED	52	19.7	280	3	4	14	28	43	60	69
TOTAL 0-19 YRS	39	6.0	81	<1	1	2	5	24	26	35
20-34	530	7.0	65	<1	1	4	8	20	25	32
35-49	829	7.1	70	1	1	4	8	17	24	41
50-64	689	8.6	97	1	2	5	10	20	26	52
65+	313	11.5	154	1	2	7	15	27	37	67
GRAND TOTAL	**2400**	**8.1**	**90**	**1**	**1**	**5**	**9**	**20**	**25**	**49**

105: Opioid dependence (304.0; 304.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	1	1.0		<1	<1	<1	<1	<1	<1	<1
35-49	2	2.0	2	<1	<1	1	3	3	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	15	10.5	46	1	3	11	15	21	22	22
35-49	8	14.9	161	3	4	8	28	33	33	33
50-64	3	7.0	49	2	2	4	12	15	15	15
65+	1	12.0		12	12	12	12	12	12	12
B. *Operated*										
0-19 YRS										
20-34	1	18.0		18	18	18	18	18	18	18
35-49	1	11.0		11	11	11	11	11	11	11
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4	2.5	4	<1	<1	2	4	5	5	5
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	27	11.4	78	2	3	10	15	24	32	33
B. *Operated*	2	14.5	25	11	11	14	18	18	18	18
1. SINGLE DX	4	2.5	4	<1	<1	2	4	5	5	5
2. MULTIPLE DX	29	11.7	74	2	3	11	16	23	32	33
A. NOT OPERATED	31	10.3	77	<1	2	6	15	23	32	33
B. OPERATED	2	14.5	25	11	11	14	18	18	18	18
TOTAL 0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	17	10.4	49	<1	1	11	16	20	22	22
35-49	11	12.2	139	<1	2	6	21	32	33	33
50-64	3	7.0	49	2	2	4	12	15	15	15
65+	1	12.0		12	12	12	12	12	12	12
GRAND TOTAL	**33**	**10.5**	**74**	**<1**	**2**	**10**	**15**	**22**	**31**	**33**

106: Drug dependence, except opioid (304.1-304.6; 304.8-304.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	2.7	2	1	1	3	4	4	4	4
20-34	19	8.2	77	<1	<1	5	10	23	29	32
35-49	9	8.7	84	2	2	5	10	24	31	31
50-64										
65+	1	12.0		12	12	12	12	12	12	12
B. *Operated*										
0-19 YRS										
20-34										
35-49	1	8.0		8	8	8	8	8	8	8
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	9	7.9	93	1	1	2	12	25	25	25
20-34	49	10.8	79	2	3	6	16	25	26	32
35-49	29	8.0	39	1	1	6	13	18	20	21
50-64	11	13.9	88	1	2	14	23	26	28	28
65+	8	14.9	67	5	6	12	21	27	29	29
B. *Operated*										
0-19 YRS										
20-34										
35-49	2	24.0		24	24	24	24	24	24	24
50-64										
65+	1	1.0		<1	<1	<1	<1	<1	<1	<1
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	32	7.9	70	<1	1	5	10	22	30	32
B. *Operated*	1	8.0		8	8	8	8	8	8	8
2. MULTIPLE DX										
A. *Not Operated*	106	10.4	71	1	2	7	15	25	26	30
B. *Operated*	3	16.3	176	<1	<1	24	24	24	24	24
1. SINGLE DX	33	7.9	68	<1	1	5	9	22	30	32
2. MULTIPLE DX	109	10.6	73	1	2	7	17	25	25	30
A. NOT OPERATED	138	9.8	71	1	1	6	14	25	26	32
B. OPERATED	4	14.3	135	<1	<1	16	24	24	24	24
TOTAL 0-19 YRS	12	6.6	74	1	1	3	6	24	25	25
20-34	68	10.0	78	<1	2	6	14	25	26	32
35-49	41	9.0	56	1	2	6	13	20	24	31
50-64	11	13.9	88	1	2	14	23	26	28	28
65+	10	13.2	72	<1	2	12	21	25	29	29
GRAND TOTAL	**142**	**10.0**	**73**	**1**	**1**	**6**	**14**	**25**	**26**	**32**

107: Nondependent abuse of alcohol (305.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	92	1.1		<1	<1	1	1	2	2	2
20-34	42	1.2	1	<1	<1	<1	1	2	2	6
35-49	26	2.0	6	<1	<1	1	2	5	8	12
50-64	28	2.0	3	<1	<1	1	3	5	6	8
65+	10	1.8	1	<1	<1	1	3	3	3	3
B. *Operated*										
0-19 YRS										
20-34	1	2.0		2	2	2	2	2	2	2
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	49	2.9	26	<1	<1	1	2	9	14	27
20-34	105	7.6	135	<1	<1	2	8	26	29	58
35-49	64	6.2	71	<1	<1	2	7	19	24	40
50-64	37	7.6	82	1	1	5	10	23	28	38
65+	26	8.4	158	<1	1	4	10	16	32	63
B. *Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	2	2.0	2	1	1	2	3	3	3	3
35-49	7	7.7	42	1	1	8	11	18	19	19
50-64	4	14.5	660	<1	<1	2	28	53	53	53
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	198	1.4	2	<1	<1	1	1	2	3	8
B. *Operated*	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*	281	6.5	98	<1	<1	2	7	21	27	52
B. *Operated*	14	8.4	194	<1	<1	3	9	22	46	53
1. SINGLE DX	199	1.4	2	<1	<1	1	1	2	3	8
2. MULTIPLE DX	295	6.6	102	<1	<1	2	8	21	27	55
A. NOT OPERATED	479	4.4	65	<1	<1	1	3	12	23	40
B. OPERATED	15	7.9	183	<1	<1	3	9	19	44	53
TOTAL 0-19 YRS	142	1.7	10	<1	<1	1	1	2	3	19
20-34	150	5.7	103	<1	<1	1	4	22	28	56
35-49	97	5.2	55	<1	<1	2	6	17	22	36
50-64	69	5.8	86	<1	<1	2	5	14	26	50
65+	36	6.6	122	<1	<1	3	8	15	22	63
GRAND TOTAL	**494**	**4.5**	**68**	**<1**	**<1**	**1**	**3**	**12**	**23**	**42**

108: Nondependent abuse of drugs, except alcohol (305.1-305.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	12	1.7	1	<1	<1	1	2	4	4	4
20-34	16	1.9	2	<1	<1	1	2	4	5	6
35-49	8	3.1	7	<1	<1	2	5	7	8	8
50-64	4	3.8	24	1	1	2	6	11	11	11
65+	2	3.0	8	1	1	3	5	5	5	5
B. *Operated*										
0-19 YRS										
20-34	2	2.5	5	<1	<1	2	4	4	4	4
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	18	9.2	87	1	1	6	9	27	29	29
20-34	67	10.9	90	<1	1	7	17	23	26	46
35-49	22	8.5	47	<1	<1	8	14	17	20	25
50-64	12	7.9	34	2	3	5	13	17	18	18
65+	10	6.6	31	1	1	4	8	15	20	20
B. *Operated*										
0-19 YRS										
20-34	2	8.0	2	7	7	8	9	9	9	9
35-49										
50-64										
65+	2	13.5	5	12	12	13	15	15	15	15
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	42	2.3	5	<1	<1	1	3	5	7	11
B. *Operated*	2	2.5	5	<1	<1	2	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*	129	9.7	73	<1	1	7	15	22	25	33
B. *Operated*	4	10.8	12	7	7	10	13	15	15	15
1. SINGLE DX	44	2.3	5	<1	<1	1	3	5	7	11
2. MULTIPLE DX	133	9.7	71	<1	1	7	15	21	25	33
A. NOT OPERATED	171	7.8	66	<1	<1	4	12	20	25	29
B. OPERATED	6	8.0	26	<1	<1	8	12	15	15	15
TOTAL 0-19 YRS	30	6.2	66	<1	<1	3	7	21	28	29
20-34	87	9.0	83	<1	<1	5	15	22	25	42
35-49	30	7.0	41	<1	<1	5	11	16	17	25
50-64	16	6.9	33	1	1	4	11	17	18	18
65+	14	7.1	32	1	1	5	11	15	19	20
GRAND TOTAL	**177**	**7.8**	**65**	**<1**	**<1**	**4**	**12**	**20**	**24**	**29**

109: Psychophysiologic disorder (306; 316)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	23	3.0	7	<1	<1	1	5	7	8	8
20-34	25	5.3	22	<1	1	5	8	12	15	19
35-49	15	4.8	8	1	2	4	7	9	9	9
50-64	11	6.5	50	1	2	4	7	17	25	26
65+	12	3.6	4	1	1	3	5	7	7	7
B. *Operated*										
0-19 YRS	2	5.5	5	4	4	5	7	7	7	7
20-34										
35-49	2	5.5	25	2	2	5	9	9	9	9
50-64	1	6.0		6	6	6	6	6	6	6
65+	1	13.0		13	13	13	13	13	13	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	30	6.5	47	1	1	5	8	12	28	29
20-34	31	5.6	12	1	2	6	7	10	14	16
35-49	28	6.6	37	1	1	5	8	15	19	28
50-64	35	6.7	28	1	2	5	8	12	15	29
65+	28	7.9	48	2	2	6	9	17	26	31
B. *Operated*										
0-19 YRS	1	11.0		11	11	11	11	11	11	11
20-34	2	3.5	1	3	3	3	4	4	4	4
35-49	3	14.0	117	2	2	17	21	23	23	23
50-64	2	16.0	72	10	10	16	22	22	22	22
65+	2	25.0	722	6	6	25	44	44	44	44
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	86	4.5	17	<1	1	4	7	9	11	23
B. *Operated*	6	6.8	15	2	2	6	9	13	13	13
2. MULTIPLE DX										
A. *Not Operated*	152	6.7	34	1	2	5	8	13	18	29
B. *Operated*	10	14.2	168	2	2	10	22	33	44	44
1. SINGLE DX	92	4.7	17	1	1	4	7	9	12	23
2. MULTIPLE DX	162	7.1	44	1	2	5	8	14	22	31
A. NOT OPERATED	238	5.9	29	1	1	4	8	12	15	29
B. OPERATED	16	11.4	119	2	2	8	15	23	38	44
TOTAL 0-19 YRS	56	5.1	31	<1	1	4	7	10	13	29
20-34	58	5.4	16	1	1	5	7	10	14	19
35-49	48	6.5	34	1	2	4	8	15	18	28
50-64	49	7.0	35	1	2	5	8	13	22	29
65+	43	7.6	69	1	2	5	8	15	27	44
GRAND TOTAL	**254**	**6.2**	**36**	**1**	**1**	**4**	**8**	**12**	**18**	**29**

110: Adjustment reactions and acute reactions to stress (308-309)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	96	12.1	277	1	1	6	17	32	44	83
20-34	134	6.8	63	<1	1	4	9	14	25	42
35-49	120	9.1	112	1	1	6	11	23	35	48
50-64	35	13.7	340	<1	1	6	17	36	50	89
65+	28	7.6	53	1	1	5	11	15	25	31
B. *Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	1	25.0		25	25	25	25	25	25	25
35-49										
50-64	1	55.0		55	55	55	55	55	55	55
65+	1	5.0		5	5	5	5	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	159	16.5	385	1	1	11	29	81	99+	99+
20-34	319	10.2	110	1	1	7	13	25	32	43
35-49	209	10.6	106	1	1	8	15	23	31	59
50-64	90	11.7	141	1	1	9	17	29	37	86
65+	76	12.4	166	1	1	7	18	37	42	87
B. *Operated*										
0-19 YRS	4	36.3	384	9	14	51	99+	99+	99+	99+
20-34	12	26.8	631	1	4	21	34	62	89	94
35-49	3	24.3	10	22	22	23	27	28	28	28
50-64	4	25.3	1021	2	2	13	45	72	72	72
65+	5	18.6	70	8	8	16	26	29	29	29
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	413	9.3	154	1	1	5	11	23	33	68
B. *Operated*	4	22.0	583	3	3	15	40	55	55	55
2. MULTIPLE DX										
A. *Not Operated*	853	11.8	173	1	1	8	16	31	41	99+
B. *Operated*	28	26.2	451	2	7	23	45	96	99+	99+
1. SINGLE DX	417	9.5	158	1	1	5	11	24	34	67
2. MULTIPLE DX	881	12.3	188	1	1	8	17	32	45	99+
A. NOT OPERATED	1266	11.0	168	1	1	7	15	30	39	99+
B. OPERATED	32	25.7	451	2	5	23	45	94	99+	99+
TOTAL 0-19 YRS	260	15.1	353	1	1	9	24	57	99+	99+
20-34	466	9.7	119	1	1	6	12	24	32	48
35-49	332	10.1	109	1	1	7	14	24	32	52
50-64	130	13.0	230	1	1	8	18	34	51	91
65+	110	11.4	137	1	1	7	15	31	39	70
GRAND TOTAL	**1298**	**11.4**	**180**	**1**	**1**	**7**	**15**	**31**	**41**	**99+**

111: Miscellaneous mental disorders (307; 311-315)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	276	12.7	159	1	2	8	17	32	32	73
20-34	312	9.0	105	1	1	6	12	21	32	95
35-49	268	10.0	115	1	2	7	12	25	35	52
50-64	147	11.2	93	2	3	8	16	25	32	45
65+	140	13.8	216	1	2	10	17	27	45	81
B. *Operated*										
0-19 YRS	3	2.7		2	2	3	52	99+	99+	99+
20-34	6	9.5	138	3	3	4	9	31	33	33
35-49										
50-64	2	23.5	113	16	16	23	31	31	31	31
65+	4	13.0	71	4	4	12	19	24	24	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	415	18.3	288	2	2	12	28	39	58	99+
20-34	493	15.2	298	1	2	9	21	41	62	99+
35-49	429	11.9	136	1	2	8	16	28	39	99+
50-64	343	12.4	150	2	3	8	15	28	39	68
65+	451	14.6	184	3	4	11	19	34	45	99+
B. *Operated*										
0-19 YRS	16	15.7	206	1	1	11	32	84	99+	99+
20-34	19	19.7	421	1	2	13	30	85	99+	99+
35-49	18	21.9	370	3	4	19	31	69	91	99+
50-64	19	25.5	402	5	7	17	34	58	72	74
65+	38	27.3	429	4	8	23	39	52	92	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1143	11.0	135	1	2	7	14	28	33	64
B. *Operated*	15	10.9	112	2	3	7	20	33	80	99+
2. MULTIPLE DX										
A. *Not Operated*	2131	14.6	220	1	2	10	20	35	50	99+
B. *Operated*	110	23.1	385	2	5	19	35	70	98	99+
1. SINGLE DX	1158	11.0	134	1	2	7	14	28	34	69
2. MULTIPLE DX	2241	15.0	232	1	2	10	21	36	53	99+
A. NOT OPERATED	3274	13.3	193	1	2	9	18	32	44	97
B. OPERATED	125	21.7	367	2	3	17	34	67	99	99+
TOTAL 0-19 YRS	710	16.0	242	1	2	11	25	37	53	99+
20-34	830	12.9	237	1	1	8	17	33	50	99+
35-49	715	11.4	137	1	2	7	15	28	36	78
50-64	511	12.6	149	2	3	8	16	29	39	68
65+	633	15.2	213	2	3	11	19	35	48	99+
GRAND TOTAL	**3399**	**13.6**	**202**	**1**	**2**	**9**	**18**	**32**	**45**	**99+**

112: Mental retardation (317-319)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	15.4	143	4	4	11	26	31	31	31
20-34	1	8.0		8	8	8	8	8	8	8
35-49	3	12.0	109	5	5	7	20	24	24	24
50-64	1	8.0		8	8	8	8	8	8	8
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64	2	7.0		7	7	7	7	7	7	7
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	14	22.1	342	1	1	21	29	39	64	71
20-34	29	19.5	349	2	5	14	28	73	99	99+
35-49	5	31.6	567	9	9	24	51	65	65	65
50-64	2	41.5	113	34	34	41	49	49	49	49
65+	1	16.0		16	16	16	16	16	16	16
B. *Operated*										
0-19 YRS										
20-34	1	37.0		37	37	37	37	37	37	37
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	10	12.9	97	4	4	8	24	28	31	31
B. *Operated*	2	7.0		7	7	7	7	7	7	7
2. MULTIPLE DX										
A. *Not Operated*	51	22.2	361	1	4	16	30	61	90	99+
B. *Operated*	1	37.0		37	37	37	37	37	37	37
1. SINGLE DX	12	11.9	85	4	5	8	17	27	30	31
2. MULTIPLE DX	52	22.5	358	1	4	17	30	60	89	99+
A. NOT OPERATED	61	20.7	327	2	4	15	29	51	79	99+
B. OPERATED	3	17.0	300	7	7	7	30	37	37	37
TOTAL 0-19 YRS	19	20.3	288	1	2	15	29	34	55	71
20-34	31	19.7	340	2	6	14	28	67	99	99+
35-49	8	24.3	458	5	6	18	36	60	65	65
50-64	5	21.0	379	7	7	8	38	49	49	49
65+	1	16.0		16	16	16	16	16	16	16
GRAND TOTAL	**64**	**20.5**	**322**	**2**	**4**	**15**	**29**	**49**	**75**	**99+**

113: Inflammatory diseases of central nervous system (320-326)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	58	11.9	19	3	6	12	14	17	20	22
20-34	12	7.5	21	<1	1	7	10	15	16	16
35-49	6	12.0	177	<1	<1	8	15	35	37	37
50-64	2	3.5	5	2	2	3	5	5	5	5
65+	1	8.0		8	8	8	8	8	8	8
B. *Operated*										
0-19 YRS	1	13.0		13	13	13	13	13	13	13
20-34	8	10.6	67	4	5	8	11	25	30	30
35-49	11	13.4	302	2	2	6	15	46	52	53
50-64	8	9.5	155	1	1	3	17	30	30	30
65+	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	59	13.4	24	6	8	13	16	20	22	28
20-34	12	14.3	169	2	3	11	15	35	46	48
35-49	7	9.1	39	2	2	8	15	17	17	17
50-64	9	16.8	221	4	4	10	25	40	49	49
65+	6	16.2	90	7	7	13	21	32	33	33
B. *Operated*										
0-19 YRS	13	27.5	354	8	10	18	45	55	64	66
20-34	7	16.9	158	2	5	14	32	83	99+	99+
35-49	9	18.7	146	6	6	17	25	37	44	44
50-64	13	24.2	406	1	3	21	49	55	90	99+
65+	2	16.0	8	14	14	16	18	18	18	18
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	79	11.0	33	2	3	11	14	17	19	33
B. *Operated*	29	11.1	170	1	2	6	12	30	42	53
2. MULTIPLE DX										
A. *Not Operated*	93	13.7	65	2	5	13	17	22	28	49
B. *Operated*	44	22.5	280	3	6	17	43	50	73	99+
1. SINGLE DX	108	11.0	68	2	2	11	14	17	29	46
2. MULTIPLE DX	137	16.5	150	3	5	13	19	43	49	99+
A. NOT OPERATED	172	12.4	52	2	4	12	15	20	23	46
B. OPERATED	73	18.0	265	2	2	14	27	49	53	99+
TOTAL 0-19 YRS	131	14.1	72	4	8	13	16	20	23	55
20-34	39	11.9	105	2	3	9	15	30	45	99+
35-49	33	13.7	178	2	2	8	17	38	44	53
50-64	32	17.2	297	1	2	10	29	49	50	99+
65+	10	13.8	78	1	4	12	18	27	33	33
GRAND TOTAL	**245**	**14.1**	**121**	**2**	**3**	**12**	**17**	**27**	**45**	**67**

114: Parkinson's disease (332)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	3	8.0	52	2	2	6	13	16	16	16
50-64	15	8.0	58	1	1	7	11	16	26	29
65+	58	14.2	169	1	3	10	20	32	45	58
B. *Operated*										
0-19 YRS										
20-34										
35-49	1	1.0		1	1	1	1	1	1	1
50-64										
65+	2	14.5	1	14	14	14	15	15	15	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	2	9.0	50	4	4	9	14	14	14	14
35-49	11	12.7	50	5	5	12	15	24	28	28
50-64	28	14.7	123	2	3	12	27	35	99+	99+
65+	232	19.0	376	2	4	13	25	51	89	99+
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64	5	27.4	140	18	18	24	31	48	48	48
65+	26	24.4	504	2	4	18	55	90	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	76	12.7	148	1	2	9	16	29	38	57
B. *Operated*	3	10.0	61	1	1	14	15	15	15	15
2. MULTIPLE DX										
A. *Not Operated*	274	18.1	337	2	4	13	25	49	89	99+
B. *Operated*	31	24.9	440	2	5	22	48	78	99+	99+
1. SINGLE DX	79	12.6	144	1	2	9	16	29	38	57
2. MULTIPLE DX	305	18.8	350	2	4	13	27	53	91	99+
A. NOT OPERATED	350	17.0	300	2	3	12	22	42	77	99+
B. OPERATED	34	23.6	422	1	4	18	44	73	99+	99+
TOTAL 0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	2	9.0	50	4	4	9	14	14	14	14
35-49	15	11.0	55	1	2	10	15	22	26	28
50-64	48	13.9	131	1	2	11	24	34	48	99+
65+	318	18.5	351	2	3	13	25	52	87	99+
GRAND TOTAL	**384**	**17.5**	**314**	**2**	**3**	**12**	**23**	**49**	**83**	**99+**

115: Multiple sclerosis (340)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	10.3	8	6	6	11	12	12	12	12
20-34	136	11.1	106	<1	1	9	13	22	29	46
35-49	124	10.5	38	2	4	10	13	17	24	54
50-64	48	16.4	236	3	3	12	16	37	65	99+
65+	5	14.8	161	6	6	10	19	37	37	37
B. *Operated*										
0-19 YRS	3	9.0	1	8	8	9	10	10	10	10
20-34	19	7.7	46	1	2	4	11	16	23	28
35-49	12	8.2	16	1	3	8	10	15	16	16
50-64	7	13.4	280	1	1	8	13	43	50	50
65+	1	9.0		9	9	9	9	9	9	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	9.0		9	9	9	9	9	9	9
20-34	72	17.1	400	2	3	10	17	48	73	98
35-49	94	14.3	223	2	3	10	17	35	55	94
50-64	64	15.5	303	3	3	11	20	64	99+	99+
65+	18	12.3	242	2	2	8	14	55	82	99+
B. *Operated*										
0-19 YRS	2	8.0	2	7	7	8	9	9	9	9
20-34	17	12.8	183	2	2	7	19	43	78	99+
35-49	25	14.9	174	3	4	13	18	52	99+	99+
50-64	15	18.5	319	2	4	14	24	34	62	72
65+	3	24.3	225	9	9	32	69	99+	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	317	11.7	101	1	3	10	14	23	32	83
B. *Operated*	42	8.9	70	1	2	8	10	15	22	50
2. MULTIPLE DX										
A. *Not Operated*	249	15.2	294	2	3	10	17	44	69	99+
B. *Operated*	62	15.5	207	2	3	12	25	49	99+	99+
1. SINGLE DX	359	11.4	98	1	3	10	13	21	31	79
2. MULTIPLE DX	311	15.3	276	2	3	10	18	44	72	99+
A. NOT OPERATED	566	13.3	189	2	3	10	15	30	45	99+
B. OPERATED	104	12.8	161	2	3	9	15	37	54	99+
TOTAL 0-19 YRS	10	9.3	4	6	6	9	11	12	12	12
20-34	244	12.7	200	1	2	9	14	28	42	91
35-49	255	12.2	122	2	4	10	14	25	38	99+
50-64	134	16.0	274	3	3	12	19	40	77	99+
65+	27	14.0	216	2	3	9	18	55	99+	99+
GRAND TOTAL	**670**	**13.2**	**184**	**2**	**3**	**10**	**15**	**31**	**51**	**99+**

116: Epilepsy (345)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	354	3.5	9	1	1	3	4	8	10	14
20-34	223	4.2	18	1	1	3	5	9	14	20
35-49	135	5.0	28	<1	1	3	7	12	15	29
50-64	58	4.4	21	1	1	3	5	11	14	22
65+	51	4.2	16	<1	1	3	6	9	15	19
B. *Operated*										
0-19 YRS	2	25.0	162	16	16	25	34	34	34	34
20-34	13	10.4	82	<1	1	9	17	25	26	26
35-49	6	19.5	184	2	2	21	33	34	34	34
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	367	6.6	94	1	1	4	7	12	22	57
20-34	291	6.9	85	1	1	4	7	16	26	48
35-49	210	6.3	42	1	1	4	8	13	20	68
50-64	179	6.8	52	1	1	4	8	16	22	37
65+	179	9.6	99	1	2	7	11	22	37	87
B. *Operated*										
0-19 YRS	19	21.1	344	3	5	12	33	49	60	66
20-34	19	16.2	197	2	3	17	22	47	81	99+
35-49	17	11.8	151	1	2	7	14	34	39	41
50-64	15	9.9	46	1	2	8	16	18	21	22
65+	13	20.6	624	<1	2	13	24	51	88	96
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	821	4.0	16	1	1	3	5	9	12	20
B. *Operated*	21	14.4	133	1	1	14	23	33	34	34
2. MULTIPLE DX										
A. *Not Operated*	1226	7.1	78	1	1	4	8	15	25	55
B. *Operated*	83	16.0	267	2	3	11	20	40	56	99
1. SINGLE DX	842	4.3	21	1	1	3	5	9	14	23
2. MULTIPLE DX	1309	7.7	95	1	1	5	9	17	27	58
A. NOT OPERATED	2047	5.9	55	1	1	4	7	12	19	42
B. OPERATED	104	15.6	239	2	2	12	21	35	46	98
TOTAL 0-19 YRS	742	5.5	69	1	1	3	6	11	17	47
20-34	546	6.2	66	1	1	3	7	15	21	47
35-49	368	6.3	48	1	1	4	8	14	23	40
50-64	252	6.4	46	1	1	4	8	15	21	34
65+	243	9.1	119	1	1	6	11	21	35	96
GRAND TOTAL	**2151**	**6.3**	**69**	**1**	**1**	**4**	**7**	**14**	**21**	**47**

117: Miscellaneous diseases of central nervous system (330-331; 333-336; 341-344; 347-349; 358-359)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	37	4.4	18	1	1	3	5	11	15	17
20-34	64	4.6	24	<1	1	3	7	9	13	27
35-49	46	7.1	43	<1	1	6	9	17	23	28
50-64	57	9.3	69	2	3	7	12	17	30	44
65+	89	17.1	457	2	3	8	20	52	73	98
B. *Operated*										
0-19 YRS	32	6.5	27	1	1	5	10	13	15	23
20-34	47	7.4	26	2	2	7	10	15	17	21
35-49	40	7.2	57	<1	1	4	10	19	26	31
50-64	43	8.3	46	1	1	6	12	17	22	30
65+	21	9.0	127	<1	<1	6	9	22	36	51
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	107	7.4	47	1	1	6	9	18	22	67
20-34	99	10.4	232	<1	2	5	11	30	54	91
35-49	87	10.7	270	1	2	6	10	23	67	98
50-64	141	14.4	267	1	2	9	18	36	64	99+
65+	352	18.8	366	2	3	13	28	61	94	99+
B. *Operated*										
0-19 YRS	75	10.0	75	1	2	8	13	22	26	44
20-34	122	12.3	325	<1	1	7	14	24	70	95
35-49	100	9.5	91	<1	1	7	13	23	31	75
50-64	123	13.2	266	<1	1	9	17	34	69	99+
65+	138	16.1	239	1	2	12	24	41	61	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	293	9.7	192	1	1	6	10	21	36	93
B. *Operated*	183	7.6	49	1	1	6	10	15	21	31
2. MULTIPLE DX										
A. *Not Operated*	786	14.5	295	1	2	9	18	43	71	99+
B. *Operated*	558	12.6	220	<1	2	9	16	31	51	99+
1. SINGLE DX	476	8.9	138	1	1	6	10	18	28	71
2. MULTIPLE DX	1344	13.7	264	1	2	9	17	36	68	99+
A. NOT OPERATED	1079	13.2	271	1	2	8	15	37	65	99+
B. OPERATED	741	11.4	182	<1	1	8	14	28	41	99+
TOTAL 0-19 YRS	251	7.6	51	1	1	5	10	17	22	43
20-34	332	9.6	204	<1	1	5	11	19	35	91
35-49	273	9.1	136	<1	1	6	11	22	30	90
50-64	364	12.5	214	1	2	8	15	31	53	99+
65+	600	17.6	345	2	3	11	24	55	81	99+
GRAND TOTAL	**1820**	**12.4**	**236**	**1**	**2**	**8**	**15**	**31**	**56**	**99+**

118: Migraine (346)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	107	3.3	10	1	1	2	4	7	10	17
20-34	297	3.1	7	<1	<1	2	4	6	9	14
35-49	231	3.2	8	<1	1	2	4	7	9	14
50-64	70	3.1	6	<1	1	2	4	7	8	13
65+	18	3.4	9	<1	1	2	4	8	10	10
B. *Operated*										
0-19 YRS	2	5.5	25	2	2	5	9	9	9	9
20-34	16	3.6	4	1	1	3	5	7	7	7
35-49	10	6.6	22	<1	1	5	10	14	15	15
50-64	5	6.6	16	1	1	7	9	12	12	12
65+	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	62	3.6	14	1	1	3	4	6	8	26
20-34	197	4.6	17	1	1	3	6	10	13	23
35-49	225	4.2	12	1	1	3	6	9	10	17
50-64	86	5.5	25	1	2	4	7	10	13	31
65+	38	6.9	27	1	2	6	9	16	18	21
B. *Operated*										
0-19 YRS										
20-34	14	6.3	12	2	2	6	8	11	13	13
35-49	19	7.6	20	2	2	7	11	13	15	17
50-64	11	7.2	10	3	3	7	9	11	14	14
65+	1	10.0		10	10	10	10	10	10	10
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	723	3.1	8	<1	1	2	4	7	9	14
B. *Operated*	34	5.1	13	1	1	4	7	10	13	15
2. MULTIPLE DX										
A. *Not Operated*	608	4.6	17	1	1	3	6	9	12	22
B. *Operated*	45	7.2	14	2	3	7	10	13	13	17
1. SINGLE DX	757	3.2	8	<1	1	2	4	7	9	15
2. MULTIPLE DX	653	4.8	18	1	1	3	7	10	13	21
A. NOT OPERATED	1331	3.8	13	<1	1	3	5	8	10	17
B. OPERATED	79	6.3	15	1	2	5	9	12	13	16
TOTAL 0-19 YRS	171	3.4	12	1	1	3	4	7	9	19
20-34	524	3.7	12	<1	1	3	5	8	11	16
35-49	485	3.9	12	<1	1	3	5	9	11	16
50-64	172	4.7	18	1	1	3	6	9	11	25
65+	58	5.8	23	1	1	4	8	12	17	21
GRAND TOTAL	**1410**	**3.9**	**13**	**<1**	**1**	**3**	**5**	**9**	**11**	**17**

119: Carpal tunnel syndrome and other lesions of median nerve (354.0-354.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	1.0		1	1	1	1	1	1	1
35-49	2	27.5	1105	4	4	27	51	51	51	51
50-64	3	1.3		<1	<1	1	2	2	2	2
65+	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-19 YRS	7	1.9	1	<1	<1	2	3	3	3	3
20-34	121	1.8	1	<1	<1	2	2	3	3	7
35-49	147	2.0	2	<1	<1	2	2	3	5	8
50-64	156	2.1	1	<1	<1	2	2	4	4	7
65+	126	2.6	5	<1	<1	2	3	4	7	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	3	3.3	4	1	1	4	5	5	5	5
35-49	3	2.3	1	<1	<1	3	3	3	3	3
50-64	2	3.5	5	2	2	3	5	5	5	5
65+	7	5.9	25	1	1	7	8	14	15	15
B. *Operated*										
0-19 YRS	3	3.0	7	1	1	2	5	6	6	6
20-34	26	2.7	4	<1	1	2	4	5	7	9
35-49	74	3.9	18	<1	<1	2	4	8	13	24
50-64	86	2.7	3	<1	1	2	3	5	6	10
65+	153	4.4	40	<1	1	2	4	9	15	35
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7	8.9	346	<1	<1	2	4	42	51	51
B. *Operated*	557	2.1	2	<1	<1	2	2	3	4	8
2. MULTIPLE DX										
A. *Not Operated*	15	4.3	14	<1	1	3	6	8	13	15
B. *Operated*	342	3.7	23	<1	1	2	4	7	12	25
1. SINGLE DX	564	2.2	7	<1	<1	2	2	3	5	9
2. MULTIPLE DX	357	3.8	23	<1	1	2	4	7	12	25
A. NOT OPERATED	22	5.8	113	<1	<1	3	5	10	29	51
B. OPERATED	899	2.7	11	<1	<1	2	3	5	7	16
TOTAL 0-19 YRS	10	2.2	2	<1	<1	2	3	5	6	6
20-34	151	2.0	2	<1	<1	2	2	3	4	9
35-49	226	2.9	18	<1	<1	2	3	5	8	21
50-64	247	2.3	2	<1	<1	2	3	4	5	8
65+	287	3.6	25	<1	1	2	4	7	12	24
GRAND TOTAL	**921**	**2.8**	**13**	**<1**	**<1**	**2**	**3**	**5**	**7**	**17**

120: Peripheral nervous system disorder, except sciatica (337; 350-353; 354.2-354.9; 355-357)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	19	5.7	21	1	1	4	10	12	13	13
20-34	44	8.9	245	1	1	4	8	17	39	93
35-49	41	5.2	54	<1	1	3	6	12	17	43
50-64	47	6.6	36	1	1	5	8	15	18	29
65+	54	7.4	69	1	2	5	9	15	23	51
B. *Operated*										
0-19 YRS	25	5.6	41	2	2	4	6	11	17	34
20-34	149	4.6	8	<1	2	4	6	9	11	14
35-49	185	4.7	19	<1	1	3	6	9	13	21
50-64	148	5.0	34	<1	1	3	7	9	14	37
65+	75	4.3	22	<1	1	3	4	10	17	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	14	6.4	49	1	1	5	8	10	25	29
20-34	47	9.2	145	1	1	5	10	21	37	66
35-49	47	7.4	66	1	2	6	8	14	22	45
50-64	95	9.4	74	1	2	6	13	20	29	39
65+	132	11.2	169	1	2	7	13	24	31	72
B. *Operated*										
0-19 YRS	26	5.0	10	<1	<1	5	7	9	11	12
20-34	110	7.4	85	1	2	5	9	16	19	85
35-49	112	8.1	92	<1	1	5	9	18	28	52
50-64	130	7.5	54	1	2	4	10	16	27	49
65+	107	10.2	158	2	2	5	13	23	38	88
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	205	6.9	91	1	1	4	8	14	20	49
B. *Operated*	582	4.8	21	<1	1	3	6	9	12	24
2. MULTIPLE DX										
A. *Not Operated*	335	9.7	120	1	2	6	11	21	30	57
B. *Operated*	485	8.1	91	1	2	5	10	18	28	72
1. SINGLE DX	787	5.3	40	1	1	4	6	10	14	35
2. MULTIPLE DX	820	8.7	104	1	2	6	10	19	29	66
A. NOT OPERATED	540	8.6	111	1	1	6	10	19	28	53
B. OPERATED	1067	6.3	56	1	1	4	8	13	18	43
TOTAL 0-19 YRS	84	5.6	27	1	1	4	8	11	12	32
20-34	350	6.7	83	1	1	5	7	12	18	66
35-49	385	6.1	52	<1	1	4	7	12	18	41
50-64	420	7.0	52	1	1	4	9	16	22	37
65+	368	8.9	127	1	2	5	10	20	29	68
GRAND TOTAL	**1607**	**7.1**	**75**	**1**	**1**	**4**	**8**	**15**	**22**	**47**

121: Retinal detachment and defects (361)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34										
35-49										
50-64										
65+	1	3.0		3	3	3	3	3	3	3
B. *Operated*										
0-19 YRS	21	5.6	4	3	4	5	6	8	10	12
20-34	60	5.6	13	2	3	5	7	9	10	26
35-49	42	6.0	7	2	3	6	8	10	11	12
50-64	83	6.1	9	2	3	6	7	10	12	15
65+	85	7.2	8	3	4	7	9	10	12	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	1	1.0		1	1	1	1	1	1	1
50-64	2	8.0	72	2	2	8	14	14	14	14
65+	4	6.5	14	3	3	6	9	11	11	11
B. *Operated*										
0-19 YRS	10	4.2	3	1	2	4	5	6	7	7
20-34	31	6.1	7	3	3	6	7	9	12	13
35-49	24	7.1	14	3	3	6	9	13	15	16
50-64	98	6.3	10	2	4	6	8	10	12	19
65+	115	7.3	18	4	4	6	9	11	15	27
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	3.0		3	3	3	3	3	3	3
B. *Operated*	291	6.3	9	3	3	6	8	10	11	16
2. MULTIPLE DX										
A. *Not Operated*	7	6.1	24	1	1	4	10	13	14	14
B. *Operated*	278	6.7	14	3	4	6	8	11	13	24
1. SINGLE DX	293	6.2	9	3	3	6	8	10	11	16
2. MULTIPLE DX	285	6.7	14	3	4	6	8	11	13	23
A. NOT OPERATED	9	5.4	20	1	1	3	9	13	14	14
B. OPERATED	569	6.5	11	3	3	6	8	10	12	19
TOTAL 0-19 YRS	32	5.1	4	3	3	5	6	7	9	12
20-34	91	5.7	11	2	3	5	7	9	11	21
35-49	67	6.3	10	3	3	6	8	10	12	16
50-64	183	6.2	10	2	3	6	8	10	12	17
65+	205	7.2	14	3	4	7	9	11	13	26
GRAND TOTAL	**578**	**6.5**	**11**	**3**	**3**	**6**	**8**	**10**	**12**	**19**

122: Open angle and primary closure glaucoma (365.1-365.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	2.0		2	2	2	2	2	2	2
35-49	1	1.0		1	1	1	1	1	1	1
50-64	11	3.0	4	1	1	2	5	6	7	7
65+	14	4.1	9	<1	1	4	6	7	11	12
B. *Operated*										
0-19 YRS	2	26.5	265	15	15	26	38	38	38	38
20-34	1	3.0		3	3	3	3	3	3	3
35-49	15	5.0	6	2	2	5	6	7	10	11
50-64	40	6.3	15	2	2	5	8	12	13	19
65+	62	5.7	13	1	2	5	8	11	12	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	3	5.0	27	2	2	2	9	11	11	11
50-64	4	7.8	18	2	2	8	10	12	12	12
65+	19	7.0	50	1	2	4	10	14	23	31
B. *Operated*										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	1	4.0		4	4	4	4	4	4	4
35-49	6	12.7	111	4	4	7	24	28	28	28
50-64	15	13.5	178	2	4	11	15	42	46	47
65+	68	8.7	48	2	3	6	12	19	20	37
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	27	3.5	7	<1	1	3	5	7	8	12
B. *Operated*	120	6.1	22	2	2	5	8	11	13	25
2. MULTIPLE DX										
A. *Not Operated*	26	6.9	41	1	2	5	11	13	17	31
B. *Operated*	91	9.6	74	2	3	6	12	19	28	45
1. SINGLE DX	147	5.6	20	1	2	5	7	11	12	20
2. MULTIPLE DX	117	9.0	67	2	2	6	11	19	26	44
A. NOT OPERATED	53	5.2	26	1	1	4	7	12	13	30
B. OPERATED	211	7.6	47	2	2	5	10	15	19	40
TOTAL 0-19 YRS	3	19.7	272	6	6	15	32	38	38	38
20-34	3	3.0	1	2	2	3	4	4	4	4
35-49	25	6.7	41	1	2	5	7	11	25	28
50-64	70	7.4	58	1	2	5	10	12	17	46
65+	163	6.9	34	1	2	5	8	14	19	31
GRAND TOTAL	**264**	**7.1**	**44**	**1**	**2**	**5**	**9**	**14**	**19**	**39**

123: Other glaucoma (365.0; 365.3-365.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	4	3.0	5	1	1	2	4	6	6	6
35-49										
50-64										
65+	9	4.9	11	2	2	4	5	11	13	13
B. *Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	2	5.0	2	4	4	5	6	6	6	6
35-49	3	2.7	1	2	2	2	4	4	4	4
50-64	22	5.0	14	2	2	4	6	8	13	19
65+	45	4.7	7	2	2	4	6	9	10	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34										
35-49	1	1.0		1	1	1	1	1	1	1
50-64	4	5.5	19	3	3	4	8	12	12	12
65+	15	6.6	34	1	1	5	9	18	19	20
B. *Operated*										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	4	6.8	9	3	3	7	9	10	10	10
35-49	9	7.2	35	4	4	5	6	16	23	23
50-64	23	5.3	8	1	3	5	6	8	11	15
65+	58	6.8	21	1	2	6	8	13	18	22
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	13	4.3	10	1	2	3	5	8	12	13
B. *Operated*	73	4.7	9	2	2	4	6	8	9	18
2. MULTIPLE DX										
A. *Not Operated*	21	5.9	29	1	1	4	8	14	19	20
B. *Operated*	95	6.4	19	2	3	5	7	12	16	23
1. SINGLE DX	86	4.6	9	2	2	4	6	8	10	17
2. MULTIPLE DX	116	6.3	20	1	2	5	8	12	18	22
A. NOT OPERATED	34	5.3	22	1	1	4	7	12	17	20
B. OPERATED	168	5.7	15	2	2	5	7	10	13	22
TOTAL 0-19 YRS	3	3.0	3	2	2	2	4	5	5	5
20-34	10	4.9	8	1	1	5	6	9	10	10
35-49	13	5.7	30	1	2	5	6	10	20	23
50-64	49	5.2	11	2	2	4	6	9	12	19
65+	127	5.9	18	1	2	5	7	12	14	21
GRAND TOTAL	**202**	**5.6**	**16**	**1**	**2**	**5**	**7**	**10**	**14**	**21**

124: Senile cataract (366.1; 366.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+	10	4.1	30	<1	<1	2	5	12	19	19
B. *Operated*										
0-19 YRS										
20-34										
35-49	122	3.1	1	<1	2	3	4	5	5	6
50-64	729	3.2	2	<1	2	3	4	5	6	9
65+	2871	3.5	5	1	2	3	4	5	7	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	5	1.6	2	<1	<1	1	2	4	4	4
50-64	19	1.8	2	<1	<1	1	2	3	5	7
65+	115	4.0	27	<1	1	2	4	9	12	29
B. *Operated*										
0-19 YRS										
20-34										
35-49	77	4.2	19	1	2	3	4	7	8	30
50-64	589	3.9	6	2	2	3	4	6	9	13
65+	3241	4.3	18	2	2	3	5	7	10	17
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	10	4.1	30	<1	<1	2	5	12	19	19
B. *Operated*	3722	3.4	4	1	2	3	4	5	6	11
2. MULTIPLE DX										
A. *Not Operated*	139	3.6	23	<1	<1	2	4	8	12	26
B. *Operated*	3907	4.2	16	2	2	3	5	7	10	17
1. SINGLE DX	3732	3.4	4	1	2	3	4	5	6	11
2. MULTIPLE DX	4046	4.2	16	2	2	3	5	7	10	17
A. NOT OPERATED	149	3.6	23	<1	<1	2	4	8	12	24
B. OPERATED	7629	3.8	10	2	2	3	4	6	8	14
TOTAL 0-19 YRS										
20-34										
35-49	204	3.5	8	<1	2	3	4	5	6	13
50-64	1337	3.5	4	1	2	3	4	5	7	11
65+	6237	3.9	12	2	2	3	5	6	9	15
GRAND TOTAL	**7778**	**3.8**	**11**	**1**	**2**	**3**	**4**	**6**	**8**	**14**

125: Cataract, except senile (366.0; 366.2-366.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	14	2.9	5	<1	1	2	3	5	9	10
20-34	21	3.2	1	2	2	3	4	5	6	6
35-49	20	4.0	5	1	2	3	5	6	9	12
50-64	23	2.7	1	2	2	3	3	4	5	5
65+	30	3.3	3	2	2	3	4	6	6	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+	2	1.0		<1	<1	<1	1	1	1	1
B. *Operated*										
0-19 YRS	15	3.4	4	<1	1	3	4	7	7	7
20-34	13	3.5	2	2	2	3	4	5	7	7
35-49	15	3.0	2	<1	2	3	3	5	6	7
50-64	23	4.1	17	2	2	3	4	6	14	21
65+	33	4.5	6	2	2	4	6	8	8	12
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	1.0		1	1	1	1	1	1	1
B. *Operated*	108	3.2	3	2	2	3	4	5	6	11
2. MULTIPLE DX										
A. *Not Operated*	2	1.0		<1	<1	<1	1	1	1	1
B. *Operated*	99	3.9	7	2	2	3	4	7	8	17
1. SINGLE DX	109	3.2	3	2	2	3	4	5	6	11
2. MULTIPLE DX	101	3.8	7	1	2	3	4	7	8	16
A. NOT OPERATED	3	1.0		<1	<1	1	1	1	1	1
B. OPERATED	207	3.5	5	2	2	3	4	6	8	12
TOTAL 0-19 YRS	30	3.1	4	<1	1	3	4	6	7	10
20-34	34	3.3	1	2	2	3	4	5	6	7
35-49	35	3.5	4	1	2	3	4	5	7	12
50-64	46	3.4	9	2	2	3	4	5	6	21
65+	65	3.8	5	1	2	3	5	8	8	12
GRAND TOTAL	**210**	**3.5**	**5**	**2**	**2**	**3**	**4**	**6**	**8**	**12**

126: Strabismus (378)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	10	2.0	2	<1	<1	1	3	4	4	4
20-34	2	3.0	8	1	1	3	5	5	5	5
35-49	1	6.0		5	6	6	6	6	6	6
50-64	3	3.7	4	2	2	3	5	6	6	6
65+	4	3.0	2	2	2	3	4	5	5	5
B. *Operated*										
0-19 YRS	350	1.6	1	<1	<1	2	2	2	2	4
20-34	125	2.2	2	<1	<1	2	2	3	3	9
35-49	57	2.5	14	<1	<1	2	2	3	3	28
50-64	35	2.1	1	<1	1	2	2	3	4	5
65+	10	3.0	3	2	2	2	4	6	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7	1.4	1	<1	<1	1	1	3	4	4
20-34	8	2.5	4	<1	<1	2	3	6	7	7
35-49	6	2.8	4	[illegible]	1	2	4	6	6	6
50-64	6	7.8	27	1	4	7	15	84	99+	99+
65+	11	9.5	37	[illegible]	3	9	15	18	19	19
B. *Operated*										
0-19 YRS	90	1.7	1	<1	<1	2	2	2	3	8
20-34	54	2.4	6	<1	1	2	2	3	5	18
35-49	39	2.4	4	<1	<1	2	3	4	8	11
50-64	23	4.0	38	<1	1	2	3	9	18	30
65+	17	3.4	8	1	2	2	4	5	10	13
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	20	2.8	3	<1	<1	2	4	5	6	6
B. *Operated*	577	1.9	3	<1	<1	2	2	2	3	7
2. MULTIPLE DX										
A. *Not Operated*	38	5.2	27	<1	<1	4	7	17	19	99+
B. *Operated*	223	2.4	7	<1	<1	2	2	3	6	14
1. SINGLE DX	597	1.9	3	<1	<1	2	2	3	3	7
2. MULTIPLE DX	261	2.8	11	<1	<1	2	2	5	9	19
A. NOT OPERATED	58	4.4	20	<1	<1	3	6	12	18	93
B. OPERATED	800	2.0	4	<1	<1	2	2	3	3	11
TOTAL 0-19 YRS	457	1.7	1	<1	<1	2	2	2	3	5
20-34	189	2.2	3	<1	<1	2	2	3	4	10
35-49	103	2.5	10	<1	<1	2	2	3	6	20
50-64	67	3.3	18	<1	1	2	3	7	12	87
65+	42	4.8	20	1	2	3	5	13	16	19
GRAND TOTAL	**858**	**2.2**	**5**	**<1**	**<1**	**2**	**2**	**3**	**5**	**16**

127: Miscellaneous disorders of superficial structures of eye (370-375)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	123	2.4	5	<1	<1	1	3	6	8	11
20-34	51	2.8	15	<1	<1	1	3	6	8	26
35-49	23	3.4	8	<1	<1	3	4	8	10	11
50-64	20	4.2	13	<1	<1	3	6	10	12	13
65+	28	4.1	8	<1	<1	4	6	9	10	10
B. *Operated*										
0-19 YRS	64	1.9	2	<1	<1	1	2	4	5	7
20-34	106	3.2	4	<1	<1	3	4	6	7	10
35-49	128	2.8	4	<1	<1	2	4	5	6	10
50-64	136	3.0	6	<1	<1	2	4	6	8	13
65+	178	3.2	5	<1	<1	3	4	6	7	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	139	4.8	12	<1	1	4	6	9	11	22
20-34	19	4.5	23	<1	<1	2	6	13	16	17
35-49	23	5.0	16	<1	<1	4	8	11	13	14
50-64	21	5.4	10	1	1	6	7	10	11	12
65+	63	7.1	35	<1	1	6	9	13	23	27
B. *Operated*										
0-19 YRS	22	3.2	3	<1	1	3	4	5	7	8
20-34	49	4.2	12	1	1	4	5	8	13	16
35-49	78	3.8	7	<1	1	3	5	7	8	15
50-64	90	3.2	3	<1	1	3	4	6	7	10
65+	234	4.7	33	<1	1	3	5	8	14	31
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	245	2.9	9	<1	<1	2	4	7	9	12
B. *Operated*	612	2.9	5	<1	<1	2	4	6	7	11
2. MULTIPLE DX										
A. *Not Operated*	265	5.4	19	<1	1	4	7	10	13	23
B. *Operated*	473	4.1	20	<1	1	3	5	7	10	23
1. SINGLE DX	857	2.9	6	<1	<1	2	4	6	7	11
2. MULTIPLE DX	738	4.6	20	<1	1	3	6	8	12	23
A. NOT OPERATED	510	4.2	16	<1	<1	3	6	9	11	22
B. OPERATED	1085	3.5	12	<1	<1	3	4	6	8	17
TOTAL 0-19 YRS	348	3.3	9	<1	<1	2	5	7	8	14
20-34	225	3.5	10	<1	<1	2	4	6	9	16
35-49	252	3.4	7	<1	<1	3	4	7	8	14
50-64	267	3.3	6	<1	<1	3	4	7	8	12
65+	503	4.4	23	<1	1	3	5	8	12	25
GRAND TOTAL	**1595**	**3.7**	**13**	**<1**	**<1**	**3**	**5**	**7**	**9**	**19**

128: Miscellaneous disorders of deep structures of eye (360; 362-364; 376-377; 379.0-379.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	76	5.2	19	2	2	4	6	9	13	28
20-34	64	4.8	16	<1	1	4	6	9	11	24
35-49	41	5.9	13	1	2	5	8	12	13	13
50-64	21	7.1	34	1	1	6	8	15	21	25
65+	24	6.5	21	<1	1	5	11	13	15	16
B. *Operated*										
0-19 YRS	10	5.3	17	<1	<1	4	7	12	14	14
20-34	21	4.8	14	1	2	4	6	9	14	17
35-49	24	4.1	5	1	2	3	6	7	8	8
50-64	82	3.6	5	1	2	3	4	7	9	11
65+	192	3.7	10	1	2	3	4	7	9	27
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	65	5.6	28	1	1	5	6	9	13	32
20-34	56	6.1	23	1	1	5	8	11	13	29
35-49	33	6.2	14	1	2	6	9	10	15	16
50-64	35	5.5	9	1	2	5	8	10	11	12
65+	98	7.3	66	1	2	6	9	13	19	85
B. *Operated*										
0-19 YRS	10	6.8	19	2	2	6	8	14	14	14
20-34	60	5.2	13	1	2	5	6	7	8	26
35-49	55	6.7	43	2	2	5	8	13	28	96
50-64	94	6.0	34	1	2	4	7	10	16	34
65+	191	5.7	29	2	2	4	6	13	15	32
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	226	5.5	19	1	2	5	7	12	13	25
B. *Operated*	329	3.8	9	1	2	3	4	7	9	18
2. MULTIPLE DX										
A. *Not Operated*	287	6.3	36	1	1	5	8	12	14	32
B. *Operated*	410	5.8	29	2	2	5	7	11	15	36
1. SINGLE DX	555	4.5	14	1	2	3	6	9	12	24
2. MULTIPLE DX	697	6.0	32	1	2	5	7	11	14	34
A. NOT OPERATED	513	6.0	29	1	1	5	8	12	13	31
B. OPERATED	739	4.9	21	1	2	4	6	9	13	29
TOTAL 0-19 YRS	161	5.5	22	1	2	5	6	10	14	31
20-34	201	5.3	17	1	1	5	7	9	12	26
35-49	153	6.0	23	1	2	5	8	10	13	39
50-64	232	5.2	21	1	2	4	7	10	12	25
65+	505	5.3	30	1	2	4	6	11	14	33
GRAND TOTAL	**1252**	**5.4**	**24**	**1**	**2**	**4**	**7**	**10**	**13**	**30**

129: Other disorders of eye (367-369; 379.5; 379.8-379.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	10	3.9	10	<1	<1	3	8	8	8	8
20-34	2	2.5	1	2	2	2	3	3	3	3
35-49	2	11.5	25	8	8	11	15	15	15	15
50-64	3	4.0	4	2	2	4	5	6	6	6
65+	10	4.4	10	1	1	3	7	9	10	10
B. *Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	3	3.0	1	2	2	3	4	4	4	4
35-49	4	5.8	30	1	1	4	10	13	13	13
50-64	3	7.7	26	2	2	9	11	12	12	12
65+	1	5.0		5	5	5	5	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	13	3.5	13	<1	<1	1	6	9	11	11
20-34	11	4.0	4	1	2	4	5	7	8	8
35-49	6	5.8	30	1	1	4	8	15	16	16
50-64	8	5.5	20	1	1	3	9	12	13	13
65+	22	12.3	395	1	2	7	9	26	58	95
B. *Operated*										
0-19 YRS	2	4.5	1	4	4	4	5	5	5	5
20-34	9	7.8	131	2	2	4	6	25	38	38
35-49	7	6.1	18	2	2	5	10	13	13	13
50-64	11	10.5	224	2	2	3	13	30	51	53
65+	10	6.9	14	3	3	6	7	13	15	15
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	27	4.6	12	1	1	3	7	9	11	15
B. *Operated*	12	5.1	18	1	1	3	8	12	13	13
2. MULTIPLE DX										
A. *Not Operated*	60	7.3	164	1	1	4	8	12	19	89
B. *Operated*	39	7.8	96	2	2	5	7	14	28	53
1. SINGLE DX	39	4.7	14	1	1	3	8	10	13	15
2. MULTIPLE DX	99	7.5	136	1	1	4	8	13	19	74
A. NOT OPERATED	87	6.4	118	1	1	4	8	11	15	72
B. OPERATED	51	7.2	78	2	2	4	7	14	15	53
TOTAL 0-19 YRS	26	3.6	10	<1	<1	2	6	8	9	11
20-34	25	5.1	50	1	2	4	5	6	15	38
35-49	19	6.5	24	1	1	5	10	14	16	16
50-64	25	7.8	108	1	2	4	10	14	24	53
65+	43	9.0	215	1	2	6	9	13	26	95
GRAND TOTAL	**138**	**6.7**	**103**	**1**	**1**	**4**	**8**	**13**	**15**	**58**

130: Otitis media, chronic and unspecified (381.1-381.4; 382.1-382.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	649	3.6	14	<1	1	3	5	7	9	14
20-34	33	2.9	5	<1	<1	2	4	6	7	10
35-49	4	4.5	10	2	2	3	6	9	9	9
50-64	3	1.7	1	<1	<1	1	2	3	3	3
65+	2	1.5	1	<1	<1	1	2	2	2	2
B. *Operated*										
0-19 YRS	782	1.3	1	<1	<1	1	1	2	3	6
20-34	80	2.7	4	<1	<1	2	3	6	6	9
35-49	64	2.6	3	1	1	2	3	5	5	11
50-64	34	2.3	3	<1	<1	2	2	3	5	11
65+	23	2.1	2	<1	1	2	2	3	5	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1369	4.6	13	1	1	3	6	9	12	18
20-34	27	4.4	12	<1	<1	3	7	9	10	15
35-49	22	5.5	14	1	2	5	8	9	13	17
50-64	14	6.3	19	<1	2	5	7	12	17	18
65+	18	13.4	113	2	2	10	21	30	32	33
B. *Operated*										
0-19 YRS	630	2.3	14	<1	<1	2	2	3	6	12
20-34	108	2.9	2	1	2	2	3	5	6	10
35-49	90	3.0	2	2	2	3	3	5	6	8
50-64	77	2.7	1	1	2	2	3	4	5	7
65+	22	4.0	13	2	2	3	4	7	13	18
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	691	3.6	14	<1	1	3	5	7	9	13
B. *Operated*	983	1.5	2	<1	<1	1	2	3	4	7
2. MULTIPLE DX										
A. *Not Operated*	1450	4.7	15	1	1	4	6	10	13	20
B. *Operated*	927	2.5	10	<1	<1	2	3	4	6	11
1. SINGLE DX	1674	2.4	8	<1	<1	1	3	5	7	11
2. MULTIPLE DX	2377	3.8	14	<1	1	3	5	8	11	19
A. NOT OPERATED	2141	4.3	15	1	1	3	6	9	11	19
B. OPERATED	1910	2.0	6	<1	<1	1	2	3	5	10
TOTAL 0-19 YRS	3430	3.2	13	<1	<1	2	4	7	9	15
20-34	248	3.0	4	<1	<1	2	4	6	7	10
35-49	180	3.2	5	1	2	3	4	6	8	11
50-64	128	3.0	5	<1	1	2	3	5	7	13
65+	65	5.8	58	1	1	3	5	19	26	33
GRAND TOTAL	**4051**	**3.2**	**12**	**<1**	**<1**	**2**	**4**	**7**	**9**	**16**

131: Other inflammation of ear and mastoid (380.0-380.2; 381.0; 381.5; 382.0; 383; 384.0-384.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	86	3.6	5	1	1	3	5	7	8	10
20-34	21	3.7	5	1	1	3	5	6	8	11
35-49	18	5.1	11	1	1	5	6	10	13	14
50-64	6	3.2	5	<1	<1	3	4	7	7	7
65+	6	3.8	4	<1	<1	4	5	6	6	6
B. *Operated*										
0-19 YRS	40	4.0	13	<1	<1	3	5	7	12	18
20-34	37	4.3	3	2	2	4	6	6	7	10
35-49	28	4.1	2	1	2	5	5	6	6	6
50-64	14	6.1	23	2	3	5	6	9	19	22
65+	6	4.0	10	2	2	3	5	9	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	159	5.2	13	1	1	4	7	10	12	18
20-34	28	5.1	11	1	1	4	7	10	13	14
35-49	18	7.4	37	2	2	5	11	18	21	21
50-64	7	5.3	5	3	3	5	7	9	9	9
65+	15	8.5	26	3	3	7	10	17	20	21
B. *Operated*										
0-19 YRS	72	3.3	10	1	1	2	4	8	10	16
20-34	44	3.1	2	1	2	3	4	5	6	7
35-49	28	3.3	4	1	2	3	4	5	9	10
50-64	34	4.2	7	2	2	3	5	7	9	15
65+	15	6.5	33	2	2	4	9	12	20	23
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	137	3.8	6	<1	1	3	5	7	8	12
B. *Operated*	125	4.3	9	<1	2	4	6	6	8	19
2. MULTIPLE DX										
A. *Not Operated*	227	5.6	16	1	2	5	7	11	14	20
B. *Operated*	193	3.7	9	1	1	3	4	7	10	16
1. SINGLE DX	262	4.1	7	<1	1	4	5	6	8	16
2. MULTIPLE DX	420	4.7	14	1	1	3	6	10	12	20
A. NOT OPERATED	364	4.9	13	1	1	4	6	9	12	20
B. OPERATED	318	3.9	9	1	1	3	5	6	10	17
TOTAL 0-19 YRS	357	4.3	11	1	1	3	6	8	11	17
20-34	130	4.0	5	1	2	3	5	7	8	13
35-49	92	4.7	13	1	2	4	5	8	13	21
50-64	61	4.7	11	2	2	4	6	8	9	21
65+	42	6.5	25	2	2	5	9	12	19	23
GRAND TOTAL	**682**	**4.5**	**11**	**1**	**1**	**3**	**6**	**8**	**11**	**18**

132: Vertiginous syndromes (386)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	14	2.9	6	<1	1	2	3	8	8	8
20-34	58	2.5	3	<1	1	2	3	5	5	10
35-49	63	3.5	6	<1	1	3	4	8	9	11
50-64	101	3.4	7	1	1	3	4	7	8	15
65+	116	4.6	13	1	1	3	6	9	14	17
B. *Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	7	2.7	1	2	2	2	4	4	4	4
35-49	13	4.5	6	2	3	4	5	7	11	12
50-64	12	5.0	14	2	2	4	5	10	15	16
65+	3	5.3	6	3	3	5	7	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	12	4.0	9	1	1	3	7	8	9	9
20-34	40	3.3	4	1	1	3	4	6	7	8
35-49	76	4.4	18	1	1	3	5	9	11	26
50-64	111	4.7	15	1	1	3	6	9	13	21
65+	318	6.9	36	2	2	5	9	14	19	32
B. *Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	2	2.5	1	2	2	2	3	3	3	3
35-49	6	4.3	3	2	2	4	6	7	7	7
50-64	16	8.0	14	3	4	7	11	13	15	16
65+	22	14.9	145	6	6	9	17	34	46	48
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	352	3.6	9	1	1	3	5	7	9	16
B. *Operated*	36	4.3	8	2	2	4	5	7	11	16
2. MULTIPLE DX										
A. *Not Operated*	557	5.8	28	1	2	4	7	12	16	28
B. *Operated*	47	10.4	92	2	3	8	12	19	32	48
1. SINGLE DX	388	3.7	9	1	1	3	5	7	9	16
2. MULTIPLE DX	604	6.2	35	1	2	4	8	13	17	31
A. NOT OPERATED	909	5.0	22	1	1	3	6	10	14	27
B OPERATED	83	7.8	64	2	2	5	8	16	21	47
TOTAL 0-19 YRS	28	3.3	7	1	1	2	4	8	8	9
20-34	107	2.8	3	<1	1	2	4	5	6	9
35-49	158	4.0	12	1	1	3	5	8	10	19
50-64	240	4.4	13	1	1	3	6	8	12	20
65+	459	6.7	40	1	2	5	8	14	18	33
GRAND TOTAL	**992**	**5.2**	**26**	**1**	**1**	**4**	**7**	**10**	**15**	**28**

133: Otosclerosis (387)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+	1	18.0		18	18	18	18	18	18	18
B. *Operated*										
0-19 YRS	8	2.1	1	1	1	2	2	4	4	4
20-34	49	2.8	2	1	2	2	3	~~4~~	5	9
35-49	91	2.8	1	1	2	3	3	4	5	7
50-64	52	3.5	16	2	2	3	3	5	7	30
65+	10	3.4	4	<1	<1	3	4	6	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	1.0		1	1	1	1	1	1	1
35-49	1	3.0		3	3	3	3	3	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	24	3.4	3	2	2	3	4	5	8	8
35-49	37	3.4	3	2	2	3	4	5	7	10
50-64	26	3.1	2	2	2	3	3	5	6	8
65+	9	2.6	1	2	2	2	3	4	4	4
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	18.0		18	18	18	18	18	18	18
B. *Operated*	210	3.0	5	1	2	3	3	5	6	9
2. MULTIPLE DX										
A. *Not Operated*	2	2.0	2	1	1	2	3	3	3	3
B. *Operated*	97	3.2	2	2	2	3	3	5	7	9
1. SINGLE DX	211	3.0	6	1	2	3	3	5	6	13
2. MULTIPLE DX	99	3.2	2	2	2	3	3	5	7	9
A. NOT OPERATED	3	7.3	86	1	1	3	14	18	18	18
B. OPERATED	307	3.1	4	1	2	3	3	5	6	9
TOTAL 0-19 YRS	9	2.2	1	1	1	2	3	4	4	4
20-34	74	2.9	2	2	2	3	3	4	6	9
35-49	129	3.0	2	1	2	3	3	5	5	8
50-64	78	3.4	11	2	2	3	3	5	7	24
65+	20	3.8	14	<1	1	3	4	6	13	18
GRAND TOTAL	**310**	**3.1**	**5**	**1**	**2**	**3**	**3**	**5**	**6**	**9**

134: Miscellaneous diseases of ear
(380.3-380.9; 381.6-381.9; 384.2-384.9; 385; 388-389)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	11	5.8	45	<1	1	4	6	16	23	24
20-34	17	1.6	2	<1	<1	<1	1	4	5	6
35-49	11	3.0	13	<1	<1	<1	4	8	13	13
50-64	7	2.6	4	<1	<1	1	5	5	5	5
65+	12	2.9	7	<1	<1	2	4	6	9	10
B. *Operated*										
0-19 YRS	103	2.3	1	1	1	2	3	3	4	8
20-34	149	2.5	2	1	1	2	3	4	5	8
35-49	100	2.6	1	1	2	2	3	4	4	7
50-64	74	2.6	1	1	2	2	3	4	5	6
65+	17	2.9	2	2	2	2	4	5	6	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	12	3.3	8	<1	<1	2	4	7	10	11
20-34	14	3.7	15	<1	<1	2	4	12	12	12
35-49	11	4.4	13	<1	<1	4	5	11	13	13
50-64	13	5.5	22	<1	<1	4	7	12	17	18
65+	22	8.1	75	1	1	5	9	21	27	35
B. *Operated*										
0-19 YRS	143	2.3	3	1	1	2	3	4	6	9
20-34	163	2.6	1	1	2	2	3	4	5	7
35-49	123	3.2	11	2	2	3	3	4	6	21
50-64	90	2.8	3	1	2	2	3	5	6	11
65+	21	4.7	36	2	2	3	4	12	22	25
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	58	3.1	14	<1	<1	1	4	6	11	23
B. *Operated*	443	2.5	1	1	1	2	3	4	5	7
2. MULTIPLE DX										
A. *Not Operated*	72	5.4	36	<1	<1	3	6	12	20	32
B. *Operated*	540	2.8	6	1	1	2	3	4	6	12
1. SINGLE DX	501	2.6	3	<1	1	2	3	4	5	9
2. MULTIPLE DX	612	3.1	10	1	1	2	3	5	7	19
A. NOT OPERATED	130	4.4	27	<1	<1	3	5	11	13	26
B. OPERATED	983	2.7	4	1	1	2	3	4	5	9
TOTAL 0-19 YRS	269	2.5	5	1	1	2	3	4	6	11
20-34	343	2.5	2	1	1	2	3	4	5	9
35-49	245	3.0	7	1	2	3	3	4	5	13
50-64	184	2.9	4	1	2	2	3	5	6	12
65+	72	5.0	39	1	2	3	5	10	20	33
GRAND TOTAL	**1113**	**2.9**	**7**	**1**	**1**	**2**	**3**	**4**	**6**	**13**

135: Rheumatic fever, acute (390-392)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	8	8.3	71	1	1	5	13	22	23	23
20-34	7	8.4	16	3	3	10	11	13	14	14
35-49	2	3.5	1	3	3	3	4	4	4	4
50-64	2	12.5	25	9	9	12	16	16	16	16
65+										
B. *Operated*										
0-19 YRS										
20-34	2	19.0	50	14	14	19	24	24	24	24
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	19.3	446	4	4	11	33	50	50	50
20-34	2	7.5	1	7	7	7	8	8	8	8
35-49	3	16.7	190	1	1	22	26	27	27	27
50-64	5	7.4	11	2	2	8	9	11	11	11
65+	3	11.3	12	8	8	11	14	15	15	15
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64	1	3.0		3	3	3	3	3	3	3
65+	1	2.0		2	2	2	2	2	2	2
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	19	8.3	39	1	2	7	11	18	22	23
B. *Operated*	2	19.0	50	14	14	19	24	24	24	24
2. MULTIPLE DX										
A. *Not Operated*	17	12.5	138	1	2	8	15	26	42	50
B. *Operated*	2	2.5	1	2	2	2	3	3	3	3
1. SINGLE DX	21	9.3	48	2	2	7	14	21	23	24
2. MULTIPLE DX	19	11.5	133	1	2	8	14	25	40	50
A. NOT OPERATED	36	10.3	88	1	2	8	13	22	26	50
B. OPERATED	4	10.8	108	2	2	8	19	24	24	24
TOTAL 0-19 YRS	12	11.9	196	1	2	6	18	31	47	50
20-34	11	10.2	34	3	4	10	13	18	24	24
35-49	5	11.4	147	1	1	4	23	27	27	27
50-64	8	8.1	20	2	2	8	10	14	16	16
65+	4	9.0	30	2	2	9	13	15	15	15
GRAND TOTAL	**40**	**10.3**	**87**	**1**	**2**	**8**	**14**	**22**	**25**	**50**

136: Chronic rheumatic heart disease (393-398)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34	1	2.0		2	2	2	2	2	2	2
35-49	1	6.0		6	6	6	6	6	6	6
50-64	3	4.3	17	1	1	3	7	9	9	9
65+	3	17.0	259	4	4	12	29	35	35	35
B. *Operated*										
0-19 YRS										
20-34	7	6.3	19	<1	<1	9	10	11	11	11
35-49	18	4.7	19	1	1	3	9	12	14	15
50-64	17	4.4	12	1	1	3	6	11	11	11
65+	9	11.0	220	<1	<1	2	17	34	46	46
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	15	3.7	5	<1	1	3	5	7	8	8
35-49	11	9.9	118	<1	1	5	11	30	34	34
50-64	53	8.8	53	2	3	7	11	20	25	33
65+	73	10.2	57	2	3	8	12	20	28	35
B. *Operated*										
0-19 YRS										
20-34	20	7.9	43	<1	1	7	11	16	21	25
35-49	38	9.6	46	1	2	9	13	17	21	32
50-64	96	10.3	85	1	2	10	15	23	27	43
65+	44	12.8	201	1	2	10	16	30	40	77
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	10	7.5	107	1	1	3	9	23	35	35
B. *Operated*	51	5.9	54	1	1	3	9	12	17	46
2. MULTIPLE DX										
A. *Not Operated*	152	9.0	57	1	2	7	11	19	27	34
B. *Operated*	198	10.5	99	1	2	9	15	22	28	46
1. SINGLE DX	61	6.2	61	1	1	3	9	12	17	45
2. MULTIPLE DX	350	9.8	81	1	2	8	13	21	28	39
A. NOT OPERATED	162	8.9	60	1	2	7	11	19	27	35
B. OPERATED	249	9.6	93	1	1	8	13	20	25	46
TOTAL 0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34	43	6.0	28	<1	1	4	10	12	16	25
35-49	68	8.3	53	1	1	8	12	16	22	34
50-64	169	9.1	69	1	2	7	12	22	25	35
65+	129	11.3	120	1	2	9	14	23	35	52
GRAND TOTAL	**411**	**9.3**	**80**	**1**	**2**	**7**	**12**	**20**	**27**	**40**

137: Essential hypertension (401)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	4.3	12	1	1	4	7	8	8	8
20-34	30	5.2	12	1	1	4	8	10	11	13
35-49	75	4.8	16	1	1	4	7	9	11	24
50-64	155	4.7	11	1	2	4	6	9	12	16
65+	211	6.0	57	1	2	5	7	11	15	25
B. *Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	9	4.2	13	<1	<1	3	7	10	10	10
35-49	10	5.9	44	<1	<1	4	7	16	23	23
50-64	7	3.9	11	1	1	2	7	9	9	9
65+	9	7.1	45	1	1	6	8	19	22	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	16	7.1	33	<1	1	5	11	14	19	21
20-34	51	4.4	12	<1	1	3	6	8	11	20
35-49	195	6.8	32	1	2	6	9	12	15	37
50-64	465	6.6	29	2	2	5	8	13	17	29
65+	1028	8.6	71	2	2	6	10	16	24	44
B. *Operated*										
0-19 YRS	2	2.0		2	2	2	2	2	2	2
20-34	10	9.6	68	3	4	7	9	24	30	30
35-49	21	12.7	111	<1	1	11	16	28	38	40
50-64	52	11.5	104	1	2	9	12	23	34	53
65+	73	15.5	209	1	3	13	18	33	46	77
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	474	5.3	32	1	2	4	7	10	13	20
B. *Operated*	36	5.3	28	<1	<1	4	7	10	20	23
2. MULTIPLE DX										
A. *Not Operated*	1755	7.8	55	2	2	6	9	15	20	40
B. *Operated*	158	13.2	154	1	2	10	17	30	41	64
1. SINGLE DX	510	5.3	32	1	1	4	7	10	13	22
2. MULTIPLE DX	1913	8.2	65	1	2	6	10	16	22	43
A. NOT OPERATED	2229	7.2	51	1	2	5	9	14	18	38
B. OPERATED	194	11.8	140	1	1	9	15	23	36	60
TOTAL 0-19 YRS	22	6.1	28	<1	1	4	8	14	17	21
20-34	100	5.2	19	<1	1	4	7	10	12	25
35-49	301	6.7	37	1	1	5	8	13	16	37
50-64	679	6.5	33	1	2	5	8	12	17	31
65+	1321	8.6	80	2	2	6	10	16	23	46
GRAND TOTAL	**2423**	**7.6**	**60**	**1**	**2**	**5**	**9**	**15**	**20**	**42**

138: Hypertensive heart disease (402)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	7.5	5	6	6	7	9	9	9	9
35-49										
50-64	4	3.5	6	2	2	3	5	7	7	7
65+	21	8.0	33	1	2	6	10	17	20	22
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64	1	11.0		11	11	11	11	11	11	11
65+	1	8.0		8	8	8	8	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34										
35-49	9	6.3	1	5	5	7	7	8	8	8
50-64	43	7.1	32	2	2	6	9	15	21	25
65+	211	11.3	87	3	4	9	14	23	27	52
B. *Operated*										
0-19 YRS										
20-34										
35-49	4	8.0	31	3	3	6	11	16	16	16
50-64	7	13.4	224	1	1	7	18	39	44	44
65+	13	27.5	263	7	9	24	45	49	54	55
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	27	7.3	29	2	2	6	9	17	19	22
B. *Operated*	2	9.5	5	8	8	9	11	11	11	11
2. MULTIPLE DX										
A. *Not Operated*	264	10.4	77	2	3	8	13	22	26	51
B. *Operated*	24	20.2	270	2	3	15	30	46	49	55
1. SINGLE DX	29	7.4	27	2	2	6	9	16	18	22
2. MULTIPLE DX	288	11.2	100	2	3	8	13	23	28	52
A. NOT OPERATED	291	10.1	74	2	3	7	12	21	26	51
B. OPERATED	26	19.3	257	2	3	14	26	46	49	55
TOTAL 0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	2	7.5	5	6	6	7	9	9	9	9
35-49	13	6.8	9	3	4	7	7	10	15	16
50-64	55	7.7	56	2	2	6	10	18	22	43
65+	246	11.8	105	2	4	9	15	24	32	53
GRAND TOTAL	**317**	**10.9**	**94**	**2**	**3**	**8**	**13**	**23**	**27**	**52**

139: Miscellaneous hypertensive disease (403-405)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	1	35.0		35	35	35	35	35	35	35
35-49	3	4.3	4	2	2	5	6	6	6	6
50-64	2	4.0	2	3	3	4	5	5	5	5
65+	4	7.8	11	4	4	8	10	11	11	11
B. *Operated*										
0-19 YRS										
20-34	6	12.2	107	4	4	9	14	30	32	32
35-49	7	7.1	37	1	1	5	12	15	16	16
50-64	6	8.5	36	2	2	8	10	18	19	19
65+	5	7.8	12	3	3	8	10	12	12	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	6	8.3	46	1	1	7	11	19	20	20
35-49	10	8.5	39	1	1	7	14	17	18	18
50-64	22	9.3	47	2	3	7	14	18	23	29
65+	68	10.2	74	1	2	8	13	26	28	89
B. *Operated*										
0-19 YRS	5	16.0	182	1	1	19	27	31	31	31
20-34	9	12.3	79	1	2	8	20	24	25	25
35-49	18	11.8	57	1	2	11	17	22	23	23
50-64	36	14.3	73	2	4	14	21	26	26	37
65+	37	15.6	163	1	2	12	21	33	41	61
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	11	8.3	86	2	3	5	9	21	34	35
B. *Operated*	24	8.9	47	1	2	8	12	16	23	32
2. MULTIPLE DX										
A. *Not Operated*	107	9.7	63	1	2	7	13	21	27	66
B. *Operated*	105	14.2	105	1	2	13	20	26	32	51
1. SINGLE DX	35	8.7	57	2	2	6	11	16	29	35
2. MULTIPLE DX	212	11.9	89	1	2	9	18	24	27	50
A. NOT OPERATED	118	9.6	64	1	2	7	13	21	27	59
B. OPERATED	129	13.2	98	1	2	12	20	25	31	47
TOTAL 0-19 YRS	7	12.4	159	1	1	4	24	30	31	31
20-34	22	12.2	96	1	2	9	20	27	33	35
35-49	38	9.5	48	1	2	8	16	20	22	23
50-64	66	11.8	65	2	3	10	18	24	26	36
65+	114	11.8	104	1	2	9	16	27	36	75
GRAND TOTAL	**247**	**11.5**	**85**	**1**	**2**	**9**	**17**	**24**	**28**	**43**

140: Acute myocardial infarction (410)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	10.7	4	9	9	10	12	13	13	13
20-34	21	11.4	19	5	7	11	13	18	20	21
35-49	197	11.6	21	4	7	11	14	16	20	27
50-64	444	11.9	20	4	7	12	14	18	20	26
65+	450	12.8	32	5	7	12	15	20	22	32
B. *Operated*										
0-19 YRS										
20-34	2	8.0	98	1	1	8	15	15	15	15
35-49	12	9.5	35	1	2	11	13	17	17	17
50-64	26	11.7	31	1	2	13	15	16	20	27
65+	17	15.9	41	10	11	14	17	29	32	32
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	11.7	14	9	9	10	14	16	16	16
20-34	24	10.9	20	3	6	11	13	17	19	20
35-49	328	11.9	33	3	6	12	14	18	19	40
50-64	1045	13.2	45	6	8	12	15	19	23	35
65+	1817	15.1	85	6	7	13	17	25	30	56
B. *Operated*										
0-19 YRS	1	14.0		14	14	14	14	14	14	14
20-34	12	9.3	13	2	3	10	11	13	15	15
35-49	96	12.4	48	1	3	12	16	20	26	33
50-64	231	16.9	99	6	8	15	20	29	36	57
65+	259	21.6	188	8	10	19	25	38	57	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1115	12.2	25	4	7	12	14	19	21	29
B. *Operated*	57	12.4	41	1	2	13	15	18	25	32
2. MULTIPLE DX										
A. *Not Operated*	3217	14.1	67	5	7	13	16	22	27	47
B. *Operated*	599	18.0	140	4	8	15	22	31	40	81
1. SINGLE DX	1172	12.2	26	4	7	12	14	19	21	29
2. MULTIPLE DX	3816	14.7	81	5	7	13	17	24	30	56
A. NOT OPERATED	4332	13.6	57	5	7	12	16	21	26	43
B. OPERATED	656	17.5	134	3	8	15	21	30	39	81
TOTAL 0-19 YRS	7	11.6	8	9	9	10	14	16	16	16
20-34	59	10.6	20	2	5	10	13	16	19	21
35-49	633	11.8	32	3	6	11	14	18	20	31
50-64	1746	13.3	48	5	7	12	15	20	24	36
65+	2543	15.3	91	6	8	13	18	25	31	60
GRAND TOTAL	**4988**	**14.1**	**69**	**5**	**7**	**13**	**16**	**22**	**28**	**50**

141: Angina pectoris (413)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	5	3.2	5	1	1	2	5	6	6	6
35-49	76	4.0	28	1	1	3	4	7	9	35
50-64	177	4.4	11	1	1	3	5	9	12	17
65+	273	5.2	21	1	2	4	6	10	16	23
B. *Operated*										
0-19 YRS										
20-34	2	1.0		<1	<1	<1	<1	<1	<1	<1
35-49	22	2.2	7	<1	<1	<1	2	5	10	11
50-64	32	2.3	8	<1	<1	<1	2	8	9	13
65+	6	3.2	16	<1	<1	1	4	10	11	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	5.7	12	2	2	6	8	9	9	9
20-34	8	2.8	5	<1	<1	2	4	6	7	7
35-49	184	4.9	18	1	1	4	6	11	14	22
50-64	613	5.8	25	1	2	4	7	11	15	25
65+	1242	7.0	36	2	2	5	9	14	18	29
B. *Operated*										
0-19 YRS										
20-34	4	2.3	2	<1	<1	2	3	4	4	4
35-49	240	4.9	18	<1	<1	3	8	11	13	17
50-64	711	5.3	34	<1	<1	3	9	11	14	29
65+	394	8.1	69	<1	<1	4	11	17	22	38
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	532	4.7	19	1	1	3	6	9	13	22
B. *Operated*	62	2.3	8	<1	<1	<1	2	8	10	13
2. MULTIPLE DX										
A. *Not Operated*	2050	6.5	31	1	2	5	8	13	17	26
B. *Operated*	1349	6.0	43	<1	<1	3	10	13	16	31
1. SINGLE DX	594	4.5	18	<1	1	3	6	9	12	21
2. MULTIPLE DX	3399	6.3	36	<1	1	4	9	13	17	28
A. NOT OPERATED	2582	6.1	29	1	2	5	8	12	17	26
B. OPERATED	1411	5.9	42	<1	<1	3	9	13	16	30
TOTAL 0-19 YRS	4	4.8	12	2	2	4	7	9	9	9
20-34	19	2.6	4	<1	<1	2	4	6	7	7
35-49	522	4.7	19	<1	<1	3	6	11	13	23
50-64	1533	5.3	28	<1	<1	3	7	11	14	25
65+	1915	7.0	41	1	2	5	9	14	19	29
GRAND TOTAL	**3993**	**6.0**	**34**	**<1**	**1**	**4**	**8**	**12**	**16**	**27**

142: Other acute and subacute forms of ischemic heart disease (411)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	4.4	5	2	2	5	6	7	7	7
20-34	3	10.0	21	6	6	9	13	15	15	15
35-49	75	6.1	13	2	2	5	8	12	13	16
50-64	195	6.3	17	2	2	5	9	12	14	20
65+	270	8.1	33	2	3	7	11	14	17	23
B. *Operated*										
0-19 YRS										
20-34										
35-49	3	12.7	16	9	9	12	16	17	17	17
50-64	7	12.3	43	7	7	9	17	23	24	24
65+	5	6.6	17	1	1	7	10	11	11	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	16.5	13	14	14	16	19	19	19	19
20-34	6	5.5	5	2	2	6	7	8	8	8
35-49	166	7.5	30	2	2	7	10	12	16	29
50-64	688	7.4	25	2	3	7	10	13	17	25
65+	1380	9.2	55	2	3	7	11	17	21	38
B. *Operated*										
0-19 YRS										
20-34	2	7.0	32	3	3	7	11	11	11	11
35-49	51	10.8	45	<1	2	11	13	19	25	30
50-64	204	12.6	84	<1	3	10	17	25	31	39
65+	219	16.7	113	4	6	14	21	31	38	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	548	7.2	25	2	2	6	10	13	15	22
B. *Operated*	15	10.5	34	2	4	9	13	18	22	24
2. MULTIPLE DX										
A. *Not Operated*	2242	8.5	44	2	3	7	11	16	20	35
B. *Operated*	476	14.3	98	2	4	12	18	28	33	48
1. SINGLE DX	563	7.2	25	2	2	6	10	13	15	23
2. MULTIPLE DX	2718	9.5	58	2	3	8	12	18	23	39
A. NOT OPERATED	2790	8.2	41	2	3	7	10	15	19	32
B. OPERATED	491	14.2	97	2	4	12	18	27	33	48
TOTAL 0-19 YRS	7	7.9	40	2	2	6	12	18	19	19
20-34	11	7.0	14	2	3	7	9	13	15	15
35-49	295	7.8	30	2	2	7	11	13	18	29
50-64	1094	8.2	39	2	2	7	10	15	20	34
65+	1874	9.9	65	2	3	8	12	18	24	42
GRAND TOTAL	**3281**	**9.1**	**53**	**2**	**3**	**7**	**11**	**17**	**22**	**37**

143: Miscellaneous ischemic heart disease (412; 414)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	3.5	1	3	3	3	4	4	4	4
35-49	50	4.6	11	1	1	4	6	10	12	14
50-64	128	6.2	18	1	2	5	8	13	15	19
65+	219	7.7	63	1	2	6	9	15	20	40
B. *Operated*										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34	1	1.0		<1	<1	<1	<1	<1	<1	<1
35-49	134	3.4	12	<1	<1	2	3	9	10	14
50-64	381	3.9	17	<1	<1	2	5	10	11	16
65+	155	5.6	48	<1	1	2	10	15	22	29
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	12.5	216	1	1	7	21	34	34	34
20-34	5	7.2	43	1	1	5	13	16	16	16
35-49	147	5.5	17	<1	1	5	8	11	14	17
50-64	613	7.1	43	1	2	5	9	15	18	30
65+	1344	9.6	97	2	3	7	11	20	26	71
B. *Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	26	2.9	4	<1	<1	2	3	6	8	9
35-49	367	5.2	33	<1	1	2	8	13	17	28
50-64	1213	6.1	55	<1	1	2	10	15	18	33
65+	588	7.6	77	1	1	3	12	19	25	53
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	399	6.8	43	1	2	5	8	14	17	32
B. *Operated*	673	4.2	24	<1	<1	2	6	11	13	24
2. MULTIPLE DX										
A. *Not Operated*	2113	8.6	78	1	2	6	11	17	23	55
B. *Operated*	2195	6.3	57	<1	1	3	10	15	21	36
1. SINGLE DX	1072	5.2	32	<1	1	3	8	11	15	27
2. MULTIPLE DX	4308	7.5	69	1	1	5	10	16	22	48
A. NOT OPERATED	2512	8.3	73	1	2	6	10	16	23	53
B. OPERATED	2868	5.8	50	<1	1	2	9	14	19	32
TOTAL 0-19 YRS	7	7.7	144	1	1	2	8	29	34	34
20-34	34	3.5	11	<1	<1	3	4	8	11	16
35-49	698	4.9	24	<1	1	3	7	11	15	23
50-64	2335	6.0	45	<1	1	3	9	14	17	31
65+	2306	8.7	87	1	1	6	11	19	25	56
GRAND TOTAL	**5380**	**7.0**	**62**	**1**	**1**	**4**	**10**	**15**	**21**	**44**

144: Pulmonary embolism and infarction (415.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	14.0		14	14	14	14	14	14	14
20-34	25	10.4	21	2	5	10	13	16	18	23
35-49	18	10.7	33	4	6	10	13	17	24	28
50-64	30	11.5	34	3	5	10	16	19	23	25
65+	34	11.9	35	3	6	11	16	20	22	27
B. *Operated*										
0-19 YRS										
20-34	2	7.5	61	2	2	7	13	13	13	13
35-49	9	11.0	5	9	9	11	12	15	16	16
50-64	10	12.9	16	8	8	12	17	19	20	20
65+	2	12.5	13	10	10	12	15	15	15	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	11.0	28	7	7	9	15	17	17	17
20-34	15	12.6	26	4	6	12	17	20	21	21
35-49	40	10.5	21	2	4	11	13	16	18	22
50-64	76	13.4	33	5	7	13	16	20	23	34
65+	132	16.7	116	5	7	14	20	29	38	56
B. *Operated*										
0-19 YRS										
20-34	11	17.3	96	9	10	14	19	33	42	43
35-49	9	17.4	21	9	11	16	21	23	24	24
50-64	22	16.4	65	7	10	14	20	29	36	37
65+	37	20.5	173	7	8	18	24	33	52	63
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	109	11.3	30	3	6	11	14	19	22	27
B. *Operated*	23	11.7	14	6	8	11	13	17	19	20
2. MULTIPLE DX										
A. *Not Operated*	266	14.5	77	5	7	13	17	22	32	49
B. *Operated*	79	18.6	115	8	9	16	21	33	36	63
1. SINGLE DX	132	11.4	27	3	6	11	14	18	20	27
2. MULTIPLE DX	345	15.4	88	5	7	13	19	24	33	51
A. NOT OPERATED	375	13.6	65	5	6	12	16	22	28	46
B. OPERATED	102	17.0	101	8	9	14	20	32	34	62
TOTAL 0-19 YRS	5	12.2	17	7	7	14	15	17	17	17
20-34	53	12.4	44	3	6	12	15	20	23	42
35-49	76	11.4	26	3	6	11	14	18	22	27
50-64	138	13.4	38	5	7	12	17	21	24	35
65+	205	16.5	117	5	7	14	20	29	34	62
GRAND TOTAL	**477**	**14.3**	**75**	**5**	**7**	**13**	**17**	**22**	**32**	**49**

145: Acute and subacute endocarditis (421)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+	1	25.0		25	25	25	25	25	25	25
B. *Operated*										
0-19 YRS										
20-34	1	3.0		3	3	3	3	3	3	3
35-49										
50-64										
65+	1	19.0		19	19	19	19	19	19	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	28.7	411	2	2	35	45	49	49	49
20-34	1	18.0		18	18	18	18	18	18	18
35-49	5	24.2	138	13	13	26	31	41	41	41
50-64	5	43.4	135	30	30	48	53	55	55	55
65+	7	27.1	273	7	7	24	43	45	45	45
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64	2	33.5	5	32	32	33	35	35	35	35
65+	2	47.0	2	46	46	47	48	48	48	48
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	25.0		25	25	25	25	25	25	25
B. *Operated*	2	11.0	128	3	3	11	19	19	19	19
2. MULTIPLE DX										
A. *Not Operated*	24	29.9	264	5	7	29	44	49	53	55
B. *Operated*	4	40.3	63	32	32	40	47	48	48	48
1. SINGLE DX	3	15.7	129	3	3	19	23	25	25	25
2. MULTIPLE DX	28	31.4	245	6	7	32	45	49	52	55
A. NOT OPERATED	25	29.7	254	5	7	29	43	49	53	55
B. OPERATED	6	30.5	292	3	5	33	46	48	48	48
TOTAL 0-19 YRS	6	28.7	411	2	2	35	45	49	49	49
20-34	2	10.5	113	3	3	10	18	18	18	18
35-49	5	24.2	138	13	13	26	31	41	41	41
50-64	7	40.6	114	30	30	35	51	54	55	55
65+	11	29.8	242	7	7	25	44	47	48	48
GRAND TOTAL	**31**	**29.9**	**252**	**3**	**6**	**30**	**44**	**49**	**52**	**55**

146: Paroxysmal supraventricular tachycardia (427.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	12	3.1	9	<1	<1	2	5	8	10	10
20-34	19	2.7	4	<1	1	2	4	6	7	7
35-49	30	2.2	4	1	1	1	3	5	6	9
50-64	46	2.9	6	<1	1	2	4	5	8	14
65+	30	5.9	35	1	1	5	7	13	22	24
B. *Operated*										
0-19 YRS										
20-34	1	4.0		4	4	4	4	4	4	4
35-49	2	2.0	2	<1	<1	1	3	3	3	3
50-64	1	1.0		1	1	1	1	1	1	1
65+	1	8.0		8	8	8	8	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	12	4.4	9	1	1	4	5	10	11	11
20-34	22	2.2	6	<1	<1	1	2	6	8	10
35-49	29	3.8	35	<1	<1	2	3	7	24	25
50-64	86	4.9	14	1	1	4	6	11	14	16
65+	130	6.5	50	1	1	5	9	12	14	45
B. *Operated*										
0-19 YRS										
20-34	1	4.0		4	4	4	4	4	4	4
35-49	2	12.5	1	12	12	12	13	13	13	13
50-64	6	4.7	5	2	2	4	5	9	9	9
65+	8	11.9	97	<1	1	13	16	27	31	31
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	137	3.4	14	1	1	2	5	7	10	22
B. *Operated*	5	3.4	8	<1	<1	3	5	8	8	8
2. MULTIPLE DX										
A. *Not Operated*	279	5.3	34	1	1	4	7	11	14	25
B. *Operated*	17	8.9	58	1	2	5	13	16	26	31
1. SINGLE DX	142	3.4	13	1	1	2	5	7	10	22
2. MULTIPLE DX	296	5.5	35	1	1	4	7	12	14	28
A. NOT OPERATED	416	4.7	28	1	1	3	6	10	13	24
B. OPERATED	22	7.7	52	<1	1	4	12	15	23	31
TOTAL 0-19 YRS	24	3.8	9	<1	1	3	5	9	10	11
20-34	43	2.5	5	<1	<1	1	4	6	7	10
35-49	63	3.3	21	<1	1	2	3	7	12	25
50-64	139	4.2	12	1	1	3	5	9	13	15
65+	169	6.7	50	1	1	5	9	13	15	39
GRAND TOTAL	**438**	**4.8**	**29**	**1**	**1**	**3**	**6**	**11**	**14**	**24**

147: Atrial fibrillation and flutter (427.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	5.0	18	2	2	5	8	8	8	8
20-34	34	2.1	4	<1	1	1	2	6	7	7
35-49	55	2.6	5	<1	<1	2	3	7	7	10
50-64	134	3.1	10	<1	1	2	4	7	10	16
65+	184	4.5	17	<1	1	4	5	7	11	27
B. *Operated*										
0-19 YRS										
20-34										
35-49	4	2.5		2	2	2	3	3	3	3
50-64	1	1.0		1	1	1	1	1	1	1
65+	2	6.0	18	3	3	6	9	9	9	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	1.0		1	1	1	1	1	1	1
20-34	26	2.6	4	<1	1	2	4	6	7	8
35-49	88	4.4	11	<1	1	3	7	9	12	13
50-64	336	5.6	28	1	1	4	8	12	15	25
65+	970	7.5	36	1	2	6	10	15	19	35
B. *Operated*										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34										
35-49	3	7.3	34	3	3	5	12	14	14	14
50-64	38	10.9	88	<1	1	10	16	23	29	41
65+	74	16.9	145	3	4	14	24	33	37	59
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	409	3.6	13	<1	1	3	5	7	10	19
B. *Operated*	7	3.3	7	1	1	3	3	8	9	9
2. MULTIPLE DX										
A. *Not Operated*	1423	6.8	33	1	1	5	9	14	18	30
B. *Operated*	116	14.6	131	1	2	13	20	31	37	53
1. SINGLE DX	416	3.6	12	<1	1	3	5	7	10	19
2. MULTIPLE DX	1539	7.4	45	1	1	6	10	15	20	36
A. NOT OPERATED	1832	6.1	31	1	1	5	8	13	16	28
B. OPERATED	123	14.0	130	1	2	13	19	31	37	52
TOTAL 0-19 YRS	6	3.3	11	1	1	2	7	8	8	8
20-34	60	2.4	4	<1	1	2	3	6	7	8
35-49	150	3.7	10	<1	1	3	6	8	9	13
50-64	509	5.4	31	<1	1	3	7	13	16	26
65+	1230	7.6	46	1	2	6	10	16	21	37
GRAND TOTAL	**1955**	**6.6**	**40**	**1**	**1**	**5**	**9**	**14**	**19**	**34**

148: Other arrhythmia and conduction disorders (426; 427.1-427.2; 427.4-427.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	27	3.2	8	<1	<1	2	5	7	9	12
20-34	55	3.0	10	<1	1	2	4	7	9	18
35-49	60	4.0	50	<1	1	2	5	7	10	50
50-64	103	3.7	8	<1	1	3	5	7	9	13
65+	161	5.6	26	1	1	4	7	13	17	23
B. *Operated*										
0-19 YRS	2	7.0	18	4	4	7	10	10	10	10
20-34	12	4.3	13	<1	<1	3	6	11	11	11
35-49	20	5.1	11	<1	1	4	8	10	11	12
50-64	28	6.0	15	<1	1	5	8	10	13	18
65+	88	6.3	21	2	3	5	8	11	16	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	32	5.5	75	1	1	3	6	10	12	50
20-34	66	3.5	21	1	1	2	4	6	9	30
35-49	172	5.0	21	1	1	4	7	10	14	23
50-64	372	5.7	32	1	1	4	7	11	15	32
65+	938	8.3	75	1	2	6	10	16	24	53
B. *Operated*										
0-19 YRS	7	23.3	1376	<1	<1	2	56	80	81	81
20-34	17	13.6	297	2	2	10	11	50	57	57
35-49	34	10.4	127	1	2	7	13	22	36	55
50-64	129	10.0	92	1	3	8	12	18	23	59
65+	478	12.0	115	3	4	9	15	24	33	67
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	406	4.4	23	<1	1	3	6	9	13	20
B. *Operated*	150	5.9	18	<1	2	5	8	11	13	24
2. MULTIPLE DX										
A. *Not Operated*	1580	7.1	59	1	2	5	9	14	20	42
B. *Operated*	665	11.7	129	2	3	8	14	23	35	68
1. SINGLE DX	556	4.8	22	<1	1	3	6	10	13	20
2. MULTIPLE DX	2245	8.4	84	1	2	6	10	17	25	55
A. NOT OPERATED	1986	6.5	53	1	1	4	8	13	19	39
B. OPERATED	815	10.6	113	2	3	7	13	22	29	63
TOTAL 0-19 YRS	68	6.5	196	<1	1	3	6	10	16	80
20-34	150	4.5	56	<1	1	2	5	10	11	57
35-49	286	5.4	42	1	1	3	7	11	15	34
50-64	632	6.3	43	1	1	5	8	12	15	40
65+	1665	9.0	83	2	2	6	11	18	26	52
GRAND TOTAL	**2801**	**7.7**	**74**	**1**	**1**	**5**	**9**	**16**	**23**	**49**

149: Heart failure (428)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34										
35-49	8	5.5	8	2	2	5	8	9	9	9
50-64	69	7.2	37	2	2	5	10	14	16	37
65+	419	9.4	83	2	2	7	11	21	28	52
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+	5	26.2	524	7	7	20	32	66	66	66
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	31	8.0	34	1	2	6	10	15	22	25
20-34	15	6.6	11	1	3	6	9	11	12	13
35-49	63	9.9	165	1	2	6	12	22	33	79
50-64	596	10.0	74	2	3	8	12	18	24	53
65+	3694	12.0	126	2	3	9	15	24	35	85
B. *Operated*										
0-19 YRS	2	10.5	181	1	1	10	20	20	20	20
20-34	3	7.7	114	<1	<1	2	15	20	20	20
35-49	9	17.6	159	3	3	15	25	36	43	43
50-64	59	18.7	274	2	4	15	26	45	99	99+
65+	235	22.2	245	5	7	18	31	48	67	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	497	9.0	76	2	2	7	11	18	27	47
B. *Operated*	5	26.2	524	7	7	20	32	66	66	66
2. MULTIPLE DX										
A. *Not Operated*	4399	11.6	119	2	3	9	14	23	33	78
B. *Operated*	308	21.2	249	3	6	18	29	48	68	99+
1. SINGLE DX	502	9.2	82	2	2	7	11	18	27	54
2. MULTIPLE DX	4707	12.3	133	2	3	9	15	25	38	91
A. NOT OPERATED	4896	11.4	115	2	3	8	14	23	33	77
B. OPERATED	313	21.2	252	4	6	18	29	48	67	99+
TOTAL 0-19 YRS	34	8.0	37	1	2	6	10	17	22	25
20-34	18	6.8	23	<1	1	6	10	12	17	20
35-49	80	10.3	155	1	2	6	12	24	34	72
50-64	724	10.4	93	2	3	8	13	20	28	64
65+	4353	12.3	135	2	3	9	15	25	39	95
GRAND TOTAL	**5209**	**12.0**	**129**	**2**	**3**	**9**	**15**	**25**	**36**	**85**

150: Miscellaneous diseases of heart (415.0; 416-420; 422-425; 429.0-429.1; 429.3-429.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	13	5.8	35	1	1	4	8	13	21	23
20-34	66	4.5	15	1	2	3	5	8	13	23
35-49	68	5.0	17	1	1	4	6	9	12	25
50-64	48	5.2	16	1	1	4	7	12	14	16
65+	38	6.9	49	1	2	5	7	17	24	34
B. *Operated*										
0-19 YRS	6	6.7	72	2	2	2	9	22	23	23
20-34	23	4.7	14	<1	<1	3	9	10	11	11
35-49	37	5.1	20	<1	1	3	9	11	13	17
50-64	55	4.7	42	<1	<1	2	4	14	23	96
65+	28	5.2	53	<1	<1	2	8	14	19	33
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	33	7.8	36	1	2	7	10	17	21	24
20-34	56	7.3	54	1	2	5	9	15	17	41
35-49	127	7.8	79	2	2	6	10	14	19	39
50-64	207	8.6	40	2	3	7	12	17	19	30
65+	302	11.7	129	2	3	8	16	24	37	99+
B. *Operated*										
0-19 YRS	9	7.9	74	1	1	2	12	22	26	26
20-34	24	15.7	416	1	1	9	17	39	65	91
35-49	62	10.4	73	<1	2	10	14	18	28	42
50-64	179	9.5	118	<1	1	6	14	21	28	44
65+	181	11.3	145	<1	1	7	17	29	40	54
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	233	5.2	23	1	1	4	6	10	15	26
B. *Operated*	149	5.0	35	<1	<1	2	9	12	16	33
2. MULTIPLE DX										
A. *Not Operated*	725	9.6	88	2	3	7	13	19	25	81
B. *Operated*	455	10.6	138	<1	1	7	15	25	34	54
1. SINGLE DX	382	5.1	27	<1	1	3	7	12	15	30
2. MULTIPLE DX	1180	10.0	107	1	2	7	14	21	29	57
A. NOT OPERATED	958	8.5	75	1	2	6	11	18	23	54
B. OPERATED	604	9.2	118	<1	1	5	13	23	31	52
TOTAL 0-19 YRS	61	7.3	43	1	1	4	9	17	23	26
20-34	169	7.1	96	<1	1	4	8	14	19	52
35-49	294	7.4	60	1	1	5	10	14	17	34
50-64	489	8.1	69	1	1	5	12	17	23	39
65+	549	10.9	128	1	2	7	15	25	36	99
GRAND TOTAL	**1562**	**8.8**	**92**	**1**	**1**	**6**	**12**	**19**	**26**	**54**

151: Cardiovascular disease, unspecified (429.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+	2	7.5	1	7	7	7	8	8	8	8
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+	1	9.0		9	9	9	9	9	9	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	4	15.3	10	13	13	14	40	99+	99+	99+
65+	52	16.5	303	3	4	12	22	30	38	90
B. *Operated*										
0-19 YRS										
20-34										
35-49	1	17.0		17	17	17	17	17	17	17
50-64										
65+	2	35.5	761	16	16	35	55	55	55	55
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	7.5	1	7	7	7	8	8	8	8
B. *Operated*	1	9.0		9	9	9	9	9	9	9
2. MULTIPLE DX										
A. *Not Operated*	56	16.4	282	3	4	12	22	31	71	99
B. *Operated*	3	29.3	494	16	16	17	45	55	55	55
1. SINGLE DX	3	8.0	1	7	7	8	9	9	9	9
2. MULTIPLE DX	59	17.1	292	3	4	13	22	31	72	99
A. NOT OPERATED	58	16.1	274	3	4	12	22	30	66	99
B. OPERATED	4	24.3	433	9	9	16	36	55	55	55
TOTAL 0-19 YRS										
20-34										
35-49	1	17.0		17	17	17	17	17	17	17
50-64	4	15.3	10	13	13	14	40	99+	99+	99+
65+	57	16.7	306	3	4	12	22	31	49	90
GRAND TOTAL	**62**	**16.6**	**282**	**3**	**4**	**12**	**22**	**31**	**67**	**99**

152: Subarachnoid hemorrhage without paralysis (430)

[illegible]PE OF P[illegible]IENT [illegible]	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	1	2.0		2	2	2	2	2	2	2
35-49	5	6.6	32	<1	<1	5	12	14	14	14
50-64	1	9.0		9	9	9	9	9	9	9
65+	1	7.0		7	7	7	7	7	7	7
B. *Operated*										
0-19 YRS	2	23.0	98	16	16	23	30	30	30	30
20-34	15	20.8	123	10	10	17	24	40	43	44
35-49	10	14.7	126	2	3	11	21	32	33	33
50-64	7	22.3	54	12	12	26	28	30	30	30
65+	3	24.7	54	19	19	22	30	33	33	33
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	16.0	200	6	6	16	26	26	26	26
20-34	1	2.0		2	2	2	2	2	2	2
35-49	1	4.0		4	4	4	4	4	4	4
50-64	2	17.5	1	17	17	17	18	18	18	18
65+	1	9.0		9	9	99+	99+	99+	99+	99+
B. *Operated*										
0-19 YRS										
20-34	6	20.2	126	6	7	21	22	37	39	39
35-49	19	32.3	172	11	16	38	43	47	50	51
50-64	26	30.3	278	11	12	31	43	90	99+	99+
65+	5	36.6	451	13	13	48	54	54	54	54
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	9	6.0	21	<1	1	5	9	13	14	14
B. *Operated*	37	19.9	106	5	7	19	27	33	39	44
2. MULTIPLE DX										
A. *Not Operated*	7	11.7	78	2	3	17	44	99+	99+	99+
B. *Operated*	56	30.4	243	9	12	31	43	55	89	99+
1. SINGLE DX	46	17.2	119	2	3	15	24	33	38	44
2. MULTIPLE DX	63	28.4	258	6	10	30	42	58	99+	99+
A. NOT OPERATED	16	8.5	51	1	2	8	17	78	99+	99+
B. OPERATED	93	26.2	214	6	10	24	38	48	58	99+
TOTAL 0-19 YRS	5	16.2	141	3	3	16	27	30	30	30
20-34	23	19.0	136	2	5	17	23	39	41	44
35-49	35	22.8	247	2	4	21	39	44	47	51
50-64	36	27.4	234	10	12	29	37	70	99+	99+
65+	10	27.3	346	7	8	27	54	99+	99+	99+
GRAND TOTAL	**109**	**23.6**	**229**	**3**	**6**	**21**	**37**	**49**	**73**	**99+**

153: Subarachnoid hemorrhage with paralysis (430 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34	1	82.0		82	82	82	82	82	82	82
35-49	2	61.5	2113	29	29	94	98	99+	99+	99+
50-64	2	41.5	113	34	34	41	49	49	49	49
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*	5	57.6	842	29	29	65	94	99	99+	99+
1. SINGLE DX										
2. MULTIPLE DX	5	57.6	842	29	29	65	94	99	99+	99+
A. NOT OPERATED										
B. OPERATED	5	57.6	842	29	29	65	94	99	99+	99+
TOTAL 0-19 YRS										
20-34	1	82.0		82	82	82	82	82	82	82
35-49	2	61.5	2113	29	29	94	98	99+	99+	99+
50-64	2	41.5	113	34	34	41	49	49	49	49
65+										
GRAND TOTAL	**5**	**57.6**	**842**	**29**	**29**	**65**	**94**	**99**	**99+**	**99+**

154: Intracerebral hemorrhage without paralysis (431-432)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	3.0		3	3	3	3	3	3	3
35-49	1	9.0		9	9	9	9	9	9	9
50-64	3	6.7	44	1	1	5	12	14	14	14
65+	7	22.1	433	2	3	17	28	58	64	64
B. *Operated*										
0-19 YRS	2	4.0	18	<1	<1	3	7	7	7	7
20-34	1	6.0		6	6	6	6	6	6	6
35-49	2	10.5	113	3	3	10	18	18	18	18
50-64	4	13.3	55	5	5	12	18	23	23	23
65+	12	9.7	22	3	4	9	14	16	18	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	7.5	5	6	6	7	9	9	9	9
20-34	1	5.0		5	5	5	5	5	5	5
35-49	2	43.0	1250	18	18	43	68	68	68	68
50-64	10	12.1	35	5	6	13	20	99+	99+	99+
65+	32	25.5	572	2	6	18	48	92	99+	99+
B. *Operated*										
0-19 YRS	4	17.3	160	7	7	15	27	33	33	33
20-34	5	16.8	270	3	3	13	22	45	45	45
35-49	5	10.6	76	5	5	8	13	26	26	26
50-64	18	27.3	409	5	6	22	42	58	71	75
65+	40	22.9	282	7	9	17	39	61	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	12	15.6	312	1	2	11	17	42	61	64
B. *Operated*	21	9.7	33	2	3	9	14	18	20	23
2. MULTIPLE DX										
A. *Not Operated*	47	22.2	485	4	6	16	44	94	99+	99+
B. *Operated*	72	22.4	299	6	6	17	35	54	78	99+
1. SINGLE DX	33	11.8	136	1	3	9	15	19	31	64
2. MULTIPLE DX	119	22.3	369	5	6	17	39	67	99+	99+
A. NOT OPERATED	59	20.9	451	2	5	15	36	89	99+	99+
B. OPERATED	93	19.5	266	4	6	15	28	45	72	99+
TOTAL 0-19 YRS	8	11.5	111	<1	2	7	15	30	33	33
20-34	8	12.3	195	3	3	7	14	36	45	45
35-49	10	16.9	375	3	4	9	18	47	68	68
50-64	35	19.6	288	4	5	16	27	60	91	99+
65+	91	22.0	376	4	6	16	39	63	99+	99+
GRAND TOTAL	**152**	**20.1**	**336**	**3**	**5**	**15**	**31**	**58**	**96**	**99+**

155: Intracerebral hemorrhage with paralysis (431-432 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	16.0		16	16	16	16	16	16	16
35-49	1	14.0		14	14	14	14	14	14	14
50-64	4	28.3	47	22	22	27	34	36	36	36
65+	12	32.1	295	6	10	34	47	73	95	99+
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+	6	35.3	359	8	10	31	55	59	59	59
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	18	29.3	229	8	12	28	40	59	85	99+
B. *Operated*	6	35.3	359	8	10	31	55	59	59	59
1. SINGLE DX										
2. MULTIPLE DX	24	30.8	255	7	11	30	42	59	74	99+
A. NOT OPERATED	18	29.3	229	8	12	28	40	59	85	99+
B. OPERATED	6	35.3	359	8	10	31	55	59	59	59
TOTAL 0-19 YRS										
20-34	1	16.0		16	16	16	16	16	16	16
35-49	1	14.0		14	14	14	14	14	14	14
50-64	4	28.3	47	22	22	27	34	36	36	36
65+	18	33.2	299	6	9	33	48	63	85	99+
GRAND TOTAL	**24**	**30.8**	**255**	**7**	**11**	**30**	**42**	**59**	**74**	**99+**

156: Precerebral artery occlusion without paralysis (433)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	7.0		7	7	7	7	7	7	7
35-49	1	4.0		4	4	4	4	4	4	4
50-64	3	9.0	31	3	3	10	13	14	14	14
65+	6	3.0	4	1	1	2	3	7	7	7
B. *Operated*										
0-19 YRS										
20-34	4	7.3	28	<1	<1	7	11	13	13	13
35-49	8	10.8	62	2	3	8	16	23	25	25
50-64	73	7.6	25	1	1	7	10	14	18	21
65+	72	6.7	32	<1	1	6	10	13	19	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	1	19.0		19	19	19	19	19	19	19
50-64	14	10.4	87	1	1	8	16	23	31	33
65+	30	10.6	126	1	2	8	15	17	33	58
B. *Operated*										
0-19 YRS										
20-34	2	7.0	50	2	2	7	12	12	12	12
35-49	14	10.3	57	<1	2	7	17	19	23	24
50-64	184	12.1	99	1	3	9	16	24	28	71
65+	300	11.6	68	1	2	10	16	23	29	38
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	11	5.1	16	1	1	3	7	12	14	14
B. *Operated*	157	7.3	30	<1	1	7	10	14	19	25
2. MULTIPLE DX										
A. *Not Operated*	45	10.8	110	1	1	8	15	19	33	58
B. *Operated*	500	11.7	79	1	2	10	16	23	28	45
1. SINGLE DX	168	7.2	30	1	1	7	10	14	18	25
2. MULTIPLE DX	545	11.6	81	1	2	9	16	23	28	51
A. NOT OPERATED	56	9.6	96	1	1	7	14	19	30	56
B. OPERATED	657	10.7	71	1	2	9	15	21	27	39
TOTAL 0-19 YRS										
20-34	7	7.1	22	<1	<1	7	11	13	13	13
35-49	24	10.5	56	1	2	7	17	19	24	25
50-64	274	10.8	81	1	2	9	14	21	27	58
65+	408	10.5	69	1	1	8	15	22	27	38
GRAND TOTAL	**713**	**10.6**	**73**	**1**	**2**	**9**	**15**	**21**	**27**	**39**

157: Precerebral artery occlusion with paralysis (433 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	2	16.5	145	8	8	16	25	25	25	25
65+	2	29.5	761	10	10	29	49	49	49	49
B. *Operated*										
0-19 YRS										
20-34										
35-49	2	5.0	8	3	3	5	7	7	7	7
50-64	7	10.7	18	5	5	11	14	16	16	16
65+	11	14.9	244	3	3	10	13	43	53	54
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	4	23.0	358	8	8	17	37	49	49	49
B. *Operated*	20	12.5	145	3	3	10	13	25	44	54
1. SINGLE DX										
2. MULTIPLE DX	24	14.2	183	3	3	10	14	36	50	54
A. NOT OPERATED	4	23.0	358	8	8	17	37	49	49	49
B. OPERATED	20	12.5	145	3	3	10	13	25	44	54
TOTAL 0-19 YRS										
20-34										
35-49	2	5.0	8	3	3	5	7	7	7	7
50-64	9	12.0	38	5	5	11	15	21	25	25
65+	13	17.2	297	3	3	10	19	50	53	54
GRAND TOTAL	**24**	**14.2**	**183**	**3**	**3**	**10**	**14**	**36**	**50**	**54**

158: Occlusion of cerebral arteries, thrombosis and embolism without paralysis (434)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	11.0		11	11	11	11	11	11	11
35-49	1	15.0		15	15	15	15	15	15	15
50-64	11	12.2	102	1	2	10	18	27	34	35
65+	39	9.4	78	2	3	7	10	21	28	46
B. *Operated*										
0-19 YRS										
20-34	4	11.0	50	3	3	10	16	20	20	20
35-49	6	13.3	99	3	3	11	22	27	28	28
50-64	3	6.0	28	2	2	4	10	12	12	12
65+	7	10.7	119	1	1	6	16	29	32	32
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	2	12.5	85	6	6	12	19	19	19	19
35-49	21	8.7	41	2	3	7	12	18	23	28
50-64	89	13.4	195	3	4	9	16	27	39	81
65+	299	19.6	310	4	5	13	28	52	75	99+
B. *Operated*										
0-19 YRS	1	14.0		14	14	14	14	14	14	14
20-34	5	25.8	645	4	4	10	53	55	55	55
35-49	17	13.3	118	4	5	10	18	42	80	99+
50-64	48	18.1	325	4	5	10	27	40	68	99+
65+	77	18.6	241	5	6	13	24	48	72	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	52	10.1	80	1	3	7	13	21	28	46
B. *Operated*	20	10.9	80	1	2	8	16	25	30	32
2. MULTIPLE DX										
A. *Not Operated*	412	17.6	280	3	4	12	25	45	70	99+
B. *Operated*	148	18.0	264	4	6	12	23	48	66	99+
1. SINGLE DX	72	10.3	79	1	3	7	14	22	28	44
2. MULTIPLE DX	560	17.7	275	4	5	12	25	46	69	99+
A. NOT OPERATED	464	16.8	263	3	4	11	23	42	64	99+
B. OPERATED	168	17.2	247	4	5	12	22	44	59	99+
TOTAL 0-19 YRS	2	8.0	72	2	2	8	14	14	14	14
20-34	12	17.4	311	3	4	10	19	53	55	55
35-49	45	11.2	78	3	4	8	14	24	33	99+
50-64	151	14.7	230	3	4	9	18	35	40	96
65+	422	18.3	281	3	4	12	27	48	71	99+
GRAND TOTAL	**632**	**16.9**	**258**	**3**	**4**	**11**	**22**	**43**	**64**	**99+**

159: Occlusion of cerebral arteries, thrombosis and embolism with paralysis (434 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	6.0	18	3	3	6	9	9	9	9
20-34	2	15.5	145	7	7	15	24	24	24	24
35-49	2	6.5	1	6	6	6	7	7	7	7
50-64	25	27.5	702	3	5	21	65	99+	99+	99+
65+	85	25.6	403	5	6	26	46	99+	99+	99+
B. *Operated*										
0-19 YRS										
20-34	1	24.0		24	24	24	24	24	24	24
35-49	6	29.2	439	6	8	24	56	92	99+	99+
50-64	7	23.4	472	3	6	19	49	91	99+	99+
65+	13	35.7	661	11	13	34	83	99+	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	116	25.2	458	5	6	23	47	99+	99+	99+
B. *Operated*	27	30.6	527	6	11	25	64	99+	99+	99+
1. SINGLE DX										
2. MULTIPLE DX	143	26.2	472	5	6	24	52	99+	99+	99+
A. NOT OPERATED	116	25.2	458	5	6	23	47	99+	99+	99+
B. OPERATED	27	30.6	527	6	11	25	64	99+	99+	99+
TOTAL 0-19 YRS	2	6.0	18	3	3	6	9	9	9	9
20-34	3	18.3	96	7	7	24	24	24	24	24
35-49	8	23.5	423	6	6	19	53	83	99+	99+
50-64	32	26.6	638	3	5	21	64	99+	99+	99+
65+	98	27.0	442	5	7	26	49	99+	99+	99+
GRAND TOTAL	**143**	**26.2**	**472**	**5**	**6**	**24**	**52**	**99+**	**99+**	**99+**

160: Transient cerebral ischemia without paralysis (435)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	2.3		2	2	2	3	3	3	3
20-34	6	4.5	15	1	1	3	5	11	12	12
35-49	23	5.0	13	<1	1	4	8	10	12	13
50-64	66	4.4	18	1	1	3	5	9	12	25
65+	306	6.1	46	1	1	4	7	13	16	32
B. *Operated*										
0-19 YRS										
20-34	2	9.5	5	8	8	9	11	11	11	11
35-49	10	5.4	9	2	2	5	8	10	11	11
50-64	33	5.8	12	1	1	6	7	10	13	16
65+	39	5.5	24	1	1	4	8	12	17	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	3.5	14	1	1	2	6	9	9	9
20-34	3	6.0	31	1	1	5	10	12	12	12
35-49	30	5.9	23	1	1	4	7	13	14	22
50-64	195	6.4	30	1	1	5	8	13	17	32
65+	920	9.1	92	1	2	6	11	20	27	57
B. *Operated*										
0-19 YRS										
20-34	2	6.0	18	3	3	6	9	9	9	9
35-49	21	10.5	36	2	2	11	14	19	21	22
50-64	123	8.3	60	1	1	7	10	18	28	61
65+	188	12.0	151	1	2	9	15	25	32	77
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	404	5.7	40	1	1	4	7	12	15	30
B. *Operated*	84	5.7	17	1	1	5	8	11	13	20
2. MULTIPLE DX										
A. *Not Operated*	1152	8.5	81	1	2	6	10	18	26	55
B. *Operated*	334	10.5	112	1	2	8	13	22	29	76
1. SINGLE DX	488	5.7	36	1	1	4	7	12	15	29
2. MULTIPLE DX	1486	9.0	89	1	2	6	11	19	27	58
A. NOT OPERATED	1556	7.8	72	1	2	5	9	16	23	50
B. OPERATED	418	9.6	97	1	2	7	12	20	28	69
TOTAL 0-19 YRS	7	3.0	8	1	1	2	3	8	9	9
20-34	13	5.8	16	1	1	5	9	12	12	12
35-49	84	6.7	26	1	2	6	10	13	17	22
50-64	417	6.6	37	1	1	5	8	13	18	36
65+	1453	8.8	92	1	2	6	11	19	27	59
GRAND TOTAL	**1974**	**8.2**	**77**	**1**	**2**	**6**	**10**	**17**	**24**	**55**

161: Acute, but ill-defined, cerebrovascular disease without paralysis (436)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	7.0		7	7	7	7	7	7	7
35-49	5	12.2	120	2	2	12	20	28	28	28
50-64	44	13.0	186	2	2	8	15	27	50	57
65+	222	16.2	349	2	3	10	22	53	98	99+
B. *Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34										
35-49										
50-64	8	5.5	10	1	1	8	8	64	99+	99+
65+	10	8.7	80	1	1	6	19	54	96	99+
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	8	11.4	22	6	6	10	16	18	18	18
35-49	24	13.0	394	2	2	6	13	55	89	99+
50-64	132	14.1	230	3	4	9	17	37	72	99+
65+	815	21.7	417	3	5	15	33	69	99+	99+
B. *Operated*										
0-19 YRS										
20-34	1	7.0		7	7	7	7	7	7	7
35-49	9	11.0	43	4	4	9	14	22	24	24
50-64	39	20.3	334	5	6	14	32	70	99+	99+
65+	71	28.7	580	6	8	22	55	99+	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	272	15.6	318	2	3	9	22	49	94	99+
B. *Operated*	19	7.1	47	1	1	6	13	54	99+	99+
2. MULTIPLE DX										
A. *Not Operated*	979	20.4	396	3	4	14	30	65	99	99+
B. *Operated*	120	24.5	483	5	7	17	44	89	99+	99+
1. SINGLE DX	291	15.0	304	2	2	9	21	49	94	99+
2. MULTIPLE DX	1099	20.8	406	3	4	14	31	69	99+	99+
A. NOT OPERATED	1251	19.3	382	3	4	13	27	59	96	99+
B. OPERATED	139	22.1	459	3	5	14	40	88	99+	99+
TOTAL 0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	10	10.5	21	6	6	8	15	17	18	18
35-49	38	12.4	268	2	2	7	13	36	71	99+
50-64	223	14.7	239	3	4	9	17	42	78	99+
65+	1118	20.9	420	3	4	14	32	71	99+	99+
GRAND TOTAL	**1390**	**19.6**	**390**	**3**	**4**	**13**	**28**	**64**	**99+**	**99+**

162: Acute, but ill-defined, cerebrovascular disease with paralysis (436 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	8.0		8	8	8	8	8	8	8
35-49	5	25.0	515	3	3	21	47	51	51	51
50-64	31	19.9	381	4	4	13	33	75	96	99+
65+	222	27.3	494	4	6	23	49	99+	99+	99+
B. *Operated*										
0-19 YRS										
20-34	1	19.0		19	19	19	19	19	19	19
35-49	2	86.5	1	86	86	86	87	87	87	87
50-64	8	27.8	661	5	7	20	33	71	86	86
65+	16	39.3	694	7	13	66	99+	99+	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	259	26.3	482	4	5	21	46	98	99+	99+
B. *Operated*	27	38.6	806	6	11	46	99+	99+	99+	99+
1. SINGLE DX										
2. MULTIPLE DX	286	27.4	523	4	5	23	51	99+	99+	99+
A. NOT OPERATED	259	26.3	482	4	5	21	46	98	99+	99+
B. OPERATED	27	38.6	806	6	11	46	99+	99+	99+	99+
TOTAL 0-19 YRS										
20-34	2	13.5	61	8	8	13	19	19	19	19
35-49	7	42.6	1244	3	3	46	77	87	87	87
50-64	39	21.5	432	4	5	17	33	75	92	99+
65+	238	28.1	513	4	6	24	55	99+	99+	99+
GRAND TOTAL	**286**	**27.4**	**523**	**4**	**5**	**23**	**51**	**99+**	**99+**	**99+**

163: Other and ill-defined cerebrovascular disease (437-438)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	7.0		7	7	7	7	7	7	7
20-34	5	2.4	1	1	1	3	3	3	3	3
35-49	5	5.2	7	2	2	5	7	9	9	9
50-64	11	8.0	47	2	2	5	12	18	24	25
65+	67	10.6	279	1	2	6	9	33	72	99+
B. *Operated*										
0-19 YRS										
20-34	4	11.5	138	<1	<1	9	21	26	26	26
35-49	9	4.7	17	<1	<1	3	8	11	12	12
50-64	14	10.0	68	<1	1	8	12	25	28	29
65+	10	2.4	4	<1	<1	2	3	6	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	4.6	3	3	3	4	6	7	7	7
20-34	6	6.8	52	1	1	3	15	17	17	17
35-49	16	5.8	17	<1	1	5	9	11	13	14
50-64	68	10.1	127	1	2	7	12	26	45	99+
65+	360	14.1	220	2	3	10	19	46	99+	99+
B. *Operated*										
0-19 YRS	5	12.4	80	1	1	12	18	25	25	25
20-34										
35-49	13	8.3	66	<1	1	7	10	20	28	30
50-64	29	13.2	114	2	4	11	19	39	98	99+
65+	47	13.9	180	<1	1	12	22	77	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	90	9.4	218	1	2	5	9	21	65	99+
B. *Operated*	37	6.8	54	<1	<1	3	10	15	26	29
2. MULTIPLE DX										
A. *Not Operated*	455	13.0	199	2	3	9	17	41	82	99+
B. *Operated*	94	12.8	139	<1	2	11	19	46	99+	99+
1. SINGLE DX	127	8.7	171	<1	1	5	9	20	41	99+
2. MULTIPLE DX	549	13.0	189	2	2	9	18	42	96	99+
A. NOT OPERATED	545	12.4	204	2	2	8	15	40	75	99+
B. OPERATED	131	11.1	122	<1	1	9	17	28	87	99+
TOTAL 0-19 YRS	12	8.3	45	1	2	7	10	19	24	25
20-34	15	6.6	61	<1	1	3	12	17	24	26
35-49	43	6.3	31	<1	1	5	9	12	15	30
50-64	122	10.6	110	1	2	8	13	25	48	99+
65+	484	13.3	223	2	2	9	18	46	99+	99+
GRAND TOTAL	**676**	**12.2**	**188**	**1**	**2**	**8**	**16**	**39**	**76**	**99+**

164: Atherosclerosis (440)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	26.0	968	4	4	26	48	48	48	48
20-34										
35-49										
50-64	4	5.8	19	2	2	4	8	12	12	12
65+	18	16.2	475	2	3	11	22	97	99+	99+
B. *Operated*										
0-19 YRS	1	12.0		12	12	12	12	12	12	12
20-34										
35-49	7	8.6	21	4	4	9	11	15	16	16
50-64	47	5.9	39	<1	1	3	10	15	17	26
65+	50	6.6	44	1	1	3	12	16	20	27
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	10.0		10	10	10	10	10	10	10
35-49	2	5.5	5	4	4	5	7	7	7	7
50-64	19	11.8	407	2	3	8	10	13	57	94
65+	106	16.7	289	3	4	11	22	48	82	99+
B. *Operated*										
0-19 YRS										
20-34	2	7.0	32	3	3	7	11	11	11	11
35-49	41	10.6	151	<1	1	9	13	15	27	76
50-64	196	11.4	134	1	1	10	15	25	34	58
65+	270	15.5	248	1	2	12	21	35	76	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	24	15.3	422	2	3	10	16	89	99+	99+
B. *Operated*	105	6.5	40	1	1	4	11	15	18	26
2. MULTIPLE DX										
A. *Not Operated*	128	15.8	302	3	4	10	20	45	82	99+
B. *Operated*	509	13.5	199	1	1	11	17	30	52	99+
1. SINGLE DX	129	8.1	120	1	1	4	12	16	27	99+
2. MULTIPLE DX	637	13.9	220	1	2	11	17	32	60	99+
A. NOT OPERATED	152	15.7	318	3	3	10	20	47	94	99+
B. OPERATED	614	12.3	179	1	1	10	16	27	45	99+
TOTAL 0-19 YRS	3	21.3	549	4	4	12	39	48	48	48
20-34	3	8.0	19	3	3	10	11	11	11	11
35-49	50	10.1	127	<1	1	8	12	15	21	76
50-64	266	10.4	138	1	1	8	13	22	30	60
65+	444	14.8	251	1	2	11	20	39	78	99+
GRAND TOTAL	**766**	**13.0**	**208**	**1**	**1**	**10**	**16**	**30**	**54**	**99+**

165: Aortic aneurysm (441)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	2	4.5	1	4	4	4	5	5	5	5
65+	13	5.8	24	1		4	7	11	18	20
B. *Operated*										
0-19 YRS										
20-34										
35-49	1	12.0		12	12	12	12	12	12	12
50-64	19	12.6	18	5	8	12	15	19	21	21
65+	52	12.8	21	4	8	13	15	19	21	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	12	8.5	53	2	2	6	13	18	25	26
65+	51	7.1	31	2	2	5	10	16	19	23
B. *Operated*										
0-19 YRS										
20-34	2	12.0	18	9	9	12	15	15	15	15
35-49	4	14.5	24	9	9	14	18	21	21	21
50-64	121	14.7	63	6	8	13	16	23	28	74
65+	321	17.4	123	3	9	15	20	29	40	71
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	15	5.6	20	1	2	4	7	9	17	20
B. *Operated*	72	12.7	20	4	8	12	15	19	21	22
2. MULTIPLE DX										
A. *Not Operated*	63	7.4	35	2	2	5	10	16	20	26
B. *Operated*	448	16.6	107	3	9	14	19	27	36	65
1. SINGLE DX	87	11.5	27	3	4	12	15	19	21	22
2. MULTIPLE DX	511	15.5	107	3	4	14	19	26	33	65
A. NOT OPERATED	78	7.0	32	2	2	5	9	16	20	25
B. OPERATED	520	16.1	96	4	9	14	19	26	33	65
TOTAL 0-19 YRS										
20-34	2	12.0	18	9	9	12	15	15	15	15
35-49	5	14.0	20	9	9	14	16	21	21	21
50-64	154	13.8	59	3	6	13	16	22	26	63
65+	437	15.3	111	3	4	14	19	27	33	65
GRAND TOTAL	**598**	**14.9**	**97**	**3**	**4**	**13**	**18**	**25**	**31**	**64**

166: Aneurysm except aortic (442)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+	2	4.5	13	2	2	4	7	7	7	7
B. *Operated*										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	1	21.0		21	21	21	21	21	21	21
35-49	2	3.5	13	1	1	3	6	6	6	6
50-64	5	9.8	9	5	5	11	12	12	12	12
65+	11	17.0	209	2	4	13	20	36	54	56
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	2	4.0	18	<1	<1	3	7	7	7	7
65+	3	2.3	2	1	1	2	3	4	4	4
B. *Operated*										
0-19 YRS										
20-34	1	11.0		11	11	11	11	11	11	11
35-49	7	10.4	71	1	1	9	15	23	25	25
50-64	28	13.0	83	1	5	12	20	24	50	99+
65+	71	18.2	175	2	4	14	27	35	44	61
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	4.5	13	2	2	4	7	7	7	7
B. *Operated*	20	13.5	140	1	3	11	18	22	39	56
2. MULTIPLE DX										
A. *Not Operated*	5	3.0	7	<1	<1	2	5	7	7	7
B. *Operated*	107	16.3	149	1	3	12	22	33	44	78
1. SINGLE DX	22	12.6	134	1	2	10	17	22	36	56
2. MULTIPLE DX	112	15.7	150	1	2	12	21	33	44	76
A. NOT OPERATED	7	3.4	7	<1	<1	2	6	7	7	7
B. OPERATED	127	15.8	148	1	3	12	21	33	44	70
TOTAL 0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	2	16.0	50	11	11	16	21	21	21	21
35-49	9	8.9	64	1	1	8	12	22	25	25
50-64	35	12.0	73	1	4	11	14	22	40	99+
65+	87	17.2	180	2	2	13	25	34	45	60
GRAND TOTAL	**134**	**15.2**	**148**	**1**	**2**	**12**	**21**	**32**	**44**	**68**

167: Arterial embolism and thrombosis (444)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	8.0	8	6	6	8	10	10	10	10
35-49	5	7.0	8	4	4	9	9	9	9	9
50-64	4	9.8	43	4	4	8	15	18	18	18
65+	9	9.3	40	2	2	9	12	19	22	22
B. *Operated*										
0-19 YRS										
20-34	5	8.8	19	4	4	8	12	15	15	15
35-49	40	7.4	25	2	2	6	10	15	17	21
50-64	105	8.3	42	1	2	8	12	16	20	29
65+	103	11.2	89	1	2	10	15	23	30	77
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	6.0		6	6	6	6	6	6	6
35-49	5	15.6	184	2	2	11	25	36	36	36
50-64	14	4.0	9	1	1	3	7	8	9	9
65+	29	10.6	208	2	2	7	11	23	79	99+
B. *Operated*										
0-19 YRS										
20-34	8	10.0	118	1	1	7	15	28	32	32
35-49	70	10.7	67	2	2	10	14	19	24	42
50-64	360	12.6	137	1	2	11	16	24	30	93
65+	498	15.5	176	1	2	13	20	33	44	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	20	8.7	27	2	3	9	11	16	20	22
B. *Operated*	253	9.3	60	1	2	8	13	20	24	40
2. MULTIPLE DX										
A. *Not Operated*	49	9.1	153	1	1	6	11	20	36	99+
B. *Operated*	936	14.0	155	1	2	12	17	28	39	99
1. SINGLE DX	273	9.3	57	1	2	8	13	19	23	39
2. MULTIPLE DX	985	13.7	155	1	2	11	17	28	39	99
A. NOT OPERATED	69	9.0	115	1	2	7	11	19	27	96
B. OPERATED	1189	13.0	138	1	2	11	16	26	35	93
TOTAL 0-19 YRS										
20-34	16	9.1	62	1	1	7	11	19	28	32
35-49	120	9.6	57	2	2	8	13	17	23	41
50-64	483	11.4	116	1	1	10	15	22	27	87
65+	639	14.5	164	1	2	12	18	30	43	99+
GRAND TOTAL	**1258**	**12.8**	**137**	**1**	**2**	**11**	**16**	**26**	**35**	**93**

168: Miscellaneous diseases of arteries (443; 446-448)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	22	6.2	16	1	2	6	8	12	15	16
20-34	8	5.8	18	<1	<1	5	9	11	12	12
35-49	8	4.6	9	2	2	4	6	10	11	11
50-64	28	6.3	56	<1	1	4	7	14	25	34
65+	59	6.8	76	1	2	5	9	11	18	60
B. *Operated*										
0-19 YRS	3	4.3	10	2	2	3	7	8	8	8
20-34	15	6.5	29	<1	1	5	9	15	19	20
35-49	37	6.4	31	1	2	5	9	15	17	24
50-64	104	6.0	39	<1	<1	3	9	15	18	29
65+	99	9.3	130	<1	1	7	13	19	41	85
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	19	10.5	56	2	3	11	13	20	27	31
20-34	8	5.6	37	2	2	3	6	16	20	20
35-49	25	9.6	188	1	2	5	8	34	45	56
50-64	72	7.6	37	1	2	6	10	15	18	31
65+	162	10.9	160	1	2	7	13	30	46	99+
B. *Operated*										
0-19 YRS	2	10.5	41	6	6	10	15	15	15	15
20-34	21	10.1	96	1	2	7	12	20	34	45
35-49	48	15.0	357	1	2	8	18	35	55	89
50-64	186	11.3	168	<1	1	8	14	22	35	79
65+	266	16.6	281	1	2	12	24	41	77	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	125	6.4	52	1	2	5	8	11	16	41
B. *Operated*	258	7.3	74	<1	<1	5	10	16	20	56
2. MULTIPLE DX										
A. *Not Operated*	286	9.8	123	1	2	7	12	22	36	99+
B. *Operated*	523	14.3	245	1	1	10	19	35	50	99+
1. SINGLE DX	383	7.0	67	<1	1	5	9	15	19	52
2. MULTIPLE DX	809	12.7	206	1	2	8	17	31	46	99+
A. NOT OPERATED	411	8.7	104	1	2	6	11	18	31	89
B. OPERATED	781	12.0	199	<1	1	8	15	29	42	99+
TOTAL 0-19 YRS	46	8.0	37	2	2	7	12	15	17	31
20-34	52	7.7	57	<1	1	6	10	16	20	45
35-49	118	10.5	208	1	2	6	11	23	39	84
50-64	390	8.8	107	<1	1	6	12	18	26	55
65+	586	12.8	214	1	2	8	17	34	55	99+
GRAND TOTAL	**1192**	**10.9**	**168**	**1**	**1**	**7**	**14**	**26**	**40**	**99+**

169: Phlebitis and thrombophlebitis (451)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	12	5.3	19	2	2	4	6	12	16	17
20-34	49	7.4	20	1	3	7	10	12	15	25
35-49	62	7.2	12	2	3	7	11	12	13	16
50-64	62	7.7	17	2	3	8	10	13	15	21
65+	96	9.6	51	2	3	8	12	17	21	41
B. *Operated*										
0-19 YRS	5	10.0	10	7	7	9	12	15	15	15
20-34	27	8.5	23	2	3	8	11	16	18	20
35-49	24	8.3	21	2	3	8	11	16	17	19
50-64	32	9.2	29	<1	2	9	12	16	18	24
65+	20	12.4	73	3	4	10	14	25	33	37
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	9.6	31	3	3	10	14	16	16	16
20-34	40	8.4	29	2	3	7	10	16	21	25
35-49	52	7.8	19	2	3	7	10	15	17	20
50-64	113	9.4	33	2	3	9	12	16	19	30
65+	216	11.9	96	3	4	10	15	22	27	53
B. *Operated*										
0-19 YRS	1	19.0		19	19	19	19	19	19	19
20-34	21	13.1	175	2	3	10	14	29	49	55
35-49	35	12.0	59	2	3	11	14	23	31	35
50-64	51	12.1	52	2	4	11	15	23	28	31
65+	94	16.2	281	2	4	12	20	27	63	85
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	281	8.1	29	2	3	7	11	14	16	24
B. *Operated*	108	9.4	34	2	3	9	12	16	19	33
2. MULTIPLE DX										
A. *Not Operated*	426	10.4	65	3	3	9	13	19	24	39
B. *Operated*	202	14.1	174	2	4	11	16	24	34	82
1. SINGLE DX	389	8.5	31	2	3	8	11	15	17	25
2. MULTIPLE DX	628	11.6	103	2	3	10	14	21	26	70
A. NOT OPERATED	707	9.5	52	2	3	8	12	17	21	36
B. OPERATED	310	12.5	130	2	3	10	14	22	28	76
TOTAL 0-19 YRS	23	7.9	28	2	2	6	11	16	18	19
20-34	137	8.8	49	1	3	8	11	15	20	45
35-49	173	8.5	28	2	3	8	11	14	17	31
50-64	258	9.5	34	2	3	9	12	16	21	28
65+	426	12.4	130	3	4	10	15	22	28	75
GRAND TOTAL	**1017**	**10.4**	**78**	**2**	**3**	**9**	**13**	**19**	**24**	**43**

170: Varicose veins of lower extremities (454)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	14.0		14	14	14	14	14	14	14
20-34	2	2.5	5	1	1	2	4	4	4	4
35-49	10	6.1	39	<1	<1	5	6	16	21	21
50-64	28	13.5	106	2	3	10	21	29	36	41
65+	54	19.8	321	2	4	17	25	44	60	99+
B. *Operated*										
0-19 YRS	9	3.3	2	<1	1	3	4	5	6	6
20-34	274	4.0	5	2	2	4	5	6	7	11
35-49	511	4.2	5	2	2	4	5	7	8	12
50-64	374	5.3	48	2	2	4	6	8	11	27
65+	90	7.0	57	2	2	5	7	14	23	42
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	5	8.2	39	3	3	4	15	15	15	15
35-49	20	8.5	81	<1	<1	6	11	18	29	39
50-64	51	16.1	195	3	3	11	20	38	43	65
65+	166	21.1	329	2	4	15	29	48	68	99
B. *Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	63	4.7	19	1	2	4	5	7	12	29
35-49	167	6.7	63	2	3	4	6	11	21	44
50-64	202	8.5	96	2	3	5	8	18	33	49
65+	130	16.9	317	2	3	9	26	49	63	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	95	16.1	240	1	3	13	21	36	50	99
B. *Operated*	1258	4.7	22	2	2	4	5	7	9	24
2. MULTIPLE DX										
A. *Not Operated*	243	18.7	289	2	4	13	24	42	61	97
B. *Operated*	563	9.5	146	2	3	5	8	26	41	72
1. SINGLE DX	1353	5.5	46	2	2	4	5	8	14	41
2. MULTIPLE DX	806	12.3	206	2	3	6	15	33	46	80
A. NOT OPERATED	338	18.0	275	2	3	13	23	41	57	98
B. OPERATED	1821	6.2	65	2	2	4	6	10	20	50
TOTAL 0-19 YRS	12	4.5	12	<1	1	4	5	9	13	14
20-34	344	4.2	8	2	2	4	5	6	8	16
35-49	708	4.9	22	2	2	4	5	8	11	30
50-64	655	7.5	87	2	2	5	7	15	24	51
65+	440	16.8	295	2	3	11	23	42	59	99+
GRAND TOTAL	**2159**	**8.0**	**117**	**2**	**2**	**4**	**7**	**18**	**32**	**63**

171: Hemorrhoids (455)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	3.0		3	3	3	3	3	3	3
20-34	45	2.8	4	<1	<1	2	4	7	7	8
35-49	38	2.4	3	<1	<1	2	4	5	5	8
50-64	31	3.0	6	<1	<1	2	4	6	8	11
65+	22	4.6	10	<1	1	4	7	9	10	11
B. *Operated*										
0-19 YRS	5	4.6	15	<1	<1	4	6	11	11	11
20-34	289	5.2	16	2	3	5	6	7	8	12
35-49	398	5.2	5	2	3	5	6	7	9	13
50-64	221	5.3	7	2	3	5	6	8	10	13
65+	87	5.6	7	2	3	5	7	10	11	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	1.0		<1	<1	<1	1	1	1	1
20-34	33	4.6	21	<1	1	3	6	11	15	20
35-49	32	2.9	4	<1	<1	3	3	6	7	8
50-64	44	3.7	7	<1	<1	3	6	7	8	9
65+	79	7.2	70	1	2	6	8	12	14	58
B. *Operated*										
0-19 YRS	5	5.8	6	2	2	7	7	8	8	8
20-34	247	5.2	5	2	3	5	6	8	9	13
35-49	478	5.4	7	2	3	5	6	8	10	14
50-64	372	6.3	15	3	3	5	7	10	13	22
65+	172	8.5	33	3	4	7	11	15	19	26
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	138	3.0	6	<1	<1	2	4	7	8	11
B. *Operated*	1000	5.2	9	2	3	5	6	8	9	12
2. MULTIPLE DX										
A. *Not Operated*	190	5.1	38	<1	1	4	7	10	12	26
B. *Operated*	1274	6.0	14	2	3	5	7	10	12	20
1. SINGLE DX	1138	5.0	9	1	2	5	6	8	9	12
2. MULTIPLE DX	1464	5.9	17	2	3	5	7	10	12	20
A. NOT OPERATED	328	4.2	25	<1	<1	3	6	8	11	16
B. OPERATED	2274	5.7	12	2	3	5	7	9	11	19
TOTAL 0-19 YRS	14	4.3	9	<1	<1	4	7	8	10	11
20-34	614	5.0	11	1	2	5	6	8	9	13
35-49	946	5.1	6	2	3	5	6	8	9	13
50-64	668	5.6	12	1	3	5	7	9	10	19
65+	360	7.3	35	2	2	6	9	13	16	26
GRAND TOTAL	**2602**	**5.5**	**14**	**2**	**2**	**5**	**7**	**9**	**11**	**18**

172: Miscellaneous diseases of veins and circulatory system (452-453; 456-459)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	8	3.4	10	<1	<1	2	6	8	8	8
20-34	65	6.3	22	<1	1	5	9	10	14	25
35-49	56	6.9	13	<1	2	7	10	12	13	14
50-64	62	8.8	24	3	3	8	11	14	18	27
65+	114	9.5	65	1	2	8	11	17	21	51
B. *Operated*										
0-19 YRS	32	3.1	9	1	1	2	3	8	10	14
20-34	95	5.3	24	1	1	3	8	12	14	27
35-49	45	7.3	29	1	2	6	10	14	15	29
50-64	34	9.1	27	1	3	9	11	14	19	25
65+	47	9.9	75	1	2	9	11	18	22	49
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	26	5.2	14	1	2	4	7	9	12	18
20-34	42	7.0	24	1	1	6	10	15	17	19
35-49	74	8.5	45	1	2	7	12	15	18	36
50-64	150	9.8	67	2	3	8	11	19	28	42
65+	419	10.5	69	2	3	9	13	20	25	47
B. *Operated*										
0-19 YRS	12	5.8	56	<1	1	3	5	19	24	25
20-34	75	7.5	70	1	2	5	10	17	23	46
35-49	64	10.5	145	1	2	7	11	25	34	67
50-64	116	14.7	123	3	4	11	18	30	37	56
65+	150	18.1	239	5	6	13	23	35	56	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	305	8.0	38	1	2	7	10	14	18	27
B. *Operated*	253	6.7	38	1	1	5	10	14	17	29
2. MULTIPLE DX										
A. *Not Operated*	711	9.7	63	2	3	8	12	18	24	43
B. *Operated*	417	13.7	173	2	2	10	17	30	37	79
1. SINGLE DX	558	7.4	38	1	2	7	10	14	17	28
2. MULTIPLE DX	1128	11.2	107	2	3	9	14	23	33	57
A. NOT OPERATED	1016	9.2	56	1	2	8	11	17	22	42
B. OPERATED	670	11.1	133	1	2	9	14	25	34	69
TOTAL 0-19 YRS	78	4.2	18	<1	1	3	5	9	13	23
20-34	277	6.4	36	1	1	4	9	13	17	28
35-49	239	8.5	62	1	2	7	11	14	20	40
50-64	362	11.1	80	2	3	9	13	21	29	47
65+	730	11.9	114	2	3	10	14	23	33	69
GRAND TOTAL	**1686**	**10.0**	**88**	**1**	**2**	**8**	**12**	**19**	**27**	**52**

173: Acute URI except streptococcal (460-465)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4642	3.1	6	<1	1	2	4	6	8	13
20-34	287	2.8	3	<1	<1	2	4	5	6	9
35-49	96	3.4	4	<1	<1	3	5	7	8	9
50-64	62	4.6	10	<1	1	4	7	9	10	17
65+	102	5.3	13	1	2	4	7	11	14	15
B. *Operated*										
0-19 YRS	160	2.2	2	1	1	2	3	3	4	11
20-34	39	3.0	5	<1	1	3	3	5	7	14
35-49	8	4.3	5	1	1	4	6	7	7	7
50-64	6	3.5	12	<1	<1	2	5	9	10	10
65+	3	7.0	75	2	2	2	13	17	17	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4061	4.1	12	1	1	3	5	8	10	17
20-34	319	3.6	6	<1	1	3	5	7	8	12
35-49	162	4.5	10	1	2	3	6	8	12	16
50-64	247	5.9	17	1	2	5	7	11	14	23
65+	527	8.4	54	2	3	7	10	16	21	40
B. *Operated*										
0-19 YRS	86	4.8	34	1	1	2	6	12	16	32
20-34	32	5.1	11	1	2	4	7	9	12	15
35-49	9	3.2	1	2	2	3	4	5	5	5
50-64	15	11.1	116	2	2	7	17	32	34	35
65+	32	14.4	161	2	3	11	17	33	36	61
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5189	3.1	6	<1	1	2	4	6	8	13
B. *Operated*	216	2.5	4	1	1	2	3	4	5	13
2. MULTIPLE DX										
A. *Not Operated*	5316	4.6	18	1	1	3	6	9	12	21
B. *Operated*	174	7.1	72	1	2	4	8	16	26	36
1. SINGLE DX	5405	3.1	6	<1	1	2	4	6	8	13
2. MULTIPLE DX	5490	4.7	19	1	1	3	6	9	12	22
A. NOT OPERATED	10505	3.9	12	1	1	3	5	7	10	17
B. OPERATED	390	4.6	39	1	1	2	4	10	16	34
TOTAL 0-19 YRS	8949	3.5	9	1	1	3	4	7	9	15
20-34	677	3.3	5	<1	<1	3	4	6	7	12
35-49	275	4.1	8	<1	1	3	5	8	9	14
50-64	330	5.8	21	1	2	5	7	11	15	23
65+	664	8.2	55	2	2	6	10	16	21	40
GRAND TOTAL	**10895**	**3.9**	**13**	**1**	**1**	**3**	**5**	**8**	**10**	**18**

174: Bronchitis and bronchiolitis, acute (466)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2106	4.5	11	1	2	4	6	8	10	17
20-34	75	3.3	3	1	1	3	4	6	7	8
35-49	75	4.0	5	1	2	4	6	7	8	10
50-64	74	4.8	5	1	2	5	6	8	9	10
65+	133	7.5	33	2	3	6	9	14	18	32
B. *Operated*										
0-19 YRS	3	6.3	1	5	5	7	7	7	7	7
20-34	3	4.0		4	4	4	4	4	4	4
35-49	1	10.0		10	10	10	10	10	10	10
50-64										
65+	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1827	5.4	16	1	2	4	7	10	12	21
20-34	114	4.4	7	1	1	4	6	8	9	12
35-49	160	5.3	12	1	2	5	7	9	10	21
50-64	326	7.5	33	2	3	6	9	14	18	33
65+	912	9.0	51	3	3	7	11	17	21	35
B. *Operated*										
0-19 YRS	14	8.4	15	3	4	8	11	15	16	16
20-34	4	8.0	25	4	4	6	11	15	15	15
35-49	7	13.6	91	2	2	12	22	27	27	27
50-64	11	16.4	367	2	2	9	23	42	66	68
65+	27	21.1	275	5	6	15	27	48	57	71
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2463	4.6	12	1	2	4	6	8	11	18
B. *Operated*	8	5.4	6	2	2	5	7	9	10	10
2. MULTIPLE DX										
A. *Not Operated*	3339	6.6	30	2	2	5	8	12	16	29
B. *Operated*	63	15.8	217	3	4	11	23	32	52	71
1. SINGLE DX	2471	4.6	12	1	2	4	6	8	11	18
2. MULTIPLE DX	3402	6.7	35	2	2	5	8	12	17	31
A. NOT OPERATED	5802	5.7	23	1	2	4	7	11	14	24
B. OPERATED	71	14.6	204	2	4	10	19	29	50	70
TOTAL 0-19 YRS	3950	4.9	14	1	2	4	6	9	12	19
20-34	196	4.1	6	1	1	4	5	8	9	12
35-49	243	5.1	14	1	2	4	7	9	10	25
50-64	411	7.3	40	2	3	6	9	13	18	33
65+	1073	9.1	58	3	3	7	11	17	22	41
GRAND TOTAL	**5873**	**5.8**	**26**	**1**	**2**	**5**	**7**	**11**	**14**	**26**

175: Deviated nasal septum (470)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	1	2.0		2	2	2	2	2	2	2
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	144	2.5	1	1	2	2	3	4	4	5
20-34	475	2.5	1	2	2	2	3	4	4	5
35-49	205	2.5	1	1	2	2	3	3	4	5
50-64	72	2.5		2	2	2	3	3	4	5
65+	15	2.6	2	2	2	2	3	8	72	99+
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	10	1.3		<1	<1	1	2	2	2	2
35-49	4	1.3		<1	<1	1	1	2	2	2
50-64	3	3.3	2	2	2	3	4	5	5	5
65+	2	7.5	1	7	7	7	8	8	8	8
B. *Operated*										
0-19 YRS	212	2.6	1	1	2	3	3	3	4	6
20-34	806	2.7	1	2	2	3	3	3	4	6
35-49	439	2.7	1	2	2	3	3	3	4	5
50-64	206	2.9	3	2	2	3	3	4	5	9
65+	62	2.9	1	2	2	3	3	4	5	7
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	1.5	1	1	1	1	2	2	2	2
B. *Operated*	911	2.5	1	2	2	2	3	4	4	5
2. MULTIPLE DX										
A. *Not Operated*	19	2.3	4	<1	<1	1	2	6	8	8
B. *Operated*	1725	2.7	1	2	2	3	3	3	4	6
1. SINGLE DX	913	2.5	1	2	2	2	3	4	4	5
2. MULTIPLE DX	1744	2.7	1	1	2	3	3	3	4	7
A. NOT OPERATED	21	2.2	4	<1	<1	1	2	6	7	8
B. OPERATED	2636	2.6	1	2	2	3	3	3	4	5
TOTAL 0-19 YRS	357	2.6	1	1	2	3	3	3	4	5
20-34	1292	2.6	1	2	2	3	3	3	4	5
35-49	648	2.6	1	1	2	3	3	3	4	5
50-64	281	2.8	2	2	2	3	3	4	4	9
65+	79	3.0	2	2	2	3	3	5	7	72
GRAND TOTAL	**2657**	**2.6**	**1**	**1**	**2**	**3**	**3**	**3**	**4**	**6**

176: Nasal polyp (471)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	12	2.3	1	1	1	2	3	4	5	5
20-34	23	2.3	1	1	1	2	3	3	4	5
35-49	37	2.5	1	<1	<1	2	3	4	5	5
50-64	40	2.7	2	1	2	2	3	4	5	8
65+	35	2.7	3	1	1	2	3	4	5	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	2	2.0	2	<1	<1	1	3	3	3	3
50-64	1	1.0		1	1	1	1	1	1	1
65+	3	1.7	1	<1	<1	1	2	3	3	3
B. *Operated*										
0-19 YRS	24	3.2	9	1	1	2	4	5	9	16
20-34	65	2.7	1	1	2	3	3	4	5	7
35-49	95	3.1	5	2	2	3	3	5	7	14
50-64	117	3.0	3	2	2	3	3	5	6	10
65+	55	2.9	3	1	2	3	3	5	7	10
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	147	2.5	2	1	1	2	3	4	5	8
2. MULTIPLE DX										
A. *Not Operated*	6	1.7	1	<1	<1	1	3	3	3	3
B. *Operated*	356	3.0	4	1	2	3	3	5	6	13
1. SINGLE DX	147	2.5	2	1	1	2	3	4	5	8
2. MULTIPLE DX	362	3.0	4	1	2	3	3	5	6	13
A. NOT OPERATED	6	1.7	1	<1	<1	1	3	3	3	3
B. OPERATED	503	2.9	3	1	2	2	3	5	5	11
TOTAL 0-19 YRS	36	2.9	6	1	1	2	3	5	6	16
20-34	88	2.6	1	1	2	2	3	4	5	6
35-49	134	2.9	4	<1	2	2	3	5	5	13
50-64	158	2.9	3	1	2	3	3	5	6	8
65+	93	2.8	3	1	1	2	3	4	6	10
GRAND TOTAL	**509**	**2.8**	**3**	**1**	**2**	**2**	**3**	**5**	**5**	**11**

177: Chronic disease of tonsils and adenoids (474)

				PERCENTILES						
TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	57	2.3	2	<1	1	2	3	4	5	7
20-34	10	3.0	4	1	1	3	4	6	8	8
35-49										
50-64	1	3.0		3	3	3	3	3	3	3
65+	1	4.0		4	4	4	4	4	4	4
B. *Operated*										
0-19 YRS	5987	2.0	1	1	1	2	2	3	3	4
20-34	1068	2.6	1	1	2	3	3	4	4	6
35-49	118	2.7	1	1	2	3	3	4	5	7
50-64	16	2.6	6	1	1	2	3	4	9	11
65+	17	2.6	2	<1	1	2	3	5	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	142	1.8	3	<1	<1	1	2	4	5	11
20-34	25	2.4	5	<1	<1	1	3	7	7	8
35-49	6	3.2	5	<1	<1	3	4	7	7	7
50-64	1	1.0		1	1	1	1	1	1	1
65+	1	4.0		4	4	4	4	4	4	4
B. *Operated*										
0-19 YRS	2398	1.9	1	1	1	2	2	3	3	6
20-34	227	2.9	2	1	2	3	3	4	5	9
35-49	36	3.4	3	2	2	3	4	5	7	9
50-64	16	3.3	3	<1	1	3	4	7	7	7
65+	7	2.7	1	2	2	2	4	4	4	4
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	69	2.4	2	<1	1	2	3	4	5	8
B. *Operated*	7206	2.1	1	1	1	2	2	3	3	5
2. MULTIPLE DX										
A. *Not Operated*	175	2.0	4	<1	<1	1	2	4	7	10
B. *Operated*	2684	2.1	1	1	1	2	2	3	4	7
1. SINGLE DX	7275	2.1	1	1	1	2	2	3	3	5
2. MULTIPLE DX	2859	2.0	1	1	1	2	2	3	4	7
A. NOT OPERATED	244	2.1	3	<1	<1	1	3	4	6	8
B. OPERATED	9890	2.1	1	1	1	2	2	3	3	5
TOTAL 0-19 YRS	8584	2.0	1	1	1	2	2	3	3	5
20-34	1330	2.7	1	1	2	3	3	4	4	7
35-49	160	2.9	2	1	2	3	3	4	5	9
50-64	34	2.9	4	1	1	2	3	5	7	11
65+	26	2.8	2	1	2	2	3	4	6	6
GRAND TOTAL	**10134**	**2.1**	**1**	**1**	**1**	**2**	**2**	**3**	**4**	**5**

178: Miscellaneous diseases of upper respiratory system (472-473; 475-478)

				PERCENTILES						
TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	234	3.4	6	<1	1	3	4	6	8	14
20-34	149	3.3	5	1	1	3	4	5	7	16
35-49	46	2.8	3	<1	<1	2	3	5	7	8
50-64	33	2.8	4	<1	1	2	4	6	8	8
65+	24	3.5	10	<1	1	2	5	6	9	15
B. *Operated*										
0-19 YRS	131	2.7	3	1	1	2	3	5	6	11
20-34	215	3.0	5	1	1	3	3	4	5	10
35-49	188	2.6	3	1	1	2	3	4	4	9
50-64	146	2.6	2	1	1	2	3	4	5	7
65+	78	3.2	14	1	1	2	3	5	8	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	158	4.8	23	<1	1	4	6	9	12	25
20-34	75	3.9	7	<1	1	3	5	7	9	15
35-49	67	4.6	9	<1	1	4	7	8	10	14
50-64	54	5.1	24	1	1	4	6	10	15	25
65+	60	7.7	56	1	2	6	10	17	20	94
B. *Operated*										
0-19 YRS	153	2.9	6	<1	1	2	3	5	7	14
20-34	257	3.3	5	1	2	3	3	5	7	15
35-49	208	3.6	9	1	2	3	4	6	10	17
50-64	214	4.3	53	1	2	3	4	7	13	44
65+	130	5.6	76	1	2	3	5	13	20	46
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	486	3.3	6	<1	1	3	4	6	7	15
B. *Operated*	758	2.8	4	1	1	2	3	4	6	10
2. MULTIPLE DX										
A. *Not Operated*	414	5.1	24	1	1	4	6	10	13	25
B. *Operated*	962	3.8	27	1	1	3	4	6	11	25
1. SINGLE DX	1244	3.0	5	1	1	3	3	5	6	11
2. MULTIPLE DX	1376	4.2	26	1	1	3	4	8	12	25
A. NOT OPERATED	900	4.1	15	<1	1	3	5	8	10	19
B. OPERATED	1720	3.4	17	1	1	3	3	5	8	19
TOTAL 0-19 YRS	676	3.5	10	<1	1	3	4	6	9	14
20-34	696	3.3	5	1	1	3	4	5	7	15
35-49	509	3.3	7	1	1	3	3	6	8	15
50-64	447	3.8	30	1	1	3	4	6	8	25
65+	292	5.2	52	1	1	3	5	11	17	46
GRAND TOTAL	**2620**	**3.6**	**16**	**1**	**1**	**3**	**4**	**6**	**9**	**19**

179: Pneumonia (480-486)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2306	5.3	14	2	2	4	7	10	12	19
20-34	374	5.0	10	2	2	4	6	9	11	15
35-49	310	5.5	12	2	2	5	7	10	12	18
50-64	317	7.0	41	2	3	6	8	12	14	25
65+	610	9.2	45	3	3	8	11	16	21	35
B. *Operated*										
0-19 YRS	7	9.4	18	1	2	10	13	13	13	13
20-34	7	7.3	12	4	4	6	10	12	13	13
35-49	18	8.8	41	2	3	6	13	21	22	22
50-64	19	11.4	62	3	5	9	12	22	31	36
65+	23	13.8	69	2	2	12	19	26	28	29
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2057	7.0	30	2	2	6	9	13	17	30
20-34	297	6.6	24	2	2	5	8	12	16	29
35-49	350	7.9	34	2	3	6	10	14	19	32
50-64	729	9.3	62	3	3	7	11	17	22	44
65+	2494	12.8	112	3	4	10	15	24	34	68
B. *Operated*										
0-19 YRS	45	14.7	65	3	6	14	19	25	31	36
20-34	22	16.9	135	5	6	14	21	35	46	48
35-49	57	13.6	73	4	5	12	18	24	33	41
50-64	132	18.1	185	4	6	14	21	40	51	65
65+	230	23.7	283	6	8	20	33	60	98	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3917	6.0	22	2	2	5	7	11	14	23
B. *Operated*	74	10.9	53	2	3	9	13	22	26	34
2. MULTIPLE DX										
A. *Not Operated*	5927	9.8	75	2	3	7	12	19	25	49
B. *Operated*	486	19.9	219	5	6	16	25	42	61	99+
1. SINGLE DX	3991	6.1	23	2	2	5	8	11	14	25
2. MULTIPLE DX	6413	10.5	93	2	3	8	13	21	29	63
A. NOT OPERATED	9844	8.3	58	2	2	6	10	16	21	41
B. OPERATED	560	18.7	206	4	6	15	24	40	58	99+
TOTAL 0-19 YRS	4415	6.2	23	2	2	5	8	11	15	25
20-34	700	6.1	24	2	2	5	7	11	14	28
35-49	735	7.4	32	2	3	6	9	13	19	31
50-64	1197	9.7	80	3	3	7	11	18	25	53
65+	3357	12.9	121	3	4	10	16	25	35	76
GRAND TOTAL	**10404**	**8.8**	**71**	**2**	**3**	**7**	**11**	**17**	**24**	**48**

180: Influenza (487)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	425	3.7	11	1	1	3	5	8	9	20
20-34	166	2.8	4	<1	1	2	4	5	7	10
35-49	104	3.6	10	<1	1	3	4	7	8	19
50-64	114	3.8	6	1	1	3	5	7	9	11
65+	214	5.7	18	1	2	5	7	11	14	22
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+	2	6.0		6	6	6	6	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	304	4.5	17	1	1	3	6	9	12	20
20-34	145	3.0	4	1	1	2	4	6	7	11
35-49	123	4.6	11	1	2	4	6	8	12	18
50-64	226	5.6	14	1	2	5	7	10	12	21
65+	644	8.5	70	2	3	6	10	16	22	48
B. *Operated*										
0-19 YRS	2	3.0	2	2	2	3	4	4	4	4
20-34	1	4.0		4	4	4	4	4	4	4
35-49	3	5.3	10	3	3	4	8	9	9	9
50-64	4	7.3	3	5	5	8	32	99+	99+	99+
65+	10	15.3	170	2	4	10	24	35	45	45
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1023	4.0	12	1	1	3	5	8	10	19
B. *Operated*	2	6.0		6	6	6	6	6	6	6
2. MULTIPLE DX										
A. *Not Operated*	1442	6.3	43	1	2	5	8	12	16	34
B. *Operated*	20	10.4	109	2	3	8	13	34	70	99+
1. SINGLE DX	1025	4.0	12	1	1	3	5	8	10	19
2. MULTIPLE DX	1462	6.4	44	1	2	5	8	12	16	37
A. NOT OPERATED	2465	5.4	31	1	1	4	7	10	14	28
B. OPERATED	22	10.0	100	2	3	7	11	30	64	99+
TOTAL 0-19 YRS	731	4.0	14	1	1	3	5	9	10	20
20-34	312	2.9	4	1	1	2	4	5	7	10
35-49	230	4.1	11	1	1	3	5	7	10	17
50-64	344	5.0	12	1	2	4	6	9	11	20
65+	870	7.9	60	2	2	6	9	15	21	44
GRAND TOTAL	**2487**	**5.4**	**32**	**1**	**1**	**4**	**7**	**10**	**14**	**29**

181: Bronchitis, chronic and unspecified (490-491)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	880	4.6	10	1	2	4	6	8	10	16
20-34	103	3.5	6	<1	<1	3	5	6	8	12
35-49	84	4.4	12	<1	1	3	6	7	11	19
50-64	141	6.2	34	2	2	5	7	11	14	34
65+	268	7.6	31	2	2	6	9	14	18	29
B. *Operated*										
0-19 YRS										
20-34										
35-49	10	5.4	24	<1	<1	4	6	13	17	17
50-64	18	7.4	37	<1	<1	6	11	17	19	20
65+	16	7.2	31	1	2	5	10	15	20	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	747	5.8	14	2	2	5	7	10	13	20
20-34	97	4.4	10	1	2	4	5	7	9	19
35-49	129	5.7	15	1	2	5	7	10	15	19
50-64	321	8.5	50	2	2	7	11	16	20	42
65+	894	10.0	70	3	3	8	12	19	25	48
B. *Operated*										
0-19 YRS	8	12.3	87	2	3	7	21	26	27	27
20-34	8	11.0	101	1	2	7	16	28	31	31
35-49	20	11.2	72	2	2	10	14	25	30	32
50-64	39	12.3	157	1	3	8	16	26	32	70
65+	67	18.2	261	4	5	12	23	40	57	71
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1476	5.2	17	1	2	4	7	10	12	20
B. *Operated*	44	6.9	31	<1	1	5	10	16	19	22
2. MULTIPLE DX										
A. *Not Operated*	2188	7.8	46	2	2	6	10	15	20	35
B. *Operated*	142	14.8	194	2	4	10	19	32	44	70
1. SINGLE DX	1520	5.3	18	1	2	4	7	10	13	20
2. MULTIPLE DX	2330	8.3	58	2	2	6	10	16	22	41
A. NOT OPERATED	3664	6.8	36	1	2	5	8	13	17	31
B. OPERATED	186	13.0	166	2	2	9	17	28	37	70
TOTAL 0-19 YRS	1635	5.2	13	1	2	4	7	9	12	18
20-34	208	4.2	13	<1	1	3	5	7	10	21
35-49	243	5.7	22	1	2	5	7	11	16	22
50-64	519	8.1	55	2	2	6	10	16	20	42
65+	1245	9.8	76	2	3	7	12	19	25	50
GRAND TOTAL	**3850**	**7.1**	**44**	**1**	**2**	**5**	**9**	**13**	**18**	**34**

182: Emphysema (492)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	3	8.7	52	4	4	5	14	17	17	17
50-64	32	11.1	52	5	6	10	13	16	22	43
65+	86	10.5	94	3	4	7	12	22	27	60
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64	1	10.0		10	10	10	10	10	10	10
65+	6	13.7	78	2	2	15	20	24	24	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	2.0	2	1	1	2	3	3	3	3
20-34	1	3.0		3	3	3	3	3	3	3
35-49	26	16.5	479	2	2	5	19	60	66	66
50-64	115	14.2	176	3	4	10	17	29	40	72
65+	364	13.3	199	2	3	9	15	28	43	94
B. *Operated*										
0-19 YRS	2	7.0	2	6	6	7	8	8	8	8
20-34	6	11.0	46	3	3	10	15	21	22	22
35-49	6	14.5	40	8	8	12	17	25	26	26
50-64	19	19.3	147	5	7	18	25	46	74	99+
65+	36	25.5	390	9	10	19	28	70	84	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	121	10.6	81	3	4	8	12	18	25	52
B. *Operated*	7	13.1	67	2	3	12	20	23	24	24
2. MULTIPLE DX										
A. *Not Operated*	508	13.6	207	2	3	9	16	29	45	87
B. *Operated*	69	21.0	276	6	8	17	25	51	81	99+
1. SINGLE DX	128	10.8	80	3	4	8	13	20	25	50
2. MULTIPLE DX	577	14.5	220	2	3	10	18	30	49	93
A. NOT OPERATED	629	13.1	184	2	3	9	15	27	41	84
B. OPERATED	76	20.3	261	5	7	16	24	47	78	99+
TOTAL 0-19 YRS	4	4.5	10	1	1	4	7	8	8	8
20-34	7	9.9	47	3	3	9	14	21	22	22
35-49	35	15.5	366	2	2	6	17	55	65	66
50-64	167	14.1	151	3	4	10	17	29	43	75
65+	492	13.7	204	2	3	10	16	28	43	91
GRAND TOTAL	**705**	**13.8**	**197**	**2**	**3**	**10**	**16**	**29**	**44**	**87**

183: Asthma (493)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3253	3.8	8	1	1	3	5	7	9	14
20-34	625	3.5	6	<1	1	3	5	6	8	12
35-49	536	4.7	9	1	2	4	6	9	11	15
50-64	600	5.6	15	1	1	5	7	11	13	21
65+	538	6.7	27	1	2	6	9	12	16	25
B. *Operated*										
0-19 YRS	4	5.0	23	2	2	3	8	12	12	12
20-34	7	7.3	20	1	2	6	11	14	14	14
35-49	6	7.5	13	3	3	8	11	11	11	11
50-64	3	8.0	4	6	6	8	9	10	10	10
65+	3	7.7	25	3	3	7	11	13	13	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1704	4.9	19	1	2	4	6	9	12	23
20-34	382	5.3	23	1	2	4	6	9	13	26
35-49	358	6.6	32	1	2	5	8	13	19	26
50-64	715	7.4	37	2	3	6	9	14	17	26
65+	1097	9.8	72	2	3	8	12	17	24	52
B. *Operated*										
0-19 YRS	16	8.9	38	2	3	7	15	20	72	99+
20-34	11	16.3	168	6	6	13	16	35	51	52
35-49	28	12.4	77	4	5	11	15	20	27	48
50-64	58	17.3	184	2	5	13	24	33	41	75
65+	53	17.7	122	4	6	17	23	30	43	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5552	4.3	11	1	1	3	6	8	11	16
B. *Operated*	23	7.1	15	1	2	6	11	12	13	14
2. MULTIPLE DX										
A. *Not Operated*	4256	6.8	41	1	2	5	8	13	17	30
B. *Operated*	166	15.7	137	3	5	13	21	30	41	73
1. SINGLE DX	5575	4.3	12	1	1	3	6	8	11	16
2. MULTIPLE DX	4422	7.1	48	1	2	5	9	14	19	33
A. NOT OPERATED	9808	5.4	26	1	2	4	7	11	14	25
B. OPERATED	189	14.7	130	2	4	12	19	29	40	67
TOTAL 0-19 YRS	4977	4.2	12	1	1	3	5	8	10	18
20-34	1025	4.3	17	1	1	3	5	8	10	20
35-49	928	5.7	22	1	2	5	7	11	13	23
50-64	1376	7.0	39	1	2	6	8	13	17	29
65+	1691	9.1	64	2	3	7	11	17	23	45
GRAND TOTAL	**9997**	**5.6**	**29**	**1**	**2**	**4**	**7**	**11**	**15**	**26**

184: Miscellaneous obstructive lung diseases (494-496)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	13	6.7	50	<1	1	4	9	16	24	26
20-34	10	8.5	192	1	1	4	8	28	47	47
35-49	45	5.4	12	1	2	5	6	11	13	15
50-64	228	8.2	50	2	2	7	9	15	24	38
65+	548	9.2	86	2	3	7	11	16	21	51
B. *Operated*										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	2	13.0	8	11	11	13	15	15	15	15
35-49	3	8.7	52	4	4	5	14	17	17	17
50-64	10	4.7	8	1	1	5	7	8	9	9
65+	14	18.6	529	3	5	10	22	40	80	92
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	14	8.4	59	<1	1	5	14	16	26	29
20-34	25	9.4	54	<1	1	7	13	21	25	27
35-49	85	8.8	94	2	2	6	10	18	24	60
50-64	694	10.7	95	2	3	8	13	21	28	72
65+	1983	12.3	141	2	3	9	15	26	37	94
B. *Operated*										
0-19 YRS	7	16.6	91	6	7	12	26	30	30	30
20-34	7	14.1	74	5	6	12	17	28	31	31
35-49	14	9.9	22	3	5	10	12	16	20	21
50-64	69	18.7	283	3	4	12	32	53	96	99+
65+	155	20.3	280	4	5	17	30	62	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	844	8.7	74	2	3	7	10	15	21	46
B. *Operated*	30	12.2	285	1	2	7	12	24	34	92
2. MULTIPLE DX										
A. *Not Operated*	2801	11.7	128	2	3	8	14	24	33	91
B. *Operated*	252	19.0	260	3	5	15	29	53	99+	99+
1. SINGLE DX	874	8.8	81	2	3	7	10	16	22	47
2. MULTIPLE DX	3053	12.3	143	2	3	9	15	27	38	99+
A. NOT OPERATED	3645	11.0	117	2	3	8	13	22	31	77
B. OPERATED	282	18.3	266	3	4	14	26	53	96	99+
TOTAL 0-19 YRS	35	9.3	70	<1	1	7	13	26	29	30
20-34	44	10.1	85	1	1	8	13	21	28	47
35-49	147	7.9	63	2	2	6	10	15	21	54
50-64	1001	10.6	103	2	3	8	13	22	32	83
65+	2700	12.1	146	2	3	9	15	26	38	99+
GRAND TOTAL	**3927**	**11.5**	**131**	**2**	**3**	**8**	**14**	**24**	**35**	**97**

185: Spontaneous pneumothorax (512)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	20	4.7	7	<1	1	5	7	8	9	9
20-34	45	4.4	24	1	1	3	6	8	10	31
35-49	7	5.3	8	1	1	5	8	9	9	9
50-64	4	3.5	3	2	2	3	5	6	6	6
65+	1	8.0		8	8	8	8	8	8	8
B. *Operated*										
0-19 YRS	28	6.3	20	2	3	5	8	12	17	21
20-34	113	6.5	13	3	3	6	8	11	12	19
35-49	30	6.2	10	2	3	6	9	11	12	14
50-64	13	6.2	28	2	3	5	6	10	21	23
65+	10	11.4	110	3	3	6	18	29	33	33
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	5.0		5	5	5	5	5	5	5
20-34	12	3.5	2	2	2	3	4	5	6	6
35-49	6	8.3	16	4	4	7	11	15	15	15
50-64	9	9.6	49	1	2	7	12	21	24	24
65+	5	6.0	25	1	1	5	10	13	13	13
B. *Operated*										
0-19 YRS	18	10.5	49	3	4	8	15	21	26	28
20-34	53	9.5	27	3	4	8	12	16	20	28
35-49	17	11.4	141	4	6	8	11	14	41	56
50-64	33	14.6	146	4	5	10	21	29	42	54
65+	34	13.4	79	4	5	12	19	28	30	32
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	77	4.6	16	1	1	4	7	8	9	25
B. *Operated*	194	6.7	20	2	3	5	8	11	17	24
2. MULTIPLE DX										
A. *Not Operated*	35	6.4	24	1	2	5	7	13	16	24
B. *Operated*	155	11.8	81	4	5	9	14	23	28	53
1. SINGLE DX	271	6.1	20	1	2	5	7	11	12	25
2. MULTIPLE DX	190	10.8	75	3	4	8	13	22	28	50
A. NOT OPERATED	112	5.1	19	1	1	4	7	9	11	27
B. OPERATED	349	8.9	53	3	3	7	11	17	23	39
TOTAL 0-19 YRS	69	6.9	27	2	2	5	8	14	20	27
20-34	223	6.6	21	2	2	6	8	12	16	23
35-49	60	7.8	51	2	3	7	9	12	14	52
50-64	59	11.2	110	2	3	7	13	25	34	53
65+	50	12.2	81	2	4	9	18	28	30	33
GRAND TOTAL	**461**	**8.0**	**48**	**2**	**2**	**6**	**10**	**16**	**22**	**33**

186: Miscellaneous lung and pleural diseases (500-511; 513-519)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	283	4.9	18	1	1	4	6	10	12	23
20-34	56	3.0	4	<1	1	3	4	6	7	9
35-49	50	3.7	9	<1	<1	3	5	8	10	13
50-64	63	5.6	15	1	1	5	7	10	11	21
65+	142	7.8	46	1	2	6	9	16	21	34
B. *Operated*										
0-19 YRS	10	5.8	65	<1	<1	2	9	19	25	25
20-34	18	6.8	26	<1	<1	7	10	15	17	17
35-49	39	8.6	45	1	2	8	11	19	24	29
50-64	59	12.6	98	2	3	10	17	27	34	42
65+	50	11.3	90	2	2	8	17	23	31	39
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	387	5.4	28	1	2	4	7	10	14	27
20-34	95	5.8	82	1	1	4	7	10	11	58
35-49	124	6.0	27	1	2	4	7	11	20	26
50-64	298	8.3	53	1	2	7	10	15	19	42
65+	777	10.2	74	2	3	8	12	19	28	59
B. *Operated*										
0-19 YRS	30	8.9	75	1	1	6	16	24	34	99+
20-34	42	14.4	126	3	3	11	20	34	37	42
35-49	69	16.7	280	3	3	13	22	28	50	95
50-64	114	14.5	123	2	3	12	18	27	41	53
65+	205	15.9	152	2	4	13	22	31	45	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	594	5.4	24	1	1	4	7	10	14	26
B. *Operated*	176	10.4	79	1	2	8	15	23	28	39
2. MULTIPLE DX										
A. *Not Operated*	1681	8.2	61	1	2	6	10	16	22	44
B. *Operated*	460	15.1	159	2	3	12	20	29	42	95
1. SINGLE DX	770	6.5	41	1	1	5	8	14	20	32
2. MULTIPLE DX	2141	9.7	90	2	2	7	12	20	28	58
A. NOT OPERATED	2275	7.5	53	1	2	6	9	15	20	38
B. OPERATED	636	13.8	141	2	3	11	18	28	37	75
TOTAL 0-19 YRS	710	5.4	27	1	1	4	7	10	15	30
20-34	211	6.9	80	1	1	4	8	14	22	40
35-49	282	8.5	111	1	2	5	10	20	25	52
50-64	534	9.8	77	1	2	7	12	19	27	47
65+	1174	10.9	90	2	3	8	14	22	30	66
GRAND TOTAL	**2911**	**8.8**	**79**	**1**	**2**	**6**	**11**	**19**	**26**	**50**

187: Disease of teeth and jaws (520-526)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	72	2.9	4	<1	<1	2	4	6	7	8
20-34	86	2.8	3	<1	<1	3	4	5	6	9
35-49	18	3.6	8	<1	1	3	4	8	10	11
50-64	12	3.6	9	<1	1	3	4	7	11	12
65+	6	6.7	35	<1	<1	4	10	16	17	17
B. *Operated*										
0-19 YRS	683	1.7	1	<1	<1	1	2	4	4	6
20-34	804	2.2	3	<1	<1	2	3	4	5	6
35-49	345	2.2	2	<1	<1	2	3	4	5	6
50-64	170	2.0	2	<1	<1	2	2	4	4	6
65+	70	2.5	2	<1	1	2	3	5	6	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	82	4.1	5	1	2	4	5	8	9	10
20-34	72	3.4	11	<1	1	2	4	7	9	20
35-49	31	3.5	9	<1	<1	3	4	7	10	15
50-64	24	4.5	15	<1	1	3	5	10	14	15
65+	25	8.6	51	1	3	7	13	16	26	29
B. *Operated*										
0-19 YRS	449	2.8	4	<1	1	2	4	5	6	8
20-34	470	3.2	5	<1	<1	3	4	5	7	12
35-49	238	2.9	10	<1	<1	2	4	5	7	11
50-64	197	3.0	7	<1	<1	2	4	6	9	61
65+	169	4.3	51	1	1	2	4	9	15	48
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	194	3.1	6	<1	<1	3	4	6	8	12
B. *Operated*	2072	2.0	2	<1	<1	1	3	4	5	6
2. MULTIPLE DX										
A. *Not Operated*	234	4.3	15	<1	1	3	5	9	12	22
B. *Operated*	1523	3.1	11	<1	1	2	4	5	7	16
1. SINGLE DX	2266	2.1	3	<1	<1	2	3	4	5	7
2. MULTIPLE DX	1757	3.3	12	<1	1	2	4	6	8	16
A. NOT OPERATED	428	3.8	11	<1	<1	3	5	7	10	16
B. OPERATED	3595	2.5	6	<1	<1	2	3	5	5	10
TOTAL 0-19 YRS	1286	2.3	3	<1	<1	2	3	5	5	8
20-34	1432	2.6	4	<1	<1	2	4	5	6	9
35-49	632	2.5	6	<1	<1	2	3	5	6	11
50-64	403	2.7	6	<1	1	2	3	5	8	14
65+	270	4.3	41	1	1	2	4	9	15	29
GRAND TOTAL	**4023**	**2.6**	**7**	**<1**	**<1**	**2**	**3**	**5**	**6**	**12**

188: Disease of mouth, except dental (527-529)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	100	4.0	8	1	1	3	5	7	10	58
20-34	27	3.6	4	<1	1	3	5	6	7	9
35-49	18	5.1	7	<1	1	5	6	9	10	10
50-64	7	3.3	1	2	2	3	4	4	4	4
65+	12	5.8	12	<1	1	5	7	11	12	12
B. *Operated*										
0-19 YRS	45	2.5	4	<1	<1	2	3	5	6	9
20-34	61	3.2	4	<1	1	3	4	6	8	10
35-49	37	3.6	6	1	1	3	4	7	9	10
50-64	60	3.8	6	1	2	3	5	7	9	12
65+	35	3.2	5	<1	1	2	4	7	9	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	125	6.0	27	1	2	5	7	10	13	31
20-34	19	4.9	19	<1	1	3	6	9	15	20
35-49	11	5.7	30	<1	<1	4	7	16	18	18
50-64	12	5.9	21	<1	1	6	7	13	16	17
65+	39	9.0	79	1	2	7	11	15	28	47
B. *Operated*										
0-19 YRS	25	5.0	23	1	1	4	5	10	18	20
20-34	50	3.5	4	1	2	3	4	6	7	10
35-49	33	3.7	11	<1	1	3	4	6	9	19
50-64	61	6.0	75	1	1	3	6	9	24	46
65+	47	5.6	14	1	2	5	8	10	14	17
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	164	4.2	8	1	1	4	6	8	10	18
B. *Operated*	238	3.3	5	<1	1	3	4	6	8	11
2. MULTIPLE DX										
A. *Not Operated*	206	6.4	37	1	2	5	8	12	17	35
B. *Operated*	216	4.9	30	1	1	3	5	9	13	37
1. SINGLE DX	402	3.6	6	<1	1	3	5	7	9	12
2. MULTIPLE DX	422	5.6	34	1	1	4	7	10	15	35
A. NOT OPERATED	370	5.4	25	1	1	4	6	10	14	34
B. OPERATED	454	4.0	18	1	1	3	5	8	10	19
TOTAL 0-19 YRS	295	4.7	18	1	1	4	6	9	11	27
20-34	157	3.6	6	<1	1	3	4	6	8	10
35-49	99	4.1	11	<1	1	3	5	8	10	19
50-64	140	4.9	38	1	1	3	5	8	12	44
65+	133	6.0	35	1	1	4	8	12	15	37
GRAND TOTAL	**824**	**4.7**	**21**	**1**	**1**	**3**	**6**	**9**	**11**	**25**

189: Diseases of esophagus (530)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	79	4.0	9	1	1	3	5	7	9	18
20-34	57	3.0	5	<1	<1	3	4	6	8	11
35-49	92	3.4	12	<1	1	2	4	7	10	17
50-64	65	3.7	10	<1	1	3	5	7	9	18
65+	83	4.9	25	<1	1	4	6	11	15	28
B. *Operated*										
0-19 YRS	24	4.7	9	2	2	4	5	10	11	12
20-34	37	7.1	17	1	2	7	9	11	14	21
35-49	57	7.2	21	<1	1	7	9	12	14	25
50-64	49	7.9	17	1	2	8	11	13	14	16
65+	50	6.9	61	<1	<1	6	9	13	17	45
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	106	5.4	25	1	1	4	7	10	15	27
20-34	85	5.0	30	<1	1	4	6	10	13	31
35-49	142	5.4	24	<1	1	4	7	12	15	23
50-64	211	5.7	14	1	1	5	8	12	13	16
65+	346	7.5	45	2	2	6	9	15	20	56
B. *Operated*										
0-19 YRS	47	11.0	154	1	2	7	13	30	38	61
20-34	52	9.9	53	2	3	9	12	19	22	44
35-49	95	9.4	50	1	2	8	11	19	23	38
50-64	168	12.2	146	2	2	9	15	22	28	66
65+	242	12.4	186	1	2	9	15	25	34	81
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	376	3.9	13	<1	1	3	5	8	11	18
B. *Operated*	217	7.0	27	<1	1	7	9	13	14	27
2. MULTIPLE DX										
A. *Not Operated*	890	6.2	31	1	1	5	8	12	16	34
B. *Operated*	604	11.6	140	2	2	9	14	22	30	70
1. SINGLE DX	593	5.0	21	<1	1	4	7	10	13	19
2. MULTIPLE DX	1494	8.4	82	1	2	6	10	17	23	56
A. NOT OPERATED	1266	5.5	27	1	1	4	7	12	15	30
B. OPERATED	821	10.4	115	1	2	8	12	21	27	62
TOTAL 0-19 YRS	256	5.9	48	1	1	4	7	11	17	38
20-34	231	6.0	33	<1	1	4	8	12	17	27
35-49	386	6.2	32	1	1	5	8	13	17	30
50-64	493	7.9	69	1	2	6	10	15	19	44
65+	721	8.8	98	1	2	6	11	18	25	74
GRAND TOTAL	**2087**	**7.4**	**67**	**1**	**1**	**5**	**9**	**15**	**21**	**44**

190: Gastric ulcer without complication (531.30; 531.70; 531.90)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	3.8	6	1	1	3	5	7	7	7
20-34	17	4.6	15	<1	<1	3	6	8	13	16
35-49	29	4.5	10	<1	<1	5	7	9	10	10
50-64	32	4.7	8	<1	<1	4	7	8	10	11
65+	39	7.1	23	<1	1	6	10	14	18	22
B. *Operated*										
0-19 YRS										
20-34	11	6.9	6	2	4	7	8	10	11	11
35-49	10	8.7	17	2	2	9	12	13	14	14
50-64	19	6.1	21	<1	<1	6	11	12	13	13
65+	22	8.9	69	<1	<1	6	13	21	28	30
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	4.3	5	2	2	4	6	8	8	8
20-34	22	4.0	4	1	1	4	5	6	7	9
35-49	40	5.6	11	1	2	5	6	10	11	19
50-64	55	7.3	53	<1	1	4	9	18	22	39
65+	94	10.9	129	<1	3	8	12	18	26	76
B. *Operated*										
0-19 YRS										
20-34	16	9.3	29	2	3	8	13	17	18	19
35-49	32	11.8	57	2	4	10	14	24	30	32
50-64	58	13.3	138	1	2	11	15	35	47	96
65+	75	12.1	120	1	4	9	14	25	34	90
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	121	5.4	15	<1	<1	5	7	10	12	19
B. *Operated*	62	7.6	35	<1	1	7	11	14	17	30
2. MULTIPLE DX										
A. *Not Operated*	217	8.1	78	<1	2	6	9	16	22	47
B. *Operated*	181	12.2	106	1	3	10	14	25	35	87
1. SINGLE DX	183	6.1	23	<1	<1	6	8	12	15	25
2. MULTIPLE DX	398	9.9	95	1	2	8	12	19	29	62
A. NOT OPERATED	338	7.1	57	<1	1	6	9	14	18	31
B. OPERATED	243	11.0	92	1	2	9	13	23	32	64
TOTAL 0-19 YRS	10	4.1	5	1	1	4	6	7	8	8
20-34	66	5.9	17	1	1	5	8	11	16	19
35-49	111	7.4	33	<1	1	6	10	13	19	31
50-64	164	8.7	82	<1	1	6	11	18	31	54
65+	230	10.4	104	<1	2	8	12	19	27	67
GRAND TOTAL	**581**	**8.7**	**75**	**<1**	**1**	**7**	**11**	**17**	**24**	**59**

191: Gastric ulcer with hemorrhage or perforation (531.00; 531.10; 531.20; 531.40; 531.50; 531.60)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	13	4.4	10	<1	1	3	7	9	10	10
35-49	29	4.7	3	2	2	5	6	7	8	8
50-64	16	6.7	15	2	3	6	8	11	15	17
65+	30	7.3	18	1	2	6	11	13	14	15
B. *Operated*										
0-19 YRS	2	7.5	13	5	5	7	10	10	10	10
20-34	3	11.0	93	4	4	7	18	22	22	22
35-49	14	8.5	9	5	5	8	9	14	14	14
50-64	19	8.6	42	3	4	7	10	18	24	28
65+	17	9.2	43	1	2	7	13	20	24	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	23	5.8	12	2	2	5	9	10	11	12
35-49	35	5.8	14	2	2	5	8	9	15	17
50-64	66	7.4	32	2	3	6	9	13	16	37
65+	122	9.8	64	3	4	8	10	18	26	48
B. *Operated*										
0-19 YRS	1	17.0		17	17	17	17	17	17	17
20-34	11	8.4	89	3	3	6	8	20	35	36
35-49	30	13.0	110	4	4	9	16	25	43	46
50-64	62	13.7	148	3	4	10	17	30	51	95
65+	133	13.7	105	3	4	11	16	28	35	62
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	89	5.9	12	2	2	5	7	11	13	16
B. *Operated*	55	8.8	33	3	4	7	10	17	22	28
2. MULTIPLE DX										
A. *Not Operated*	246	8.2	46	2	3	7	10	14	18	40
B. *Operated*	237	13.4	116	3	4	10	17	28	38	68
1. SINGLE DX	144	7.0	22	2	2	6	9	13	16	25
2. MULTIPLE DX	483	10.7	87	3	3	8	13	22	31	55
A. NOT OPERATED	335	7.6	38	2	3	6	9	13	17	37
B. OPERATED	292	12.5	103	3	4	9	16	25	35	60
TOTAL 0-19 YRS	4	9.0	35	4	4	7	13	17	17	17
20-34	50	6.3	33	2	2	4	9	10	12	36
35-49	108	7.9	48	2	3	6	9	15	18	44
50-64	163	9.9	84	3	3	7	11	18	28	63
65+	302	11.2	81	3	4	8	14	22	31	54
GRAND TOTAL	**627**	**9.9**	**74**	**2**	**3**	**8**	**12**	**19**	**28**	**53**

192: Nongastric peptic ulcer without complication (532.30; 532.70; 532.90; 533.30; 533.70; 533.90; 534.30; 534.70; 534.90)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	52	3.9	4	1	1	4	5	6	8	10
20-34	170	3.4	5	<1	<1	3	4	6	7	11
35-49	138	3.5	7	<1	<1	3	5	7	9	14
50-64	98	4.2	11	<1	<1	3	6	8	11	16
65+	91	7.5	111	<1	1	5	9	15	21	66
B. *Operated*										
0-19 YRS	3	9.0	36	3	3	9	13	15	15	15
20-34	24	9.4	14	1	6	9	11	14	16	18
35-49	38	10.6	33	5	6	9	12	17	21	36
50-64	18	12.6	28	7	8	12	15	17	24	29
65+	4	8.3	24	1	1	10	11	11	11	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	32	5.6	24	<1	1	4	7	12	14	23
20-34	133	4.6	9	1	1	4	6	8	11	15
35-49	144	4.8	13	1	1	4	6	9	11	19
50-64	157	6.9	32	1	2	6	8	12	16	26
65+	231	8.4	40	2	3	7	10	15	21	32
B. *Operated*										
0-19 YRS	2	19.0	200	9	9	19	29	29	29	29
20-34	32	10.1	15	6	7	9	11	16	18	21
35-49	63	12.3	52	5	7	10	14	23	28	40
50-64	54	13.6	78	4	5	11	17	24	34	41
65+	42	13.2	79	3	4	12	18	27	35	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	549	4.3	26	<1	<1	3	5	8	11	19
B. *Operated*	87	10.5	27	3	6	9	12	16	19	33
2. MULTIPLE DX										
A. *Not Operated*	697	6.5	28	1	2	5	8	12	16	27
B. *Operated*	193	12.6	60	4	6	10	15	23	29	44
1. SINGLE DX	636	5.1	31	<1	<1	4	7	11	14	22
2. MULTIPLE DX	890	7.8	42	1	2	6	10	15	21	34
A. NOT OPERATED	1246	5.5	29	<1	1	4	7	11	14	24
B. OPERATED	280	11.9	51	4	6	10	14	21	28	41
TOTAL 0-19 YRS	89	5.0	20	1	1	4	5	10	13	27
20-34	359	4.8	13	<1	1	4	7	10	12	16
35-49	383	6.2	31	<1	1	4	8	12	16	28
50-64	327	7.5	44	<1	2	6	9	15	19	36
65+	368	8.7	64	1	2	7	11	17	23	43
GRAND TOTAL	**1526**	**6.7**	**39**	**<1**	**1**	**5**	**9**	**14**	**18**	**31**

193: Nongastric peptic ulcer with hemorrhage or perforation (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	19	5.0	11	1	1	4	6	11	12	13
20-34	72	4.5	7	1	2	4	6	8	10	12
35-49	63	4.3	7	1	2	4	5	7	8	17
50-64	85	5.2	11	2	2	5	6	9	10	22
65+	82	6.7	11	3	3	6	8	12	13	18
B. *Operated*										
0-19 YRS	2	10.0	2	9	9	10	11	11	11	11
20-34	28	8.6	8	3	5	9	11	12	13	14
35-49	27	8.4	10	5	6	8	8	10	16	21
50-64	27	9.9	17	5	6	9	12	17	19	20
65+	24	12.8	77	3	6	11	15	20	32	46
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	11	4.7	5	2	2	4	5	9	9	9
20-34	62	5.2	8	2	2	4	7	9	11	14
35-49	81	4.9	8	1	2	4	6	9	11	14
50-64	126	6.2	13	2	2	5	8	11	14	17
65+	205	10.2	108	3	4	8	11	20	27	81
B. *Operated*										
0-19 YRS	4	9.3	29	3	3	9	13	16	16	16
20-34	22	10.7	18	3	6	10	14	16	18	20
35-49	45	11.3	43	3	6	9	13	23	25	35
50-64	87	15.3	109	5	6	13	18	29	42	54
65+	105	19.5	282	5	6	14	25	41	54	97
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	321	5.2	10	1	2	5	6	9	11	16
B. *Operated*	108	9.8	28	4	6	9	11	16	18	34
2. MULTIPLE DX										
A. *Not Operated*	485	7.5	57	2	3	6	9	13	18	44
B. *Operated*	263	15.8	168	4	6	12	18	32	42	89
1. SINGLE DX	429	6.4	19	2	2	6	8	11	13	20
2. MULTIPLE DX	748	10.4	112	2	3	8	12	21	29	61
A. NOT OPERATED	806	6.6	39	2	2	5	8	11	15	31
B. OPERATED	371	14.1	135	4	6	11	16	26	39	63
TOTAL 0-19 YRS	36	5.7	13	1	2	5	8	11	12	16
20-34	184	6.1	13	1	2	5	8	11	13	17
35-49	216	6.5	23	1	2	6	8	12	15	25
50-64	325	8.7	56	2	3	6	11	17	20	44
65+	416	12.0	151	3	4	8	13	25	38	94
GRAND TOTAL	**1177**	**9.0**	**81**	**2**	**3**	**7**	**10**	**17**	**24**	**51**

194: Peptic ulcer with obstruction (531-534, with 5th digit of 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	3	7.0	4	5	5	7	8	9	9	9
35-49	2	2.0	2	<1	<1	1	3	3	3	3
50-64	2	11.5	41	7	7	11	16	16	16	16
65+	1	5.0		5	5	5	5	5	5	5
B. *Operated*										
0-19 YRS										
20-34	3	11.7	2	10	10	12	13	13	13	13
35-49	7	9.7	31	2	3	9	13	18	19	19
50-64	5	16.0	42	9	9	14	20	26	26	26
65+	6	12.3	14	8	8	11	14	18	19	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	3.5	13	<1	<1	3	6	6	6	6
35-49	6	4.2	7	<1	<1	4	7	7	7	7
50-64	2	4.5	13	2	2	4	7	7	7	7
65+	10	14.4	92	6	6	10	21	29	35	35
B. *Operated*										
0-19 YRS	1	12.0		12	12	12	12	12	12	12
20-34	4	19.5	71	10	10	20	26	28	28	28
35-49	8	15.3	85	7	7	10	22	30	32	32
50-64	15	13.3	22	7	8	12	16	19	23	24
65+	19	28.6	180	13	14	26	36	50	57	59
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8	6.6	21	<1	1	6	8	14	16	16
B. *Operated*	21	12.2	27	4	7	11	14	19	22	26
2. MULTIPLE DX										
A. *Not Operated*	20	9.3	75	<1	<1	7	10	22	29	35
B. *Operated*	47	20.3	145	8	9	17	26	36	46	59
1. SINGLE DX	29	10.7	31	2	4	11	14	18	20	26
2. MULTIPLE DX	67	17.0	149	2	6	13	24	34	39	58
A. NOT OPERATED	28	8.5	60	<1	<1	7	9	20	24	35
B. OPERATED	68	17.8	122	7	8	14	23	33	39	58
TOTAL 0-19 YRS	1	12.0		12	12	12	12	12	12	12
20-34	12	11.8	62	<1	3	10	14	26	28	28
35-49	23	9.5	62	<1	<1	7	11	22	27	32
50-64	24	13.0	31	5	7	12	16	20	25	26
65+	36	21.3	183	6	7	18	29	38	51	59
GRAND TOTAL	**96**	**15.1**	**121**	**2**	**5**	**12**	**19**	**31**	**36**	**57**

195: Gastritis and duodenitis (535)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	382	2.6	4	<1	1	2	3	5	6	9
20-34	357	2.6	5	<1	1	2	3	5	6	12
35-49	249	3.4	8	<1	<1	3	4	7	8	15
50-64	176	3.4	7	<1	<1	3	5	7	8	14
65+	188	5.4	52	<1	1	4	6	11	18	60
B. *Operated*										
0-19 YRS	3	5.0	1	4	4	5	6	6	6	6
20-34	13	3.8	10	<1	<1	3	6	8	9	9
35-49	17	3.7	15	<1	<1	1	5	11	11	11
50-64	16	5.0	16	<1	<1	4	9	10	11	11
65+	18	9.0	39	<1	<1	8	14	17	20	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	336	3.3	7	1	1	3	4	6	8	12
20-34	459	3.8	8	<1	1	3	5	8	10	14
35-49	419	4.9	31	1	1	4	6	9	12	24
50-64	435	5.5	23	1	1	4	7	11	14	24
65+	674	7.5	58	1	2	5	9	15	20	37
B. *Operated*										
0-19 YRS	6	8.5	19	5	5	7	9	16	17	17
20-34	35	8.8	40	<1	1	8	13	16	19	31
35-49	65	8.9	73	1	2	7	11	17	22	53
50-64	80	8.5	29	<1	2	8	11	15	17	29
65+	113	13.2	132	3	4	10	16	23	31	68
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1352	3.2	13	<1	1	2	4	6	8	16
B. *Operated*	67	5.5	24	<1	<1	4	9	11	15	21
2. MULTIPLE DX										
A. *Not Operated*	2323	5.3	32	1	1	4	6	10	14	27
B. *Operated*	299	10.4	82	1	3	8	13	19	24	54
1. SINGLE DX	1419	3.3	13	<1	<1	2	4	7	9	17
2. MULTIPLE DX	2622	5.9	40	1	1	4	7	12	16	30
A. NOT OPERATED	3675	4.5	26	<1	1	3	5	9	13	24
B. OPERATED	366	9.5	75	<1	1	8	12	18	22	51
TOTAL 0-19 YRS	727	3.0	6	1	1	2	4	6	7	11
20-34	864	3.5	10	<1	1	3	4	7	10	15
35-49	750	4.7	29	<1	1	3	6	9	12	23
50-64	707	5.3	22	<1	1	4	7	11	14	22
65+	993	7.8	69	1	2	5	9	16	22	42
GRAND TOTAL	**4041**	**5.0**	**32**	**<1**	**1**	**3**	**6**	**10**	**14**	**26**

196: Disease of stomach and duodenum, except ulcer and inflammation (536-537)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	62	2.8	3	<1	1	2	3	5	7	9
20-34	84	2.9	4	<1	<1	2	3	5	7	11
35-49	74	3.0	6	<1	<1	2	4	6	7	13
50-64	60	3.7	18	<1	1	3	5	7	9	27
65+	60	4.5	10	<1	1	4	6	8	12	15
B. *Operated*										
0-19 YRS	14	6.3	7	2	3	6	7	11	11	11
20-34	10	6.3	20	<1	1	6	7	12	17	17
35-49	14	10.1	18	6	6	9	12	16	20	21
50-64	5	13.6	16	9	9	13	17	19	19	19
65+	5	7.6	15	3	3	9	10	12	12	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	62	4.0	8	1	1	3	5	8	10	13
20-34	108	4.9	18	1	1	4	6	9	14	22
35-49	122	4.6	20	<1	1	3	6	9	12	23
50-64	150	5.6	31	1	1	4	7	11	16	28
65+	239	6.9	38	1	2	5	9	14	19	31
B. *Operated*										
0-19 YRS	1	9.0		9	9	9	9	9	9	9
20-34	28	14.9	196	3	5	10	18	33	55	59
35-49	27	9.5	28	1	6	8	12	16	19	27
50-64	42	14.3	176	1	4	11	16	26	42	75
65+	38	17.0	151	1	5	14	24	38	49	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	340	3.3	8	<1	1	3	4	7	8	14
B. *Operated*	48	8.3	19	2	3	7	11	15	17	21
2. MULTIPLE DX										
A. *Not Operated*	681	5.6	28	1	1	4	7	11	16	29
B. *Operated*	136	14.2	146	1	5	10	18	29	42	78
1. SINGLE DX	388	3.9	12	<1	1	3	5	8	11	17
2. MULTIPLE DX	817	7.0	58	1	1	5	9	14	21	41
A. NOT OPERATED	1021	4.9	22	<1	1	3	6	10	13	27
B. OPERATED	184	12.7	120	1	4	10	15	25	37	69
TOTAL 0-19 YRS	139	3.7	7	<1	1	3	5	7	9	12
20-34	230	5.5	47	<1	1	3	6	11	17	40
35-49	237	5.0	21	<1	1	3	7	10	14	23
50-64	257	6.7	64	1	1	4	8	14	19	44
65+	342	7.6	57	1	1	5	10	16	23	39
GRAND TOTAL	**1205**	**6.0**	**45**	**<1**	**1**	**4**	**8**	**12**	**18**	**36**

197: Acute appendicitis without peritonitis (540.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	11	1.6		<1	<1	2	2	3	3	3
20-34	5	6.4	109	<1	<1	2	8	25	25	25
35-49	3	5.3	14	1	1	7	8	8	8	8
50-64	1	1.0		1	1	1	1	1	1	1
65+										
B. *Operated*										
0-19 YRS	1259	4.0	2	2	3	4	5	6	7	9
20-34	982	4.1	2	2	3	4	5	6	7	9
35-49	262	4.3	3	2	3	4	5	6	7	9
50-64	64	5.3	8	2	3	4	7	9	12	15
65+	27	6.1	8	3	4	5	8	11	12	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	3.7	5	<1	<1	4	6	6	6	6
20-34	1	1.0		1	1	1	1	1	1	1
35-49	2	9.0	50	4	4	9	14	14	14	14
50-64	1	11.0		11	11	11	11	11	11	11
65+	1	10.0		10	10	10	10	10	10	10
B. *Operated*										
0-19 YRS	227	5.7	21	2	3	5	6	10	11	24
20-34	208	5.5	10	3	3	5	6	9	11	20
35-49	61	6.9	16	3	3	6	8	13	15	22
50-64	47	8.7	83	3	3	6	10	14	19	62
65+	30	10.5	67	3	4	8	14	23	43	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	20	3.4	30	<1	<1	2	3	7	16	25
B. *Operated*	2594	4.1	2	2	3	4	5	6	7	10
2. MULTIPLE DX										
A. *Not Operated*	11	5.6	19	<1	<1	5	9	12	14	14
B. *Operated*	573	6.3	25	3	3	5	7	11	14	25
1. SINGLE DX	2614	4.1	3	2	3	4	5	6	7	10
2. MULTIPLE DX	584	6.3	25	2	3	5	7	11	14	25
A. NOT OPERATED	31	4.2	26	<1	<1	2	6	10	14	25
B. OPERATED	3167	4.5	7	2	3	4	5	7	8	14
TOTAL 0-19 YRS	1503	4.2	5	2	3	4	5	6	8	11
20-34	1196	4.4	4	2	3	4	5	6	8	12
35-49	328	4.8	6	2	3	4	5	7	10	14
50-64	113	6.7	42	3	3	5	8	12	14	39
65+	58	8.4	42	3	4	7	11	15	23	95
GRAND TOTAL	**3198**	**4.5**	**7**	**2**	**3**	**4**	**5**	**7**	**8**	**14**

198: Acute appendicitis with peritonitis (540.0-540.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	8.0	34	3	3	7	8	18	19	19
20-34	5	5.0	14	<1	<1	5	8	10	10	10
35-49	8	5.5	6	<1	1	6	7	8	8	8
50-64	4	6.3	2	5	5	6	7	8	8	8
65+	1	11.0		11	11	11	11	11	11	11
B. *Operated*										
0-19 YRS	231	6.8	8	3	3	7	8	11	12	18
20-34	161	6.6	14	3	3	6	8	10	12	17
35-49	84	7.0	6	3	4	7	8	10	12	14
50-64	34	9.3	26	3	5	8	11	13	16	32
65+	16	10.6	16	5	6	10	12	18	19	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	21.0		21	21	21	21	21	21	21
20-34										
35-49	1	5.0		5	5	5	5	5	5	5
50-64										
65+	1	15.0		15	15	15	15	15	15	15
B. *Operated*										
0-19 YRS	137	9.5	24	3	4	9	11	16	20	27
20-34	91	8.8	17	4	5	8	10	15	16	24
35-49	55	10.5	24	4	5	9	13	18	21	21
50-64	53	11.3	30	5	6	10	13	21	24	25
65+	57	14.4	77	6	7	12	17	24	27	58
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	24	6.4	14	<1	2	6	8	10	13	19
B. *Operated*	526	7.0	12	3	3	7	8	11	13	18
2. MULTIPLE DX										
A. *Not Operated*	3	13.7	65	5	5	15	19	21	21	21
B. *Operated*	393	10.5	34	4	5	9	12	18	21	27
1. SINGLE DX	550	7.0	12	3	3	7	8	11	13	18
2. MULTIPLE DX	396	10.5	34	4	5	9	12	18	21	27
A. NOT OPERATED	27	7.2	23	<1	2	7	8	14	19	21
B. OPERATED	919	8.5	24	3	4	8	10	14	18	25
TOTAL 0-19 YRS	375	7.8	16	3	4	7	9	12	16	22
20-34	257	7.3	17	3	3	7	9	12	15	23
35-49	148	8.2	16	3	4	7	9	14	17	21
50-64	91	10.3	28	4	5	9	12	17	23	29
65+	75	13.6	64	6	6	11	16	21	26	54
GRAND TOTAL	**946**	**8.5**	**24**	**3**	**4**	**8**	**10**	**14**	**18**	**25**

199: Disease of appendix, except acute appendicitis (541-543)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	59	1.5	1	<1	1	1	2	3	3	5
20-34	32	1.9	2	<1	<1	2	2	3	4	9
35-49	4	2.0	1	1	1	2	3	3	3	3
50-64	3	2.7	2	1	1	3	4	4	4	4
65+	3	5.0	4	3	3	5	6	7	7	7
B. *Operated*										
0-19 YRS	145	4.2	3	2	3	4	5	6	7	10
20-34	96	4.5	4	2	3	4	5	6	7	14
35-49	33	4.8	3	3	3	4	5	8	8	10
50-64	8	6.4	5	4	4	7	8	9	10	10
65+	5	7.0	5	5	5	7	8	10	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	17	2.1	1	1	1	2	3	4	5	5
20-34	12	2.7	2	1	1	3	4	4	5	5
35-49	2	5.0	18	2	2	5	8	8	8	8
50-64	1	3.0		3	3	3	3	3	3	3
65+	4	6.0	21	<1	<1	5	9	12	12	12
B. *Operated*										
0-19 YRS	71	4.9	3	3	3	5	6	7	8	11
20-34	61	6.9	61	3	3	5	7	11	14	56
35-49	21	6.3	14	3	3	5	7	12	15	17
50-64	10	7.0	13	3	3	6	9	13	13	13
65+	7	21.6	838	7	7	12	13	72	87	87
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	101	1.8	2	<1	1	1	2	3	4	8
B. *Operated*	287	4.5	3	2	3	4	5	7	8	12
2. MULTIPLE DX										
A. *Not Operated*	36	2.9	5	1	1	2	4	5	7	12
B. *Operated*	170	6.6	66	3	3	5	7	11	13	53
1. SINGLE DX	388	3.8	4	1	1	4	5	6	7	11
2. MULTIPLE DX	206	6.0	57	2	2	5	6	10	12	38
A. NOT OPERATED	137	2.1	3	<1	1	2	3	4	5	9
B. OPERATED	457	5.3	28	3	3	4	6	8	10	17
TOTAL 0-19 YRS	292	3.7	4	1	1	4	5	6	7	10
20-34	201	4.7	24	1	2	4	5	7	10	18
35-49	60	5.2	8	2	3	4	6	8	10	17
50-64	22	6.0	10	2	3	5	7	11	13	13
65+	19	11.8	343	1	4	7	12	13	54	87
GRAND TOTAL	**594**	**4.5**	**24**	**1**	**1**	**4**	**5**	**7**	**9**	**15**

200: Inguinal hernia without complication (550.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	10	1.8	2	<1	<1	1	2	4	5	5
20-34	4	2.0	2	<1	<1	1	3	4	4	4
35-49	3	1.3		<1	<1	<1	2	2	2	2
50-64	7	2.0	3	<1	<1	1	2	5	6	6
65+	5	3.0	8	<1	<1	1	5	7	7	7
B. *Operated*										
0-19 YRS	664	2.4	2	<1	<1	2	3	4	5	7
20-34	824	3.5	3	1	2	3	4	5	6	9
35-49	784	3.8	7	1	2	4	5	6	7	10
50-64	955	4.2	4	1	2	4	5	7	8	10
65+	707	4.9	8	2	2	4	6	8	10	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	26	2.0	4	<1	<1	1	2	5	6	9
20-34	8	3.1	13	1	1	2	4	9	11	11
35-49	9	2.9	24	<1	<1	1	2	10	16	16
50-64	17	3.0	12	<1	1	1	3	7	12	14
65+	32	4.7	11	1	1	4	7	9	11	14
B. *Operated*										
0-19 YRS	360	2.7	6	<1	1	2	3	5	6	11
20-34	245	3.7	3	1	2	4	5	6	7	9
35-49	362	4.6	7	1	2	4	6	7	9	17
50-64	798	5.1	9	2	3	4	6	9	10	17
65+	875	7.1	39	2	3	6	8	12	16	33
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	29	2.0	3	<1	<1	1	2	5	6	7
B. *Operated*	3934	3.8	5	1	2	3	5	6	8	10
2. MULTIPLE DX										
A. *Not Operated*	92	3.3	11	<1	<1	2	5	8	11	15
B. *Operated*	2640	5.2	20	1	2	4	6	9	12	23
1. SINGLE DX	3963	3.8	5	1	1	3	5	6	8	10
2. MULTIPLE DX	2732	5.2	20	1	2	4	6	9	11	22
A. NOT OPERATED	121	3.0	10	<1	<1	2	4	7	10	15
B. OPERATED	6574	4.4	12	1	2	4	5	7	9	16
TOTAL 0-19 YRS	1060	2.5	3	<1	1	2	3	4	6	8
20-34	1081	3.6	3	1	2	3	4	5	6	9
35-49	1158	4.0	7	1	2	4	5	6	8	12
50-64	1777	4.6	7	1	2	4	5	8	9	15
65+	1619	6.1	26	2	2	5	7	10	13	28
GRAND TOTAL	**6695**	**4.3**	**12**	**1**	**2**	**4**	**5**	**7**	**9**	**16**

201: Inguinal hernia, complicated (550.0-550.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34										
35-49	1	1.0		1	1	1	1	1	1	1
50-64	1	1.0		1	1	1	1	1	1	1
65+	4	1.8		1	1	2	2	2	2	2
B. *Operated*										
0-19 YRS	100	2.2	3	<1	1	2	3	4	5	10
20-34	40	4.1	4	2	2	4	5	7	8	11
35-49	30	3.6	3	1	2	4	4	6	7	8
50-64	34	4.7	7	2	3	4	6	7	11	14
65+	61	6.1	17	2	3	5	8	10	13	27
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34										
35-49	1	1.0		1	1	1	1	1	1	1
50-64	2	1.5	1	<1	<1	1	2	2	2	2
65+	7	2.6	3	<1	<1	2	4	6	6	6
B. *Operated*										
0-19 YRS	71	3.4	9	1	1	2	4	7	9	18
20-34	16	4.9	14	1	2	4	6	7	14	17
35-49	15	4.2	3	2	2	4	5	6	7	8
50-64	34	7.2	33	2	2	6	9	11	12	36
65+	95	11.1	155	3	4	7	11	23	38	73
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7	1.4		1	1	1	2	2	2	2
B. *Operated*	265	3.9	9	1	1	3	5	7	9	15
2. MULTIPLE DX										
A. *Not Operated*	12	2.1	2	<1	<1	2	2	5	6	6
B. *Operated*	231	7.3	84	1	2	5	8	13	21	47
1. SINGLE DX	272	3.8	9	1	1	3	5	7	9	15
2. MULTIPLE DX	243	7.0	81	1	2	5	8	13	21	47
A. NOT OPERATED	19	1.8	2	<1	<1	2	2	3	5	6
B. OPERATED	496	5.5	47	1	1	4	6	10	13	39
TOTAL 0-19 YRS	174	2.7	6	1	1	2	3	5	7	13
20-34	56	4.3	7	2	2	4	5	7	8	17
35-49	47	3.7	3	1	2	4	5	6	7	8
50-64	71	5.8	21	2	2	5	6	10	12	31
65+	167	8.7	102	2	3	6	9	15	25	49
GRAND TOTAL	**515**	**5.3**	**45**	**1**	**1**	**4**	**6**	**10**	**13**	**38**

202: Umbilical hernia without complication (553.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	3.2	24	<1	<1	1	4	12	12	12
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	89	2.0	1	<1	<1	2	2	3	3	6
20-34	41	2.7	1	1	2	3	3	4	5	6
35-49	63	3.5	3	<1	1	3	4	5	7	9
50-64	69	3.7	7	1	1	3	5	7	8	15
65+	22	4.7	5	2	2	4	6	8	10	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	5.6	13	1	1	5	7	11	11	11
20-34										
35-49	1	2.0		2	2	2	2	2	2	2
50-64	6	2.0	2	1	1	2	2	5	5	5
65+	1	16.0		16	16	16	16	16	16	16
B. *Operated*										
0-19 YRS	21	2.4	2	<1	<1	2	3	4	5	5
20-34	24	3.7	5	1	2	3	5	7	9	10
35-49	35	4.6	15	2	2	4	5	7	10	24
50-64	66	6.0	29	2	2	4	7	10	14	36
65+	43	8.1	28	1	3	7	10	14	18	28
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5	3.2	24	<1	<1	1	4	12	12	12
B. *Operated*	284	3.0	4	<1	1	3	4	5	7	10
2. MULTIPLE DX										
A. *Not Operated*	13	4.5	20	1	1	2	5	12	15	16
B. *Operated*	189	5.5	23	1	2	4	7	10	13	26
1. SINGLE DX	289	3.0	4	<1	1	3	4	5	7	12
2. MULTIPLE DX	202	5.4	23	1	2	4	7	10	14	26
A. NOT OPERATED	18	4.1	20	<1	1	2	5	12	14	16
B. OPERATED	473	4.0	13	<1	1	3	5	8	10	17
TOTAL 0-19 YRS	120	2.2	3	<1	<1	2	2	4	5	11
20-34	65	3.1	3	1	2	3	4	5	7	10
35-49	99	3.9	7	<1	2	3	4	6	8	18
50-64	141	4.7	18	1	2	4	6	8	11	18
65+	66	7.1	24	2	3	6	9	13	16	27
GRAND TOTAL	**491**	**4.0**	**13**	**<1**	**1**	**3**	**5**	**8**	**10**	**17**

203: Ventral hernia without complication (553.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	1	1.0		1	1	1	1	1	1	1
35-49	1	6.0		6	6	6	6	6	6	6
50-64	4	4.0	9	<1	<1	3	6	8	8	8
65+	5	3.0	2	1	1	3	4	4	4	4
B. *Operated*										
0-19 YRS	19	2.8	3	<1	<1	3	4	5	6	7
20-34	148	4.3	6	1	2	4	5	8	9	12
35-49	165	5.2	7	2	2	5	7	8	10	14
50-64	195	6.0	15	3	3	6	7	9	10	15
65+	124	7.2	15	2	3	7	9	12	15	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	10.0	162	<1	<1	9	19	19	19	19
20-34	2	2.0	2	1	1	2	3	3	3	3
35-49	8	5.5	17	1	1	5	9	11	11	11
50-64	15	6.2	29	2	2	5	7	11	20	23
65+	30	6.7	41	1	1	5	9	13	16	32
B. *Operated*										
0-19 YRS	16	5.0	24	<1	<1	3	6	15	17	17
20-34	44	6.3	13	2	3	6	8	10	13	19
35-49	174	7.4	25	2	3	6	9	11	16	30
50-64	261	8.6	42	3	4	7	10	15	21	45
65+	247	10.6	60	3	4	9	12	19	27	39
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	12	3.3	5	<1	<1	3	4	7	8	8
B. *Operated*	651	5.6	12	2	2	5	7	9	11	16
2. MULTIPLE DX										
A. *Not Operated*	57	6.3	35	1	1	5	9	13	18	31
B. *Operated*	742	8.8	44	3	3	7	10	15	21	38
1. SINGLE DX	663	5.5	12	2	2	5	7	9	11	16
2. MULTIPLE DX	799	8.6	44	2	3	7	10	15	21	38
A. NOT OPERATED	69	5.8	31	<1	1	4	8	11	16	30
B. OPERATED	1393	7.3	31	2	3	6	9	12	17	35
TOTAL 0-19 YRS	38	4.1	19	<1	<1	3	4	8	17	19
20-34	195	4.7	8	1	2	4	6	8	10	16
35-49	348	6.3	18	2	2	6	8	11	12	25
50-64	475	7.4	32	2	3	6	8	12	17	41
65+	406	9.2	47	2	3	8	11	16	23	37
GRAND TOTAL	**1462**	**7.2**	**32**	**2**	**3**	**6**	**9**	**12**	**17**	**34**

204: Diaphragmatic hernia without complication (553.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	5	5.0	12	1	1	5	7	10	10	10
35-49	17	2.6	5	<1	<1	2	3	6	7	8
50-64	38	3.5	13	<1	<1	2	4	8	10	19
65+	44	4.8	13	<1	<1	4	7	10	12	14
B. *Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	4	7.8	2	6	6	8	9	9	9	9
35-49	13	7.6	4	4	5	8	9	10	12	12
50-64	11	9.7	12	5	6	9	12	15	16	16
65+	5	6.4	10	2	2	8	9	9	9	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	25	3.6	12	<1	<1	3	5	6	12	15
35-49	88	4.2	17	<1	<1	3	6	8	10	25
50-64	148	5.6	22	<1	1	5	7	11	15	21
65+	236	8.3	64	2	2	6	9	16	21	38
B. *Operated*										
0-19 YRS	2	12.5	13	10	10	12	15	15	15	15
20-34	37	10.1	32	6	6	9	10	14	19	38
35-49	62	9.3	22	4	6	9	10	13	17	32
50-64	104	10.8	34	3	5	9	13	17	22	34
65+	76	14.5	139	4	6	12	17	23	28	81
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	105	3.9	12	<1	<1	3	6	9	10	16
B. *Operated*	34	7.9	10	2	4	8	9	12	14	16
2. MULTIPLE DX										
A. *Not Operated*	498	6.5	43	<1	1	5	8	13	18	33
B. *Operated*	281	11.4	63	4	6	9	13	19	23	34
1. SINGLE DX	139	4.9	15	<1	<1	4	8	10	12	16
2. MULTIPLE DX	779	8.3	56	<1	2	7	10	15	21	34
A. NOT OPERATED	603	6.1	39	<1	1	5	7	12	17	31
B. OPERATED	315	11.0	58	4	6	9	13	18	23	34
TOTAL 0-19 YRS	5	6.8	36	1	1	7	11	15	15	15
20-34	71	7.3	30	<1	1	7	9	12	15	34
35-49	180	6.1	23	<1	<1	6	8	11	12	26
50-64	301	7.3	33	<1	1	6	10	14	18	31
65+	361	9.1	81	1	2	7	11	18	23	38
GRAND TOTAL	**918**	**7.8**	**51**	**<1**	**1**	**7**	**10**	**15**	**20**	**33**

205: Other hernia of abdominal cavity without complication (553.0; 553.8-553.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34	1	1.0		1	1	1	1	1	1	1
35-49	3	2.7	4	<1	<1	2	4	5	5	5
50-64										
65+	3	1.3		1	1	1	2	2	2	2
B. *Operated*										
0-19 YRS	5	1.8	2	<1	<1	1	2	4	4	4
20-34	20	3.6	2	1	2	3	4	5	6	7
35-49	25	3.8	1	2	3	4	4	5	6	7
50-64	27	4.2	4	1	1	4	6	6	7	10
65+	27	5.6	7	2	2	5	7	9	10	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	4.0	9	1	1	4	6	7	7	7
20-34										
35-49	3	4.7	9	2	2	4	7	8	8	8
50-64	1	3.0		3	3	3	3	3	3	3
65+	7	2.6	3	<1	<1	2	4	5	5	5
B. *Operated*										
0-19 YRS	3	3.3	5	2	2	2	5	6	6	6
20-34	5	5.0	2	3	3	5	6	7	7	7
35-49	17	5.5	4	2	3	6	7	8	8	8
50-64	24	4.9	7	1	2	4	7	7	9	13
65+	29	7.2	22	3	3	6	8	13	16	25
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	9	1.8	2	<1	<1	1	2	4	5	5
B. *Operated*	104	4.2	4	1	2	4	5	7	8	11
2. MULTIPLE DX										
A. *Not Operated*	14	3.4	5	<1	1	3	5	7	8	8
B. *Operated*	78	5.8	12	2	3	6	7	8	13	22
1. SINGLE DX	113	4.0	5	1	1	4	5	7	8	11
2. MULTIPLE DX	92	5.5	12	1	2	5	7	8	12	21
A. NOT OPERATED	23	2.7	4	<1	1	2	4	6	7	8
B. OPERATED	182	4.9	8	1	2	4	6	8	9	15
TOTAL 0-19 YRS	13	2.6	4	<1	<1	2	4	6	7	7
20-34	26	3.8	2	1	2	4	5	6	7	7
35-49	48	4.4	3	2	2	4	6	7	8	8
50-64	52	4.5	6	1	2	4	6	7	8	13
65+	66	5.8	15	1	2	5	7	9	13	24
GRAND TOTAL	**205**	**4.7**	**8**	**1**	**2**	**4**	**6**	**7**	**9**	**15**

206: Complicated hernia of abdominal cavity, except inguinal (551-552)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34										
35-49	1	2.0		2	2	2	2	2	2	2
50-64	3	6.3	46	<1	<1	4	11	14	14	14
65+	7	6.6	50	1	1	3	10	18	20	20
B. *Operated*										
0-19 YRS	10	2.3	3	<1	<1	2	3	5	6	6
20-34	25	4.1	3	1	2	4	5	6	7	9
35-49	49	4.0	4	1	2	4	5	8	9	9
50-64	38	6.1	21	2	2	4	7	11	16	23
65+	40	7.1	27	2	3	6	8	13	17	30
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	2.5	1	2	2	2	3	3	3	3
35-49	6	5.7	13	1	1	6	8	10	10	10
50-64	11	5.1	13	<1	1	5	8	10	11	11
65+	18	9.2	48	2	3	7	16	22	66	99+
B. *Operated*										
0-19 YRS	5	8.6	78	2	2	6	11	24	24	24
20-34	10	8.8	69	2	3	6	7	24	27	27
35-49	37	8.8	71	3	3	6	9	13	30	45
50-64	54	9.7	108	3	3	7	11	15	19	68
65+	112	16.9	272	3	5	11	22	39	56	99
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	12	5.7	39	<1	<1	3	9	16	19	20
B. *Operated*	162	5.2	16	1	2	4	6	9	11	23
2. MULTIPLE DX										
A. *Not Operated*	37	7.0	33	1	1	5	10	17	22	99+
B. *Operated*	218	13.2	196	3	4	9	14	28	45	87
1. SINGLE DX	174	5.2	17	1	2	4	6	9	12	22
2. MULTIPLE DX	255	12.3	177	2	3	8	14	27	44	98
A. NOT OPERATED	49	6.7	34	1	1	5	10	17	20	99+
B. OPERATED	380	9.8	135	2	3	6	10	21	29	67
TOTAL 0-19 YRS	16	4.2	32	<1	<1	2	5	7	19	24
20-34	37	5.3	24	2	2	4	6	7	17	27
35-49	93	6.0	37	2	2	5	8	9	12	40
50-64	106	7.8	68	2	3	6	10	14	16	55
65+	177	13.5	204	2	3	9	17	29	53	99+
GRAND TOTAL	**429**	**9.4**	**124**	**2**	**2**	**6**	**10**	**20**	**29**	**71**

207: Intestinal obstruction without mention of hernia (560.0-560.2; 560.8-560.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	47	2.8	6	1	1	2	3	6	8	12
20-34	93	3.8	7	1	1	3	5	7	9	14
35-49	144	4.3	8	1	1	4	6	8	9	12
50-64	140	4.9	9	1	2	4	6	9	11	14
65+	180	6.2	22	1	2	5	8	12	15	25
B. *Operated*										
0-19 YRS	35	6.9	17	3	3	6	8	11	18	20
20-34	42	9.2	38	3	4	7	11	14	25	32
35-49	65	11.2	42	5	6	10	12	18	26	39
50-64	42	12.1	65	4	6	10	14	22	24	51
65+	41	14.2	141	7	8	11	17	20	24	82
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	26	5.5	33	1	1	3	6	16	20	23
20-34	108	5.7	23	1	2	4	7	11	16	27
35-49	149	6.4	32	1	2	5	7	13	20	31
50-64	186	7.1	34	2	2	6	8	14	17	33
65+	426	9.9	107	2	2	7	12	20	29	55
B. *Operated*										
0-19 YRS	45	10.9	41	3	4	9	12	19	26	30
20-34	76	17.3	221	5	6	12	19	34	57	73
35-49	113	14.9	138	5	6	10	20	27	41	60
50-64	169	17.6	173	6	7	14	21	34	45	76
65+	234	20.4	174	8	9	17	25	44	64	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	604	4.8	13	1	1	4	6	9	11	19
B. *Operated*	225	10.9	64	3	5	9	12	18	23	43
2. MULTIPLE DX										
A. *Not Operated*	895	8.1	70	1	2	6	9	17	22	47
B. *Operated*	637	17.6	170	5	7	14	22	34	52	99+
1. SINGLE DX	829	6.4	34	1	2	5	8	12	16	27
2. MULTIPLE DX	1532	12.1	134	2	3	9	15	25	36	71
A. NOT OPERATED	1499	6.8	50	1	2	5	8	13	19	39
B. OPERATED	862	15.9	151	5	6	12	20	29	45	78
TOTAL 0-19 YRS	153	6.6	33	1	1	5	8	13	19	28
20-34	319	8.3	95	1	2	6	10	18	25	58
35-49	471	8.4	69	1	2	6	10	18	24	47
50-64	537	10.3	102	2	3	8	13	21	27	55
65+	881	12.1	136	2	3	9	16	25	37	91
GRAND TOTAL	**2361**	**10.1**	**106**	**1**	**2**	**7**	**12**	**21**	**28**	**61**

208: Noninfectious gastroenteritis and colitis (558)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2952	3.3	7	1	1	3	4	6	8	13
20-34	762	2.4	3	1	1	2	3	4	6	9
35-49	326	3.0	6	1	1	2	4	6	8	14
50-64	240	3.8	10	<1	1	3	5	7	9	18
65+	413	4.5	13	1	1	3	6	9	11	20
B. *Operated*										
0-19 YRS	17	5.2	8	3	3	4	6	7	12	15
20-34	29	7.3	15	3	3	6	10	13	14	18
35-49	19	9.6	31	2	3	9	12	15	21	26
50-64	14	7.9	31	2	3	7	8	14	22	24
65+	15	9.0	30	4	4	6	11	17	21	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2070	4.8	19	1	1	4	6	9	12	21
20-34	517	3.5	13	1	1	2	4	7	9	23
35-49	327	4.7	21	1	1	3	6	9	12	25
50-64	379	5.7	29	1	2	4	7	12	13	34
65+	1031	8.0	72	1	2	6	10	16	23	48
B. *Operated*										
0-19 YRS	31	9.8	150	2	3	7	12	15	26	69
20-34	53	8.8	50	2	2	7	11	16	19	43
35-49	36	13.6	218	4	4	9	14	30	47	76
50-64	53	14.7	140	4	4	12	16	32	44	99
65+	68	17.1	196	4	5	12	23	45	59	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4693	3.3	7	1	1	3	4	6	8	14
B. *Operated*	94	7.7	23	3	3	6	10	14	17	25
2. MULTIPLE DX										
A. *Not Operated*	4324	5.5	34	1	1	4	6	11	15	30
B. *Operated*	241	13.3	157	3	4	10	16	30	46	99+
1. SINGLE DX	4787	3.4	8	1	1	3	4	6	8	14
2. MULTIPLE DX	4565	5.9	44	1	1	4	7	12	16	35
A. NOT OPERATED	9017	4.3	21	1	1	3	5	8	11	22
B. OPERATED	335	11.7	125	3	4	9	13	24	39	79
TOTAL 0-19 YRS	5070	3.9	14	1	1	3	5	7	10	16
20-34	1361	3.2	11	1	1	2	4	6	8	17
35-49	708	4.5	30	1	1	3	5	9	12	26
50-64	686	5.8	38	1	1	4	7	12	15	38
65+	1527	7.5	68	1	2	5	9	15	22	51
GRAND TOTAL	**9352**	**4.6**	**27**	**1**	**1**	**3**	**5**	**9**	**13**	**26**

209: Diverticula of intestine (562)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	8.5	41	4	4	8	13	13	13	13
20-34	16	5.1	5	1	2	5	7	8	9	9
35-49	79	5.0	8	1	2	5	7	9	10	13
50-64	167	5.4	10	2	2	5	8	10	11	16
65+	267	6.0	19	1	2	5	8	11	13	24
B. *Operated*										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	10	11.9	35	5	5	10	18	20	21	21
35-49	24	12.2	54	5	7	10	12	19	31	39
50-64	38	13.1	32	6	7	12	17	19	24	31
65+	36	14.9	44	6	7	14	19	24	28	33
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	15.5	25	12	12	15	19	19	19	19
20-34	7	3.1	2	<1	<1	3	4	6	6	6
35-49	54	6.1	21	2	2	5	8	12	17	24
50-64	178	6.8	22	2	3	6	8	11	15	27
65+	597	8.7	52	2	3	7	11	16	21	37
B. *Operated*										
0-19 YRS										
20-34	8	9.9	16	6	7	9	10	17	19	19
35-49	56	16.2	151	4	6	13	19	28	51	98
50-64	136	15.4	101	5	6	14	18	26	32	65
65+	197	20.7	224	5	8	17	25	40	64	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	531	5.6	14	1	2	5	7	10	12	19
B. *Operated*	109	13.3	41	5	7	12	17	20	27	35
2. MULTIPLE DX										
A. *Not Operated*	838	8.1	44	2	3	6	10	15	20	35
B. *Operated*	397	18.0	174	5	7	15	21	33	53	99+
1. SINGLE DX	640	7.0	27	1	2	6	9	13	18	27
2. MULTIPLE DX	1235	11.3	108	2	3	8	14	22	31	66
A. NOT OPERATED	1369	7.2	34	2	2	6	9	13	17	32
B. OPERATED	506	17.0	149	5	7	14	20	31	42	91
TOTAL 0-19 YRS	5	11.0	34	4	4	12	14	19	19	19
20-34	41	7.4	24	1	2	6	9	15	19	21
35-49	213	9.0	76	2	2	7	11	18	23	60
50-64	519	9.1	57	2	3	7	12	17	22	37
65+	1097	10.4	100	2	2	8	13	21	30	62
GRAND TOTAL	**1875**	**9.8**	**84**	**2**	**3**	**7**	**12**	**19**	**26**	**58**

210: Anal fissure, fistula, and abscess (565-566)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	24	2.0	2	<1	1	2	3	4	5	6
20-34	35	2.3	5	<1	<1	1	3	5	7	12
35-49	31	2.6	4	<1	<1	2	4	6	7	8
50-64	21	7.2	208	<1	<1	2	7	15	42	66
65+	15	3.8	12	<1	<1	3	5	10	11	12
B. *Operated*										
0-19 YRS	79	4.1	16	1	1	3	5	9	12	22
20-34	345	3.7	7	1	1	3	5	6	8	15
35-49	304	4.0	9	1	1	3	5	8	9	15
50-64	154	4.4	13	1	2	4	5	8	12	14
65+	45	5.0	18	1	1	4	5	10	15	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	26	4.2	11	<1	1	3	6	9	11	16
20-34	33	3.3	8	<1	<1	2	5	7	10	12
35-49	32	3.7	8	<1	1	3	5	8	11	12
50-64	18	5.8	28	1	1	4	9	15	18	19
65+	27	9.3	80	1	1	6	10	26	30	36
B. *Operated*										
0-19 YRS	30	4.4	20	1	1	4	5	6	7	26
20-34	247	5.2	19	1	2	4	6	10	13	27
35-49	242	5.6	55	1	2	4	6	9	12	41
50-64	166	5.8	36	1	2	4	7	10	16	37
65+	88	8.4	76	1	2	5	11	17	26	50
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	126	3.3	41	<1	<1	2	4	7	9	33
B. *Operated*	927	4.0	10	1	1	3	5	7	9	16
2. MULTIPLE DX										
A. *Not Operated*	136	5.1	30	<1	1	4	6	10	15	30
B. *Operated*	773	5.8	41	1	2	4	6	10	16	34
1. SINGLE DX	1053	3.9	14	1	1	3	5	7	9	16
2. MULTIPLE DX	909	5.7	39	1	1	4	6	10	16	33
A. NOT OPERATED	262	4.2	36	<1	<1	2	5	9	12	29
B. OPERATED	1700	4.8	25	1	1	4	6	9	12	26
TOTAL 0-19 YRS	159	3.9	14	1	1	3	5	7	10	22
20-34	660	4.2	12	<1	1	3	5	7	10	19
35-49	609	4.6	28	1	1	4	5	8	9	26
50-64	359	5.3	35	1	2	4	6	10	13	31
65+	175	7.3	60	1	1	5	9	16	20	41
GRAND TOTAL	**1962**	**4.7**	**26**	**1**	**1**	**4**	**6**	**9**	**12**	**27**

211: Miscellaneous diseases of intestine and peritoneum (555-557; 560.3; 564; 567-569)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	418	3.8	12	1	1	3	4	8	10	22
20-34	478	5.7	34	<1	1	4	7	12	16	30
35-49	246	5.3	21	1	1	4	7	11	15	20
50-64	165	5.3	27	<1	1	4	7	11	15	29
65+	282	5.4	22	<1	1	4	7	12	16	21
B. *Operated*										
0-19 YRS	94	8.1	50	1	1	7	11	16	21	36
20-34	229	10.3	84	1	2	8	13	23	29	47
35-49	130	10.4	67	2	3	8	13	19	25	45
50-64	89	9.3	54	1	2	8	12	19	25	38
65+	89	11.0	66	1	3	9	13	21	29	41
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	361	4.9	28	1	1	3	6	10	14	27
20-34	486	7.0	35	1	2	5	9	14	19	30
35-49	362	7.0	42	1	1	5	9	14	19	35
50-64	396	7.2	41	1	2	6	9	14	17	29
65+	912	8.6	73	1	2	6	11	17	24	50
B. *Operated*										
0-19 YRS	108	12.1	152	2	3	9	15	26	38	95
20-34	437	15.7	181	2	4	12	21	34	44	81
35-49	303	15.5	176	2	4	11	19	34	45	71
50-64	302	16.4	243	2	4	12	19	34	50	93
65+	386	17.4	210	3	4	14	23	37	52	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1589	5.0	24	<1	1	4	7	11	15	23
B. *Operated*	631	9.9	69	1	2	8	12	20	27	43
2. MULTIPLE DX										
A. *Not Operated*	2517	7.3	51	1	1	5	9	15	19	38
B. *Operated*	1536	16.0	199	2	4	12	21	35	47	93
1. SINGLE DX	2220	6.4	42	1	1	4	8	14	19	33
2. MULTIPLE DX	4053	10.6	125	1	2	7	13	24	33	67
A. NOT OPERATED	4106	6.4	42	1	1	5	8	13	18	32
B. OPERATED	2167	14.2	168	2	3	10	18	31	42	79
TOTAL 0-19 YRS	981	5.5	44	1	1	3	7	12	16	36
20-34	1630	9.4	97	1	2	6	12	21	29	53
35-49	1041	9.5	96	1	2	7	12	20	30	52
50-64	952	10.0	124	1	2	7	12	20	29	66
65+	1669	10.2	113	1	2	7	13	22	31	67
GRAND TOTAL	**6273**	**9.1**	**99**	**1**	**2**	**6**	**11**	**19**	**28**	**57**

212: Alcoholic liver disease (571.0-571.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	6	5.7	39	1	1	4	5	17	18	18
35-49	17	7.4	95	2	2	4	8	13	33	43
50-64	16	10.4	133	1	2	6	13	19	39	48
65+	6	11.5	17	6	6	11	16	16	16	16
B. *Operated*										
0-19 YRS										
20-34	2	4.5	25	1	1	4	8	8	8	8
35-49	10	14.0	276	1	1	11	14	37	59	59
50-64	5	16.8	794	2	2	5	23	67	67	67
65+	1	11.0		11	11	55	99+	99+	99+	99+
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	35	10.2	253	1	2	5	9	21	48	81
35-49	95	12.0	159	2	3	8	14	28	40	86
50-64	142	16.5	241	3	4	11	20	35	52	77
65+	84	15.6	183	3	4	12	20	38	60	99+
B. *Operated*										
0-19 YRS										
20-34	6	19.8	583	1	1	9	37	59	61	61
35-49	45	12.2	116	1	1	10	17	30	39	41
50-64	41	12.2	115	1	2	9	16	28	35	49
65+	27	16.5	135	1	4	13	25	36	39	45
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	45	8.8	90	1	2	5	11	18	25	48
B. *Operated*	18	13.6	348	1	1	8	14	64	85	99+
2. MULTIPLE DX										
A. *Not Operated*	356	14.5	210	2	3	10	18	34	52	84
B. *Operated*	119	13.6	142	1	1	10	19	33	39	53
1. SINGLE DX	63	10.1	164	1	2	7	12	19	51	95
2. MULTIPLE DX	475	14.2	193	2	3	10	18	33	47	80
A. NOT OPERATED	401	13.8	200	2	3	9	17	32	50	82
B. OPERATED	137	13.6	167	1	1	10	18	33	41	71
TOTAL 0-19 YRS										
20-34	49	10.6	260	1	1	5	10	28	53	81
35-49	167	11.7	147	1	2	8	14	28	40	68
50-64	204	15.1	220	[illegible]	3	10	18	33	49	73
65+	118	15.6	162	3	4	12	21	38	57	99+
GRAND TOTAL	**538**	**13.8**	**191**	**2**	**2**	**9**	**17**	**33**	**48**	**81**

213: Other cirrhosis and chronic liver disease (571.4-571.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	3	10.3	6	8	8	10	12	13	13	13
35-49	5	6.2	31	<1	<1	4	11	14	14	14
50-64	15	11.9	390	2	2	5	7	30	65	77
65+	9	10.3	49	2	2	10	17	20	21	21
B. *Operated*										
0-19 YRS	5	2.8	2	2	2	2	3	5	5	5
20-34	14	1.9	6	1	1	1	1	5	9	10
35-49	13	2.8	10	1	1	2	3	6	12	13
50-64	24	8.4	160	1	1	2	11	25	40	51
65+	7	8.3	131	1	1	4	12	28	32	32
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	9	6.6	95	<1	1	3	6	22	32	32
20-34	9	11.7	71	4	4	8	15	25	31	31
35-49	19	6.4	21	1	2	6	8	12	17	20
50-64	32	13.4	97	3	3	11	21	28	33	36
65+	50	12.5	70	2	4	10	16	23	26	47
B. *Operated*										
0-19 YRS	5	6.2	15	2	2	5	9	12	12	12
20-34	14	3.5	13	1	1	1	6	9	11	12
35-49	43	9.1	194	1	1	6	11	13	27	88
50-64	52	10.8	90	1	1	10	15	24	24	98
65+	50	14.0	140	1	2	11	18	27	33	66
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	32	10.4	197	2	2	6	12	22	29	77
B. *Operated*	63	5.3	85	1	1	2	4	14	27	49
2. MULTIPLE DX										
A. *Not Operated*	119	11.3	77	2	3	9	15	24	29	39
B. *Operated*	164	10.5	131	1	1	8	14	23	31	85
1. SINGLE DX	95	7.1	127	1	1	3	8	18	28	65
2. MULTIPLE DX	283	10.8	108	1	1	8	15	24	29	61
A. NOT OPERATED	151	11.1	101	2	2	8	15	24	29	47
B. OPERATED	227	9.1	123	1	1	5	12	23	30	71
TOTAL 0-19 YRS	19	5.5	48	1	2	3	6	10	23	32
20-34	40	5.3	38	1	1	2	8	13	15	31
35-49	80	7.3	117	1	1	5	10	13	18	72
50-64	123	11.1	140	1	1	7	16	24	34	83
65+	116	12.7	102	1	2	10	17	24	31	53
GRAND TOTAL	**378**	**9.9**	**115**	**1**	**1**	**7**	**14**	**23**	**29**	**62**

214: Miscellaneous diseases of liver (570; 572-573)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	17	5.5	14	2	2	4	7	9	15	17
20-34	25	4.0	10	<1	<1	3	5	9	10	13
35-49	18	10.1	437	2	2	5	8	11	60	93
50-64	10	7.9	28	3	3	7	9	16	21	21
65+	12	8.8	43	1	2	7	13	17	23	24
B. *Operated*										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	6	4.2	15	1	1	3	6	10	11	11
35-49	10	8.0	109	1	1	3	15	25	31	31
50-64	8	5.4	13	1	1	6	8	9	10	10
65+	4	15.3	291	3	3	9	26	40	40	40
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	11	4.6	7	1	1	5	6	8	10	10
20-34	24	6.1	12	1	3	5	7	12	13	15
35-49	28	8.1	19	3	3	8	10	15	17	18
50-64	51	11.0	140	2	2	8	12	31	50	99
65+	52	12.7	91	2	4	11	16	24	30	53
B. *Operated*										
0-19 YRS	5	7.2	37	2	2	4	12	16	16	16
20-34	6	14.7	127	3	3	12	21	32	33	33
35-49	18	14.1	183	1	1	10	21	37	43	45
50-64	23	16.9	220	1	1	15	27	37	46	58
65+	19	19.4	193	1	2	16	29	37	46	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	82	6.8	112	1	2	5	8	11	15	71
B. *Operated*	29	7.4	85	1	1	4	9	18	31	40
2. MULTIPLE DX										
A. *Not Operated*	166	9.9	83	2	3	7	12	19	29	53
B. *Operated*	71	16.0	184	1	1	14	25	36	40	57
1. SINGLE DX	111	7.0	104	1	1	4	8	13	20	61
2. MULTIPLE DX	237	11.7	120	1	2	8	15	29	38	54
A. NOT OPERATED	248	8.9	94	1	2	6	11	17	24	53
B. OPERATED	100	13.5	170	1	1	9	19	32	39	55
TOTAL 0-19 YRS	34	5.5	14	2	2	4	7	10	15	17
20-34	61	5.9	30	<1	1	5	7	12	16	32
35-49	74	10.0	171	1	2	6	11	20	31	81
50-64	92	11.7	146	1	2	8	14	31	45	82
65+	87	13.7	121	2	2	12	17	30	36	53
GRAND TOTAL	**348**	**10.2**	**120**	**1**	**2**	**7**	**13**	**22**	**33**	**53**

215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	27	3.2	7	<1	1	3	4	7	9	10
20-34	173	2.6	5	<1	1	2	3	5	8	12
35-49	135	2.6	3	<1	1	2	3	5	6	9
50-64	125	3.4	10	<1	1	3	4	6	9	18
65+	87	4.5	10	1	2	3	6	8	9	19
B. *Operated*										
0-19 YRS	91	6.5	4	4	5	6	7	9	11	14
20-34	1088	6.8	5	4	5	6	8	9	10	15
35-49	924	7.0	4	4	5	7	8	9	11	14
50-64	725	7.6	8	5	5	7	9	10	13	19
65+	375	9.6	20	5	6	8	11	15	18	27
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	12	3.7	4	1	1	4	5	6	7	7
20-34	96	3.0	6	<1	1	2	4	5	8	15
35-49	94	4.3	20	1	1	3	5	8	12	27
50-64	169	4.7	16	1	1	3	6	10	13	19
65+	289	9.0	80	1	2	7	10	19	25	49
B. *Operated*										
0-19 YRS	48	9.4	14	5	6	9	11	15	17	20
20-34	803	8.1	11	4	5	7	9	12	15	20
35-49	990	8.6	20	5	5	7	10	13	16	28
50-64	1241	10.3	40	5	6	8	11	16	21	38
65+	1111	14.6	97	6	7	12	17	25	33	62
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	547	3.1	7	<1	1	2	4	6	8	13
B. *Operated*	3203	7.3	8	4	5	7	8	10	12	19
2. MULTIPLE DX										
A. *Not Operated*	660	6.2	49	1	1	4	7	13	19	36
B. *Operated*	4193	10.6	51	5	6	8	12	18	23	41
1. SINGLE DX	3750	6.7	10	2	3	6	8	10	12	18
2. MULTIPLE DX	4853	10.0	53	3	5	8	11	17	23	41
A. NOT OPERATED	1207	4.8	32	1	1	3	6	10	14	28
B. OPERATED	7396	9.2	35	5	5	8	10	15	19	34
TOTAL 0-19 YRS	178	6.6	11	1	3	6	8	11	13	18
20-34	2160	6.7	10	2	3	6	8	10	12	18
35-49	2143	7.3	15	2	4	7	8	11	13	22
50-64	2260	8.6	31	2	4	8	10	14	18	31
65+	1862	12.2	84	3	5	10	15	22	29	51
GRAND TOTAL	**8603**	**8.6**	**37**	**2**	**4**	**7**	**10**	**14**	**19**	**33**

216: Gallbladder disease without mention of calculus (575)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	21	2.9	4	<1	<1	2	4	6	7	7
20-34	122	3.1	4	1	1	3	4	6	7	9
35-49	87	3.0	4	1	1	3	4	6	7	9
50-64	48	4.1	11	1	1	3	5	9	12	15
65+	65	5.5	15	2	2	4	7	10	15	20
B. *Operated*										
0-19 YRS	9	7.4	4	4	4	8	8	10	11	11
20-34	97	8.2	12	5	5	8	9	12	14	23
35-49	77	7.5	7	4	5	7	8	12	14	16
50-64	61	8.3	11	5	5	7	10	12	14	21
65+	30	10.7	19	5	6	10	14	17	18	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	11	3.8	5	2	2	3	5	7	10	10
20-34	62	3.7	8	<1	1	3	5	7	8	15
35-49	47	4.4	10	1	1	4	7	9	10	15
50-64	63	5.8	60	1	1	4	7	11	13	54
65+	131	7.5	35	2	2	6	9	16	20	30
B. *Operated*										
0-19 YRS	6	6.5	1	6	6	6	7	8	8	8
20-34	124	8.9	44	5	5	7	9	14	20	41
35-49	132	9.9	40	5	6	8	11	17	25	34
50-64	132	11.1	42	5	6	9	13	18	21	44
65+	121	16.3	127	6	7	13	19	32	48	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	343	3.7	8	1	1	3	5	7	9	15
B. *Operated*	274	8.3	12	5	5	8	10	13	14	19
2. MULTIPLE DX										
A. *Not Operated*	314	5.8	32	1	1	4	7	11	16	27
B. *Operated*	515	11.4	69	5	6	9	13	20	28	56
1. SINGLE DX	617	5.7	15	1	1	5	8	11	13	18
2. MULTIPLE DX	829	9.3	62	2	3	7	11	17	25	48
A. NOT OPERATED	657	4.7	21	1	1	4	6	9	12	21
B. OPERATED	789	10.3	51	5	5	8	12	17	25	46
TOTAL 0-19 YRS	47	4.4	7	1	1	4	7	8	9	11
20-34	405	6.2	26	1	1	5	8	11	13	31
35-49	343	6.9	28	1	2	6	8	12	15	27
50-64	304	8.3	42	1	3	7	10	14	18	34
65+	347	10.5	81	2	3	8	13	20	29	61
GRAND TOTAL	**1446**	**7.8**	**45**	**1**	**2**	**6**	**9**	**14**	**19**	**37**

217: Diseases of bile ducts with calculus (574.3-574.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	18	3.4	4	<1	1	4	5	7	7	7
35-49	11	3.8	9	<1	<1	3	6	8	10	10
50-64	10	2.9	8	<1	<1	2	3	7	10	10
65+	11	5.0	16	1	1	4	7	11	15	15
B. *Operated*										
0-19 YRS	6	6.5	15	3	3	6	6	13	14	14
20-34	39	8.3	24	2	3	8	11	15	17	25
35-49	33	8.8	24	3	4	8	11	12	17	29
50-64	40	10.5	21	3	6	10	13	18	19	21
65+	44	11.2	42	2	3	11	15	20	24	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	11	3.8	4	1	1	4	5	6	7	7
35-49	4	6.3	7	4	4	6	8	9	9	9
50-64	11	6.6	17	2	2	7	7	14	14	14
65+	40	6.5	16	2	2	6	8	13	16	17
B. *Operated*										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	22	10.0	17	4	6	9	13	16	18	20
35-49	31	11.4	58	2	4	10	14	23	31	32
50-64	45	12.3	58	1	3	10	16	21	26	37
65+	89	16.4	96	3	4	15	22	28	34	48
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	51	3.8	8	<1	1	3	5	7	10	15
B. *Operated*	162	9.7	29	2	3	8	12	17	19	28
2. MULTIPLE DX										
A. *Not Operated*	67	6.0	14	2	2	5	7	12	14	17
B. *Operated*	188	13.8	77	3	4	12	18	26	31	42
1. SINGLE DX	213	8.2	30	1	2	7	11	16	19	26
2. MULTIPLE DX	255	11.8	72	2	3	9	16	24	29	39
A. NOT OPERATED	118	5.0	13	1	1	4	7	9	14	17
B. OPERATED	350	11.9	59	3	4	10	15	22	27	37
TOTAL 0-19 YRS	9	5.9	11	3	3	6	6	11	14	14
20-34	90	7.2	22	1	2	7	9	14	16	23
35-49	79	9.0	40	1	3	8	11	14	24	32
50-64	106	10.1	43	1	2	9	14	19	21	33
65+	184	12.3	80	2	3	10	17	25	28	42
GRAND TOTAL	**468**	**10.2**	**56**	**1**	**2**	**8**	**14**	**20**	**25**	**36**

218: Diseases of bile ducts without mention of calculus (576)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	3.5	1	3	3	3	4	4	4	4
20-34	10	3.1	4	<1	<1	2	5	6	7	7
35-49	9	5.2	25	<1	<1	3	9	13	15	15
50-64	16	5.9	11	1	2	6	8	11	12	12
65+	21	7.5	71	1	1	5	8	19	30	34
B. *Operated*										
0-19 YRS										
20-34	11	12.3	191	1	1	6	20	35	42	43
35-49	7	11.6	79	2	2	7	18	25	26	26
50-64	7	10.0	52	1	2	9	14	21	22	22
65+	8	13.9	92	1	1	14	21	26	27	27
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	10	8.2	13	4	4	7	11	14	16	16
20-34	13	4.6	7	1	2	4	7	8	9	9
35-49	8	8.4	62	1	2	6	11	22	25	25
50-64	18	9.6	66	3	3	7	13	17	29	36
65+	46	10.5	198	2	3	7	13	19	23	94
B. *Operated*										
0-19 YRS	1	13.0		13	13	13	13	13	13	13
20-34	13	13.9	50	2	7	13	18	24	26	26
35-49	18	15.3	98	3	7	13	19	30	38	41
50-64	24	17.7	155	2	4	14	24	36	44	44
65+	43	20.8	130	5	7	20	29	38	41	49
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	58	5.8	35	1	1	4	7	12	15	33
B. *Operated*	33	12.0	106	1	1	9	19	26	29	43
2. MULTIPLE DX										
A. *Not Operated*	95	9.1	118	2	3	7	11	17	20	68
B. *Operated*	99	18.1	122	3	6	16	24	35	41	47
1. SINGLE DX	91	8.1	69	1	1	5	11	20	26	39
2. MULTIPLE DX	194	13.7	140	2	3	10	19	29	36	47
A. NOT OPERATED	153	7.8	88	1	2	6	9	15	20	36
B. OPERATED	132	16.6	124	1	3	15	23	33	40	45
TOTAL 0-19 YRS	13	7.8	15	3	4	7	11	14	16	16
20-34	47	8.7	80	1	1	6	12	23	26	43
35-49	42	11.2	84	1	2	9	16	24	29	41
50-64	65	11.7	104	2	3	9	14	28	35	44
65+	118	14.0	170	1	2	10	20	30	37	63
GRAND TOTAL	**285**	**11.9**	**124**	**1**	**2**	**8**	**16**	**26**	**34**	**44**

219: Diseases of pancreas (577)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	19	3.8	3	1	2	4	5	6	7	8
20-34	137	5.5	14	1	2	5	7	10	13	18
35-49	144	6.7	32	2	2	5	8	12	17	31
50-64	79	7.2	19	2	3	6	8	13	16	23
65+	73	8.5	39	3	4	7	10	16	21	37
B. *Operated*										
0-19 YRS	2	3.0	8	1	1	3	5	5	5	5
20-34	9	10.9	22	4	5	10	15	17	18	18
35-49	16	10.8	46	2	4	9	14	22	25	26
50-64	13	10.7	72	1	1	11	16	24	26	27
65+	5	10.8	19	6	6	10	14	17	17	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	17	5.7	10	1	2	6	8	9	12	13
20-34	170	7.8	32	2	3	6	10	15	20	25
35-49	289	7.7	40	2	3	6	9	15	19	29
50-64	171	9.8	66	2	3	7	12	19	24	41
65+	173	10.8	121	3	4	8	12	19	30	82
B. *Operated*										
0-19 YRS	6	25.8	263	9	10	19	43	48	49	49
20-34	43	19.5	172	6	7	16	27	46	74	99+
35-49	69	21.2	316	4	5	16	26	43	60	91
50-64	85	18.4	179	3	4	14	24	42	51	86
65+	75	20.7	284	3	6	17	24	39	71	98
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	452	6.6	25	2	2	5	8	12	16	27
B. *Operated*	45	10.4	44	1	2	10	15	18	24	27
2. MULTIPLE DX										
A. *Not Operated*	820	8.8	62	2	3	7	10	17	22	42
B. *Operated*	278	20.1	241	4	6	16	25	43	60	99+
1. SINGLE DX	497	6.9	28	2	2	6	8	13	17	27
2. MULTIPLE DX	1098	11.6	131	2	3	8	14	24	34	74
A. NOT OPERATED	1272	8.0	50	2	3	6	10	15	21	37
B. OPERATED	323	18.7	224	3	5	15	23	41	54	99+
TOTAL 0-19 YRS	44	7.5	91	1	2	5	8	15	27	49
20-34	359	8.4	59	2	2	6	10	17	24	49
35-49	518	9.3	96	2	3	6	11	19	27	51
50-64	348	11.3	100	2	3	8	14	23	34	60
65+	326	12.6	158	3	4	9	15	25	34	86
GRAND TOTAL	**1595**	**10.2**	**104**	**2**	**3**	**7**	**13**	**21**	**28**	**63**

220: Gastrointestinal hemorrhage (578)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	37	3.1	9	1	1	2	4	7	11	13
20-34	44	6.1	171	<1	1	4	6	9	10	89
35-49	43	3.6	4	1	1	3	5	6	7	9
50-64	53	5.0	10	1	2	5	6	10	11	15
65+	111	6.4	26	1	2	5	8	13	16	25
B. *Operated*										
0-19 YRS										
20-34										
35-49	3	14.0	109	7	7	9	22	26	26	26
50-64	3	11.0	21	6	6	12	14	15	15	15
65+	9	10.3	27	3	4	9	14	18	19	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	47	3.8	10	1	1	3	5	7	8	20
20-34	101	4.0	6	<1	1	4	5	7	9	12
35-49	144	5.3	18	1	1	4	7	10	15	20
50-64	190	7.2	37	1	2	6	9	12	14	36
65+	587	9.9	74	2	3	8	12	19	25	51
B. *Operated*										
0-19 YRS	5	6.6	37	1	1	5	9	17	17	17
20-34	12	8.8	35	3	4	7	10	20	21	21
35-49	25	12.4	163	2	3	9	16	23	49	51
50-64	51	10.6	61	3	4	9	12	20	27	42
65+	105	18.0	302	3	4	14	20	43	60	97
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	288	5.3	41	1	1	4	6	10	13	20
B. *Operated*	15	11.2	36	3	5	9	14	19	24	26
2. MULTIPLE DX										
A. *Not Operated*	1069	8.0	56	1	2	6	10	15	21	41
B. *Operated*	198	14.6	212	3	4	10	18	27	51	89
1. SINGLE DX	303	5.6	42	1	1	4	7	11	15	23
2. MULTIPLE DX	1267	9.0	86	1	2	6	11	18	23	55
A. NOT OPERATED	1357	7.4	54	1	2	5	9	14	19	40
B. OPERATED	213	14.3	200	3	4	10	18	26	50	88
TOTAL 0-19 YRS	89	3.7	12	1	1	3	5	7	11	19
20-34	157	4.9	56	1	1	4	6	9	10	21
35-49	215	5.9	39	1	1	4	7	11	18	34
50-64	297	7.5	39	1	2	6	9	13	18	36
65+	812	10.5	106	2	3	8	13	20	28	61
GRAND TOTAL	**1570**	**8.3**	**79**	**1**	**2**	**6**	**10**	**16**	**22**	**53**

221: Intestinal malabsorption (579)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	44	6.0	36	2	2	4	6	12	21	27
20-34	3	4.0	3	2	2	5	5	5	5	5
35-49	7	4.6	7	1	1	6	7	7	7	7
50-64	1	5.0		5	5	5	5	5	5	5
65+	3	3.3	10	1	1	2	6	7	7	7
B. *Operated*										
0-19 YRS	2	14.5	13	12	12	14	17	17	17	17
20-34	4	9.0	7	6	6	9	11	12	12	12
35-49	7	7.4	28	1	1	6	12	15	15	15
50-64	11	8.3	33	2	3	5	14	17	17	17
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	51	7.4	33	2	3	6	9	14	17	35
20-34	8	5.4	6	2	2	6	7	8	8	8
35-49	8	7.0	23	2	2	6	10	14	16	16
50-64	9	6.1	31	<1	<1	5	9	15	17	17
65+	12	15.8	164	3	3	10	27	33	39	40
B. *Operated*										
0-19 YRS	5	23.8	1018	3	3	11	33	80	80	80
20-34	4	15.5	178	5	5	11	23	35	35	35
35-49	12	26.5	644	4	7	15	33	71	84	86
50-64	25	22.9	314	7	10	14	32	45	58	81
65+	15	26.7	135	12	15	23	37	50	85	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	58	5.6	29	1	2	4	6	9	19	27
B. *Operated*	24	8.7	27	2	3	8	13	17	17	17
2. MULTIPLE DX										
A. *Not Operated*	88	8.2	55	2	2	7	9	17	25	38
B. *Operated*	61	24.1	360	5	9	17	35	50	80	98
1. SINGLE DX	82	6.5	30	1	2	5	8	15	18	27
2. MULTIPLE DX	149	14.7	240	2	3	10	18	36	45	86
A. NOT OPERATED	146	7.2	46	2	2	5	8	16	23	35
B. OPERATED	85	19.8	314	3	4	14	24	43	68	95
TOTAL 0-19 YRS	102	7.7	87	2	2	5	9	16	19	57
20-34	19	8.1	52	2	2	7	9	12	25	35
35-49	34	13.5	322	1	2	8	14	26	61	86
50-64	46	15.7	244	1	2	12	17	38	46	81
65+	30	20.0	187	2	3	19	34	40	50	99+
GRAND TOTAL	**231**	**11.8**	**181**	**2**	**2**	**7**	**14**	**29**	**39**	**82**

222: Chronic glomerulonephritis and nephrotic syndrome (581-583)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	45	8.0	17	1	2	7	11	14	14	16
20-34	6	3.2	2	<1	<1	3	4	5	5	5
35-49	4	6.0	11	4	4	5	8	11	11	11
50-64	1	7.0		7	7	7	7	7	7	7
65+	3	5.7	5	3	3	7	7	7	7	7
B. *Operated*										
0-19 YRS	8	4.5	11	1	1	4	7	10	10	10
20-34	17	5.8	9	1	2	5	8	10	11	11
35-49	7	4.6	24	1	1	3	5	13	15	15
50-64	4	3.5		3	3	3	4	4	4	4
65+	3	7.0	52	1	1	5	12	15	15	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	25	6.1	14	1	2	5	9	11	13	15
20-34	15	7.5	44	<1	2	5	8	21	22	22
35-49	8	8.8	27	2	3	8	9	17	20	20
50-64	13	9.8	81	2	3	6	11	24	32	34
65+	12	16.3	93	6	7	12	23	31	34	35
B. *Operated*										
0-19 YRS	19	12.9	241	2	3	8	14	33	50	64
20-34	44	13.3	204	2	2	8	16	31	46	64
35-49	44	16.5	285	2	3	10	24	38	54	80
50-64	42	13.9	255	1	2	10	17	29	53	72
65+	16	18.1	222	2	5	15	23	53	84	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	59	7.2	16	1	2	7	10	13	14	16
B. *Operated*	39	5.2	13	1	1	4	8	10	13	15
2. MULTIPLE DX										
A. *Not Operated*	73	9.0	56	2	2	7	11	20	27	35
B. *Operated*	165	14.7	242	2	2	10	18	36	55	79
1. SINGLE DX	98	6.4	16	1	2	6	9	12	14	16
2. MULTIPLE DX	238	13.0	191	2	2	8	16	29	43	73
A. NOT OPERATED	132	8.2	39	2	2	7	10	15	21	34
B. OPERATED	204	12.9	212	1	2	8	16	30	51	76
TOTAL 0-19 YRS	97	8.2	64	1	2	7	10	14	16	50
20-34	82	9.9	132	2	2	6	11	21	33	63
35-49	63	13.5	226	2	2	8	20	29	44	78
50-64	60	12.2	203	1	2	7	16	23	43	72
65+	34	15.4	154	2	5	12	20	35	52	99+
GRAND TOTAL	**336**	**11.1**	**149**	**2**	**2**	**7**	**13**	**23**	**36**	**69**

223: Miscellaneous nephritis and functional disorders (580; 587; 593.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	17	5.3	12	1	1	5	7	11	12	12
20-34	5	5.0	9	2	2	4	7	9	9	9
35-49	1	5.0		5	5	5	5	5	5	5
50-64	1	2.0		2	2	2	2	2	2	2
65+	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-19 YRS	3	3.3	2	2	2	3	4	5	5	5
20-34	1	1.0		1	1	1	1	1	1	1
35-49	2	15.0	72	9	9	15	21	21	21	21
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7	9.6	51	2	2	7	14	20	22	22
20-34	2	4.5	5	3	3	4	6	6	6	6
35-49	1	6.0		6	6	6	6	6	6	6
50-64	1	5.0		5	5	5	5	5	5	5
65+	2	12.5	41	8	8	12	17	17	17	17
B. *Operated*										
0-19 YRS	3	3.0	3	2	2	2	4	5	5	5
20-34	3	17.7	49	11	11	17	23	25	25	25
35-49	6	20.2	173	2	3	19	21	41	43	43
50-64	8	8.3	20	2	2	8	11	14	15	15
65+	2	25.5	113	18	18	33	83	99+	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	25	4.9	10	1	1	5	7	10	11	12
B. *Operated*	6	6.8	56	1	1	4	9	20	21	21
2. MULTIPLE DX										
A. *Not Operated*	13	8.6	37	2	3	6	13	18	21	22
B. *Operated*	22	13.6	113	2	2	13	19	35	63	99+
1. SINGLE DX	31	5.3	18	1	1	5	7	10	12	21
2. MULTIPLE DX	35	11.8	89	2	2	9	18	25	40	99+
A. NOT OPERATED	38	6.2	22	1	2	5	8	13	16	22
B. OPERATED	28	12.2	107	2	2	9	19	30	46	99+
TOTAL 0-19 YRS	30	5.9	22	1	2	5	7	12	14	22
20-34	11	8.0	54	1	2	6	10	20	25	25
35-49	10	16.2	140	2	3	18	21	32	43	43
50-64	10	7.3	20	2	2	7	9	14	15	15
65+	5	15.4	145	1	2	17	33	93	99+	99+
GRAND TOTAL	**66**	**8.7**	**66**	**1**	**2**	**6**	**13**	**20**	**26**	**90**

224: Chronic renal failure (585)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	5	4.0	5	3	3	3	5	8	8	8
65+	23	5.8	33	1	2	2	9	15	18	21
B. *Operated*										
0-19 YRS	1	26.0		26	26	26	26	26	26	26
20-34	5	7.0	8[illegible]	1	1	4	9	23	23	23
35-49	4	11.5	48	5	5	11	17	18	18	18
50-64	4	19.3	782	3	3	6	35	61	61	61
65+	1	8.0		8	8	8	8	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	3.2	12	<1	<1	2	3	9	10	10
20-34	13	7.5	48	1	1	7	13	19	21	22
35-49	14	7.9	59	<1	2	6	8	16	28	32
50-64	34	13.1	269	1	2	7	19	31	45	81
65+	69	13.8	93	3	5	12	17	27	48	99+
B. *Operated*										
0-19 YRS	5	5.6	35	2	2	3	8	16	16	16
20-34	55	16.3	202	2	2	11	24	35	41	70
35-49	57	15.8	354	2	2	11	21	38	58	96
50-64	52	12.9	209	2	2	8	18	43	90	99+
65+	42	19.5	201	2	4	16	29	38	52	55
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	28	5.5	28	1	2	3	8	14	17	21
B. *Operated*	15	12.8	240	1	3	6	18	26	52	61
2. MULTIPLE DX										
A. *Not Operated*	136	11.9	132	1	2	9	16	26	35	99+
B. *Operated*	211	15.7	245	2	2	11	24	37	55	99+
1. SINGLE DX	43	8.0	111	1	2	4	9	19	24	61
2. MULTIPLE DX	347	14.2	203	2	2	10	20	34	49	99+
A. NOT OPERATED	164	10.8	120	1	2	8	15	24	32	97
B. OPERATED	226	15.5	244	2	2	11	24	37	55	99+
TOTAL 0-19 YRS	12	6.1	59	<1	1	3	7	19	25	26
20-34	73	14.1	179	1	2	10	22	34	39	65
35-49	75	14.1	290	2	2	8	17	29	54	91
50-64	95	12.8	239	1	2	7	17	37	62	99+
65+	135	14.2	136	2	2	11	19	30	46	99+
GRAND TOTAL	**390**	**13.5**	**197**	**2**	**2**	**9**	**18**	**32**	**48**	**99+**

225: Other renal failure (584; 586)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	3.0	7	1	1	2	5	6	6	6
20-34	1	7.0		7	7	7	7	7	7	7
35-49	1	3.0		3	3	3	3	3	3	3
50-64	2	6.5	1	6	6	6	7	7	7	7
65+	2	11.0	50	6	6	11	16	16	16	16
B. *Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	2	2.5	1	2	2	2	3	3	3	3
35-49	1	5.0		5	5	5	5	5	5	5
50-64	7	5.1	14	2	2	4	6	12	13	13
65+	2	4.5	1	4	4	4	5	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	7.3	18	2	2	7	10	12	12	12
20-34	9	9.7	51	3	3	7	15	21	23	23
35-49	3	7.0	13	4	4	6	10	11	11	11
50-64	16	8.3	31	1	3	8	10	19	20	20
65+	74	15.2	195	2	3	12	20	33	50	96
B. *Operated*										
0-19 YRS	1	13.0		13	13	13	13	13	13	13
20-34	6	13.5	59	4	4	14	17	24	25	25
35-49	6	26.3	323	2	5	22	49	90	99+	99+
50-64	15	15.2	110	2	3	14	21	33	35	36
65+	23	23.4	269	5	7	22	30	44	89	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	9	6.0	19	1	1	6	7	12	16	16
B. *Operated*	13	4.4	9	2	2	4	5	8	12	13
2. MULTIPLE DX										
A. *Not Operated*	106	13.2	154	2	3	10	17	26	39	90
B. *Operated*	51	20.0	211	3	4	18	25	41	79	99+
1. SINGLE DX	22	5.0	13	1	2	4	6	9	14	16
2. MULTIPLE DX	157	15.4	182	2	3	13	21	34	47	99+
A. NOT OPERATED	115	12.6	147	2	3	9	17	26	38	89
B. OPERATED	64	16.8	209	2	3	15	24	37	57	99+
TOTAL 0-19 YRS	9	5.9	21	1	1	6	10	13	13	13
20-34	18	10.0	53	2	3	7	15	21	24	25
35-49	11	17.0	280	2	3	15	33	65	95	99+
50-64	40	10.3	70	2	3	7	14	21	28	36
65+	101	16.8	218	2	3	14	23	36	53	99+
GRAND TOTAL	**179**	**14.1**	**172**	**2**	**3**	**11**	**20**	**32**	**43**	**99+**

226: Acute pyelonephritis (590.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	92	3.6	3	1	2	3	5	6	7	8
20-34	99	4.3	4	2	2	4	5	7	8	12
35-49	31	4.8	6	2	2	4	7	9	10	10
50-64	21	5.8	8	1	2	6	8	9	11	12
65+	14	6.6	6	1	3	7	7	10	11	11
B. *Operated*										
0-19 YRS	4	4.0	5	1	1	4	5	6	6	6
20-34	5	7.2	21	4	4	6	9	15	15	15
35-49										
50-64	2	12.0	8	10	10	12	14	14	14	14
65+	1	5.0		5	5	5	5	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	92	5.2	6	2	3	5	7	8	11	13
20-34	133	5.4	14	1	2	4	7	9	11	25
35-49	52	5.8	16	2	2	5	7	9	11	24
50-64	47	7.6	43	3	3	7	9	10	11	48
65+	75	9.0	42	3	4	7	10	20	30	99+
B *Operated*										
0-19 YRS	12	10.3	39	4	5	8	13	22	23	23
20-34	9	10.7	108	4	4	7	10	28	37	37
35-49	5	11.2	34	5	5	12	14	20	20	20
50-64	11	12.5	53	2	4	13	13	23	29	30
65+	6	22.7	585	8	8	12	26	66	70	70
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	257	44	5	2	2	4	6	7	9	11
B. *Operated*	12	68	18	1	3	5	8	14	15	15
2. MULTIPLE DX										
A. *Not Operated*	399	63	23	2	3	5	7	10	15	32
B. *Operated*	43	127	134	4	5	9	14	24	32	70
1. SINGLE DX	269	45	6	2	2	4	6	7	9	14
2. MULTIPLE DX	442	70	37	2	3	6	8	12	19	38
A. NOT OPERATED	656	56	17	2	2	5	7	9	11	26
B. OPERATED	55	114	114	4	4	8	13	21	29	68
TOTAL 0-19 YRS	200	47	9	1	2	4	6	7	10	18
20-34	246	52	15	2	2	4	6	8	10	24
35-49	88	58	15	2	2	5	7	10	12	22
50-64	81	79	38	2	3	7	10	13	14	42
65+	96	94	77	3	4	7	10	20	30	99+
GRAND TOTAL	**711**	**60**	**27**	**2**	**2**	**5**	**7**	**10**	**14**	**31**

227: Miscellaneous kidney infections (590.0; 590.2-590.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	145	3.9	6	1	1	3	5	7	8	16
20-34	199	4.2	5	1	2	4	5	7	8	11
35-49	63	4.6	6	1	2	4	6	8	10	12
50-64	33	5.0	6	2	3	4	6	9	9	10
65+	31	8.7	59	2	3	6	9	21	25	35
B. *Operated*										
0-19 YRS	8	5.9	10	1	2	6	8	10	11	11
20-34	14	8.7	27	2	4	7	11	17	21	22
35-49	6	5.8	11	<1	<1	6	9	9	9	9
50-64	1	8.0		8	8	8	8	8	8	8
65+	5	5.0	34	<1	<1	4	7	15	15	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	150	5.5	8	2	3	5	7	9	11	13
20-34	208	4.9	8	2	2	4	7	9	10	13
35-49	70	5.6	8	1	2	5	7	9	10	16
50-64	64	7.8	23	2	3	7	9	15	18	23
65+	145	9.0	41	2	3	8	12	15	19	33
B. *Operated*										
0-19 YRS	32	8.5	23	3	4	8	10	12	14	29
20-34	56	10.3	101	1	4	7	10	24	36	48
35-49	30	10.9	55	2	3	9	17	26	27	99+
50-64	38	15.5	178	3	6	12	19	29	34	79
65+	44	18.3	185	5	6	15	23	35	55	61
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	471	4.5	10	1	2	4	6	8	9	18
B. *Operated*	34	7.0	21	<1	1	7	8	12	17	22
2. MULTIPLE DX										
A. *Not Operated*	637	6.3	19	2	2	5	8	11	14	22
B. *Operated*	200	12.9	126	3	4	9	15	27	35	70
1. SINGLE DX	505	4.7	11	1	2	4	6	8	9	19
2. MULTIPLE DX	837	7.9	52	2	2	6	9	14	21	41
A. NOT OPERATED	1108	5.6	16	1	2	5	7	10	12	21
B. OPERATED	234	12.0	115	2	4	9	14	25	32	64
TOTAL 0-19 YRS	335	5.1	10	1	2	4	7	9	11	15
20-34	477	5.4	21	1	2	4	7	9	11	26
35-49	169	6.2	20	1	2	5	8	11	17	27
50-64	136	9.3	77	2	3	7	11	18	23	41
65+	225	10.7	85	2	3	8	13	21	27	54
GRAND TOTAL	**1342**	**6.7**	**39**	**1**	**2**	**5**	**8**	**12**	**17**	**32**

228: Calculus of kidney (592.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	10	3.0	2	<1	1	3	4	5	6	6
20-34	115	2.3	3	1	1	2	3	4	6	9
35-49	122	2.1	2	<1	1	2	3	4	5	9
50-64	77	2.7	4	1	1	2	3	6	6	11
65+	52	3.8	14	<1	1	3	5	7	9	24
B. *Operated*										
0-19 YRS	4	8.0	21	4	4	7	11	14	14	14
20-34	69	8.1	17	2	3	8	11	14	15	18
35-49	97	8.6	17	3	4	8	10	14	17	23
50-64	83	9.9	27	2	3	10	12	17	21	24
65+	43	9.3	37	2	2	8	12	18	24	29
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	10	2.9	1	2	2	3	4	4	4	4
20-34	67	4.2	16	1	1	3	5	9	14	21
35-49	74	3.5	12	1	1	3	4	7	11	20
50-64	87	3.7	7	1	1	3	5	8	8	13
65+	62	4.5	18	1	1	3	6	9	16	19
B. *Operated*										
0-19 YRS	5	12.0	27	4	4	14	15	17	17	17
20-34	50	12.7	77	3	3	11	17	23	32	38
35-49	88	11.5	102	2	3	10	14	21	28	62
50-64	123	11.0	53	2	4	10	14	20	25	36
65+	97	15.1	128	3	7	12	16	31	35	65
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	376	2.5	5	<1	1	2	3	5	6	10
B. *Operated*	296	8.9	23	2	3	8	11	15	18	24
2. MULTIPLE DX										
A. *Not Operated*	300	3.9	12	1	1	3	5	8	11	18
B. *Operated*	363	12.5	90	3	4	11	15	22	30	52
1. SINGLE DX	672	5.4	23	1	1	4	8	11	14	22
2. MULTIPLE DX	663	8.6	73	1	1	6	12	17	23	38
A. NOT OPERATED	676	3.1	9	1	1	2	4	6	8	16
B. OPERATED	659	10.9	63	2	3	10	13	19	24	38
TOTAL 0-19 YRS	29	5.2	20	1	2	4	5	14	15	17
20-34	301	5.8	35	1	1	4	8	14	17	30
35-49	381	6.2	45	1	1	4	9	13	17	29
50-64	370	7.3	39	1	1	6	11	15	19	26
65+	254	9.2	87	1	1	7	12	18	26	51
GRAND TOTAL	**1335**	**7.0**	**50**	**1**	**1**	**5**	**10**	**15**	**19**	**32**

229: Calculus of ureter (592.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	17	2.7	3	<1	1	2	4	5	6	6
20-34	205	2.4	3	1	1	2	3	5	5	8
35-49	258	2.4	2	1	1	2	3	4	5	7
50-64	187	2.6	4	1	1	2	4	5	7	9
65+	64	3.6	19	1	1	3	4	6	8	30
B. *Operated*										
0-19 YRS	20	5.1	10	2	2	4	7	8	12	15
20-34	239	6.0	14	2	2	5	8	11	14	17
35-49	321	6.4	19	2	2	5	9	12	15	20
50-64	249	7.0	29	2	2	6	9	13	17	25
65+	116	7.9	26	2	2	8	11	14	15	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	4.8	4	3	3	5	6	8	8	8
20-34	65	2.8	4	1	1	2	4	5	6	11
35-49	73	2.6	2	<1	1	2	3	4	6	7
50-64	98	3.4	7	1	1	2	4	8	9	12
65+	57	4.8	13	1	2	4	6	8	13	21
B. *Operated*										
0-19 YRS	7	7.6	8	3	3	9	9	11	11	11
20-34	102	8.7	38	2	3	7	12	17	19	32
35-49	133	8.1	35	2	2	7	10	15	20	30
50-64	217	9.6	53	2	3	8	12	18	24	38
65+	120	9.8	43	3	4	9	12	18	19	38
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	731	2.6	4	1	1	2	3	5	6	8
B. *Operated*	945	6.6	21	2	2	6	9	12	15	23
2. MULTIPLE DX										
A. *Not Operated*	298	3.4	7	1	1	3	4	6	9	13
B. *Operated*	579	9.1	44	2	3	8	12	17	21	34
1. SINGLE DX	1676	4.9	18	1	1	3	6	10	13	21
2. MULTIPLE DX	877	7.2	39	1	2	5	10	15	19	30
A. NOT OPERATED	1029	2.8	5	1	1	2	4	5	7	11
B. OPERATED	1524	7.6	31	2	2	6	10	14	18	28
TOTAL 0-19 YRS	49	4.6	9	1	2	4	6	9	9	15
20-34	611	4.9	19	1	1	4	6	10	14	19
35-49	785	5.0	20	1	1	3	7	11	14	21
50-64	751	6.2	34	1	1	4	8	13	17	28
65+	357	7.3	34	1	2	6	10	15	18	29
GRAND TOTAL	**2553**	**5.7**	**26**	**1**	**1**	**4**	**8**	**12**	**15**	**25**

230: Miscellaneous diseases of kidney and ureter (588-589; 591; 593.0-593.5; 593.7; 593.8-593.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	17	4.2	15	<1	1	3	6	9	14	16
20-34	14	3.1	4	<1	1	2	5	6	7	7
35-49	16	3.8	6	1	1	4	5	5	9	11
50-64	13	3.1	2	1	1	3	4	6	6	6
65+	3	9.7	114	3	3	4	17	22	22	22
B. *Operated*										
0-19 YRS	81	10.2	19	1	3	10	13	15	18	20
20-34	52	8.4	37	<1	1	8	10	17	21	31
35-49	36	6.7	27	1	2	5	10	15	18	21
50-64	34	7.5	38	1	2	6	9	17	22	23
65+	22	8.0	40	<1	1	7	10	17	21	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	27	4.6	20	1	1	3	6	8	11	24
20-34	41	5.4	18	1	1	5	6	10	14	22
35-49	20	4.7	10	1	1	4	7	9	11	11
50-64	31	5.5	21	1	2	4	7	9	15	24
65+	48	12.9	215	1	2	10	17	31	82	99+
B. *Operated*										
0-19 YRS	131	10.5	45	1	2	10	12	17	19	37
20-34	76	10.7	51	1	2	11	14	18	26	83
35-49	82	13.2	91	2	3	12	17	22	28	58
50-64	90	11.5	91	1	1	10	17	23	31	42
65+	118	15.2	261	2	2	11	18	29	46	95
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	63	3.9	12	1	1	3	5	7	10	21
B. *Operated*	225	8.6	31	1	2	8	12	16	19	23
2. MULTIPLE DX										
A. *Not Operated*	167	7.4	86	1	1	5	8	16	24	96
B. *Operated*	497	12.3	116	1	2	11	15	23	30	60
1. SINGLE DX	288	7.6	30	1	1	7	10	15	19	23
2. MULTIPLE DX	664	11.0	113	1	2	9	14	22	28	74
A. NOT OPERATED	230	6.4	68	1	1	4	7	13	22	85
B. OPERATED	722	11.1	92	1	2	10	14	20	25	51
TOTAL 0-19 YRS	256	9.4	37	1	2	10	12	16	19	27
20-34	183	8.3	42	1	1	7	12	16	21	37
35-49	154	9.6	72	1	2	8	13	19	23	39
50-64	168	8.9	68	1	1	6	12	21	24	38
65+	191	13.7	225	2	2	10	17	26	46	98
GRAND TOTAL	**952**	**10.0**	**90**	**1**	**2**	**8**	**13**	**19**	**24**	**53**

231: Urinary calculus, except kidney and ureter (592.9; 594)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	2.2	1	1	1	2	3	3	3	3
20-34	13	3.1	5	1	1	2	5	6	8	8
35-49	19	1.6		<1	<1	1	2	3	3	3
50-64	25	3.0	6	<1	1	2	4	6	10	10
65+	5	3.2	2	1	1	3	4	5	5	5
B. *Operated*										
0-19 YRS	2	11.0	98	4	4	11	18	18	18	18
20-34	5	3.6	1	2	2	4	4	5	5	5
35-49	18	5.3	6	2	2	5	7	9	10	10
50-64	20	5.0	21	1	2	4	5	9	16	22
65+	26	5.7	15	1	2	4	8	11	13	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	7	2.9	5	1	1	2	4	7	7	7
35-49	7	2.4	1	1	1	2	3	4	4	4
50-64	11	3.6	6	1	1	3	6	7	8	8
65+	8	9.9	65	2	3	7	12	24	27	27
B. *Operated*										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	12	7.9	56	<1	<1	6	11	17	26	28
35-49	20	9.5	73	1	2	6	11	25	29	30
50-64	27	7.0	140	1	1	3	7	12	24	63
65+	81	10.9	111	2	2	7	13	25	31	56
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	67	2.6	4	<1	1	2	3	5	7	10
B. *Operated*	71	5.4	15	2	2	4	7	10	13	21
2. MULTIPLE DX										
A. *Not Operated*	33	4.7	26	1	1	3	6	8	15	27
B. *Operated*	141	9.6	106	1	2	6	12	22	28	62
1. SINGLE DX	138	4.0	12	<1	1	3	5	9	10	18
2. MULTIPLE DX	174	8.7	94	1	2	6	11	21	27	57
A. NOT OPERATED	100	3.3	12	<1	1	2	4	7	9	21
B. OPERATED	212	8.2	80	2	2	6	10	18	26	49
TOTAL 0-19 YRS	8	5.0	31	1	1	3	5	15	18	18
20-34	37	4.7	25	<1	1	3	6	10	12	28
35-49	64	5.2	35	<1	1	3	6	10	18	30
50-64	83	4.9	55	1	1	3	5	9	11	49
65+	120	9.4	87	2	2	7	12	21	27	47
GRAND TOTAL	**312**	**6.6**	**63**	**1**	**1**	**4**	**8**	**13**	**22**	**41**

232: Cystitis (595)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	46	3.1	3	<1	1	3	4	6	7	8
20-34	38	2.6	3	<1	<1	2	4	5	7	7
35-49	16	3.9	5	<1	<1	4	6	7	7	7
50-64	14	3.6	6	<1	<1	3	6	7	8	9
65+	23	6.0	36	2	2	4	6	12	18	30
B. *Operated*										
0-19 YRS	24	3.8	8	<1	<1	4	5	9	9	10
20-34	35	3.5	20	<1	<1	2	4	7	12	24
35-49	36	2.6	4	<1	<1	2	4	6	7	9
50-64	40	2.5	3	<1	<1	2	4	4	5	10
65+	65	4.0	19	<1	<1	3	4	8	9	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	80	4.3	7	1	1	4	6	7	9	14
20-34	67	4.6	17	1	1	4	6	7	11	27
35-49	43	4.9	9	1	2	4	7	8	10	15
50-64	44	4.8	16	1	2	3	6	11	15	18
65+	164	8.4	62	2	2	6	11	18	27	47
B. *Operated*										
0-19 YRS	34	3.9	12	1	1	3	6	8	11	17
20-34	39	7.5	66	<1	<1	5	10	20	28	33
35-49	46	5.9	52	<1	<1	4	6	9	23	39
50-64	74	5.7	32	<1	<1	4	7	11	16	32
65+	186	10.5	137	2	2	6	13	25	36	93
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	137	3.6	10	<1	<1	3	4	6	7	15
B. *Operated*	200	3.3	12	<1	<1	2	4	6	9	23
2. MULTIPLE DX										
A. *Not Operated*	398	6.2	36	1	2	4	7	12	17	34
B. *Operated*	379	8.1	93	<1	1	5	10	19	27	58
1. SINGLE DX	337	3.4	11	<1	<1	3	4	6	8	23
2. MULTIPLE DX	777	7.1	65	1	2	5	8	15	23	51
A. NOT OPERATED	535	5.5	30	1	1	4	7	11	16	31
B. OPERATED	579	6.4	70	<1	<1	4	7	14	24	53
TOTAL 0-19 YRS	184	3.8	7	<1	1	3	5	7	9	14
20-34	179	4.6	28	<1	<1	3	6	9	14	30
35-49	141	4.5	23	<1	<1	3	6	8	10	29
50-64	172	4.6	21	<1	<1	3	6	9	14	24
65+	438	8.5	91	1	2	6	10	19	28	61
GRAND TOTAL	**1114**	**6.0**	**51**	**<1**	**1**	**4**	**7**	**13**	**19**	**43**

233: Urethral stricture (598)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	7.0	49	1	1	5	12	16	16	16
20-34	3	2.0	1	<1	<1	2	3	3	3	3
35-49	2	2.0		2	2	2	2	2	2	2
50-64	2	3.5	1	3	3	3	4	4	4	4
65+	5	4.0	6	2	2	3	5	8	8	8
B. *Operated*										
0-19 YRS	63	2.2	5	<1	<1	1	2	5	7	12
20-34	63	3.9	10	<1	<1	3	6	8	11	14
35-49	48	4.5	11	<1	1	4	6	8	14	16
50-64	49	3.9	8	<1	1	3	5	8	9	13
65+	133	5.9	66	<1	1	4	7	11	18	34
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	5	4.0	14	<1	<1	2	6	10	10	10
35-49	3	5.0	37	1	1	2	9	12	12	12
50-64	4	3.0	8	<1	<1	2	5	7	7	7
65+	12	6.3	16	<1	2	5	9	13	13	13
B. *Operated*										
0-19 YRS	50	3.7	13	1	1	2	5	9	10	19
20-34	42	7.2	30	<1	1	6	11	15	18	22
35-49	63	6.0	42	<1	<1	4	8	11	18	40
50-64	101	6.0	30	1	1	4	8	13	15	29
65+	276	7.7	59	1	2	6	10	17	22	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	16	4.1	15	<1	1	3	4	9	14	16
B. *Operated*	356	4.4	31	<1	1	3	6	9	13	21
2. MULTIPLE DX										
A. *Not Operated*	25	5.0	16	<1	<1	3	8	12	13	13
B. *Operated*	532	6.8	46	1	1	5	9	14	19	57
1. SINGLE DX	372	4.4	31	<1	1	3	6	9	13	21
2. MULTIPLE DX	557	6.7	45	1	1	5	9	14	19	55
A. NOT OPERATED	41	4.6	15	<1	1	3	7	11	13	16
B. OPERATED	888	5.8	42	<1	1	4	7	13	17	41
TOTAL 0-19 YRS	118	3.0	10	<1	1	2	4	7	10	17
20-34	113	5.1	20	<1	<1	4	7	11	14	20
35-49	116	5.3	28	<1	1	4	6	11	14	28
50-64	156	5.2	23	1	1	4	7	11	14	18
65+	426	7.1	60	1	2	5	9	15	20	86
GRAND TOTAL	**929**	**5.8**	**40**	**<1**	**1**	**4**	**7**	**13**	**17**	**40**

234: Miscellaneous urinary diseases (596-597; 599)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	410	3.5	7	1	1	3	5	7	8	13
20-34	159	3.5	5	1	1	3	5	6	8	10
35-49	88	4.0	7	1	1	3	5	7	10	15
50-64	70	4.6	10	1	1	4	6	9	11	16
65+	167	5.4	11	1	2	5	7	9	11	17
B. *Operated*										
0-19 YRS	88	3.3	18	<1	<1	1	4	8	10	23
20-34	78	3.1	8	<1	<1	2	4	7	10	13
35-49	82	4.2	37	<1	<1	2	4	9	13	37
50-64	85	3.7	10	<1	<1	2	5	8	10	17
65+	165	5.0	21	<1	1	4	6	10	14	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	523	4.6	14	1	1	4	6	8	11	18
20-34	295	5.3	26	1	1	4	7	9	14	33
35-49	183	5.9	22	1	2	5	8	10	12	22
50-64	248	6.5	26	1	2	5	8	12	16	34
65+	844	9.6	79	2	2	7	12	20	27	59
B. *Operated*										
0-19 YRS	116	5.9	33	1	1	4	8	14	18	25
20-34	111	6.7	111	<1	<1	4	8	13	18	64
35-49	107	7.8	73	<1	<1	5	10	18	29	42
50-64	228	7.9	93	<1	1	5	9	18	24	50
65+	569	10.4	137	1	2	7	13	22	35	84
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	894	4.0	8	1	1	3	5	7	9	14
B. *Operated*	498	4.0	20	<1	<1	2	5	8	13	24
2. MULTIPLE DX										
A. *Not Operated*	2093	7.0	49	1	2	5	8	14	20	44
B. *Operated*	1131	8.8	111	<1	1	6	10	19	29	70
1. SINGLE DX	1392	4.0	12	<1	1	3	5	8	10	17
2. MULTIPLE DX	3224	7.7	71	1	2	5	9	16	22	49
A. NOT OPERATED	2987	6.1	38	1	2	5	7	12	17	35
B. OPERATED	1629	7.3	88	<1	1	5	9	16	24	53
TOTAL 0-19 YRS	1137	4.2	14	1	1	3	5	8	11	19
20-34	643	4.8	35	<1	1	4	6	9	12	29
35-49	460	5.7	36	<1	1	4	7	10	15	36
50-64	631	6.4	49	<1	1	5	7	12	18	33
65+	1745	9.0	90	1	2	6	11	19	27	65
GRAND TOTAL	**4616**	**6.6**	**56**	**1**	**1**	**5**	**8**	**13**	**19**	**42**

235: Hyperplasia of prostate (600)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	4	2.8		2	2	3	3	3	3	3
50-64	10	2.7	4	<1	<1	2	3	6	7	7
65+	22	3.0	6	<1	1	2	4	7	9	10
B. *Operated*										
0-19 YRS	2	10.0	162	<1	<1	9	19	19	19	19
20-34	3	3.7	8	2	2	2	6	7	7	7
35-49	33	4.2	22	<1	<1	2	5	12	16	18
50-64	527	7.0	20	1	2	7	9	11	14	23
65+	921	7.9	25	1	3	7	9	12	16	29
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34										
35-49	3	3.7	2	2	2	4	5	5	5	5
50-64	31	3.6	7	1	1	3	5	7	8	13
65+	121	6.5	93	1	1	4	7	12	16	58
B. *Operated*										
0-19 YRS	2	19.0	578	2	2	19	36	36	36	36
20-34	1	5.0		5	5	5	5	5	5	5
35-49	27	6.1	8	1	2	7	8	10	11	12
50-64	797	8.3	29	2	3	7	10	14	18	29
65+	2131	10.4	56	3	4	9	13	18	24	40
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	36	2.9	5	<1	1	2	3	6	8	10
B. *Operated*	1486	7.5	24	1	2	7	9	12	15	29
2. MULTIPLE DX										
A. *Not Operated*	156	5.8	75	1	1	4	7	11	15	46
B. *Operated*	2958	9.8	50	2	4	8	12	17	23	39
1. SINGLE DX	1522	7.4	24	1	2	7	9	12	15	28
2. MULTIPLE DX	3114	9.6	52	2	3	8	11	17	23	39
A. NOT OPERATED	192	5.3	63	1	1	3	6	10	13	43
B. OPERATED	4444	9.0	42	2	3	8	11	16	20	36
TOTAL 0-19 YRS	5	11.8	242	<1	<1	2	23	36	36	36
20-34	4	4.0	6	2	2	4	6	7	7	7
35-49	67	4.8	15	<1	1	4	7	10	12	18
50-64	1365	7.6	26	2	2	7	9	13	16	28
65+	3195	9.5	50	2	3	8	11	16	21	38
GRAND TOTAL	**4636**	**8.9**	**43**	**2**	**3**	**8**	**10**	**15**	**20**	**36**

236: Diseases of the prostate, except hypertrophy (601-602)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	10	3.8	6	<1	<1	4	6	7	7	7
35-49	16	3.9	7	<1	<1	4	6	8	9	9
50-64	13	4.9	6	<1	1	6	6	8	9	9
65+	9	7.3	23	4	4	5	9	16	16	16
B. *Operated*										
0-19 YRS	2	2.0	2	<1	<1	1	3	3	3	3
20-34	4	1.8	1	<1	<1	1	2	3	3	3
35-49	14	2.7	2	<1	<1	2	4	5	5	5
50-64	15	5.0	25	<1	<1	3	7	11	17	19
65+	19	3.9	5	<1	1	4	6	8	54	99+
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	5.0	18	2	2	5	8	8	8	8
20-34	4	5.5	6	3	3	5	7	8	8	8
35-49	15	4.9	7	1	1	5	7	8	9	10
50-64	19	5.7	9	2	3	5	7	9	13	15
65+	29	6.4	8	2	3	6	8	10	11	14
B. *Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	8	3.9	8	<1	<1	3	6	8	8	8
35-49	18	4.8	26	<1	1	3	5	13	18	20
50-64	55	6.6	54	<1	1	5	8	11	17	49
65+	96	10.9	139	2	3	8	12	22	40	87
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	48	4.8	10	<1	<1	5	6	8	10	16
B. *Operated*	54	3.7	10	<1	<1	3	5	8	10	96
2. MULTIPLE DX										
A. *Not Operated*	69	5.8	8	2	2	6	7	9	11	15
B. *Operated*	178	8.6	101	1	2	6	10	18	25	70
1. SINGLE DX	102	4.2	10	<1	<1	4	6	8	10	57
2. MULTIPLE DX	247	7.8	76	1	2	6	9	14	20	65
A. NOT OPERATED	117	5.4	9	1	1	5	7	9	11	15
B. OPERATED	232	7.4	84	<1	1	5	9	16	22	76
TOTAL 0-19 YRS	5	3.4	7	<1	<1	3	4	8	8	8
20-34	26	3.8	6	<1	<1	3	6	7	8	8
35-49	63	4.1	12	<1	1	3	5	8	10	19
50-64	102	6.0	35	<1	1	5	7	10	14	35
65+	153	9.0	97	2	2	6	10	17	30	98
GRAND TOTAL	**349**	**6.7**	**60**	**<1**	**1**	**5**	**8**	**13**	**19**	**65**

237: Hydrocele (603)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	9	1.2		<1	<1	1	1	2	2	2
20-34	1	1.0		<1	<1	<1	<1	<1	<1	<1
35-49	1	1.0		1	1	1	1	1	1	1
50-64	1	11.0		11	11	11	11	11	11	11
65+										
B. *Operated*										
0-19 YRS	194	2.2	2	<1	1	2	3	4	5	8
20-34	34	3.3	6	<1	2	3	4	5	5	16
35-49	44	3.3	4	1	2	3	4	6	7	9
50-64	80	3.4	3	1	1	3	4	6	7	8
65+	47	4.2	14	1	2	3	5	6	9	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	8	1.1		<1	<1	1	1	2	2	2
20-34										
35-49										
50-64	1	8.0		8	8	8	8	8	8	8
65+	5	12.8	443	<1	<1	3	19	50	50	50
B. *Operated*										
0-19 YRS	97	2.5	5	<1	1	2	3	4	7	13
20-34	21	4.0	4	1	1	3	6	7	7	7
35-49	31	4.6	20	1	2	3	5	10	14	23
50-64	58	5.7	25	2	2	4	6	11	12	31
65+	67	5.0	12	1	2	4	6	10	11	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	12	2.0	8	<1	<1	1	2	5	10	11
B. *Operated*	399	2.9	4	<1	1	2	3	5	7	9
2. MULTIPLE DX										
A. *Not Operated*	14	5.8	169	<1	<1	1	3	13	42	50
B. *Operated*	274	4.1	14	1	1	3	5	8	11	22
1. SINGLE DX	411	2.9	5	<1	1	2	3	5	7	10
2. MULTIPLE DX	288	4.2	21	1	1	3	5	8	11	23
A. NOT OPERATED	26	4.0	95	<1	<1	1	2	9	19	50
B. OPERATED	673	3.4	9	1	1	3	4	6	8	15
TOTAL 0-19 YRS	308	2.3	3	<1	<1	2	3	4	5	9
20-34	56	3.5	5	<1	1	3	4	6	7	15
35-49	76	3.8	11	1	2	3	4	7	9	21
50-64	140	4.4	13	1	2	4	5	8	10	22
65+	119	5.0	30	1	2	4	6	9	11	32
GRAND TOTAL	**699**	**3.4**	**12**	**<1**	**1**	**3**	**4**	**6**	**8**	**16**

238: Orchitis and epididymitis (604)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	34	4.6	10	<1	1	4	7	8	12	13
20-34	93	4.4	7	1	2	4	6	7	9	14
35-49	34	4.3	6	1	1	4	6	7	9	11
50-64	24	6.1	8	3	3	6	7	11	13	14
65+	27	6.7	9	3	4	6	9	11	12	14
B. *Operated*										
0-19 YRS	14	3.4	3	1	2	3	4	5	7	8
20-34	20	4.7	4	2	2	5	6	7	9	10
35-49	9	4.3	10	1	1	3	7	9	10	10
50-64	8	5.6	15	1	2	5	7	12	13	13
65+	12	7.1	37	2	3	4	8	19	21	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	8	4.1	11	1	1	3	5	10	11	11
20-34	21	6.6	17	1	2	6	8	12	15	18
35-49	22	5.5	10	1	2	5	8	10	11	13
50-64	20	6.4	14	<1	1	6	9	12	13	14
65+	44	7.0	19	2	3	6	9	13	15	21
B. *Operated*										
0-19 YRS	5	5.2	7	2	2	6	7	8	8	8
20-34	17	6.3	22	1	2	6	8	9	18	22
35-49	7	9.4	34	3	3	10	12	18	20	20
50-64	17	7.2	16	3	4	6	8	15	17	17
65+	38	8.8	55	2	2	7	12	18	20	40
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	212	4.9	8	1	2	5	6	9	11	14
B. *Operated*	63	4.9	13	1	2	4	6	8	11	21
2. MULTIPLE DX										
A. *Not Operated*	115	6.4	16	1	2	5	8	12	13	19
B. *Operated*	84	7.8	37	2	2	6	10	16	19	34
1. SINGLE DX	275	4.9	9	1	2	4	6	9	11	16
2. MULTIPLE DX	199	7.0	25	1	2	6	9	13	17	22
A. NOT OPERATED	327	5.4	11	1	2	5	7	10	12	16
B. OPERATED	147	6.6	28	2	2	5	8	13	18	23
TOTAL 0-19 YRS	61	4.3	8	1	1	3	6	8	10	13
20-34	151	5.0	10	1	2	4	6	9	11	18
35-49	72	5.2	12	1	2	5	7	10	11	18
50-64	69	6.4	12	2	3	6	8	12	14	17
65+	121	7.5	30	2	3	6	10	14	18	27
GRAND TOTAL	**474**	**5.8**	**17**	**1**	**2**	**5**	**7**	**11**	**13**	**20**

239: Redundant prepuce and phimosis (605)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	12	1.7	1	<1	<1	1	2	3	3	3
20-34	2	1.0		1	1	1	1	1	1	1
35-49										
50-64	1	7.0		7	7	7	7	7	7	7
65+										
B. *Operated*										
0-19 YRS	401	1.8	3	<1	<1	2	2	3	3	8
20-34	62	2.0	1	<1	<1	2	3	3	3	5
35-49	36	2.3	1	<1	<1	2	3	4	5	5
50-64	8	2.4	2	<1	<1	2	3	4	5	5
65+	20	2.7	2	2	2	2	3	4	6	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	17	2.4	9	<1	<1	1	2	7	11	12
20-34	3	1.0		<1	<1	<1	1	1	1	1
35-49	1	7.0		7	7	7	7	7	7	7
50-64	1	8.0		8	8	8	8	8	8	8
65+	3	9.3	9	6	6	10	11	12	12	12
B. *Operated*										
0-19 YRS	104	2.4	8	<1	<1	2	2	4	7	18
20-34	24	2.5	1	<1	1	2	3	4	5	5
35-49	28	2.6	3	1	1	2	3	5	7	8
50-64	27	3.2	6	<1	1	2	4	8	9	9
65+	38	4.1	14	1	1	3	5	8	12	19
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	15	1.9	3	<1	<1	1	3	3	6	7
B. *Operated*	527	1.9	2	<1	<1	2	2	3	4	7
2. MULTIPLE DX										
A. *Not Operated*	25	3.4	14	<1	<1	1	6	10	12	12
B. *Operated*	221	2.8	8	<1	<1	2	3	5	8	15
1. SINGLE DX	542	1.9	2	<1	<1	2	2	3	4	7
2. MULTIPLE DX	246	2.9	8	<1	<1	2	3	6	8	14
A. NOT OPERATED	40	2.9	10	<1	<1	1	3	8	11	12
B. OPERATED	748	2.2	4	<1	<1	2	2	3	5	10
TOTAL 0-19 YRS	534	1.9	4	<1	<1	2	2	3	4	12
20-34	91	2.1	1	<1	<1	2	3	3	4	5
35-49	65	2.5	2	<1	1	2	3	4	6	8
50-64	37	3.2	6	<1	<1	2	4	8	9	9
65+	61	3.9	11	1	2	3	4	8	11	18
GRAND TOTAL	**788**	**2.2**	**4**	**<1**	**<1**	**2**	**2**	**4**	**5**	**12**

240: Miscellaneous diseases of male genital organs (606-608)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	47	2.3	3	<1	1	2	3	5	7	7
20-34	13	3.1	10	<1	<1	2	4	7	11	12
35-49	4	3.0	3	1	1	3	4	5	5	5
50-64	3	4.7	30	1	1	2	9	11	11	11
65+	4	6.8	48	<1	<1	5	12	16	16	16
B. *Operated*										
0-19 YRS	240	2.3	3	<1	1	2	3	4	5	9
20-34	130	2.7	3	<1	1	2	3	5	5	10
35-49	90	2.9	4	<1	1	2	4	5	6	12
50-64	78	3.7	8	<1	1	3	5	6	8	17
65+	28	3.8	5	1	1	3	5	8	8	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	23	2.9	5	1	1	2	4	6	8	10
20-34	10	3.3	4	1	1	3	5	6	6	6
35-49	7	9.1	98	<1	1	7	8	26	31	31
50-64	14	3.3	4	<1	1	3	4	7	8	8
65+	16	6.6	24	<1	1	6	9	15	17	17
B. *Operated*										
0-19 YRS	77	2.8	8	<1	1	2	3	5	7	18
20-34	94	3.4	7	1	1	3	4	6	9	16
35-49	70	4.5	16	1	1	3	5	9	10	25
50-64	116	5.3	38	1	1	4	5	9	16	34
65+	84	7.2	59	1	2	5	9	15	23	45
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	71	2.8	8	<1	1	2	3	6	8	15
B. *Operated*	566	2.8	4	<1	1	2	3	5	6	11
2. MULTIPLE DX										
A. *Not Operated*	70	4.5	21	1	1	3	6	9	11	28
B. *Operated*	441	4.7	29	1	1	3	5	9	14	28
1. SINGLE DX	637	2.8	5	<1	1	2	3	5	7	11
2. MULTIPLE DX	511	4.7	28	1	1	3	5	9	14	29
A. NOT OPERATED	141	3.7	15	<1	1	2	5	7	10	18
B. OPERATED	1007	3.6	16	<1	1	3	4	7	9	22
TOTAL 0-19 YRS	387	2.4	4	<1	1	2	3	5	7	11
20-34	247	3.0	5	<1	1	2	3	5	7	13
35-49	171	3.8	14	<1	1	3	4	7	10	25
50-64	211	4.6	25	1	1	3	5	8	11	29
65+	132	6.4	44	1	2	5	8	14	17	37
GRAND TOTAL	**1148**	**3.6**	**16**	**<1**	**1**	**3**	**4**	**7**	**9**	**22**

241: Benign mammary dysplasia (610)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	1.7		1	1	2	2	2	2	2
20-34										
35-49	3	1.3		1	1	1	2	2	2	2
50-64										
65+	3	1.3		1	1	1	2	2	2	2
B. *Operated*										
0-19 YRS	22	2.8	8	<1	1	2	2	6	11	12
20-34	137	2.1	2	<1	<1	2	2	4	4	9
35-49	323	2.4	4	<1	<1	2	3	4	6	12
50-64	139	2.5	4	<1	<1	2	3	4	5	11
65+	42	3.7	30	1	1	3	4	6	7	37
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	4.0	27	1	1	1	8	10	10	10
20-34	3	3.0	12	<1	<1	1	5	7	7	7
35-49	7	2.4	4	1	1	1	4	6	6	6
50-64	4	1.5	1	1	1	1	2	3	3	3
65+	2	2.5	5	<1	<1	2	4	4	4	4
B. *Operated*										
0-19 YRS	2	4.0		4	4	4	4	4	4	4
20-34	78	3.5	16	<1	<1	2	4	7	13	21
35-49	215	2.7	5	<1	<1	2	3	5	7	12
50-64	165	3.4	12	<1	<1	2	4	6	8	20
65+	90	3.5	6	<1	2	3	4	7	9	13
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	9	1.4		1	1	1	2	2	2	2
B. *Operated*	663	2.5	5	<1	<1	2	3	4	6	12
2. MULTIPLE DX										
A. *Not Operated*	19	2.6	7	<1	<1	1	4	7	9	10
B. *Operated*	550	3.2	9	<1	<1	2	4	6	9	17
1. SINGLE DX	672	2.5	5	<1	<1	2	3	4	6	12
2. MULTIPLE DX	569	3.1	9	<1	<1	2	4	6	9	17
A. NOT OPERATED	28	2.2	5	<1	1	1	3	5	7	10
B. OPERATED	1213	2.8	7	<1	<1	2	3	5	7	15
TOTAL 0-19 YRS	30	2.9	8	<1	1	2	2	7	10	12
20-34	218	2.6	8	<1	<1	2	3	5	7	18
35-49	548	2.6	4	<1	<1	2	3	5	7	12
50-64	308	3.0	9	<1	<1	2	3	5	7	19
65+	137	3.5	13	<1	1	3	4	6	9	16
GRAND TOTAL	**1241**	**2.8**	**7**	**<1**	**<1**	**2**	**3**	**5**	**7**	**15**

242: Miscellaneous diseases of breast (611)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	4.0	6	1	1	5	5	7	7	7
20-34	28	3.8	7	<1	<1	3	5	8	9	10
35-49	10	3.6	2	<1	<1	4	5	5	5	5
50-64	3	15.7	177	<1	<1	19	25	27	27	27
65+	6	3.8	4	1	1	4	4	7	7	7
B. *Operated*										
0-19 YRS	115	2.9	3	<1	1	3	4	5	6	9
20-34	329	3.2	3	<1	1	3	4	5	6	10
35-49	177	2.9	3	<1	<1	3	4	5	6	9
50-64	93	3.1	2	<1	1	3	4	5	6	8
65+	51	3.1	4	<1	1	3	4	5	7	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	9	2.2	1	1	1	2	3	4	4	4
20-34	20	4.2	13	<1	<1	3	6	9	13	14
35-49	14	3.1	12	<1	1	2	3	7	12	14
50-64	12	3.4	13	1	1	1	5	9	12	12
65+	18	3.6	14	<1	<1	2	4	9	13	15
B. *Operated*										
0-19 YRS	36	4.6	13	1	2	3	5	9	12	19
20-34	169	3.5	5	1	1	3	4	6	8	12
35-49	117	4.1	7	1	2	4	5	7	8	17
50-64	84	4.0	6	1	2	3	5	7	8	13
65+	68	4.8	20	2	2	3	5	9	14	27
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	53	4.5	19	<1	<1	4	5	7	10	27
B. *Operated*	765	3.1	3	<1	1	3	4	5	6	10
2. MULTIPLE DX										
A. *Not Operated*	73	3.5	11	<1	1	2	4	8	12	15
B. *Operated*	474	4.0	8	1	2	3	5	7	9	16
1. SINGLE DX	818	3.2	4	<1	1	3	4	5	6	10
2. MULTIPLE DX	547	3.9	9	1	1	3	5	7	9	15
A. NOT OPERATED	126	3.9	15	<1	<1	3	5	8	12	21
B. OPERATED	1239	3.4	5	<1	1	3	4	6	7	12
TOTAL 0-19 YRS	166	3.2	5	1	1	3	4	6	7	13
20-34	546	3.4	4	<1	1	3	4	6	7	11
35-49	318	3.4	5	<1	1	3	4	6	8	14
50-64	192	3.7	9	<1	1	3	4	6	8	17
65+	143	4.0	13	1	1	3	4	7	10	22
GRAND TOTAL	**1365**	**3.5**	**6**	**<1**	**1**	**3**	**4**	**6**	**8**	**14**

243: Ovarian cyst (620.0-620.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	71	2.3	2	1	1	2	3	4	5	7
20-34	178	2.6	3	1	1	2	3	5	7	9
35-49	39	3.9	22	1	1	2	5	7	13	27
50-64	1	2.0		2	2	2	2	2	2	2
65+	1	8.0		8	8	8	8	8	8	8
B. *Operated*										
0-19 YRS	93	4.2	7	1	1	4	6	8	8	15
20-34	425	4.4	6	1	1	5	6	7	8	12
35-49	126	5.8	6	2	3	6	7	8	9	15
50-64	20	7.6	8	4	5	7	9	12	14	15
65+	3	6.0	7	3	3	7	8	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	30	2.9	3	1	1	3	4	5	7	8
20-34	104	2.6	5	<1	1	2	3	5	6	13
35-49	31	4.7	15	1	1	4	7	11	13	16
50-64	7	3.0	3	1	1	3	4	6	6	6
65+	4	7.5	43	2	2	7	13	15	15	15
B. *Operated*										
0-19 YRS	76	5.1	5	2	3	5	6	8	10	13
20-34	604	5.7	8	1	2	5	7	9	11	16
35-49	323	7.0	12	2	4	7	8	11	13	20
50-64	40	7.3	13	2	2	7	9	13	15	16
65+	28	10.5	52	3	5	9	12	18	22	40
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	290	2.7	6	1	1	2	3	5	7	11
B. *Operated*	667	4.8	7	1	1	5	6	8	9	14
2. MULTIPLE DX										
A. *Not Operated*	176	3.2	8	<1	1	2	4	6	9	16
B. *Operated*	1071	6.3	12	2	2	6	8	10	12	18
1. SINGLE DX	957	4.1	7	1	1	4	6	7	8	13
2. MULTIPLE DX	1247	5.8	12	1	2	6	7	10	12	18
A. NOT OPERATED	466	2.9	7	1	1	2	4	5	8	14
B. OPERATED	1738	5.7	10	1	2	5	7	9	11	16
TOTAL 0-19 YRS	270	3.8	6	1	1	3	5	7	8	13
20-34	1311	4.6	8	1	1	5	6	8	10	14
35-49	519	6.4	13	1	2	6	8	10	12	19
50-64	68	6.9	13	2	2	7	8	12	15	16
65+	36	9.8	47	2	3	8	12	17	19	40
GRAND TOTAL	**2204**	**5.1**	**11**	**1**	**1**	**5**	**7**	**9**	**11**	**16**

244: Pelvic inflammatory disease (614)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	326	4.4	6	1	2	4	5	8	9	12
20-34	719	4.8	7	2	2	4	6	8	10	13
35-49	72	4.8	7	1	2	4	6	9	11	13
50-64	2	4.0	2	3	3	4	5	5	5	5
65+	4	3.8	10	<1	<1	3	6	7	7	7
B. *Operated*										
0-19 YRS	57	5.1	11	<1	1	5	6	10	11	18
20-34	272	5.4	11	1	1	5	7	10	12	16
35-49	72	6.4	16	1	2	6	8	9	13	23
50-64	11	5.4	7	2	2	5	7	9	10	10
65+	3	6.3	9	3	3	7	8	9	9	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	159	4.5	6	1	2	4	6	8	9	13
20-34	400	4.8	7	1	2	4	6	8	10	14
35-49	56	5.1	6	2	2	5	6	9	10	13
50-64	13	6.3	9	2	2	6	8	11	11	11
65+	6	12.3	171	2	2	6	29	29	29	29
B. *Operated*										
0-19 YRS	84	6.9	12	2	3	7	9	12	14	16
20-34	881	5.8	10	1	2	6	7	9	11	17
35-49	274	7.0	12	2	3	6	8	11	15	19
50-64	30	8.7	27	2	5	7	10	15	18	28
65+	9	15.3	176	<1	1	13	21	35	45	45
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1123	4.7	7	1	2	4	6	8	10	13
B. *Operated*	415	5.5	12	1	1	5	7	10	12	17
2. MULTIPLE DX										
A. *Not Operated*	634	4.9	9	1	2	4	6	8	10	14
B. *Operated*	1278	6.3	13	1	2	6	8	10	13	19
1. SINGLE DX	1538	4.9	9	1	2	5	6	8	10	15
2. MULTIPLE DX	1912	5.8	12	1	2	6	7	9	12	18
A. NOT OPERATED	1757	4.7	8	1	2	4	6	8	10	13
B. OPERATED	1693	6.1	13	1	2	6	7	10	12	18
TOTAL 0-19 YRS	626	4.8	8	1	2	4	6	9	10	15
20-34	2272	5.3	9	1	2	5	7	9	11	15
35-49	474	6.4	12	2	2	6	8	10	13	19
50-64	56	7.3	20	2	2	7	9	12	16	27
65+	22	11.2	132	<1	1	7	15	29	36	45
GRAND TOTAL	**3450**	**5.4**	**11**	**1**	**2**	**5**	**7**	**9**	**11**	**17**

245: Endometriosis (617)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	2.7	2	<1	<1	3	4	4	4	4
20-34	22	3.3	4	<1	<1	3	4	6	7	7
35-49	4	2.5	2	1	1	2	3	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	13	3.9	9	1	1	3	5	9	10	10
20-34	217	4.5	9	<1	1	5	7	8	8	12
35-49	136	5.9	5	<1	2	6	8	8	8	10
50-64	3	6.0	12	2	2	8	8	8	8	8
65+	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	6.3	3	4	4	6	7	8	8	8
20-34	20	3.8	9	1	1	3	5	9	10	10
35-49	13	3.2	5	<1	<1	3	4	6	8	8
50-64	1	1.0		<1	<1	<1	<1	<1	<1	<1
65+	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-19 YRS	20	3.6	5	<1	<1	3	6	7	8	8
20-34	627	6.0	9	1	2	6	7	9	10	17
35-49	780	7.3	8	4	5	7	8	9	11	16
50-64	92	8.1	12	2	6	8	9	11	17	20
65+	10	8.0	8	4	4	8	9	12	14	14
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	29	3.1	3	<1	<1	3	4	6	7	7
B. *Operated*	370	5.0	8	<1	1	6	7	8	8	10
2. MULTIPLE DX										
A. *Not Operated*	39	3.7	7	<1	1	3	6	8	9	10
B. *Operated*	1529	6.8	9	2	3	7	8	9	11	18
1. SINGLE DX	399	4.8	8	<1	1	5	7	8	8	10
2. MULTIPLE DX	1568	6.7	9	1	2	7	8	9	11	18
A. NOT OPERATED	68	3.5	5	<1	<1	3	5	7	8	10
B. OPERATED	1899	6.4	9	1	2	7	8	9	10	17
TOTAL 0-19 YRS	40	3.9	6	<1	<1	3	6	8	9	10
20-34	886	5.5	9	<1	1	6	7	9	10	15
35-49	933	7.0	8	2	5	7	8	9	11	16
50-64	96	7.9	12	2	5	8	9	11	17	20
65+	12	7.2	10	2	3	7	9	11	14	14
GRAND TOTAL	**1967**	**6.3**	**10**	**1**	**2**	**7**	**8**	**9**	**10**	**16**

246: Inflammatory disease of cervix uteri (616.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	3	2.7	8	1	1	1	5	6	6	6
35-49	1	8.0		8	8	8	8	8	8	8
50-64										
65+										
B. *Operated*										
0-19 YRS	6	2.7	7	<1	<1	1	5	7	7	7
20-34	34	3.5	7	<1	<1	2	5	7	8	13
35-49	29	4.0	9	<1	<1	3	6	8	9	12
50-64	6	3.7	13	1	1	2	3	10	11	11
65+	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	4.0	18	1	1	4	7	7	7	7
20-34	3	4.0	13	<1	<1	3	7	8	8	8
35-49	2	3.0	2	2	2	3	4	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	7	2.3	4	<1	<1	1	4	5	5	5
20-34	84	6.5	17	<1	1	7	8	11	15	22
35-49	97	6.5	16	<1	2	7	8	9	10	26
50-64	20	5.9	12	<1	<1	6	8	9	12	14
65+	2	6.0	18	3	3	6	9	9	9	9
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5	3.4	11	1	1	1	6	8	8	8
B. *Operated*	76	3.6	8	<1	<1	2	5	7	9	13
2. MULTIPLE DX										
A. *Not Operated*	7	3.7	8	<1	<1	3	6	8	8	8
B. *Operated*	210	6.3	16	<1	1	7	8	9	11	21
1. SINGLE DX	81	3.6	8	<1	<1	2	5	7	9	13
2. MULTIPLE DX	217	6.2	16	<1	1	7	8	9	11	20
A. NOT OPERATED	12	3.6	8	<1	<1	2	6	8	8	8
B. OPERATED	286	5.6	15	<1	<1	6	7	9	11	19
TOTAL 0-19 YRS	16	2.6	5	<1	<1	1	5	7	7	7
20-34	124	5.5	16	<1	<1	5	7	9	13	20
35-49	129	5.9	15	<1	1	6	7	9	10	19
50-64	26	5.4	13	<1	1	6	8	10	12	14
65+	3	5.0	12	3	3	3	8	9	9	9
GRAND TOTAL	**298**	**5.5**	**15**	**<1**	**<1**	**6**	**7**	**9**	**11**	**19**

247: Inflammatory disease of vulva, vagina, and uterus, except cervix (615; 616.1-616.9)

TYPE OF PATIENT	TOTAL PATIENTS	STAY	VARIANCE	PERCENTILES						
(1)	(2)	(3)	(4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	23	3.4	3	<1	1	3	4	5	7	8
20-34	59	3.6	5	1	1	3	4	7	8	13
35-49	17	3.8	5	<1	1	3	5	8	9	9
50-64	7	5.7	14	2	2	4	9	12	12	12
65+	5	8.0	45	<1	<1	5	14	17	17	17
B. *Operated*										
0-19 YRS	24	2.5	2	<1	<1	2	3	4	5	5
20-34	193	2.1	2	<1	1	2	3	4	5	7
35-49	91	2.1	2	<1	1	2	3	4	6	8
50-64	25	2.3	5	<1	<1	2	2	5	7	11
65+	8	3.3	3	<1	1	3	5	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	27	4.0	7	1	1	4	6	7	9	10
20-34	56	3.3	7	<1	1	3	4	6	10	12
35-49	19	4.6	25	<1	1	2	6	14	18	18
50-64	8	5.3	15	1	1	5	6	11	13	13
65+	19	7.9	21	2	3	7	10	15	17	18
B. *Operated*										
0-19 YRS	13	3.6	27	<1	<1	1	4	9	18	20
20-34	102	3.5	9	<1	1	3	4	7	9	17
35-49	47	3.4	8	<1	1	2	5	7	8	14
50-64	22	4.1	35	<1	1	2	3	10	17	28
65+	18	7.9	66	<1	1	6	9	23	28	29
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	111	3.9	8	1	1	3	5	7	10	15
B. *Operated*	341	2.1	2	<1	1	2	3	4	5	7
2. MULTIPLE DX										
A. *Not Operated*	129	4.5	14	1	1	4	6	10	13	18
B. *Operated*	202	4.0	19	<1	1	2	5	8	11	27
1. SINGLE DX	452	2.6	4	<1	1	2	3	5	6	12
2. MULTIPLE DX	331	4.2	17	<1	1	3	5	8	12	21
A. NOT OPERATED	240	4.2	11	1	1	3	5	8	11	17
B. OPERATED	543	2.8	9	<1	1	2	3	6	7	17
TOTAL 0-19 YRS	87	3.4	7	<1	1	3	4	6	7	16
20-34	410	2.8	6	<1	1	2	4	6	7	12
35-49	174	2.9	7	<1	1	2	4	6	7	16
50-64	62	3.7	19	<1	1	2	4	10	11	26
65+	50	7.2	38	<1	2	6	9	15	18	29
GRAND TOTAL	**783**	**3.3**	**10**	**<1**	**1**	**2**	**4**	**7**	**9**	**17**

248: Genital prolapse (618)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
(1)	(2)	(3)	(4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	5	3.8	11	1	1	2	6	9	9	9
65+	5	5.0	15	1	1	4	7	11	11	11
B. *Operated*										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	38	6.8	31	1	2	6	7	11	19	31
35-49	124	7.3	12	2	4	7	9	12	15	17
50-64	222	7.8	8	5	5	7	9	12	13	18
65+	172	8.4	15	5	5	7	9	13	14	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	3	3.7	4	2	2	3	5	6	6	6
35-49	7	1.6	2	1	1	1	1	4	5	5
50-64	13	2.5	6	<1	<1	2	3	5	9	10
65+	27	6.6	44	1	1	4	9	14	20	28
B. *Operated*										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	163	8.2	18	3	5	7	9	13	16	22
35-49	511	9.2	20	5	6	8	10	14	19	26
50-64	623	9.6	24	5	6	8	11	16	19	29
65+	579	10.6	31	5	6	9	12	17	22	33
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	10	4.4	12	1	1	3	6	10	11	11
B. *Operated*	557	7.8	13	4	5	7	9	12	14	21
2. MULTIPLE DX										
A. *Not Operated*	51	4.6	29	<1	1	2	6	13	14	28
B. *Operated*	1877	9.6	25	5	6	8	11	16	20	29
1. SINGLE DX	567	7.7	13	3	5	7	9	12	14	21
2. MULTIPLE DX	1928	9.5	26	4	5	8	11	16	19	28
A. NOT OPERATED	61	4.6	26	<1	1	2	6	12	14	27
B. OPERATED	2434	9.2	23	4	5	8	10	15	19	28
TOTAL 0-19 YRS	3	3.3	10	<1	<1	2	6	7	7	7
20-34	204	7.8	20	2	4	7	9	13	17	26
35-49	642	8.7	19	4	5	8	10	14	18	25
50-64	863	9.0	21	4	5	8	10	14	18	25
65+	783	9.9	29	4	6	9	11	16	22	31
GRAND TOTAL	**2495**	**9.1**	**23**	**4**	**5**	**8**	**10**	**15**	**18**	**28**

249: Metrorrhagia (626.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	1.0		<1	<1	<1	1	1	1	1
20-34	14	2.1	2	<1	1	2	3	4	5	5
35-49	1	5.0		5	5	5	5	5	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	41	2.3	4	<1	<1	1	2	6	7	8
35-49	49	1.9	3	<1	<1	1	2	5	7	8
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	2.6	1	1	1	3	3	4	4	4
20-34	5	2.0	1	<1	<1	2	3	3	3	3
35-49	5	3.6	13	1	1	2	5	10	10	10
50-64										
65+										
B. *Operated*										
0-19 YRS	3	2.0	3	<1	<1	1	3	4	4	4
20-34	30	3.5	9	<1	<1	2	6	8	8	10
35-49	60	3.9	14	<1	<1	2	7	10	11	12
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	18	2.1	2	<1	<1	1	3	5	5	5
B. *Operated*	91	2.1	4	<1	<1	1	2	5	7	8
2. MULTIPLE DX										
A. *Not Operated*	15	2.7	5	<1	1	2	3	4	8	10
B. *Operated*	93	3.7	12	<1	<1	2	7	9	10	12
1. SINGLE DX	109	2.1	3	<1	<1	1	2	5	7	8
2. MULTIPLE DX	108	3.6	11	<1	<1	2	6	9	10	12
A. NOT OPERATED	33	2.4	3	<1	<1	2	3	4	5	10
B. OPERATED	184	2.9	8	<1	<1	1	4	8	9	12
TOTAL 0-19 YRS	12	1.9	2	<1	<1	1	3	4	4	4
20-34	90	2.6	5	<1	<1	2	3	7	8	9
35-49	115	3.1	10	<1	<1	2	4	9	10	12
50-64										
65+										
GRAND TOTAL	**217**	**2.8**	**8**	**<1**	**<1**	**2**	**3**	**7**	**9**	**12**

250: Other disorders of menstruation (626.0-626.5; 626.7-626.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	68	2.1	2	<1	1	2	2	4	5	8
20-34	148	1.7	1	<1	1	1	2	3	4	6
35-49	46	2.2	2	<1	1	2	3	4	6	8
50-64										
65+										
B. *Operated*										
0-19 YRS	62	2.1	4	<1	<1	1	2	5	7	11
20-34	931	2.5	6	<1	<1	1	3	7	7	9
35-49	1022	2.4	6	<1	<1	1	2	7	8	10
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	41	2.8	3	1	1	2	4	6	6	7
20-34	127	2.2	4	<1	<1	2	3	5	6	11
35-49	84	2.7	5	<1	<1	2	3	6	8	10
50-64										
65+										
B. *Operated*										
0-19 YRS	46	2.7	4	<1	<1	2	3	6	7	8
20-34	1241	5.0	14	<1	<1	6	7	8	10	14
35-49	1940	5.4	13	<1	<1	6	7	9	11	16
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	262	1.9	2	<1	1	1	2	3	4	8
B. *Operated*	2015	2.4	6	<1	<1	1	2	7	8	10
2. MULTIPLE DX										
A. *Not Operated*	252	2.5	4	<1	<1	2	3	5	7	10
B. *Operated*	3227	5.2	14	<1	<1	6	7	9	10	16
1. SINGLE DX	2277	2.4	5	<1	<1	1	2	6	7	10
2. MULTIPLE DX	3479	5.0	13	<1	<1	6	7	9	10	15
A. NOT OPERATED	514	2.2	3	<1	1	2	3	4	6	9
B. OPERATED	5242	4.2	12	<1	<1	2	7	8	9	15
TOTAL 0-19 YRS	217	2.4	3	<1	<1	2	3	5	6	9
20-34	2447	3.7	11	<1	<1	2	6	8	9	13
35-49	3092	4.3	12	<1	<1	3	7	8	10	15
50-64										
65+										
GRAND TOTAL	**5756**	**4.0**	**12**	**<1**	**<1**	**2**	**7**	**8**	**9**	**14**

251: Menopausal and postmenopausal disorders (627)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	7	2.3	2	1	1	2	3	5	5	5
50-64	4	3.3	2	2	2	3	4	5	5	5
65+	7	2.4	3	<1	<1	2	2	5	6	6
B. *Operated*										
0-19 YRS										
20-34	3	1.0		<1	<1	<1	1	1	1	1
35-49	82	1.7	3	<1	<1	1	2	2	4	11
50-64	342	1.6	1	<1	<1	1	2	2	3	8
65+	90	2.4	5	<1	<1	2	2	5	7	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	2.0		2	2	2	2	2	2	2
35-49	6	3.5	16	<1	<1	1	5	10	11	11
50-64	16	3.5	7	<1	<1	3	6	8	8	8
65+	27	8.9	90	1	1	7	11	26	30	35
B. *Operated*										
0-19 YRS										
20-34	2	2.5	5	1	1	2	4	4	4	4
35-49	100	3.4	20	<1	<1	1	4	9	10	24
50-64	484	2.7	8	<1	<1	2	2	7	9	15
65+	195	4.1	35	<1	1	2	4	9	12	25
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	18	2.6	2	<1	1	2	3	5	6	6
B. *Operated*	517	1.8	2	<1	<1	1	2	2	4	9
2. MULTIPLE DX										
A. *Not Operated*	50	6.4	59	<1	<1	3	8	15	27	35
B. *Operated*	781	3.1	17	<1	<1	2	3	8	10	18
1. SINGLE DX	535	1.8	2	<1	<1	1	2	3	5	9
2. MULTIPLE DX	831	3.3	20	<1	<1	2	3	8	10	21
A. NOT OPERATED	68	5.4	47	<1	1	2	7	11	23	34
B. OPERATED	1298	2.6	12	<1	<1	2	2	6	8	15
TOTAL 0-19 YRS										
20-34	6	1.7	1	<1	<1	1	2	4	4	4
35-49	195	2.6	13	<1	<1	1	2	8	9	16
50-64	846	2.3	6	<1	<1	1	2	5	8	13
65+	319	4.0	33	<1	1	2	4	9	12	29
GRAND TOTAL	**1366**	**2.7**	**14**	**<1**	**<1**	**2**	**2**	**7**	**9**	**17**

252: Miscellaneous diseases of female genitalia (619; 620.3-620.9; 621-624; 629)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	22	1.9	3	<1	<1	1	2	4	6	7
20-34	48	2.6	6	1	1	2	3	6	8	12
35-49	7	3.0	4	1	1	3	5	6	6	6
50-64	3	4.7	22	<1	<1	3	8	10	10	10
65+	5	6.8	14	4	4	6	8	13	13	13
B. *Operated*										
0-19 YRS	22	2.9	7	<1	<1	2	3	6	10	11
20-34	393	3.6	7	<1	<1	3	5	7	8	12
35-49	252	3.5	9	<1	<1	2	6	8	9	13
50-64	151	2.7	6	<1	<1	2	3	7	8	11
65+	52	4.2	32	<1	1	2	3	10	22	27
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	16	1.9	1	<1	<1	2	3	4	4	4
20-34	61	3.1	11	<1	1	2	3	6	11	17
35-49	26	2.8	11	<1	<1	2	3	6	10	16
50-64	9	9.9	93	2	2	5	17	26	30	30
65+	13	7.0	17	3	3	5	9	12	17	18
B. *Operated*										
0-19 YRS	23	4.0	11	<1	<1	3	5	8	12	15
20-34	595	5.2	9	<1	1	6	7	8	10	15
35-49	560	5.6	14	<1	1	6	7	9	10	20
50-64	326	5.0	27	<1	1	3	7	9	12	28
65+	154	7.6	101	1	1	4	9	17	25	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	85	2.8	7	<1	<1	2	3	6	8	13
B. *Operated*	870	3.4	9	<1	<1	2	5	7	8	13
2. MULTIPLE DX										
A. *Not Operated*	125	3.8	20	<1	1	2	4	9	16	22
B. *Operated*	1658	5.5	23	<1	1	5	7	9	11	24
1. SINGLE DX	955	3.4	9	<1	<1	2	5	7	8	13
2. MULTIPLE DX	1783	5.4	23	<1	1	5	7	9	11	24
A. NOT OPERATED	210	3.4	15	<1	<1	2	4	7	11	18
B. OPERATED	2528	4.8	19	<1	1	4	7	9	11	22
TOTAL 0-19 YRS	83	2.7	7	<1	<1	2	4	5	8	14
20-34	1097	4.4	9	<1	1	4	6	8	9	15
35-49	845	4.9	13	<1	<1	5	7	9	10	15
50-64	489	4.4	23	<1	<1	2	7	9	11	26
65+	224	6.8	80	1	1	3	9	15	22	49
GRAND TOTAL	**2738**	**4.7**	**19**	**<1**	**1**	**4**	**7**	**9**	**11**	**22**

253: Signs and symptoms referable to female genital organs (625; 628)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	157	2.1	3	1	1	2	2	4	5	11
20-34	173	2.2	3	<1	1	2	3	4	5	10
35-49	28	2.3	4	1	1	2	3	4	6	11
50-64	6	1.3		<1	<1	1	2	2	2	2
65+	3	4.3		4	4	4	5	5	5	5
B. *Operated*										
0-19 YRS	54	2.4	4	<1	1	2	3	7	7	7
20-34	607	2.7	7	<1	<1	2	3	7	8	12
35-49	296	7.0	20	<1	1	7	9	12	15	22
50-64	136	8.7	16	<1	5	8	10	13	16	23
65+	38	10.4	37	2	6	9	12	18	25	31
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	67	2.8	4	1	1	2	4	5	6	9
20-34	162	2.9	6	<1	1	2	4	6	8	11
35-49	55	3.5	11	<1	1	2	5	7	8	20
50-64	14	7.4	21	<1	2	7	10	12	17	19
65+	15	7.7	24	1	1	8	10	15	17	18
B. *Operated*										
0-19 YRS	37	3.4	8	<1	<1	2	6	8	9	10
20-34	1314	4.2	10	<1	<1	4	6	8	9	14
35-49	563	7.6	21	<1	1	7	9	13	16	23
50-64	214	11.1	44	5	6	9	13	18	25	33
65+	130	10.2	44	2	3	9	13	19	23	36
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	367	2.2	3	<1	1	2	3	4	5	11
B. *Operated*	1131	4.8	19	<1	<1	2	8	10	13	20
2. MULTIPLE DX										
A. *Not Operated*	313	3.4	9	<1	1	2	5	8	9	16
B. *Operated*	2258	6.0	24	<1	<1	6	8	11	15	24
1. SINGLE DX	1498	4.2	17	<1	<1	2	7	9	11	19
2. MULTIPLE DX	2571	5.7	23	<1	<1	5	8	11	14	23
A. NOT OPERATED	680	2.7	6	<1	1	2	3	6	8	11
B. OPERATED	3389	5.6	23	<1	<1	5	8	11	14	23
TOTAL 0-19 YRS	315	2.4	4	<1	1	2	3	5	7	10
20-34	2256	3.5	9	<1	<1	2	6	7	9	13
35-49	942	7.0	21	<1	1	7	9	12	15	23
50-64	370	9.9	35	2	5	9	11	16	20	29
65+	186	9.9	41	2	3	9	12	18	22	33
GRAND TOTAL	**4069**	**5.1**	**21**	**<1**	**<1**	**4**	**7**	**10**	**13**	**21**

254: Ectopic pregnancy (633)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	25	2.5	4	<1	1	2	3	7	7	7
35-49	1	8.0		8	8	8	8	8	8	8
50-64										
65+										
B. *Operated*										
0-19 YRS	20	4.5	2	2	3	4	5	6	7	7
20-34	510	5.0	2	3	3	5	6	7	8	9
35-49	64	5.2	3	3	4	5	6	7	8	14
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	16	3.1	5	1	1	2	5	6	6	6
35-49	1	7.0		7	7	7	7	7	7	7
50-64										
65+										
B. *Operated*										
0-19 YRS	15	5.5	13	1	1	5	7	10	14	15
20-34	422	5.3	3	3	4	5	6	7	9	12
35-49	65	5.9	5	3	3	6	6	9	11	15
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	26	2.7	5	<1	1	2	4	7	7	8
B. *Operated*	594	5.0	2	3	3	5	6	7	8	9
2. MULTIPLE DX										
A. *Not Operated*	17	3.4	5	1	1	2	6	6	7	7
B. *Operated*	502	5.4	4	3	3	5	6	7	9	13
1. SINGLE DX	620	4.9	3	2	3	5	6	7	8	9
2. MULTIPLE DX	519	5.3	4	3	3	5	6	7	9	13
A. NOT OPERATED	43	3.0	5	1	1	2	5	7	7	8
B. OPERATED	1096	5.2	3	3	3	5	6	7	8	11
TOTAL 0-19 YRS	35	4.9	6	1	2	4	6	7	9	15
20-34	973	5.0	3	2	3	5	6	7	8	10
35-49	131	5.5	4	3	3	5	6	8	9	15
50-64										
65+										
GRAND TOTAL	**1139**	**5.1**	**3**	**2**	**3**	**5**	**6**	**7**	**8**	**11**

255: Legally induced abortion (635)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	2.7	1	2	2	2	4	4	4	4
20-34	2	2.0	2	1	1	2	3	3	3	3
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	691	1.1		<1	<1	<1	1	2	2	3
20-34	1404	1.1		<1	<1	<1	<1	1	2	3
35-49	74	1.1		<1	<1	<1	<1	1	2	4
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	2.3	2	<1	<1	2	3	4	4	4
20-34	2	1.5	1	1	1	1	2	2	2	2
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	282	1.6	2	<1	<1	1	2	2	4	8
20-34	1025	1.8	4	<1	<1	1	2	3	5	9
35-49	210	2.0	2	<1	<1	1	2	4	5	7
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5	2.4	1	1	1	2	3	4	4	4
B. *Operated*	2169	1.1		<1	<1	<1	<1	1	2	3
2. MULTIPLE DX										
A. *Not Operated*	5	2.0	2	<1	<1	2	3	4	4	4
B. *Operated*	1517	1.8	3	<1	<1	1	2	3	5	9
1. SINGLE DX	2174	1.1		<1	<1	<1	<1	1	2	3
2. MULTIPLE DX	1522	1.8	3	<1	<1	1	2	3	5	9
A. NOT OPERATED	10	2.2	1	<1	<1	2	3	4	4	4
B. OPERATED	3686	1.4	1	<1	<1	<1	1	2	3	6
TOTAL 0-19 YRS	979	1.3	1	<1	<1	<1	1	2	2	5
20-34	2433	1.4	2	<1	<1	<1	1	2	3	6
35-49	284	1.7	2	<1	<1	1	2	3	5	7
50-64										
65+										
GRAND TOTAL	**3696**	**1.4**	**1**	**<1**	**<1**	**<1**	**1**	**2**	**3**	**6**

256: Other induced abortion (636)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	1	2.0		2	2	2	2	2	2	2
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	3.0	2	2	2	3	4	4	4	4
B. *Operated*	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX	3	2.3	2	1	1	2	3	4	4	4
2. MULTIPLE DX										
A. NOT OPERATED	2	3.0	2	2	2	3	4	4	4	4
B. OPERATED	1	1.0		1	1	1	1	1	1	1
TOTAL 0-19 YRS	2	2.5	5	1	1	2	4	4	4	4
20-34	1	2.0		2	2	2	2	2	2	2
35-49										
50-64										
65+										
GRAND TOTAL	**3**	**2.3**	**2**	**1**	**1**	**2**	**3**	**4**	**4**	**4**

257: Spontaneous and unspecified abortion (634; 637)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	99	2.0	2	<1	<1	1	2	4	5	7
20-34	568	1.9	2	<1	1	1	2	4	5	8
35-49	67	2.2	3	<1	<1	1	3	4	6	9
50-64										
65+										
B. *Operated*										
0-19 YRS	302	1.7	1	<1	1	1	2	3	4	6
20-34	2880	1.6	1	<1	<1	1	2	3	4	6
35-49	360	1.6	2	<1	<1	1	2	3	4	7
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	12	2.4	2	<1	<1	2	3	5	5	5
20-34	99	3.0	17	<1	1	2	4	5	7	27
35-49	6	2.3	1	1	1	2	3	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	57	2.0	2	<1	<1	2	2	4	5	8
20-34	627	2.0	6	<1	<1	1	2	3	5	12
35-49	100	2.2	4	<1	1	1	2	5	6	11
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	734	1.9	2	<1	1	1	2	4	5	8
B. *Operated*	3542	1.6	1	<1	<1	1	2	3	4	7
2. MULTIPLE DX										
A. *Not Operated*	117	2.9	15	<1	1	2	4	5	6	23
B. *Operated*	784	2.0	5	<1	<1	1	2	4	5	12
1. SINGLE DX	4276	1.7	2	<1	<1	1	2	3	4	7
2. MULTIPLE DX	901	2.1	7	<1	<1	1	2	4	6	12
A. NOT OPERATED	851	2.1	4	<1	1	1	2	4	5	8
B. OPERATED	4326	1.7	2	<1	<1	1	2	3	4	7
TOTAL 0-19 YRS	470	1.8	2	<1	<1	1	2	3	5	6
20-34	4174	1.8	3	<1	<1	1	2	3	4	8
35-49	533	1.8	2	<1	<1	1	2	3	5	8
50-64										
65+										
GRAND TOTAL	**5177**	**1.8**	**3**	**<1**	**<1**	**1**	**2**	**3**	**4**	**8**

258: Other pregnancy with abortive outcome (630-632; 638-639)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	37	3.1	3	<1	1	3	4	5	7	8
20-34	135	2.7	3	1	1	2	4	5	6	7
35-49	12	2.8	4	1	1	2	3	6	7	7
50-64										
65+										
B. *Operated*										
0-19 YRS	45	2.2	1	<1	<1	2	3	4	4	6
20-34	636	1.8	2	<1	1	1	2	3	4	6
35-49	50	1.7	1	1	1	2	2	2	4	7
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	14	2.3	2	<1	1	2	3	4	6	6
20-34	46	3.5	6	1	1	3	4	7	9	12
35-49	4	3.8	9	1	1	3	6	8	8	8
50-64										
65+										
B. *Operated*										
0-19 YRS	31	2.9	5	1	1	2	4	5	8	9
20-34	190	2.4	3	1	1	2	3	5	5	9
35-49	33	2.3	3	<1	1	2	3	4	6	7
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	184	2.8	3	1	1	2	4	5	6	7
B. *Operated*	731	1.8	2	<1	1	1	2	3	4	6
2. MULTIPLE DX										
A. *Not Operated*	64	3.3	5	1	1	3	4	6	8	12
B. *Operated*	254	2.5	3	1	1	2	3	5	6	9
1. SINGLE DX	915	2.0	2	<1	1	2	2	4	5	7
2. MULTIPLE DX	318	2.6	4	1	1	2	3	5	6	9
A. NOT OPERATED	248	2.9	3	1	1	2	4	5	7	9
B. OPERATED	985	2.0	2	<1	1	2	2	4	4	8
TOTAL 0-19 YRS	127	2.6	3	<1	1	2	4	5	6	8
20-34	1007	2.1	3	<1	1	2	2	4	5	8
35-49	99	2.1	2	1	1	2	2	4	6	8
50-64										
65+										
GRAND TOTAL	**1233**	**2.1**	**3**	**<1**	**1**	**2**	**3**	**4**	**5**	**8**

259: Threatened abortion (640.00; 640.03)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	109	2.7	3	1	1	3	3	5	6	9
20-34	896	2.9	6	1	1	2	4	5	7	11
35-49	53	2.8	3	1	1	3	3	4	5	10
50-64										
65+										
B. *Operated*										
0-19 YRS	2	2.0	2	1	1	2	3	3	3	3
20-34	21	2.6	2	<1	1	2	4	5	5	5
35-49	1	6.0		6	6	6	6	6	6	6
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	16	4.6	20	1	2	3	4	12	16	18
20-34	190	3.3	6	1	1	3	4	6	8	13
35-49	15	3.9	16	1	1	3	3	8	15	17
50-64										
65+										
B. *Operated*										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34	10	5.2	12	1	1	4	7	10	13	13
35-49	1	7.0		7	7	7	7	7	7	7
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1058	2.9	5	1	1	2	4	5	7	11
B. *Operated*	24	2.7	2	<1	1	3	4	5	5	6
2. MULTIPLE DX										
A. *Not Operated*	221	3.5	8	1	1	3	4	6	9	17
B. *Operated*	13	4.8	12	1	1	4	7	9	12	13
1. SINGLE DX	1082	2.9	5	1	1	2	4	5	7	11
2. MULTIPLE DX	234	3.5	8	1	1	3	4	7	9	17
A. NOT OPERATED	1279	3.0	6	1	1	2	4	5	7	12
B. OPERATED	37	3.4	6	1	1	3	4	7	8	13
TOTAL 0-19 YRS	129	2.9	5	1	1	3	3	5	7	13
20-34	1117	3.0	6	1	1	2	4	5	7	12
35-49	70	3.1	6	1	1	3	4	5	7	16
50-64										
65+										
GRAND TOTAL	**1316**	**3.0**	**6**	**1**	**1**	**2**	**4**	**5**	**7**	**12**

260: Other early pregnancy hemorrhage (640.8-640.9 with 5th digit 0 or 3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	8	1.9	1	1	1	2	3	4	4	4
20-34	40	4.0	18	<1	1	3	4	10	13	22
35-49	4	3.0	1	2	2	3	4	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34	1	1.0		1	1	1	1	1	1	1
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	9	3.1	2	1	1	3	4	5	5	5
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34	3	2.3		2	2	2	3	3	3	3
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	52	3.6	15	1	1	3	4	6	13	22
B. *Operated*	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. *Not Operated*	10	3.1	2	1	1	3	4	5	5	5
B. *Operated*	3	2.3		2	2	2	[illegible]	3	3	3
1. SINGLE DX	53	3.5	15	1	1	3	4	6	13	22
2. MULTIPLE DX	13	2.9	2	1	1	3	4	5	5	5
A. NOT OPERATED	62	3.5	13	1	1	3	4	5	12	21
B. OPERATED	4	2.0	1	1	1	2	3	3	3	3
TOTAL 0-19 YRS	9	2.0	1	1	1	2	3	4	4	4
20-34	53	3.7	15	1	1	3	4	6	13	22
35-49	4	3.0	1	2	2	3	4	4	4	4
50-64										
65+										
GRAND TOTAL	**66**	**3.4**	**12**	**1**	**1**	**3**	**4**	**5**	**12**	**21**

261: Hypertension complicating pregnancy, childbirth, and the puerperium not delivered this admission (642 with 5th digit 3 or 4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	36	3.7	6	1	1	3	4	8	9	11
20-34	420	3.7	8	1	1	3	4	7	9	16
35-49	30	4.1	6	1	1	4	6	8	9	9
50-64										
65+										
B. *Operated*										
0-19 YRS	6	3.2	3	2	2	3	4	6	6	6
20-34	121	3.8	10	<1	1	3	5	7	8	18
35-49	6	2.7	1	1	1	3	3	4	4	4
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	13	5.0	6	2	2	5	6	8	10	10
20-34	108	4.8	21	1	1	4	6	10	12	25
35-49	10	5.9	8	2	2	6	7	10	10	10
50-64										
65+										
B. *Operated*										
0-19 YRS	13	6.5	30	<1	2	4	9	14	19	20
20-34	101	4.3	17	<1	<1	3	5	10	13	20
35-49	9	7.2	26	1	1	7	11	14	15	15
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	486	3.7	8	1	1	3	5	7	9	15
B. *Operated*	133	3.7	9	<1	1	3	5	7	8	17
2. MULTIPLE DX										
A. *Not Operated*	131	4.9	18	1	1	4	6	10	11	20
B. *Operated*	123	4.8	19	<1	<1	3	6	11	14	21
1. SINGLE DX	619	3.7	8	1	1	3	5	7	9	16
2. MULTIPLE DX	254	4.9	19	<1	1	3	6	11	13	20
A. NOT OPERATED	617	4.0	10	1	1	3	5	7	10	16
B. OPERATED	256	4.2	14	<1	1	3	5	9	12	20
TOTAL 0-19 YRS	68	4.4	11	1	1	3	6	8	11	19
20-34	750	4.0	11	1	1	3	5	7	11	16
35-49	55	4.8	11	1	1	4	7	10	11	15
50-64										
65+										
GRAND TOTAL	**873**	**4.0**	**11**	**1**	**1**	**3**	**5**	**8**	**11**	**16**

262: Excessive vomiting in pregnancy (643 with 5th digit 0 or 3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	114	4.0	10	1	1	3	5	7	8	22
20-34	684	5.2	16	1	2	4	6	10	13	24
35-49	19	4.8	8	<1	1	5	7	8	10	10
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34	11	5.1	42	2	2	3	5	13	23	24
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	33	5.1	11	1	2	4	6	10	12	15
20-34	216	5.3	18	1	2	4	7	10	13	21
35-49	11	6.9	35	1	2	6	8	16	21	22
50-64										
65+										
B. *Operated*										
0-19 YRS	5	18.0	1165	1	1	3	23	79	79	79
20-34	12	8.8	95	<1	1	3	17	25	27	27
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	817	5.0	15	1	2	4	6	9	12	24
B. *Operated*	11	5.1	42	2	2	3	5	13	23	24
2. MULTIPLE DX										
A. *Not Operated*	260	5.3	18	1	2	4	7	10	13	22
B. *Operated*	17	11.5	375	<1	1	3	16	26	61	79
1. SINGLE DX	828	5.0	16	1	2	4	6	9	12	24
2. MULTIPLE DX	277	5.7	41	1	2	4	7	11	15	26
A. NOT OPERATED	1077	5.1	16	1	2	4	6	10	13	23
B. OPERATED	28	9.0	248	1	1	3	6	24	32	79
TOTAL 0-19 YRS	152	4.7	47	1	1	3	5	7	10	26
20-34	923	5.2	18	1	2	4	6	10	13	24
35-49	30	5.6	18	1	1	5	7	9	12	22
50-64										
65+										
GRAND TOTAL	**1105**	**5.2**	**22**	**1**	**2**	**4**	**6**	**10**	**13**	**24**

263: False labor (644.10; 644.13)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	373	1.3	1	<1	<1	1	1	2	3	5
20-34	2236	1.3	3	<1	<1	1	1	2	3	6
35-49	108	1.2	1	<1	<1	1	1	1	2	6
50-64										
65+										
B. *Operated*										
0-19 YRS	78	1.4	3	<1	<1	1	1	2	3	12
20-34	469	1.2		<1	<1	1	1	2	2	5
35-49	19	1.4	1	<1	<1	1	1	3	3	3
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	67	1.4	1	<1	<1	1	2	3	3	5
20-34	259	1.7	2	<1	<1	1	2	3	5	10
35-49	13	1.5	1	<1	<1	1	2	3	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS	18	3.1	18	<1	<1	2	3	5	14	19
20-34	139	1.6	2	<1	<1	1	2	3	4	8
35-49	11	1.5	1	<1	<1	1	2	3	3	3
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2717	1.3	3	<1	<1	1	1	2	3	6
B. *Operated*	566	1.3	1	<1	<1	1	1	2	3	5
2. MULTIPLE DX										
A. *Not Operated*	339	1.6	2	<1	<1	1	2	3	4	8
B. *Operated*	168	1.7	4	<1	<1	1	2	3	5	14
1. SINGLE DX	3283	1.3	2	<1	<1	1	1	2	3	6
2. MULTIPLE DX	507	1.7	3	<1	<1	1	2	3	4	9
A. NOT OPERATED	3056	1.3	2	<1	<1	1	1	2	3	6
B. OPERATED	734	1.4	2	<1	<1	1	1	2	3	6
TOTAL 0-19 YRS	536	1.4	2	<1	<1	1	1	2	3	6
20-34	3103	1.3	2	<1	<1	1	1	2	3	6
35-49	151	1.3	1	<1	<1	1	1	2	3	5
50-64										
65+										
GRAND TOTAL	**3790**	**1.3**	**2**	**<1**	**<1**	**1**	**1**	**2**	**3**	**6**

264: Placenta previa without delivery (641.03-641.13)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	2.7	2	1	1	3	4	4	4	4
20-34	87	4.3	19	1	1	3	5	8	14	24
35-49	8	4.1	6	1	1	4	6	8	8	8
50-64										
65+										
B. *Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	30	5.6	26	1	1	4	7	14	18	19
35-49	3	2.3	5	1	1	1	4	5	5	5
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	19	7.8	55	<1	1	4	9	20	24	27
35-49	3	6.7	41	2	2	4	11	14	14	14
50-64										
65+										
B. *Operated*										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	10	15.9	710	1	1	4	14	62	83	83
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	101	4.2	17	1	1	3	4	8	14	22
B. *Operated*	34	5.3	24	1	1	4	6	12	18	19
2. MULTIPLE DX										
A. *Not Operated*	23	7.5	50	1	1	4	9	19	23	27
B. *Operated*	11	14.9	650	1	1	4	12	58	81	83
1. SINGLE DX	135	4.4	19	1	1	3	5	10	15	20
2. MULTIPLE DX	34	9.9	243	1	1	4	9	22	39	83
A. NOT OPERATED	124	4.8	24	1	1	3	5	12	15	27
B. OPERATED	45	7.6	184	1	1	4	6	17	25	83
TOTAL 0-19 YRS	9	3.1	2	1	1	3	4	5	5	5
20-34	146	5.8	76	1	1	3	6	14	18	44
35-49	14	4.3	12	1	1	4	5	9	13	14
50-64										
65+										
GRAND TOTAL	**169**	**5.5**	**68**	**1**	**1**	**3**	**5**	**13**	**17**	**39**

265: Other antepartum hemorrhage without delivery (641.2-641.9 with 5th digit 3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	47	2.3	2	<1	<1	2	3	4	5	5
20-34	319	2.6	8	<1	<1	2	3	5	7	16
35-49	12	3.2	15	1	1	2	3	7	14	15
50-64										
65+										
B. *Operated*										
0-19 YRS	21	2.2	1	<1	<1	2	3	4	4	4
20-34	141	3.2	25	<1	<1	2	3	7	10	36
35-49	7	1.7	2	<1	<1	1	2	4	5	5
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	18	4.3	43	<1	<1	3	4	5	20	30
20-34	120	3.3	20	<1	<1	2	4	6	8	28
35-49	12	3.0	3	<1	<1	3	4	5	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	13	9.6	440	<1	1	3	6	24	69	79
20-34	84	4.3	27	<1	<1	3	5	8	12	32
35-49	6	9.7	256	<1	<1	3	7	38	42	42
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	378	2.6	7	<1	<1	2	3	5	7	16
B. *Operated*	169	3.0	21	<1	<1	2	3	6	9	31
2. MULTIPLE DX										
A. *Not Operated*	150	3.4	22	<1	<1	2	4	5	8	30
B. *Operated*	103	5.2	91	<1	<1	3	5	8	15	59
1. SINGLE DX	547	2.7	11	<1	<1	2	3	5	7	16
2. MULTIPLE DX	253	4.1	50	<1	<1	2	4	7	11	39
A. NOT OPERATED	528	2.8	11	<1	<1	2	3	5	7	17
B. OPERATED	272	3.9	49	<1	<1	2	4	7	10	40
TOTAL 0-19 YRS	99	3.6	69	<1	<1	2	4	5	6	55
20-34	664	3.1	16	<1	<1	2	3	6	8	23
35-49	37	3.9	48	<1	<1	2	4	5	12	42
50-64										
65+										
GRAND TOTAL	**800**	**3.2**	**24**	**<1**	**<1**	**2**	**3**	**6**	**8**	**27**

266: Infections of pregnancy without delivery (646.53-646.54; 646.63-646.64; 658.40; 658.43; 659.20; 659.23; 659.33)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	76	2.8	4	<1	1	2	3	6	7	10
20-34	206	2.9	4	<1	1	2	4	6	7	10
35-49	7	2.4	1	1	1	3	3	3	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS	11	2.7	4	<1	<1	2	4	6	6	6
20-34	26	2.8	6	<1	<1	2	4	7	8	10
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	79	3.9	7	<1	1	3	5	8	9	12
20-34	217	3.7	6	1	1	3	5	7	8	12
35-49	7	5.3	11	1	1	5	8	10	10	10
50-64										
65+										
B. *Operated*										
0-19 YRS	21	2.4	3	<1	<1	2	3	5	6	7
20-34	66	4.2	18	<1	1	3	5	10	13	23
35-49	3	3.7	9	<1	<1	3	6	7	7	7
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	289	2.9	4	<1	1	2	4	6	7	10
B. *Operated*	37	2.8	5	<1	<1	2	4	6	8	10
2. MULTIPLE DX										
A. *Not Operated*	303	3.8	6	1	1	3	5	7	9	12
B. *Operated*	90	3.8	14	<1	<1	3	5	8	13	21
1. SINGLE DX	326	2.9	4	<1	1	2	4	6	7	10
2. MULTIPLE DX	393	3.8	8	<1	1	3	5	7	9	13
A. NOT OPERATED	592	3.4	5	<1	1	3	4	6	8	11
B. OPERATED	127	3.5	12	<1	<1	2	4	7	10	17
TOTAL 0-19 YRS	187	3.2	5	<1	1	3	4	6	8	11
20-34	515	3.4	7	<1	1	3	4	7	8	13
35-49	17	3.8	7	<1	1	3	5	9	10	10
50-64										
65+										
GRAND TOTAL	**719**	**3.4**	**6**	**<1**	**1**	**3**	**4**	**6**	**8**	**13**

267: Maternal conditions classifiable elsewhere but complicating pregnancy without delivery (647-648 with 5th digit 3 or 4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	31	4.2	11	<1	1	2	6	9	11	14
20-34	191	4.6	21	1	1	3	6	9	11	23
35-49	22	3.3	5	<1	1	3	4	7	8	10
50-64										
65+										
B. *Operated*										
0-19 YRS	5	2.0	2	<1	<1	1	3	4	4	4
20-34	40	3.9	21	<1	<1	3	4	7	12	27
35-49	8	5.5	12	<1	<1	5	8	10	10	10
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	99	3.7	35	<1	<1	2	4	6	9	39
20-34	640	3.8	28	<1	1	2	4	7	11	26
35-49	43	5.3	39	1	1	3	6	10	20	35
50-64										
65+										
B. *Operated*										
0-19 YRS	57	3.1	9	<1	<1	2	4	6	9	18
20-34	358	3.2	22	<1	<1	2	4	7	9	18
35-49	15	3.4	4	<1	1	3	4	6	8	9
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	244	4.5	18	1	1	3	6	9	11	21
B. *Operated*	53	3.9	19	<1	<1	3	5	8	10	27
2. MULTIPLE DX										
A. *Not Operated*	782	3.9	30	<1	1	2	4	7	11	27
B. *Operated*	430	3.2	20	<1	<1	2	4	7	9	18
1. SINGLE DX	297	4.4	18	<1	1	3	5	9	11	23
2. MULTIPLE DX	1212	3.6	26	<1	<1	2	4	7	10	25
A. NOT OPERATED	1026	4.0	27	<1	1	3	5	7	11	26
B. OPERATED	483	3.3	20	<1	<1	2	4	7	9	18
TOTAL 0-19 YRS	192	3.5	23	<1	<1	2	4	7	10	23
20-34	1229	3.8	25	<1	<1	2	4	7	11	25
35-49	88	4.5	23	1	1	3	5	9	10	29
50-64										
65+										
GRAND TOTAL	**1509**	**3.8**	**25**	**<1**	**<1**	**2**	**4**	**7**	**10**	**25**

268: Miscellaneous complications of pregnancy without delivery (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	181	3.2	57	<1	<1	1	3	5	12	39
20-34	1143	3.2	28	<1	<1	2	3	6	10	33
35-49	42	2.5	17	<1	<1	1	3	4	7	27
50-64										
65+										
B. *Operated*										
0-19 YRS	108	2.9	40	<1	<1	1	2	6	9	39
20-34	1010	2.9	30	<1	<1	1	3	5	8	32
35-49	41	2.9	11	<1	<1	2	3	5	10	17
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	114	3.3	23	<1	<1	2	3	6	11	26
20-34	721	3.9	41	<1	<1	2	4	8	13	34
35-49	34	6.1	143	1	1	3	5	12	20	69
50-64										
65+										
B. *Operated*										
0-19 YRS	92	4.9	61	<1	<1	3	5	10	17	48
20-34	649	4.4	50	<1	<1	2	5	9	15	34
35-49	39	5.9	74	<1	<1	3	5	14	27	42
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1366	3.2	32	<1	<1	1	3	6	10	32
B. *Operated*	1159	2.9	31	<1	<1	1	3	5	9	30
2. MULTIPLE DX										
A. *Not Operated*	869	3.9	43	<1	<1	2	4	8	13	35
B. *Operated*	780	4.6	53	<1	<1	2	5	10	16	40
1. SINGLE DX	2525	3.1	31	<1	<1	1	3	6	9	31
2. MULTIPLE DX	1649	4.2	48	<1	<1	2	4	9	14	36
A. NOT OPERATED	2235	3.5	36	<1	<1	2	3	7	12	34
B. OPERATED	1939	3.6	40	<1	<1	2	4	7	12	35
TOTAL 0-19 YRS	495	3.5	47	<1	<1	2	3	6	12	44
20-34	3523	3.5	36	<1	<1	2	4	7	11	34
35-49	156	4.2	59	<1	<1	2	4	8	15	42
50-64										
65+										
GRAND TOTAL	**4174**	**3.5**	**38**	**<1**	**<1**	**2**	**3**	**7**	**12**	**35**

269: Maternal conditions classifiable elsewhere but complicating pregnancy with delivery (647-648 with 5th digit 0, 1 or 2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	15	5.9	21	3	3	5	6	7	18	22
20-34	98	4.2	2	2	3	4	5	6	7	9
35-49	8	4.8	12	3	3	4	5	11	13	13
50-64										
65+										
B. *Operated*										
0-19 YRS	8	4.0	11	1	1	3	5	9	11	11
20-34	67	5.5	10	3	3	5	7	8	9	20
35-49	3	13.3	56	6	6	13	19	21	21	21
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	13	6.0	24	3	3	4	5	14	19	20
20-34	139	4.3	3	3	3	4	5	7	8	10
35-49	5	3.6	4	2	2	3	5	7	7	7
50-64										
65+										
B. *Operated*										
0-19 YRS	36	8.3	32	3	3	7	10	19	20	25
20-34	549	7.0	40	3	3	5	7	12	18	44
35-49	56	8.6	97	3	3	6	8	17	27	61
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	121	4.5	5	2	3	4	5	6	7	16
B. *Operated*	78	5.6	13	2	3	5	7	9	12	21
2. MULTIPLE DX										
A. *Not Operated*	157	4.4	5	2	3	4	5	7	9	13
B. *Operated*	641	7.2	45	3	3	6	7	12	19	44
1. SINGLE DX	199	4.9	9	2	3	4	6	7	9	21
2. MULTIPLE DX	798	6.7	38	3	3	5	7	11	18	41
A. NOT OPERATED	278	4.4	5	2	3	4	5	6	8	13
B. OPERATED	719	7.1	41	3	3	5	7	12	19	43
TOTAL 0-19 YRS	72	6.9	28	3	3	5	8	16	20	24
20-34	853	6.1	29	3	3	5	7	9	14	28
35-49	72	8.0	82	2	3	6	8	15	23	57
50-64										
65+										
GRAND TOTAL	**997**	**6.3**	**33**	**3**	**3**	**5**	**7**	**10**	**16**	**34**

270: Normal delivery (650)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	945	4.3	6	2	3	4	5	6	7	9
20-34	8686	4.0	3	2	3	4	5	5	6	8
35-49	323	4.0	2	2	3	4	5	6	7	8
50-64										
65+										
B. *Operated*										
0-19 YRS	218	4.6	2	2	3	4	5	6	7	9
20-34	1969	4.3	2	3	3	4	5	6	7	10
35-49	92	4.3	2	2	3	4	5	6	7	9
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	83	5.6	43	3	3	4	5	7	10	46
20-34	781	4.3	3	3	3	4	5	6	7	11
35-49	41	4.8	7	2	3	4	6	7	9	16
50-64										
65+										
B. *Operated*										
0-19 YRS	49	4.7	12	2	2	4	5	6	9	26
20-34	1634	4.6	3	3	3	4	5	6	7	9
35-49	185	4.8	2	3	3	5	5	6	7	9
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	9954	4.0	3	2	3	4	5	6	6	8
B. *Operated*	2279	4.3	2	3	3	4	5	6	7	9
2. MULTIPLE DX										
A. *Not Operated*	905	4.5	7	3	3	4	5	6	7	13
B. *Operated*	1868	4.6	3	3	3	4	5	6	7	9
1. SINGLE DX	12233	4.1	3	2	3	4	5	6	6	8
2. MULTIPLE DX	2773	4.6	4	3	3	4	5	6	7	10
A. NOT OPERATED	10859	4.1	3	2	3	4	5	6	6	8
B. OPERATED	4147	4.4	2	3	3	4	5	6	7	9
TOTAL 0-19 YRS	1295	4.5	8	2	3	4	5	6	7	11
20-34	13070	4.1	3	2	3	4	5	6	6	8
35-49	641	4.3	2	2	3	4	5	6	7	9
50-64										
65+										
GRAND TOTAL	**15006**	**4.2**	**3**	**2**	**3**	**4**	**5**	**6**	**6**	**9**

271: Placenta previa, delivered (641.00-641.01; 641.10-641.11)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	7	2.7	3	1	1	3	3	5	6	6
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	2	7.5	13	5	5	7	10	10	10	10
20-34	29	17.6	419	4	4	6	24	56	63	72
35-49	2	25.5	841	5	5	25	46	46	46	46
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	42.0		42	42	42	42	42	42	42
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	2	20.5	545	4	4	20	37	37	37	37
20-34	83	16.0	389	4	5	7	14	46	58	95
35-49	13	17.9	478	3	4	11	21	40	77	86
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7	2.7	3	1	1	3	3	5	6	6
B. *Operated*	33	17.5	403	4	5	6	24	51	63	72
2. MULTIPLE DX										
A. *Not Operated*	1	42.0		42	42	42	42	42	42	42
B. *Operated*	98	16.3	394	4	5	7	16	45	59	94
1. SINGLE DX	40	14.9	364	2	3	6	16	47	62	72
2. MULTIPLE DX	99	16.6	397	4	5	7	17	45	59	94
A. NOT OPERATED	8	7.6	195	1	1	3	5	31	42	42
B. OPERATED	131	16.6	394	4	5	7	18	46	61	91
TOTAL 0-19 YRS	4	14.0	242	4	4	7	23	37	37	37
20-34	120	15.8	383	3	4	7	14	46	61	92
35-49	15	18.9	477	3	5	11	22	46	76	86
50-64										
65+										
GRAND TOTAL	**139**	**16.1**	**385**	**3**	**4**	**7**	**17**	**46**	**61**	**90**

272: Other antepartum and intrapartum hemorrhage, delivered (640.01; 640.81; 640.91; 641.2-641.9 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	8	3.6	6	1	1	3	5	7	8	8
20-34	51	3.7	5	1	1	4	5	6	7	13
35-49	3	5.7	4	4	4	5	7	8	8	8
50-64										
65+										
B. *Operated*										
0-19 YRS	12	7.6	67	3	3	5	7	16	30	33
20-34	44	5.2	5	2	3	5	7	9	10	11
35-49	5	5.0	12	1	1	4	8	9	9	9
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	13	3.8	4	1	1	4	5	7	8	8
20-34	68	4.3	6	1	1	4	5	7	8	15
35-49	2	3.0	2	2	2	3	4	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	21	6.0	8	3	3	5	7	10	12	14
20-34	284	6.5	23	2	3	5	7	11	18	26
35-49	18	7.1	13	4	5	6	7	13	17	18
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	62	3.8	5	1	1	4	5	6	7	12
B. *Operated*	61	5.6	18	2	3	5	7	9	10	31
2. MULTIPLE DX										
A. *Not Operated*	83	4.2	6	1	1	4	5	7	8	14
B. *Operated*	323	6.5	21	3	3	5	7	11	18	26
1. SINGLE DX	123	4.7	12	1	2	4	6	8	9	18
2. MULTIPLE DX	406	6.0	19	2	3	5	7	10	16	25
A. NOT OPERATED	145	4.0	5	1	1	4	5	6	8	13
B. OPERATED	384	6.3	21	2	3	5	7	10	16	26
TOTAL 0-19 YRS	54	5.5	21	1	2	5	6	8	11	32
20-34	447	5.7	18	2	2	5	6	9	14	25
35-49	28	6.3	12	2	3	6	7	9	15	18
50-64										
65+										
GRAND TOTAL	**529**	**5.7**	**18**	**2**	**2**	**5**	**6**	**9**	**14**	**25**

273: Retained placenta (666.00; 666.02; 666.04; 667.0-667.1 with 5th digit 0, 2, or 4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	4.3	1	3	3	5	5	5	5	5
20-34	26	3.9	2	1	2	4	5	6	6	6
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	16	4.8	6	1	3	4	6	6	10	12
20-34	141	4.1	3	1	2	4	5	6	7	10
35-49	10	4.2	3	1	1	4	5	6	7	7
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	20	4.1	5	<1	1	4	5	6	9	11
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	16	5.2	8	3	3	5	6	6	12	15
20-34	207	4.8	5	2	3	4	5	7	8	16
35-49	12	4.9	3	1	2	5	6	7	7	7
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	29	3.9	2	1	2	4	5	6	6	6
B. *Operated*	167	4.2	3	1	2	4	5	6	7	11
2. MULTIPLE DX										
A. *Not Operated*	21	4.0	5	1	1	4	5	6	9	11
B. *Operated*	235	4.8	5	2	3	4	5	7	8	16
1. SINGLE DX	196	4.2	3	1	2	4	5	6	7	11
2. MULTIPLE DX	256	4.8	5	2	3	4	5	7	8	15
A. NOT OPERATED	50	4.0	3	1	2	4	5	6	6	11
B. OPERATED	402	4.6	4	2	3	4	5	6	8	13
TOTAL 0-19 YRS	36	4.8	6	2	3	4	6	6	10	15
20-34	394	4.5	4	2	3	4	5	6	8	12
35-49	22	4.6	3	1	2	5	6	7	7	7
50-64										
65+										
GRAND TOTAL	**452**	**4.5**	**4**	**2**	**3**	**4**	**5**	**6**	**7**	**12**

274: Other postpartum hemorrhage (1st 24 hours) (666.10; 666.12; 666.14; 666.30; 666.32; 666.34)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	17	4.5	3	3	3	4	5	7	8	9
20-34	148	4.1	2	2	3	4	5	6	6	8
35-49	2	4.0	2	3	3	4	5	5	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	8	4.6	2	3	3	4	5	7	7	7
20-34	64	4.5	2	2	3	4	5	6	7	8
35-49	2	4.5	1	4	4	4	5	5	5	5
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	12	4.8	3	2	3	5	6	7	8	8
20-34	70	4.1	1	2	3	4	5	6	6	8
35-49	3	4.7		4	4	5	5	5	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	14	5.4	5	3	4	5	6	8	11	12
20-34	105	4.9	3	3	3	5	5	7	8	13
35-49	6	4.7	2	3	3	4	6	7	7	7
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	167	4.2	2	2	3	4	5	6	7	9
B. *Operated*	74	4.5	2	3	3	4	5	6	7	8
2. MULTIPLE DX										
A. *Not Operated*	85	4.2	2	2	3	4	5	6	6	8
B. *Operated*	125	5.0	3	3	3	5	6	7	8	13
1. SINGLE DX	241	4.3	2	2	3	4	5	6	7	8
2. MULTIPLE DX	210	4.7	3	3	3	4	5	6	8	11
A. NOT OPERATED	252	4.2	2	2	3	4	5	6	6	8
B. OPERATED	199	4.8	3	3	3	5	5	7	8	12
TOTAL 0-19 YRS	51	4.8	3	3	3	4	6	7	8	12
20-34	387	4.4	2	3	3	4	5	6	7	9
35-49	13	4.5	1	3	3	4	5	6	7	7
50-64										
65+										
GRAND TOTAL	**451**	**4.5**	**2**	**3**	**3**	**4**	**5**	**6**	**7**	**9**

275: Multiple pregnancy, delivered (651 with 5th digit 0 or 652.60-652.61; 660.50-660.51)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	4.5	1	4	4	4	5	5	5	5
20-34	14	6.2	15	3	3	5	7	10	16	18
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	15	13.2	232	3	4	8	19	58	89	99+
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	9.5	26	6	6	7	12	17	17	17
20-34	29	11.7	248	2	3	6	8	39	50	67
35-49	2	5.5	5	4	4	5	7	7	7	7
50-64										
65+										
B. *Operated*										
0-19 YRS	9	8.3	42	4	4	6	8	19	25	25
20-34	220	12.3	190	4	5	7	12	26	40	87
35-49	11	14.5	168	4	5	9	21	34	46	47
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	16	6.0	13	3	3	5	6	9	15	18
B. *Operated*	16	12.7	221	3	4	8	17	55	87	99+
2. MULTIPLE DX										
A. *Not Operated*	35	11.1	209	2	3	6	8	35	47	67
B. *Operated*	240	12.3	184	4	5	7	12	26	40	83
1. SINGLE DX	32	9.3	125	3	4	5	9	24	57	99+
2. MULTIPLE DX	275	12.1	186	4	4	7	12	26	42	78
A. NOT OPERATED	51	9.5	152	3	3	6	8	17	42	67
B. OPERATED	256	12.3	185	4	4	7	12	26	44	97
TOTAL 0-19 YRS	16	7.9	30	4	4	6	8	16	23	25
20-34	278	12.0	190	3	4	7	12	27	44	93
35-49	13	13.2	152	4	4	8	17	30	44	47
50-64										
65+										
GRAND TOTAL	**307**	**11.8**	**180**	**4**	**4**	**7**	**11**	**26**	**42**	**89**

276: Breech presentation, delivered (652.20-652.21; 669.60-669.61)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	47	4.2	2	2	3	4	5	6	7	9
35-49	4	4.8	1	4	4	5	5	6	6	6
50-64										
65+										
B. *Operated*										
0-19 YRS	24	5.4	4	2	3	6	7	8	8	9
20-34	392	5.8	3	3	4	6	7	8	8	11
35-49	6	5.8	5	2	2	6	7	8	8	8
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	4.0	8	2	2	4	6	6	6	6
20-34	21	4.6	2	1	3	5	5	7	7	8
35-49	2	3.0	2	2	2	3	4	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	47	6.2	3	4	4	6	7	8	9	13
20-34	764	6.6	18	3	4	6	7	9	12	28
35-49	62	6.7	17	3	3	6	8	9	11	31
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	52	4.3	2	2	3	4	5	6	7	9
B. *Operated*	422	5.8	3	3	4	6	7	8	8	10
2. MULTIPLE DX										
A. *Not Operated*	25	4.4	3	1	2	5	5	6	7	8
B. *Operated*	873	6.6	17	3	4	6	7	9	12	28
1. SINGLE DX	474	5.6	3	3	3	6	7	8	8	10
2. MULTIPLE DX	898	6.5	17	3	4	6	7	9	11	27
A. NOT OPERATED	77	4.3	2	2	3	4	5	6	7	9
B. OPERATED	1295	6.3	13	3	4	6	7	8	10	22
TOTAL 0-19 YRS	74	5.8	4	3	4	6	7	8	9	13
20-34	1224	6.2	12	3	3	6	7	8	10	21
35-49	74	6.4	15	3	3	6	8	9	11	29
50-64										
65+										
GRAND TOTAL	**1372**	**6.2**	**12**	**3**	**3**	**6**	**7**	**8**	**10**	**21**

277: Other fetal dystocia, delivered (652.0-652.1, 652.3-652.5, 652.7-652.9, 660.0, 660.3-660.4, 660.9 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	13	4.5	1	3	3	4	5	6	7	7
20-34	138	4.1	1	3	3	4	5	5	6	7
35-49	9	4.2		3	3	4	5	5	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	56	4.7	2	3	3	4	6	7	8	8
20-34	405	5.0	4	3	3	5	6	7	8	12
35-49	20	5.7	3	3	4	6	7	8	9	9
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	16	4.8	5	2	2	4	6	8	9	10
20-34	172	4.1	2	2	3	4	5	6	6	8
35-49	5	4.4	3	3	3	4	5	7	7	7
50-64										
65+										
B. *Operated*										
0-19 YRS	133	5.8	8	3	4	5	6	8	11	17
20-34	1934	5.6	7	3	3	5	6	8	9	16
35-49	121	6.3	9	3	3	6	7	10	12	18
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	160	4.1	1	3	3	4	5	5	6	7
B. *Operated*	481	5.0	4	3	3	5	6	7	8	12
2. MULTIPLE DX										
A. *Not Operated*	193	4.2	2	2	3	4	5	6	7	9
B. *Operated*	2188	5.6	7	3	3	5	6	8	9	17
1. SINGLE DX	641	4.8	3	3	3	4	6	7	8	10
2. MULTIPLE DX	2381	5.5	7	3	3	5	6	8	9	16
A. NOT OPERATED	353	4.2	2	2	3	4	5	6	6	8
B. OPERATED	2669	5.5	6	3	3	5	6	8	9	16
TOTAL 0-19 YRS	218	5.4	6	3	3	5	6	8	10	15
20-34	2649	5.3	6	3	3	5	6	7	9	14
35-49	155	6.0	8	3	3	5	7	9	11	18
50-64										
65+										
GRAND TOTAL	**3022**	**5.4**	**6**	**3**	**3**	**5**	**6**	**8**	**9**	**15**

278: Fetopelvic disproportion, delivered (653, 660.1 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	4.5	1	4	4	4	5	5	5	5
20-34	5	4.6	1	4	4	4	5	6	6	6
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	51	6.5	3	4	5	6	8	9	9	11
20-34	370	6.5	3	4	5	6	7	8	9	12
35-49	8	6.6	3	4	4	7	8	9	9	9
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	6	5.0	2	4	4	5	5	8	8	8
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	136	7.4	10	4	5	7	8	11	14	20
20-34	1192	7.0	11	4	5	6	7	9	11	22
35-49	67	7.0	5	5	5	7	8	9	10	18
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7	4.6	1	4	4	4	5	6	6	6
B. *Operated*	429	6.5	3	4	5	6	7	8	9	12
2. MULTIPLE DX										
A. *Not Operated*	6	5.0	2	4	4	5	5	8	8	8
B. *Operated*	1395	7.1	11	4	5	6	8	9	12	22
1. SINGLE DX	436	6.5	3	4	5	6	7	8	9	12
2. MULTIPLE DX	1401	7.0	11	4	5	6	8	9	12	22
A. NOT OPERATED	13	4.8	1	4	4	4	5	6	8	8
B. OPERATED	1824	6.9	9	4	5	6	7	9	11	20
TOTAL 0-19 YRS	189	7.1	8	4	5	7	8	10	13	18
20-34	1573	6.9	9	4	5	6	7	9	11	21
35-49	75	7.0	5	4	5	7	8	9	10	18
50-64										
65+										
GRAND TOTAL	**1837**	**6.9**	**9**	**4**	**5**	**6**	**7**	**9**	**11**	**20**

279: Uterine inertia, delivered (661.0-661.2 with 5th digit 0 or 1; 662.0-662.3 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	28	5.1	3	3	4	5	6	6	8	12
20-34	223	4.7	2	3	3	5	5	6	7	8
35-49	8	4.6	3	3	3	4	5	7	8	8
50-64										
65+										
B. *Operated*										
0-19 YRS	53	5.0	1	3	4	5	6	7	7	8
20-34	501	4.8	2	3	3	5	6	7	7	9
35-49	18	5.4	5	3	3	5	7	9	11	11
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	23	4.8	2	2	3	5	6	7	8	8
20-34	226	4.6	2	3	3	4	5	6	7	9
35-49	9	3.1	4	1	1	2	5	6	7	7
50-64										
65+										
B. *Operated*										
0-19 YRS	151	5.9	8	3	4	6	6	9	9	17
20-34	1795	5.5	13	3	3	5	6	8	9	15
35-49	111	5.7	7	3	3	5	6	8	10	17
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	259	4.7	2	3	3	5	5	6	7	9
B. *Operated*	572	4.9	2	3	3	5	6	7	7	9
2. MULTIPLE DX										
A. *Not Operated*	258	4.5	2	2	3	4	5	6	7	9
B. *Operated*	2057	5.5	12	3	3	5	6	8	9	15
1. SINGLE DX	831	4.8	2	3	3	5	6	7	7	9
2. MULTIPLE DX	2315	5.4	11	3	3	5	6	8	9	15
A. NOT OPERATED	517	4.6	2	3	3	5	5	6	7	9
B. OPERATED	2629	5.4	10	3	3	5	6	7	9	14
TOTAL 0-19 YRS	255	5.5	6	3	4	5	6	8	9	14
20-34	2745	5.2	9	3	3	5	6	7	8	13
35-49	146	5.4	6	2	3	5	6	8	10	17
50-64										
65+										
GRAND TOTAL	**3146**	**5.2**	**9**	**3**	**3**	**5**	**6**	**7**	**8**	**13**

280: Other prolonged labor, delivered (654.0-654.1, 654.3-654.9 with 5th digit 0, 1 or 2; 660.2, 660.6-660.8, 661.4-661.9 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	4.0	2	3	3	4	5	5	5	5
20-34	33	4.1	2	2	3	4	5	6	7	7
35-49	3	4.7		4	4	5	5	5	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	6	5.5	2	4	4	5	7	7	7	7
20-34	97	4.5	3	3	3	4	5	7	8	10
35-49	2	4.0		4	4	4	4	4	4	4
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	6.5	1	6	6	6	7	7	7	7
20-34	22	5.6	52	1	2	4	5	7	20	37
35-49	5	3.8	1	2	2	4	4	5	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	28	5.9	7	2	3	5	7	10	11	13
20-34	360	6.0	8	3	3	6	7	8	10	15
35-49	40	6.7	12	3	3	6	8	9	16	19
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	38	4.1	2	2	3	4	5	5	6	7
B. *Operated*	105	4.5	2	3	3	4	5	7	8	10
2. MULTIPLE DX										
A. *Not Operated*	29	5.3	40	2	2	4	5	7	10	37
B. *Operated*	428	6.0	8	3	3	6	7	8	10	16
1. SINGLE DX	143	4.4	2	3	3	4	5	7	7	9
2. MULTIPLE DX	457	6.0	10	3	3	6	7	8	10	18
A. NOT OPERATED	67	4.6	18	2	3	4	5	6	7	32
B. OPERATED	533	5.8	7	3	3	5	7	8	10	15
TOTAL 0-19 YRS	38	5.8	6	3	3	5	7	9	10	13
20-34	512	5.6	9	3	3	5	7	8	9	15
35-49	50	6.2	11	3	3	5	7	9	14	19
50-64										
65+										
GRAND TOTAL	**600**	**5.6**	**9**	**3**	**3**	**5**	**7**	**8**	**9**	**15**

281: Uterine scar from previous surgery (654.20-654.21)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	19	3.8	2	1	2	4	5	6	6	6
35-49	1	4.0		4	4	4	4	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	33	6.7	12	5	5	6	7	8	8	25
20-34	1454	6.4	2	4	5	6	7	8	8	10
35-49	70	6.3	2	4	4	6	7	8	8	10
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	10	4.3	2	3	3	4	4	7	7	7
35-49	2	4.0	2	3	3	4	5	5	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	23	6.7	3	4	5	6	8	9	10	10
20-34	2170	6.8	8	4	5	6	7	8	10	19
35-49	261	7.2	11	5	5	7	8	9	10	21
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	20	3.8	2	1	2	4	5	6	6	6
B. *Operated*	1557	6.4	2	4	5	6	7	8	8	10
2. MULTIPLE DX										
A. *Not Operated*	12	4.3	2	3	3	4	5	7	7	7
B. *Operated*	2454	6.8	9	4	5	6	7	8	10	19
1. SINGLE DX	1577	6.3	2	4	5	6	7	8	8	10
2. MULTIPLE DX	2466	6.8	9	4	5	6	7	8	10	19
A. NOT OPERATED	32	4.0	2	2	2	4	5	6	7	7
B. OPERATED	4011	6.7	6	4	5	6	7	8	9	15
TOTAL 0-19 YRS	56	6.7	8	5	5	6	7	8	9	24
20-34	3653	6.6	6	4	5	6	7	8	9	15
35-49	334	7.0	9	4	5	7	7	8	9	16
50-64										
65+										
GRAND TOTAL	**4043**	**6.6**	**6**	**4**	**5**	**6**	**7**	**8**	**9**	**15**

282: Premature or prolonged rupture of membranes (658.11; 658.2-658.3 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	34	3.9	2	2	2	4	5	6	6	7
20-34	325	4.1	3	2	3	4	5	6	7	10
35-49	14	4.1	1	3	3	4	5	5	7	7
50-64										
65+										
B. *Operated*										
0-19 YRS	34	5.0	6	3	3	4	5	8	12	13
20-34	386	4.6	9	3	3	4	5	6	8	12
35-49	21	4.5	6	2	2	4	5	7	10	13
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	20	5.6	8	2	2	5	7	8	11	14
20-34	250	4.7	8	2	3	4	5	7	8	19
35-49	10	5.7	11	2	2	5	6	11	14	14
50-64										
65+										
B. *Operated*										
0-19 YRS	99	5.9	9	3	3	5	7	9	12	18
20-34	1325	5.3	8	3	3	5	6	8	9	16
35-49	101	5.7	7	3	3	5	7	9	11	16
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	373	4.1	3	2	3	4	5	6	7	10
B. *Operated*	441	4.6	9	3	3	4	5	7	8	13
2. MULTIPLE DX										
A. *Not Operated*	280	4.8	8	2	3	4	6	7	8	18
B. *Operated*	1525	5.4	8	3	3	5	6	8	9	16
1. SINGLE DX	814	4.4	6	2	3	4	5	6	7	12
2. MULTIPLE DX	1805	5.3	8	3	3	5	6	8	9	16
A. NOT OPERATED	653	4.4	5	2	3	4	5	7	8	13
B. OPERATED	1966	5.2	8	3	3	5	6	8	9	15
TOTAL 0-19 YRS	187	5.3	8	2	3	5	6	8	11	15
20-34	2286	5.0	8	3	3	4	6	7	9	15
35-49	146	5.4	7	3	3	5	6	8	11	14
50-64										
65+										
GRAND TOTAL	**2619**	**5.0**	**8**	**3**	**3**	**4**	**6**	**8**	**9**	**15**

283: Umbilical cord complication (663 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	70	4.0	1	3	3	4	5	5	6	7
20-34	656	4.0	2	2	3	4	5	5	6	8
35-49	33	4.0	1	3	3	4	5	6	6	6
50-64										
65+										
B. *Operated*										
0-19 YRS	32	4.4	2	3	3	4	5	6	7	9
20-34	238	4.3	2	3	3	4	5	6	6	10
35-49	14	4.6	4	2	3	4	6	7	9	9
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	20	4.7	4	3	3	4	5	7	9	12
20-34	238	4.2	3	2	3	4	5	6	7	11
35-49	16	5.9	16	1	3	5	7	13	15	16
50-64										
65+										
B. *Operated*										
0-19 YRS	38	5.2	5	2	3	5	6	8	9	14
20-34	556	4.6	9	2	3	4	5	7	7	11
35-49	47	5.0	5	2	3	5	6	8	8	16
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	759	4.0	2	2	3	4	5	5	6	8
B. *Operated*	284	4.3	2	3	3	4	5	6	7	10
2. MULTIPLE DX										
A. *Not Operated*	274	4.3	4	2	3	4	5	6	7	13
B. *Operated*	641	4.7	9	2	3	4	5	7	8	11
1. SINGLE DX	1043	4.0	2	2	3	4	5	5	6	8
2. MULTIPLE DX	915	4.6	7	2	3	4	5	7	8	12
A. NOT OPERATED	1033	4.0	2	2	3	4	5	6	6	9
B. OPERATED	925	4.6	7	2	3	4	5	7	7	10
TOTAL 0-19 YRS	160	4.4	3	3	3	4	5	6	8	12
20-34	1688	4.2	4	2	3	4	5	6	7	10
35-49	110	4.8	6	2	3	4	6	7	8	16
50-64										
65+										
GRAND TOTAL	**1958**	**4.3**	**4**	**2**	**3**	**4**	**5**	**6**	**7**	**10**

284: Delivery with first and second degree perineal laceration (664.00-664.01; 664.10-664.11)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	41	4.0	3	1	2	4	5	6	7	10
20-34	344	3.9	2	2	2	4	5	5	6	8
35-49	18	3.9	3	1	2	4	5	7	7	7
50-64										
65+										
B. *Operated*										
0-19 YRS	228	4.0	2	2	3	4	5	6	6	8
20-34	3644	3.9	2	2	3	4	5	5	6	8
35-49	215	3.9	2	2	2	4	5	6	7	7
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	23	4.6	5	3	3	4	5	6	9	13
20-34	144	3.9	2	1	2	4	5	6	7	8
35-49	6	5.2	9	3	3	4	6	10	11	11
50-64										
65+										
B. *Operated*										
0-19 YRS	134	4.9	14	2	3	4	5	7	8	27
20-34	2525	4.4	4	2	3	4	5	6	7	10
35-49	229	4.3	2	2	3	4	5	6	6	9
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	403	3.9	2	2	2	4	5	5	6	9
B. *Operated*	4087	3.9	2	2	3	4	5	5	6	8
2. MULTIPLE DX										
A. *Not Operated*	173	4.1	3	2	2	4	5	6	7	11
B. *Operated*	2888	4.4	4	2	3	4	5	6	7	10
1. SINGLE DX	4490	3.9	2	2	3	4	5	5	6	8
2. MULTIPLE DX	3061	4.4	4	2	3	4	5	6	7	10
A. NOT OPERATED	576	4.0	2	2	2	4	5	6	7	9
B. OPERATED	6975	4.1	3	2	3	4	5	6	6	9
TOTAL 0-19 YRS	426	4.3	6	2	3	4	5	6	7	13
20-34	6657	4.1	2	2	3	4	5	6	6	9
35-49	468	4.1	2	2	3	4	5	6	7	9
50-64										
65+										
GRAND TOTAL	**7551**	**4.1**	**3**	**2**	**3**	**4**	**5**	**6**	**6**	**9**

285: Perineal laceration, except first and second degree (664.2-664.4 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	4.3	2	3	3	4	5	7	7	7
20-34	68	4.5	2	3	3	4	5	6	7	10
35-49	3	5.0	4	3	3	5	6	7	7	7
50-64										
65+										
B. *Operated*										
0-19 YRS	51	4.3	2	3	3	4	5	6	7	8
20-34	406	4.3	4	3	3	4	5	6	6	9
35-49	12	4.0	1	3	3	4	5	6	7	7
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	20	4.8	2	3	4	4	5	7	8	9
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	44	5.4	7	3	3	5	6	8	12	16
20-34	392	4.6	3	3	3	4	5	7	7	11
35-49	17	4.2	4	1	2	4	5	7	9	10
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	77	4.5	2	3	3	4	5	7	7	10
B. *Operated*	469	4.3	4	3	3	4	5	6	6	9
2. MULTIPLE DX										
A. *Not Operated*	20	4.8	2	3	4	4	5	7	8	9
B. *Operated*	453	4.7	3	3	3	4	5	7	7	13
1. SINGLE DX	546	4.3	3	3	3	4	5	6	7	9
2. MULTIPLE DX	473	4.7	3	3	3	4	5	7	7	13
A. NOT OPERATED	97	4.5	2	3	3	4	5	7	7	10
B. OPERATED	922	4.5	4	3	3	4	5	6	7	10
TOTAL 0-19 YRS	101	4.8	4	3	3	4	5	7	8	15
20-34	886	4.4	3	3	3	4	5	6	7	10
35-49	32	4.2	3	2	3	4	5	7	7	10
50-64										
65+										
GRAND TOTAL	**1019**	**4.5**	**3**	**3**	**3**	**4**	**5**	**6**	**7**	**10**

286: Other obstetrical trauma (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	3.5	4	1	1	3	5	6	6	6
20-34	34	3.8	2	2	2	4	5	5	6	7
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	22	3.8	1	2	2	4	5	5	5	5
20-34	181	4.1	2	2	3	4	5	6	6	8
35-49	6	3.3	3	1	1	3	5	5	5	5
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	3.8	6	<1	<1	4	5	7	7	7
20-34	12	4.9	4	2	3	5	6	8	9	9
35-49	2	4.5	1	4	4	4	5	5	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	17	6.1	29	3	3	4	6	8	20	26
20-34	164	4.4	3	2	3	4	5	6	7	10
35-49	8	3.8	1	2	2	4	5	5	5	5
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	38	3.8	2	1	2	4	5	6	6	7
B. *Operated*	209	4.0	2	2	2	4	5	5	6	8
2. MULTIPLE DX										
A. *Not Operated*	19	4.6	4	1	2	4	6	7	8	9
B. *Operated*	189	4.5	6	2	3	4	5	6	7	15
1. SINGLE DX	247	4.0	2	2	2	4	5	5	6	8
2. MULTIPLE DX	208	4.5	5	2	3	4	5	6	7	14
A. NOT OPERATED	57	4.1	3	1	2	4	5	6	7	9
B. OPERATED	398	4.2	4	2	3	4	5	6	7	10
TOTAL 0-19 YRS	48	4.6	12	2	2	4	5	7	7	26
20-34	391	4.2	3	2	3	4	5	6	7	9
35-49	16	3.7	2	1	2	4	5	5	5	5
50-64										
65+										
GRAND TOTAL	**455**	**4.2**	**4**	**2**	**3**	**4**	**5**	**6**	**7**	**9**

287: Miscellaneous complications of delivery (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	187	4.2	4	2	2	4	5	6	7	8
20-34	1768	4.0	3	2	2	4	5	6	7	10
35-49	90	4.5	6	2	3	4	5	6	9	17
50-64										
65+										
B. *Operated*										
0-19 YRS	276	5.0	6	3	3	4	6	8	9	16
20-34	2531	4.8	8	3	3	4	5	7	8	16
35-49	118	5.0	4	3	3	5	6	8	9	11
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	140	5.4	12	1	3	4	6	9	13	18
20-34	1237	4.4	6	2	2	4	5	6	8	13
35-49	69	4.3	4	2	2	4	5	7	8	11
50-64										
65+										
B. *Operated*										
0-19 YRS	553	5.8	12	3	3	5	7	9	11	24
20-34	7471	5.8	18	3	3	5	6	9	12	24
35-49	564	6.4	25	3	3	5	7	10	14	35
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2045	4.0	4	2	2	4	5	6	7	10
B. *Operated*	2925	4.9	8	3	3	4	5	7	8	16
2. MULTIPLE DX										
A. *Not Operated*	1446	4.5	6	2	2	4	5	7	8	14
B. *Operated*	8588	5.8	18	3	3	5	6	9	12	25
1. SINGLE DX	4970	4.5	6	2	3	4	5	7	8	13
2. MULTIPLE DX	10034	5.6	16	3	3	5	6	9	11	24
A. NOT OPERATED	3491	4.2	5	2	2	4	5	6	7	12
B. OPERATED	11513	5.6	15	3	3	5	6	8	11	23
TOTAL 0-19 YRS	1156	5.3	10	2	3	5	6	8	10	19
20-34	13007	5.2	13	2	3	4	6	8	10	21
35-49	841	5.8	19	2	3	5	6	9	11	30
50-64										
65+										
GRAND TOTAL	**15004**	**5.3**	**13**	**2**	**3**	**4**	**6**	**8**	**10**	**21**

288: Major puerperal infections (670.00; 670.04; 672.00; 672.04)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	9	4.3	10	1	1	3	6	9	11	11
20-34	75	3.6	2	2	2	4	4	6	7	8
35-49	3	4.0	1	3	3	4	5	5	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	8	3.5	21	<1	<1	1	4	12	14	14
35-49	1	9.0		9	9	9	9	9	9	9
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	8	4.6	3	1	2	5	6	7	7	7
20-34	46	5.1	9	2	2	4	6	8	9	20
35-49	1	5.0		5	5	5	5	5	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	1	9.0		9	9	9	9	9	9	9
20-34	13	5.0	11	1	2	3	7	10	11	11
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	87	3.7	3	2	2	4	5	6	7	10
B. *Operated*	10	3.8	20	<1	<1	1	6	11	14	14
2. MULTIPLE DX										
A. *Not Operated*	55	5.0	8	2	2	4	6	7	9	19
B. *Operated*	14	5.3	11	1	2	4	9	10	11	11
1. SINGLE DX	97	3.7	5	1	2	3	5	6	8	13
2. MULTIPLE DX	69	5.1	9	2	2	4	6	9	10	18
A. NOT OPERATED	142	4.2	5	2	2	4	5	7	8	12
B. OPERATED	24	4.7	15	<1	<1	3	8	10	12	14
TOTAL 0-19 YRS	19	4.5	7	1	1	4	6	8	10	11
20-34	142	4.2	7	1	2	4	5	7	9	14
35-49	5	5.2	5	3	3	5	6	9	9	9
50-64										
65+										
GRAND TOTAL	**166**	**4.3**	**7**	**1**	**2**	**4**	**5**	**7**	**9**	**14**

289: Puerperal hemorrhage (after 24 hrs.) (666.24)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	9	2.1	2	<1	<1	2	3	4	5	5
20-34	85	1.7	2	<1	<1	1	2	3	5	8
35-49	4	2.0	4	1	1	1	3	5	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	27	1.4		<1	1	1	2	2	3	3
20-34	250	1.7	1	<1	1	1	2	3	4	8
35-49	18	1.6	1	1	1	2	2	2	3	4
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	2.3		2	2	2	3	3	3	3
20-34	22	2.0	2	<1	1	2	2	4	5	5
35-49	3	2.3	2	1	1	2	3	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	20	2.1	3	1	1	2	2	4	6	7
20-34	136	2.4	5	<1	1	2	3	4	6	13
35-49	4	1.3		1	1	1	2	2	2	2
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	98	1.8	2	<1	<1	1	2	3	5	8
B. *Operated*	295	1.7	1	<1	1	1	2	3	4	7
2. MULTIPLE DX										
A. *Not Operated*	28	2.0	1	<1	1	2	2	4	5	5
B. *Operated*	160	2.3	4	<1	1	2	3	4	6	12
1. SINGLE DX	393	1.7	1	<1	1	1	2	3	4	7
2. MULTIPLE DX	188	2.3	4	<1	1	2	3	4	6	11
A. NOT OPERATED	126	1.8	2	<1	1	1	2	3	5	7
B. OPERATED	455	1.9	2	<1	1	1	2	3	4	9
TOTAL 0-19 YRS	59	1.8	1	1	1	2	2	3	4	7
20-34	493	1.9	2	<1	1	1	2	3	5	9
35-49	29	1.7	1	1	1	1	2	3	4	5
50-64										
65+										
GRAND TOTAL	**581**	**1.9**	**2**	**<1**	**1**	**1**	**2**	**3**	**5**	**9**

290: Other puerperal complications (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	4.0	8	2	2	3	5	9	10	10
20-34	73	4.1	6	<1	1	4	5	7	9	13
35-49	3	3.3	4	1	1	4	5	5	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	5	5.0	10	3	3	3	7	10	10	10
20-34	55	5.2	18	<1	1	4	7	11	14	21
35-49	4	3.5	4	2	2	3	5	6	6	6
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	16	5.0	9	1	1	5	6	10	11	12
20-34	57	5.6	19	1	2	4	7	12	15	22
35-49	2	3.5	1	3	3	3	4	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	6	3.5	2	1	1	4	4	5	5	5
20-34	42	6.1	19	1	2	5	7	12	15	23
35-49	2	9.0	32	5	5	9	13	13	13	13
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	83	4.0	6	1	1	4	5	7	9	13
B. *Operated*	64	5.1	16	1	1	4	6	10	14	20
2. MULTIPLE DX										
A. *Not Operated*	75	5.4	16	1	2	4	7	11	14	20
B. *Operated*	50	5.9	18	1	2	5	7	12	13	23
1. SINGLE DX	147	4.5	11	1	1	4	5	8	11	17
2. MULTIPLE DX	125	5.6	17	1	2	5	7	12	14	22
A. NOT OPERATED	158	4.7	11	1	1	4	6	9	12	16
B. OPERATED	114	5.4	17	1	1	5	7	11	13	22
TOTAL 0-19 YRS	34	4.5	7	1	2	4	6	10	10	12
20-34	227	5.1	15	1	1	4	6	10	13	21
35-49	11	4.5	10	1	1	4	5	9	13	13
50-64										
65+										
GRAND TOTAL	**272**	**5.0**	**14**	**1**	**1**	**4**	**6**	**10**	**13**	**21**

291: Cellulitis and abscess, except digit (682)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	256	4.4	8	1	2	4	6	7	10	17
20-34	266	4.3	7	2	2	4	5	8	9	14
35-49	164	4.9	13	1	2	4	6	9	11	22
50-64	122	5.7	14	2	2	4	7	10	13	20
65+	82	7.6	44	2	2	5	10	16	19	37
B. *Operated*										
0-19 YRS	70	5.1	13	1	1	5	7	9	13	18
20-34	89	6.2	41	1	1	5	7	12	22	34
35-49	29	4.4	12	<1	1	3	6	10	11	14
50-64	27	5.0	9	1	2	4	7	10	11	13
65+	21	9.8	60	1	2	8	12	19	26	35
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	198	5.0	14	2	2	4	6	9	11	17
20-34	199	5.5	15	2	2	5	7	10	13	27
35-49	141	6.5	19	2	2	6	8	11	15	24
50-64	244	9.0	48	2	3	7	12	19	23	35
65+	333	11.4	93	3	3	9	14	23	33	71
B. *Operated*										
0-19 YRS	54	6.4	24	1	2	6	9	12	16	27
20-34	77	9.2	117	1	2	6	10	18	31	92
35-49	48	11.2	200	2	3	7	13	26	31	91
50-64	82	14.9	162	3	4	12	17	31	51	89
65+	92	17.2	159	3	4	14	23	39	45	82
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	890	4.9	14	1	2	4	6	9	12	19
B. *Operated*	236	5.8	29	1	1	5	7	11	15	28
2. MULTIPLE DX										
A. *Not Operated*	1115	8.1	52	2	3	6	10	16	23	47
B. *Operated*	353	12.4	150	2	3	9	16	27	41	90
1. SINGLE DX	1126	5.1	17	1	2	4	6	9	12	22
2. MULTIPLE DX	1468	9.1	79	2	3	6	11	19	27	57
A. NOT OPERATED	2005	6.7	38	2	2	5	8	13	18	35
B. OPERATED	589	9.8	111	1	2	6	12	22	31	63
TOTAL 0-19 YRS	578	4.9	13	1	2	4	6	9	12	17
20-34	631	5.5	30	1	2	4	6	10	14	32
35-49	382	6.3	42	1	2	5	7	11	14	29
50-64	475	8.9	66	2	3	6	11	18	24	51
65+	528	11.8	103	2	3	9	15	25	36	59
GRAND TOTAL	**2594**	**7.4**	**56**	**2**	**2**	**5**	**9**	**15**	**22**	**45**

292: Miscellaneous infections of skin and subcutaneous tissue (680-681; 683-684; 686)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	131	5.5	13	2	2	5	7	11	14	18
20-34	66	4.2	9	1	2	3	5	8	12	14
35-49	44	5.3	37	<1	1	3	6	11	16	36
50-64	24	5.3	8	1	2	5	7	10	11	11
65+	20	7.8	51	1	2	6	8	15	24	33
B. *Operated*										
0-19 YRS	45	4.3	20	<1	1	2	6	10	16	18
20-34	28	3.7	16	<1	<1	3	5	7	10	21
35-49	18	6.9	34	<1	1	5	12	14	19	22
50-64	17	6.4	144	<1	1	3	5	9	37	52
65+	7	5.1	5	2	2	6	6	8	9	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	203	6.2	20	2	2	5	8	12	15	23
20-34	71	4.7	9	2	2	4	6	8	8	19
35-49	52	6.1	16	1	2	5	8	13	14	16
50-64	58	10.2	100	2	3	7	12	23	36	45
65+	88	12.2	110	3	3	9	14	31	33	50
B. *Operated*										
0-19 YRS	29	5.7	18	1	1	5	8	10	13	21
20-34	29	6.0	37	<1	1	4	6	11	17	33
35-49	26	10.8	93	1	2	7	17	24	32	38
50-64	23	12.5	119	2	3	8	17	32	36	41
65+	29	18.3	278	2	3	10	31	42	72	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	285	5.3	18	1	2	4	6	11	14	19
B. *Operated*	115	4.9	39	<1	<1	3	6	10	15	32
2. MULTIPLE DX										
A. *Not Operated*	472	7.6	51	2	2	6	9	14	21	38
B. *Operated*	136	10.6	129	1	2	6	12	30	33	76
1. SINGLE DX	400	5.2	24	<1	1	4	6	11	14	21
2. MULTIPLE DX	608	8.2	70	2	2	6	9	18	28	43
A. NOT OPERATED	757	6.7	40	2	2	5	8	13	18	35
B. OPERATED	251	8.0	95	<1	1	5	8	21	32	52
TOTAL 0-19 YRS	408	5.7	18	1	2	5	7	11	15	21
20-34	194	4.6	14	<1	1	4	5	8	11	21
35-49	140	6.8	42	<1	1	5	8	15	19	36
50-64	122	9.2	96	2	2	6	10	19	32	47
65+	144	12.4	141	2	3	8	15	32	35	73
GRAND TOTAL	**1008**	**7.0**	**54**	**1**	**2**	**5**	**8**	**14**	**21**	**39**

293: Pilonidal cyst (685)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	2.8	3	<1	<1	2	5	5	5	5
20-34	7	1.4		<1	<1	1	2	2	2	2
35-49	1	4.0		4	4	4	4	4	4	4
50-64	1	1.0		<1	<1	<1	<1	<1	<1	<1
65+										
B. *Operated*										
0-19 YRS	270	3.8	4	1	2	4	5	6	7	11
20-34	486	3.8	5	1	2	3	5	7	8	11
35-49	53	4.1	9	<1	1	3	5	7	10	16
50-64	12	4.8	9	2	2	4	6	10	11	11
65+	5	3.0	1	2	2	3	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	2.3	2	<1	<1	2	3	4	4	4
20-34	7	2.3	3	1	1	2	4	5	5	5
35-49	5	2.6	4	<1	<1	2	4	6	6	6
50-64	3	6.7	44	1	1	5	12	14	14	14
65+										
B. *Operated*										
0-19 YRS	30	5.1	25	1	1	3	6	8	16	26
20-34	92	5.2	21	1	2	4	6	10	16	23
35-49	15	5.4	15	1	3	4	7	10	14	16
50-64	9	18.0	883	1	1	4	22	68	92	92
65+	2	4.5	13	2	2	4	7	7	7	7
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	15	2.1	2	<1	<1	2	3	5	5	5
B. *Operated*	826	3.9	5	1	2	3	5	6	8	12
2. MULTIPLE DX										
A. *Not Operated*	18	3.1	10	<1	<1	2	4	6	11	14
B. *Operated*	148	6.0	77	1	2	4	6	11	18	34
1. SINGLE DX	841	3.8	5	1	1	3	5	6	8	12
2. MULTIPLE DX	166	5.7	70	1	1	4	6	10	17	32
A. NOT OPERATED	33	2.7	7	<1	<1	2	4	5	6	14
B. OPERATED	974	4.2	17	1	2	3	5	7	9	16
TOTAL 0-19 YRS	309	3.9	6	1	1	4	5	6	8	15
20-34	592	4.0	8	1	1	3	5	7	9	15
35-49	74	4.3	10	<1	1	3	5	8	10	16
50-64	25	9.6	344	1	1	4	8	19	48	92
65+	7	3.4	3	2	2	3	4	6	7	7
GRAND TOTAL	**1007**	**4.1**	**16**	**1**	**1**	**3**	**5**	**7**	**9**	**16**

294: Sebaceous cyst (706.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	2.3	2	<1	<1	2	3	4	4	4
20-34	2	2.5	1	2	2	2	3	3	3	3
35-49										
50-64										
65+	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-19 YRS	36	1.6	1	<1	<1	1	2	3	3	5
20-34	54	1.7	2	<1	<1	1	2	3	4	8
35-49	23	2.1	4	<1	<1	1	3	4	6	9
50-64	23	2.4	6	<1	<1	2	3	5	9	10
65+	7	2.3	4	<1	<1	1	3	5	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	2.5	1	2	2	2	3	3	3	3
20-34	1	6.0		6	6	6	6	6	6	6
35-49										
50-64	1	1.0		<1	<1	<1	<1	<1	<1	<1
65+	4	18.0	185	4	4	18	29	32	32	32
B. *Operated*										
0-19 YRS	9	3.1	6	1	1	2	4	7	8	8
20-34	14	2.5	3	<1	<1	2	4	5	5	5
35-49	12	5.3	53	<1	1	3	5	13	26	28
50-64	7	5.6	32	1	1	3	7	15	17	17
65+	11	9.1	144	<1	<1	3	17	28	36	37
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7	2.3	1	<1	<1	2	3	4	4	4
B. *Operated*	143	1.9	3	<1	<1	1	2	3	5	9
2. MULTIPLE DX										
A. *Not Operated*	8	10.5	145	<1	1	5	18	30	32	32
B. *Operated*	53	5.0	50	<1	<1	3	5	11	22	37
1. SINGLE DX	150	1.9	3	<1	<1	1	2	3	5	9
2. MULTIPLE DX	61	5.7	64	<1	<1	3	5	18	27	36
A. NOT OPERATED	15	6.7	91	<1	<1	3	6	27	31	32
B. OPERATED	196	2.7	17	<1	<1	1	3	5	8	25
TOTAL 0-19 YRS	51	1.9	2	<1	<1	1	2	4	5	8
20-34	71	1.9	2	<1	<1	1	2	4	5	8
35-49	35	3.2	22	<1	<1	2	4	5	8	28
50-64	31	3.1	13	<1	<1	2	3	8	10	17
65+	23	8.3	122	<1	<1	3	10	28	34	37
GRAND TOTAL	**211**	**3.0**	**23**	**<1**	**<1**	**2**	**3**	**5**	**9**	**30**

295: Miscellaneous diseases of skin and subcutaneous tissue (690-705; 706.0-706.1; 706.3-706.9; 707-709)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	352	4.6	15	1	1	3	6	10	12	18
20-34	137	5.6	38	<1	<1	3	7	12	20	29
35-49	114	7.0	42	<1	1	5	10	16	22	27
50-64	81	8.6	62	<1	<1	7	12	22	24	31
65+	125	12.6	172	1	3	9	14	28	48	77
B. *Operated*										
0-19 YRS	147	3.0	11	<1	<1	2	3	7	10	19
20-34	210	4.0	37	<1	<1	2	4	8	13	25
35-49	144	5.2	59	<1	1	3	6	12	15	41
50-64	130	4.9	36	<1	<1	3	5	11	18	31
65+	98	7.3	134	<1	<1	3	7	22	25	63
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	308	6.5	56	1	2	4	8	13	18	36
20-34	160	9.1	122	<1	1	6	11	19	29	58
35-49	129	8.3	87	1	1	6	11	17	22	63
50-64	205	12.4	153	1	2	8	16	27	37	78
65+	452	16.2	252	3	3	11	21	39	60	99+
B. *Operated*										
0-19 YRS	85	10.1	304	<1	<1	4	11	31	74	99+
20-34	197	12.8	293	<1	1	5	16	43	58	99+
35-49	174	14.7	321	1	2	7	19	48	61	99+
50-64	204	15.1	348	1	2	8	22	47	73	99+
65+	272	19.0	361	1	2	13	28	49	77	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	809	6.7	59	<1	1	4	9	14	22	43
B. *Operated*	729	4.7	50	<1	<1	2	5	11	16	32
2. MULTIPLE DX										
A. *Not Operated*	1254	11.5	170	1	2	7	14	27	39	94
B. *Operated*	932	15.2	338	1	1	8	22	46	65	99+
1. SINGLE DX	1538	5.8	56	<1	<1	3	7	13	20	34
2. MULTIPLE DX	2186	13.1	245	1	2	8	17	35	52	99+
A. NOT OPERATED	2063	9.6	132	1	1	6	12	22	33	84
B. OPERATED	1661	10.6	239	<1	1	4	13	31	50	99+
TOTAL 0-19 YRS	892	5.5	59	<1	1	3	7	11	16	36
20-34	704	7.9	140	<1	<1	4	8	20	33	76
35-49	561	9.2	158	1	1	5	11	22	36	78
50-64	620	11.2	195	<1	1	6	14	28	41	95
65+	947	15.6	272	1	2	10	21	39	59	99+
GRAND TOTAL	**3724**	**10.1**	**180**	**<1**	**1**	**5**	**12**	**25**	**40**	**93**

296: Diffuse diseases of connective tissue (710)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	8	5.1	17	2	2	4	5	12	15	15
20-34	20	7.9	42	2	2	6	9	19	23	24
35-49	8	8.1	33	3	3	6	9	18	21	21
50-64	17	8.7	76	<1	<1	6	12	21	29	33
65+	8	6.9	57	<1	<1	3	13	18	19	19
B. *Operated*										
0-19 YRS	6	7.2	21	2	2	7	11	13	13	13
20-34	7	7.1	46	2	2	3	9	19	21	21
35-49	3	6.7	14	4	4	5	9	11	11	11
50-64	9	10.8	53	1	1	14	16	60	99+	99+
65+	3	24.0	31	18	18	25	28	29	29	29
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	15	7.5	26	1	3	6	10	14	19	21
20-34	64	11.7	134	2	2	8	15	23	34	61
35-49	47	15.6	180	3	5	12	18	31	37	74
50-64	47	10.2	106	1	2	8	11	19	27	59
65+	36	13.4	223	2	4	8	17	27	29	87
B. *Operated*										
0-19 YRS	4	11.8	207	1	1	7	22	32	32	32
20-34	33	15.2	170	2	4	12	16	31	48	61
35-49	18	18.7	378	2	3	14	29	65	94	99+
50-64	27	21.9	293	2	7	17	25	49	68	71
65+	19	23.9	337	4	5	23	30	50	64	73
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	61	7.7	47	<1	<1	5	10	18	22	32
B. *Operated*	28	10.1	60	2	2	10	15	23	32	99+
2. MULTIPLE DX										
A. *Not Operated*	209	12.2	149	2	3	9	15	24	32	67
B. *Operated*	101	19.1	275	2	4	14	26	39	63	93
1. SINGLE DX	89	8.4	52	<1	1	6	13	21	24	73
2. MULTIPLE DX	310	14.5	200	2	3	10	18	30	48	79
A. NOT OPERATED	270	11.2	129	1	2	8	14	23	30	61
B. OPERATED	129	17.1	242	2	3	13	23	34	61	99+
TOTAL 0-19 YRS	33	7.4	42	1	2	5	10	14	20	32
20-34	124	11.8	129	2	2	9	14	23	33	61
35-49	76	15.2	211	3	4	11	19	32	47	96
50-64	100	13.2	171	1	2	10	17	25	48	85
65+	66	16.1	256	<1	3	12	23	30	49	85
GRAND TOTAL	**399**	**13.1**	**173**	**1**	**2**	**9**	**16**	**29**	**35**	**80**

297: Rheumatoid arthritis, except spine (714)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	51	7.6	45	1	2	6	10	16	22	36
20-34	44	9.4	64	1	2	7	15	19	26	35
35-49	73	11.5	41	2	3	12	15	21	23	28
50-64	148	12.4	72	2	3	12	17	23	26	36
65+	128	11.9	68	3	4	10	16	20	23	51
B. *Operated*										
0-19 YRS	6	9.7	52	3	3	8	11	22	23	23
20-34	32	13.7	102	3	4	11	17	30	32	47
35-49	44	7.2	24	1	2	6	10	14	16	23
50-64	121	10.7	67	1	2	9	16	20	26	39
65+	72	12.7	83	2	2	11	19	28	33	99+
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	22	9.2	62	1	2	7	12	21	28	29
20-34	45	13.3	87	3	3	13	16	24	39	99+
35-49	86	11.9	66	1	2	11	17	24	26	34
50-64	249	14.8	108	2	4	13	19	26	34	65
65+	333	16.2	239	3	4	12	19	31	49	96
B. *Operated*										
0-19 YRS	5	29.8	1255	2	2	7	60	81	81	81
20-34	28	17.5	264	3	4	14	19	39	51	79
35-49	57	15.1	159	3	4	11	20	35	39	63
50-64	163	18.3	220	2	5	15	24	40	53	96
65+	160	19.5	251	2	4	17	26	45	64	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	444	11.3	64	2	3	10	16	21	24	36
B. *Operated*	275	11.0	71	2	2	9	16	23	30	45
2. MULTIPLE DX										
A. *Not Operated*	735	14.8	163	2	4	12	18	28	38	89
B. *Operated*	413	18.4	238	2	4	15	24	41	60	99+
1. SINGLE DX	719	11.2	66	2	2	10	16	22	26	39
2. MULTIPLE DX	1148	16.1	192	2	4	13	20	32	45	96
A. NOT OPERATED	1179	13.5	128	2	3	12	17	24	33	75
B. OPERATED	688	15.5	184	2	3	12	20	33	45	99+
TOTAL 0-19 YRS	84	9.5	134	1	2	6	11	19	28	71
20-34	149	13.0	122	2	3	11	17	25	36	79
35-49	260	11.7	77	2	2	11	16	23	28	40
50-64	681	14.4	126	2	3	12	19	27	37	73
65+	693	15.8	201	2	4	13	20	31	49	99+
GRAND TOTAL	**1867**	**14.2**	**150**	**2**	**3**	**12**	**18**	**28**	**38**	**82**

298: Osteoarthrosis (osteoarthritis), except spine (715)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	4.4	2	3	3	4	6	6	6	6
20-34	2	6.5	41	2	2	6	11	11	11	11
35-49	9	6.4	17	2	2	5	9	13	13	13
50-64	44	6.8	47	1	1	4	8	17	19	35
65+	146	8.8	70	2	2	6	10	18	23	42
B. *Operated*										
0-19 YRS	8	6.8	15	<1	1	8	10	11	11	11
20-34	43	5.6	29	1	1	4	7	13	15	29
35-49	115	6.5	34	1	1	5	8	15	17	28
50-64	370	10.2	43	2	2	10	14	17	21	35
65+	501	13.0	66	2	4	12	16	22	26	40
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	9.3	37	5	5	7	13	19	20	20
20-34	7	6.3	58	<1	<1	4	6	20	23	23
35-49	21	6.5	39	<1	1	4	9	16	21	22
50-64	133	8.3	36	2	2	7	11	16	20	29
65+	658	11.8	146	2	3	8	15	26	39	99+
B. *Operated*										
0-19 YRS	3	4.7	16	1	1	4	8	9	9	9
20-34	62	6.7	54	1	2	4	8	12	19	41
35-49	126	8.0	68	1	2	5	11	17	29	63
50-64	466	13.0	103	2	3	12	17	23	29	56
65+	920	16.8	117	3	6	15	21	30	38	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	206	8.1	62	2	2	6	10	17	22	40
B. *Operated*	1037	10.9	58	1	2	10	15	19	24	35
2. MULTIPLE DX										
A. *Not Operated*	825	11.1	126	2	3	8	14	24	35	99+
B. *Operated*	1577	14.6	116	2	3	13	19	27	35	73
1. SINGLE DX	1243	10.4	60	1	2	9	15	19	24	35
2. MULTIPLE DX	2402	13.4	122	2	3	11	18	26	35	92
A. NOT OPERATED	1031	10.5	114	2	2	7	13	22	33	94
B. OPERATED	2614	13.1	96	2	3	12	17	24	31	57
TOTAL 0-19 YRS	22	6.6	20	1	2	6	9	12	16	20
20-34	114	6.2	44	1	1	4	8	12	16	39
35-49	271	7.2	50	1	2	5	9	16	22	37
50-64	1013	11.1	74	2	2	10	15	20	25	39
65+	2225	14.0	118	2	3	12	18	26	35	92
GRAND TOTAL	**3645**	**12.4**	**103**	**2**	**2**	**11**	**17**	**24**	**31**	**63**

299: Other arthropathies (711-713; 716)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	30	6.0	15	2	2	5	7	11	15	17
20-34	38	6.3	20	1	2	5	8	12	17	21
35-49	25	5.0	6	1	2	5	7	8	9	10
50-64	45	7.3	52	2	2	6	8	10	29	32
65+	87	10.1	108	1	2	7	11	21	35	56
B. *Operated*										
0-19 YRS	12	15.3	34	6	8	15	19	24	26	26
20-34	28	7.8	69	1	1	6	8	17	28	37
35-49	29	6.5	29	1	1	5	8	14	17	24
50-64	26	8.3	57	1	1	6	13	17	27	29
65+	6	5.8	30	1	1	6	13	83	99+	99+
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	29	12.4	120	2	2	9	15	29	39	43
20-34	31	8.2	41	1	2	7	10	19	23	25
35-49	43	6.2	16	1	2	5	10	13	13	13
50-64	60	9.5	75	2	2	7	12	18	26	45
65+	295	11.9	134	2	3	8	15	26	33	90
B. *Operated*										
0-19 YRS	21	16.6	207	1	3	14	21	31	51	65
20-34	28	11.7	112	1	2	9	14	23	37	50
35-49	26	13.1	394	2	2	6	11	36	67	87
50-64	38	15.1	264	1	2	10	17	42	56	69
65+	44	22.5	322	3	5	18	35	58	82	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	225	7.8	61	1	2	6	9	15	23	43
B. *Operated*	101	8.3	53	1	1	6	12	17	26	67
2. MULTIPLE DX										
A. *Not Operated*	458	10.9	111	2	3	8	13	23	30	56
B. *Operated*	157	16.4	277	2	3	11	21	44	61	99
1. SINGLE DX	326	8.0	59	1	2	6	10	17	24	43
2. MULTIPLE DX	615	12.3	159	2	3	8	15	26	41	85
A. NOT OPERATED	683	9.8	97	2	2	7	12	22	29	56
B. OPERATED	258	13.3	205	1	2	9	17	30	50	98
TOTAL 0-19 YRS	92	11.6	109	2	2	9	16	23	29	56
20-34	125	8.3	59	1	2	6	10	17	23	40
35-49	123	7.5	103	1	2	5	9	13	17	69
50-64	169	10.0	115	2	2	7	12	22	32	58
65+	432	12.6	158	2	3	8	16	27	42	99+
GRAND TOTAL	**941**	**10.8**	**128**	**2**	**2**	**7**	**13**	**23**	**35**	**69**

300: Internal derangement of knee joint (717)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	3.4	7	1	1	2	6	7	7	7
20-34	12	1.9	2	<1	<1	1	2	4	6	6
35-49	9	5.9	20	<1	<1	5	9	12	13	13
50-64	2	2.5	5	1	1	2	4	4	4	4
65+										
B. *Operated*										
0-19 YRS	205	3.2	3	1	1	3	4	5	6	9
20-34	663	3.2	4	1	1	3	4	5	6	10
35-49	289	3.3	5	1	1	3	4	6	7	10
50-64	103	4.2	10	1	2	4	5	7	8	21
65+	28	4.0	8	1	1	3	5	7	9	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	3.0	4	1	1	3	4	5	5	5
20-34	16	2.1	2	<1	<1	2	3	5	5	5
35-49	2	3.0	8	1	1	3	5	5	5	5
50-64	4	6.3	14	3	3	6	9	10	10	10
65+	4	4.3	4	2	2	4	6	7	7	7
B. *Operated*										
0-19 YRS	110	3.7	8	1	1	3	4	6	8	18
20-34	437	3.5	7	1	1	3	5	6	8	14
35-49	227	3.2	5	1	1	3	4	6	7	12
50-64	201	3.8	11	1	1	3	5	7	9	19
65+	71	4.9	28	1	1	3	6	9	16	32
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	30	3.5	11	<1	<1	2	5	8	11	13
B. *Operated*	1288	3.3	5	1	1	3	4	6	7	10
2. MULTIPLE DX										
A. *Not Operated*	29	3.1	6	<1	1	2	4	6	9	10
B. *Operated*	1046	3.6	9	1	1	3	4	7	8	17
1. SINGLE DX	1318	3.3	5	1	1	3	4	6	7	11
2. MULTIPLE DX	1075	3.6	9	1	1	3	4	7	8	17
A. NOT OPERATED	59	3.3	8	<1	<1	2	5	8	10	13
B. OPERATED	2334	3.5	7	1	1	3	4	6	8	14
TOTAL 0-19 YRS	325	3.4	5	1	1	3	4	6	7	14
20-34	1128	3.3	5	1	1	3	4	6	7	11
35-49	527	3.3	5	1	1	3	4	6	7	12
50-64	310	3.9	10	1	1	3	5	7	9	19
65+	103	4.6	22	1	1	3	6	8	12	28
GRAND TOTAL	**2393**	**3.5**	**7**	**1**	**1**	**3**	**4**	**6**	**8**	**14**

301: Other disorders of joint (718-719)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	92	3.5	8	1	1	2	5	7	9	15
20-34	41	2.7	5	<1	<1	2	3	6	7	11
35-49	24	5.8	25	1	1	4	10	13	16	17
50-64	22	5.3	25	<1	1	3	7	15	16	16
65+	44	7.7	59	<1	1	5	11	17	25	35
B. *Operated*										
0-19 YRS	282	4.0	6	1	2	4	5	6	8	14
20-34	653	3.8	4	1	2	3	4	6	7	10
35-49	164	4.5	25	1	1	3	5	9	14	24
50-64	59	5.1	30	1	1	4	6	10	15	35
65+	25	8.1	47	<1	<1	7	14	19	19	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	66	5.0	55	<1	1	3	6	9	13	50
20-34	54	6.3	59	<1	<1	3	9	15	19	40
35-49	44	6.7	52	1	2	5	8	11	19	40
50-64	63	7.3	56	1	2	5	8	16	22	44
65+	138	10.9	202	1	2	7	12	23	38	84
B. *Operated*										
0-19 YRS	149	5.9	39	1	2	4	7	11	17	32
20-34	228	5.0	23	1	2	4	6	9	15	26
35-49	95	5.4	22	1	2	3	6	14	16	21
50-64	70	5.3	25	1	1	4	6	10	18	26
65+	54	12.3	167	<1	1	7	18	39	45	98
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	223	4.6	24	<1	1	3	6	11	15	25
B. *Operated*	1183	4.1	10	1	2	3	5	7	9	17
2. MULTIPLE DX										
A. *Not Operated*	365	8.0	116	1	1	5	9	16	25	55
B. *Operated*	596	6.0	44	1	2	4	7	12	19	42
1. SINGLE DX	1406	4.2	12	1	1	3	5	7	10	18
2. MULTIPLE DX	961	6.8	72	1	1	4	7	14	21	45
A. NOT OPERATED	588	6.7	83	1	1	4	8	14	21	45
B. OPERATED	1779	4.7	22	1	2	4	5	8	12	25
TOTAL 0-19 YRS	589	4.5	20	1	1	3	5	8	10	22
20-34	976	4.1	12	1	2	3	5	7	9	17
35-49	327	5.2	28	1	2	3	6	11	16	26
50-64	214	5.8	36	1	1	4	7	13	16	31
65+	261	10.4	157	1	1	7	12	22	38	83
GRAND TOTAL	**2367**	**5.2**	**38**	**1**	**1**	**4**	**6**	**10**	**15**	**35**

302: Ankylosing spondylitis (720.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	6.0	50	1	1	6	11	11	11	11
20-34	13	7.3	16	2	3	8	10	13	14	14
35-49	13	10.0	76	2	2	9	15	20	30	32
50-64	5	7.0	54	<1	<1	2	14	16	16	16
65+										
B. *Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34										
35-49	2	8.0	18	5	5	8	11	11	11	11
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	5	8.2	27	4	4	5	12	16	16	16
35-49	12	9.3	38	2	2	9	11	18	23	24
50-64	16	12.2	74	3	4	10	17	23	32	36
65+	7	10.7	45	4	4	8	15	22	23	23
B. *Operated*										
0-19 YRS										
20-34	4	30.8	84	19	19	32	38	39	39	39
35-49	10	16.8	97	3	6	14	20	33	35	35
50-64	7	13.7	65	2	3	11	18	25	27	27
65+	1	10.0		10	10	10	10	10	10	10
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	33	8.2	45	1	2	8	13	16	17	32
B. *Operated*	3	5.7	25	1	1	5	9	11	11	11
2. MULTIPLE DX										
A. *Not Operated*	41	10.4	50	3	4	9	13	21	24	36
B. *Operated*	22	18.0	113	3	7	15	27	36	38	39
1. SINGLE DX	36	8.0	43	1	2	7	12	16	17	32
2. MULTIPLE DX	63	13.1	84	3	4	10	17	27	35	39
A. NOT OPERATED	74	9.5	48	2	2	8	13	17	23	35
B. OPERATED	25	16.6	118	2	3	13	22	35	37	39
TOTAL 0-19 YRS	4	4.5	22	1	1	3	8	11	11	11
20-34	22	11.8	110	2	3	8	14	31	38	39
35-49	37	11.5	73	2	2	11	15	23	32	35
50-64	28	11.6	69	1	2	10	17	22	28	36
65+	8	10.6	38	4	5	9	13	21	23	23
GRAND TOTAL	**99**	**11.3**	**75**	**2**	**2**	**10**	**15**	**23**	**32**	**38**

303: Spondylosis and allied disorders (721)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	3.5	1	3	3	3	4	4	4	4
20-34	10	5.4	15	2	2	3	8	11	13	13
35-49	26	6.9	32	1	2	5	9	18	20	22
50-64	33	6.5	49	1	1	5	7	15	18	37
65+	63	8.2	46	2	3	7	10	16	25	32
B. *Operated*										
0-19 YRS	1	10.0		10	10	10	10	10	10	10
20-34	13	6.7	30	1	2	4	10	13	19	20
35-49	52	7.9	43	1	2	6	11	17	22	30
50-64	54	8.2	38	1	2	7	11	19	21	24
65+	21	9.8	70	1	2	8	14	20	27	34
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	4.5	1	4	4	4	5	5	5	5
20-34	6	6.7	43	3	3	4	5	19	20	20
35-49	41	7.3	104	1	1	4	8	16	24	60
50-64	93	8.5	150	1	2	6	9	13	18	83
65+	315	12.1	172	2	3	8	15	26	38	91
B. *Operated*										
0-19 YRS	1	27.0		27	27	27	27	27	27	27
20-34	10	10.2	39	2	3	10	14	19	20	20
35-49	48	8.7	30	2	3	8	13	16	21	99+
50-64	90	10.9	102	2	2	9	14	21	31	83
65+	69	15.6	153	2	3	14	21	37	49	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	134	7.3	41	1	2	5	9	15	21	34
B. *Operated*	141	8.2	44	1	2	7	11	19	21	30
2. MULTIPLE DX										
A. *Not Operated*	457	10.8	162	2	3	7	12	24	34	88
B. *Operated*	218	11.9	106	2	3	10	16	26	37	99+
1. SINGLE DX	275	7.8	43	1	2	6	10	17	22	32
2. MULTIPLE DX	675	11.2	144	2	3	8	14	24	35	97
A. NOT OPERATED	591	10.0	136	2	2	7	11	22	31	82
B. OPERATED	359	10.5	85	2	2	8	14	21	30	95
TOTAL 0-19 YRS	6	8.8	85	3	3	5	10	25	27	27
20-34	39	7.3	31	2	2	5	11	17	20	20
35-49	167	7.9	52	1	2	6	10	17	22	55
50-64	270	9.0	100	1	2	6	11	18	24	64
65+	468	12.0	151	2	3	8	15	26	37	95
GRAND TOTAL	**950**	**10.2**	**117**	**2**	**2**	**7**	**13**	**22**	**31**	**87**

304: Derangement and displacement of lumbar disc (722.10; 722.32; 722.52; 722.73; 722.83; 722.93)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	18	7.3	21	1	2	7	9	15	17	18
20-34	194	6.4	25	1	2	5	8	12	16	22
35-49	301	6.7	23	1	2	6	8	12	16	25
50-64	183	7.3	23	2	2	6	10	14	17	23
65+	72	8.6	27	2	2	8	11	16	19	21
B. *Operated*										
0-19 YRS	42	7.1	28	1	1	6	9	16	17	21
20-34	810	7.3	34	1	1	6	10	14	18	26
35-49	1110	7.8	32	1	2	7	10	14	17	26
50-64	395	8.1	35	1	1	7	11	17	20	26
65+	66	8.2	64	1	1	7	11	16	20	44
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	11.2	111	1	1	7	22	23	23	23
20-34	82	7.3	28	<1	1	6	10	16	18	22
35-49	186	7.8	31	2	3	7	10	15	17	31
50-64	191	9.2	46	2	3	8	12	17	23	36
65+	196	11.5	119	2	3	9	14	20	28	64
B. *Operated*										
0-19 YRS	11	11.1	68	2	3	7	17	23	28	28
20-34	267	10.4	51	2	3	9	13	20	23	41
35-49	545	11.0	54	2	3	10	14	19	24	38
50-64	304	12.2	70	1	3	11	16	22	27	46
65+	121	17.3	211	1	4	15	22	34	52	88
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	768	6.9	24	1	2	6	9	13	16	23
B. *Operated*	2423	7.7	34	1	1	7	10	15	18	26
2. MULTIPLE DX										
A. *Not Operated*	660	9.3	64	2	3	7	12	18	22	43
B. *Operated*	1248	11.7	76	2	3	10	15	21	27	49
1. SINGLE DX	3191	7.5	32	1	2	7	10	14	18	26
2. MULTIPLE DX	1908	10.9	73	2	3	9	14	20	26	44
A. NOT OPERATED	1428	8.0	44	1	2	6	10	15	19	32
B. OPERATED	3671	9.1	52	1	2	8	12	17	21	35
TOTAL 0-19 YRS	76	8.0	38	1	1	6	11	17	21	27
20-34	1353	7.8	37	1	2	7	10	15	19	30
35-49	2142	8.4	39	1	2	7	11	16	19	32
50-64	1073	9.3	48	1	2	8	12	18	22	30
65+	455	12.1	132	1	3	9	15	23	32	70
GRAND TOTAL	**5099**	**8.8**	**50**	**1**	**2**	**7**	**11**	**17**	**21**	**35**

305: Derangement and displacement of intervertebral disc, except lumbar (722.0; 722.11-722.31; 722.39-722.51; 722.6-722.72; 722.80-722.82; 722.90-722.92)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	9.5	25	6	6	9	13	13	13	13
20-34	33	6.1	15	1	2	5	9	12	13	14
35-49	50	6.4	24	1	1	5	8	12	16	22
50-64	32	6.0	19	1	2	4	8	11	17	19
65+	17	6.9	31	1	2	6	8	17	19	20
B. *Operated*										
0-19 YRS										
20-34	42	4.8	15	1	1	4	6	10	13	18
35-49	116	6.7	22	1	1	6	10	13	14	21
50-64	57	7.9	31	1	1	6	12	15	19	24
65+	15	6.2	71	1	1	2	8	14	28	32
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	9	4.3	23	<1	<1	3	5	12	16	16
35-49	37	8.1	35	1	2	6	10	17	22	25
50-64	52	8.5	51	1	2	5	11	21	26	29
65+	55	12.1	96	2	2	9	16	23	40	97
B. *Operated*										
0-19 YRS	2	33.5	841	13	13	33	54	54	54	54
20-34	22	8.1	28	1	2	7	13	15	16	18
35-49	73	9.3	54	1	2	8	13	18	23	36
50-64	67	12.7	202	2	2	9	15	21	29	83
65+	10	9.2	35	1	1	11	14	15	16	16
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	134	6.3	21	1	2	5	9	13	16	21
B. *Operated*	230	6.6	26	1	1	6	10	13	16	23
2. MULTIPLE DX										
A. *Not Operated*	153	9.5	66	1	2	7	12	21	26	50
B. *Operated*	174	10.7	119	1	2	8	14	18	24	68
1. SINGLE DX	364	6.5	24	1	1	6	9	13	16	22
2. MULTIPLE DX	327	10.1	94	1	2	8	14	20	25	58
A. NOT OPERATED	287	8.0	47	1	2	6	10	17	22	40
B. OPERATED	404	8.4	70	1	1	6	12	16	19	44
TOTAL 0-19 YRS	4	21.5	480	6	6	13	34	54	54	54
20-34	106	5.8	19	1	1	5	9	13	15	18
35-49	276	7.5	33	1	1	6	10	15	18	26
50-64	208	9.3	94	1	2	7	13	18	24	60
65+	97	10.0	79	1	2	8	14	21	30	76
GRAND TOTAL	**691**	**8.2**	**61**	**1**	**2**	**6**	**11**	**16**	**21**	**40**

306: Sacroiliac joint disorder (720.2; 724.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	7.3	22	2	2	9	10	11	11	11
20-34	30	6.2	44	1	1	4	7	11	26	29
35-49	28	4.3	13	1	1	3	5	11	12	15
50-64	13	6.0	13	1	1	6	8	11	12	12
65+	4	11.0	10	8	8	10	13	15	15	15
B. *Operated*										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	24	5.8	26	1	2	4	8	13	16	22
35-49	30	7.3	23	2	2	7	11	12	17	22
50-64	9	6.3	20	2	2	3	11	13	13	13
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	26	7.2	44	1	1	5	9	16	20	30
35-49	36	5.5	19	1	1	5	7	13	15	17
50-64	22	5.5	20	1	1	4	9	11	14	17
65+	25	8.7	51	1	1	6	14	21	22	24
B. *Operated*										
0-19 YRS										
20-34	13	6.8	40	2	2	3	10	18	20	20
35-49	21	12.0	57	1	3	11	18	24	26	27
50-64	7	5.0	5	1	1	6	6	7	7	7
65+	2	23.0	800	3	3	23	43	43	43	43
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	78	5.8	26	1	1	4	8	11	14	28
B. *Operated*	64	6.6	23	2	2	4	10	12	15	22
2. MULTIPLE DX										
A. *Not Operated*	110	6.7	33	1	1	5	10	14	17	26
B. *Operated*	43	9.8	76	1	2	7	12	21	26	43
1. SINGLE DX	142	6.1	25	1	2	4	9	12	14	26
2. MULTIPLE DX	153	7.5	47	1	1	5	11	17	21	30
A. NOT OPERATED	188	6.3	30	1	1	5	9	13	16	28
B. OPERATED	107	7.9	46	2	2	6	11	18	22	34
TOTAL 0-19 YRS	5	7.2	11	2	2	7	9	11	11	11
20-34	93	6.4	38	1	2	4	9	13	20	30
35-49	115	6.9	32	1	1	5	10	14	18	26
50-64	51	5.7	16	1	1	5	9	11	12	17
65+	31	9.9	82	1	1	8	14	21	24	43
GRAND TOTAL	**295**	**6.9**	**36**	**1**	**1**	**5**	**10**	**14**	**18**	**28**

307: Sciatica (724.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	5.0	3	3	3	5	6	7	7	7
20-34	31	4.9	13	1	1	4	7	11	13	13
35-49	50	5.9	14	1	2	5	7	12	13	17
50-64	41	8.4	26	1	3	7	12	17	18	19
65+	18	9.2	44	<1	1	8	14	20	23	24
B. *Operated*										
0-19 YRS	3	7.0	37	3	3	4	11	14	14	14
20-34	21	4.8	23	1	1	3	7	13	15	15
35-49	28	4.2	12	1	1	3	7	9	11	14
50-64	21	4.5	17	1	1	2	7	11	13	14
65+	2	3.5	13	1	1	3	6	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	22	7.4	20	1	2	7	10	14	17	19
35-49	47	7.1	24	1	2	6	9	14	18	22
50-64	52	9.0	66	3	4	8	11	14	16	56
65+	79	13.1	102	3	4	11	18	26	30	57
B. *Operated*										
0-19 YRS										
20-34	8	5.3	27	1	1	3	6	14	17	17
35-49	16	9.4	61	<1	1	7	12	22	25	27
50-64	16	8.6	31	1	1	8	13	17	18	18
65+	15	17.0	125	5	7	17	19	26	45	51
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	144	6.8	23	1	2	6	9	13	17	22
B. *Operated*	75	4.5	17	1	1	3	7	11	14	15
2. MULTIPLE DX										
A. *Not Operated*	200	10.0	71	2	3	8	13	19	25	44
B. *Operated*	55	10.6	79	1	1	8	16	20	25	50
1. SINGLE DX	219	6.0	22	1	1	5	8	13	15	20
2. MULTIPLE DX	255	10.1	73	2	3	8	13	20	26	50
A. NOT OPERATED	344	8.7	53	2	2	7	11	17	22	31
B. OPERATED	130	7.1	52	1	1	6	11	17	20	32
TOTAL 0-19 YRS	7	5.9	15	3	3	4	7	13	14	14
20-34	82	5.6	19	1	1	5	8	12	15	18
35-49	141	6.4	24	1	1	5	8	13	16	23
50-64	130	8.1	43	1	2	7	11	15	18	32
65+	114	12.8	99	2	3	11	17	25	29	57
GRAND TOTAL	**474**	**8.2**	**53**	**1**	**1**	**7**	**11**	**17**	**20**	**31**

308: Other dorsopathies (720.1; 720.8-720.9; 723; 724.0-724.2; 724.4-724.5 724.7-724.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	56	3.4	7	1	1	3	5	7	8	11
20-34	311	4.9	22	<1	1	4	6	10	13	26
35-49	348	6.2	44	1	2	4	7	11	16	40
50-64	181	6.7	31	1	2	5	8	14	17	30
65+	96	8.1	72	1	1	6	10	18	21	49
B. *Operated*										
0-19 YRS	14	4.6	8	2	2	4	7	9	10	10
20-34	247	4.3	16	1	1	3	6	9	11	19
35-49	311	5.8	21	1	2	4	8	12	14	21
50-64	231	7.5	30	1	2	7	10	14	18	26
65+	82	9.5	88	1	1	8	13	17	24	57
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	44	4.6	13	1	1	4	6	11	13	15
20-34	230	6.4	43	1	1	5	8	13	19	37
35-49	322	8.5	76	1	2	6	10	18	31	40
50-64	283	9.0	67	1	2	7	11	20	26	40
65+	318	10.1	101	1	3	7	12	20	30	61
B. *Operated*										
0-19 YRS	13	7.9	53	1	2	6	9	19	25	27
20-34	146	8.1	88	1	2	5	9	18	26	44
35-49	312	9.2	65	2	2	7	12	21	25	37
50-64	327	11.2	133	1	2	9	15	22	30	67
65+	216	15.3	137	2	4	13	19	28	36	65
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	992	5.9	37	1	1	4	7	12	16	36
B. *Operated*	885	6.2	30	1	1	5	9	13	15	25
2. MULTIPLE DX										
A. *Not Operated*	1197	8.5	74	1	2	6	10	18	26	41
B. *Operated*	1014	11.0	112	1	2	9	14	23	29	60
1. SINGLE DX	1877	6.0	34	1	1	5	8	12	15	30
2. MULTIPLE DX	2211	9.6	93	1	2	7	12	21	28	48
A. NOT OPERATED	2189	7.3	59	1	1	5	9	15	22	40
B. OPERATED	1899	8.7	79	1	2	7	11	18	24	43
TOTAL 0-19 YRS	127	4.4	15	1	1	3	6	9	11	19
20-34	934	5.6	37	1	1	4	7	11	16	32
35-49	1293	7.4	54	1	2	5	9	15	22	40
50-64	1022	9.0	76	1	2	7	11	18	24	40
65+	712	11.3	113	1	2	9	14	22	31	65
GRAND TOTAL	**4088**	**8.0**	**69**	**1**	**2**	**6**	**10**	**17**	**23**	**40**

309: Bursitis and synovitis, except spine (726-727.0; 727.2-727.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	78	4.1	19	1	1	3	5	7	9	29
20-34	57	3.3	6	<1	<1	3	5	7	8	9
35-49	64	5.0	24	<1	<1	4	6	10	11	30
50-64	61	3.8	11	<1	<1	3	5	8	10	16
65+	41	7.9	101	<1	1	4	10	16	28	53
B. *Operated*										
0-19 YRS	91	3.2	10	1	1	2	4	6	8	20
20-34	229	2.9	4	<1	1	2	4	5	6	10
35-49	194	3.1	9	<1	1	2	4	5	8	19
50-64	177	3.1	10	<1	1	2	3	5	8	16
65+	62	3.0	4	<1	1	2	4	6	7	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	27	5.8	53	1	1	4	7	9	18	39
20-34	32	5.8	8	2	2	6	8	10	11	13
35-49	46	7.2	112	<1	1	5	8	11	15	69
50-64	75	8.3	51	1	2	7	11	15	20	39
65+	97	10.4	101	3	3	6	12	24	35	82
B. *Operated*										
0-19 YRS	28	3.1	5	<1	1	3	4	4	7	12
20-34	92	4.8	30	1	1	3	5	8	13	32
35-49	135	4.4	16	1	1	3	5	9	13	23
50-64	146	4.5	26	1	1	3	5	10	14	28
65+	94	6.0	53	1	1	3	6	19	29	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	301	4.6	29	<1	<1	3	6	8	12	34
B. *Operated*	753	3.0	7	<1	1	2	4	5	7	15
2. MULTIPLE DX										
A. *Not Operated*	277	8.3	76	1	2	6	10	16	25	58
B. *Operated*	495	4.7	28	1	1	3	5	11	16	34
1. SINGLE DX	1054	3.5	14	<1	1	3	4	6	9	19
2. MULTIPLE DX	772	6.0	48	1	1	4	7	13	19	40
A. NOT OPERATED	578	6.4	55	<1	1	5	8	12	17	40
B. OPERATED	1248	3.7	16	<1	1	3	4	7	11	27
TOTAL 0-19 YRS	224	3.8	18	1	1	3	4	7	9	29
20-34	410	3.6	11	<1	1	3	4	7	8	17
35-49	439	4.2	26	<1	1	3	5	8	11	24
50-64	459	4.5	25	<1	1	3	5	10	14	27
65+	294	7.1	72	1	1	4	8	17	26	82
GRAND TOTAL	**1826**	**4.5**	**30**	**<1**	**1**	**3**	**5**	**9**	**13**	**32**

310: Bunion and deformities of toe (727.1; 735)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	2.5	5	1	1	2	4	4	4	4
35-49	1	3.0		3	3	3	3	3	3	3
50-64	3	3.3		3	3	3	4	4	4	4
65+	1	7.0		7	7	7	7	7	7	7
B. *Operated*										
0-19 YRS	89	3.6	3	1	2	3	5	5	6	9
20-34	152	3.8	4	1	2	4	5	6	7	9
35-49	195	3.8	3	1	2	4	5	6	7	9
50-64	254	4.1	5	1	2	4	5	7	8	10
65+	177	4.2	10	1	1	4	5	7	9	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	3	1.0		<1	<1	1	1	1	1	1
35-49	5	2.8	16	<1	<1	1	3	10	10	10
50-64	9	2.2	1	1	1	2	3	4	4	4
65+	8	5.3	56	<1	<1	1	8	18	20	20
B. *Operated*										
0-19 YRS	67	4.2	3	1	2	4	5	6	7	9
20-34	175	4.2	3	2	2	4	5	7	7	10
35-49	242	4.5	6	2	2	4	5	7	9	13
50-64	443	4.7	5	1	2	4	6	7	8	12
65+	303	5.6	17	1	2	5	7	9	12	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7	3.6	3	1	1	3	4	6	7	7
B. *Operated*	867	3.9	5	1	2	4	5	6	7	12
2. MULTIPLE DX										
A. *Not Operated*	25	3.2	22	<1	<1	1	3	10	15	20
B. *Operated*	1230	4.8	8	1	2	4	6	8	9	15
1. SINGLE DX	874	3.9	5	1	2	4	5	6	7	12
2. MULTIPLE DX	1255	4.7	8	1	2	4	6	8	9	15
A. NOT OPERATED	32	3.3	17	<1	<1	2	3	8	14	20
B. OPERATED	2097	4.4	7	1	2	4	5	7	8	13
TOTAL 0-19 YRS	156	3.9	3	1	2	4	5	6	7	9
20-34	332	4.0	4	1	2	4	5	6	7	9
35-49	443	4.2	5	1	2	4	5	6	8	12
50-64	709	4.5	5	1	2	4	6	7	8	11
65+	489	5.0	15	1	1	4	6	9	12	21
GRAND TOTAL	**2129**	**4.4**	**7**	**1**	**2**	**4**	**5**	**7**	**8**	**13**

311: Ganglion and cyst (727.4-727.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	3	1.0		<1	<1	<1	<1	<1	<1	<1
35-49	1	1.0		1	1	1	1	1	1	1
50-64	1	6.0		6	6	6	6	6	6	6
65+										
B. *Operated*										
0-19 YRS	87	2.0	2	<1	<1	2	2	4	5	7
20-34	156	1.6	1	<1	<1	1	2	3	4	5
35-49	87	2.1	2	<1	<1	2	3	4	5	8
50-64	56	2.4	3	<1	<1	2	3	4	6	10
65+	33	3.3	11	1	1	2	3	7	11	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	1.0		<1	<1	1	1	1	1	1
20-34	5	8.2	45	<1	<1	10	12	17	17	17
35-49	1	1.0		1	1	1	1	1	1	1
50-64	3	1.0		1	1	1	1	1	1	1
65+	4	8.8	24	3	3	8	12	15	15	15
B. *Operated*										
0-19 YRS	17	1.8	1	<1	<1	2	2	3	3	3
20-34	44	2.4	4	<1	<1	2	3	4	5	12
35-49	37	2.5	5	<1	<1	2	3	5	7	12
50-64	49	3.3	7	<1	<1	3	4	6	11	11
65+	25	8.4	260	1	1	3	8	14	39	81
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5	2.0	5	<1	<1	<1	2	6	6	6
B. *Operated*	419	2.0	3	<1	<1	2	2	4	5	8
2. MULTIPLE DX										
A. *Not Operated*	16	5.2	31	<1	<1	2	9	15	16	17
B. *Operated*	172	3.5	45	<1	<1	2	3	5	11	23
1. SINGLE DX	424	2.0	3	<1	<1	2	2	4	5	8
2. MULTIPLE DX	188	3.6	44	<1	<1	2	4	8	11	22
A. NOT OPERATED	21	4.4	26	<1	<1	1	8	13	16	17
B. OPERATED	591	2.4	15	<1	<1	2	3	4	6	12
TOTAL 0-19 YRS	107	1.9	1	<1	<1	2	2	3	4	7
20-34	208	1.9	3	<1	<1	1	2	3	4	11
35-49	126	2.2	3	<1	<1	2	3	4	5	10
50-64	109	2.8	5	<1	<1	2	4	5	7	11
65+	62	5.7	116	1	1	3	6	12	15	74
GRAND TOTAL	**612**	**2.5**	**16**	**<1**	**<1**	**2**	**3**	**4**	**7**	**13**

312: Osteomyelitis (730)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	33	14.2	73	3	5	14	21	23	25	42
20-34	20	9.8	98	1	2	7	11	27	34	38
35-49	11	11.9	88	<1	1	8	19	26	31	31
50-64	7	13.4	26	7	7	16	17	19	20	20
65+	11	14.5	69	2	4	14	22	26	28	28
B. *Operated*										
0-19 YRS	30	13.5	103	3	3	14	16	21	25	57
20-34	36	15.0	136	2	3	11	22	29	42	45
35-49	16	16.9	237	3	4	12	24	32	54	63
50-64	16	23.8	583	3	5	17	29	53	81	93
65+	13	28.2	489	5	5	22	38	58	79	84
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	21	13.9	93	2	3	13	20	29	33	37
20-34	13	15.6	127	1	3	14	28	30	31	31
35-49	7	24.1	795	8	8	12	25	75	86	86
50-64	18	11.3	47	3	3	9	16	21	25	27
65+	18	22.3	497	2	3	16	30	46	75	94
B. *Operated*										
0-19 YRS	26	23.3	240	3	4	23	33	45	48	51
20-34	43	22.5	174	5	6	20	34	43	45	47
35-49	27	20.4	297	5	7	16	30	69	99+	99+
50-64	36	27.3	288	3	5	26	40	56	63	99+
65+	33	31.1	636	2	3	24	54	84	97	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	82	12.8	77	2	3	10	20	23	29	41
B. *Operated*	111	17.7	261	3	4	15	22	37	52	88
2. MULTIPLE DX										
A. *Not Operated*	77	16.5	251	2	4	14	20	30	43	92
B. *Operated*	165	25.0	328	3	5	22	37	55	77	99+
1. SINGLE DX	193	15.6	188	2	3	12	21	29	43	75
2. MULTIPLE DX	242	22.3	318	3	4	18	30	47	66	99+
A. NOT OPERATED	159	14.6	163	2	3	11	20	29	33	82
B. OPERATED	276	22.1	313	3	4	17	30	50	63	99+
TOTAL 0-19 YRS	110	16.1	137	3	4	14	21	31	43	53
20-34	112	17.0	162	2	3	13	26	37	43	46
35-49	61	18.4	296	2	5	15	25	48	80	99+
50-64	77	21.6	307	3	4	17	28	53	57	98
65+	75	26.1	513	2	4	21	37	65	87	99+
GRAND TOTAL	**435**	**19.3**	**271**	**3**	**4**	**16**	**26**	**44**	**55**	**99+**

313: Localized disorders of bone and cartilage (731-733)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	53	7.9	75	<1	<1	4	11	22	25	38
20-34	32	3.1	12	<1	<1	1	4	8	10	17
35-49	21	3.3	7	<1	<1	3	4	7	9	11
50-64	39	6.0	20	<1	1	5	8	11	12	25
65+	74	11.6	113	1	2	10	16	24	33	92
B. *Operated*										
0-19 YRS	214	4.9	34	1	1	3	5	10	14	34
20-34	303	4.9	18	1	2	4	6	9	11	24
35-49	150	5.5	23	1	2	4	7	10	14	29
50-64	75	7.6	37	1	3	6	10	14	17	37
65+	45	15.1	301	2	3	10	17	34	47	92
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	33	6.9	69	1	1	4	7	17	24	38
20-34	25	7.2	68	<1	1	4	7	21	26	33
35-49	47	6.3	68	1	1	4	8	13	16	52
50-64	93	8.8	69	1	2	7	12	19	28	78
65+	434	15.0	177	3	4	11	19	33	47	99+
B. *Operated*										
0-19 YRS	82	7.3	68	1	2	4	7	23	26	33
20-34	166	7.5	56	1	2	4	10	18	24	39
35-49	105	11.5	189	2	2	7	15	25	33	98
50-64	147	12.2	120	1	2	9	16	27	43	99+
65+	175	21.4	352	2	4	16	28	52	67	98
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	219	7.7	72	<1	<1	5	10	18	24	48
B. *Operated*	787	5.9	47	1	2	4	7	11	16	35
2. MULTIPLE DX										
A. *Not Operated*	632	12.7	154	1	2	9	16	29	42	94
B. *Operated*	675	12.7	198	1	2	8	17	29	43	96
1. SINGLE DX	1006	6.3	53	1	1	4	8	12	18	38
2. MULTIPLE DX	1307	12.7	177	1	2	9	16	29	43	95
A. NOT OPERATED	851	11.4	138	1	2	8	15	26	37	77
B. OPERATED	1462	9.0	128	1	2	5	10	21	31	70
TOTAL 0-19 YRS	382	6.0	51	1	1	3	6	14	23	37
20-34	526	5.7	34	1	1	4	7	12	17	33
35-49	323	7.4	90	1	2	5	9	16	22	63
50-64	354	9.6	83	1	2	7	12	22	28	60
65+	728	16.2	229	2	4	12	21	36	52	99+
GRAND TOTAL	**2313**	**9.9**	**133**	**1**	**2**	**6**	**12**	**23**	**33**	**74**

314: Acquired deformities of limbs, except toe (734; 736)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	1	2.0		2	2	2	2	2	2	2
35-49	1	6.0		6	6	6	6	6	6	6
50-64	1	3.0		3	3	3	3	3	3	3
65+	1	20.0		20	20	20	20	20	20	20
B. *Operated*										
0-19 YRS	46	5.2	8	2	2	5	6	8	12	15
20-34	38	4.7	13	1	1	4	7	9	12	17
35-49	15	3.4	8	<1	<1	3	4	6	10	12
50-64	12	4.8	10	<1	1	4	7	9	11	11
65+	13	6.7	62	1	2	4	8	14	28	31
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	4.8	31	1	1	2	8	13	13	13
20-34	1	8.0		8	8	8	8	8	8	8
35-49	1	1.0		<1	<1	<1	<1	<1	<1	<1
50-64	2	3.5	13	1	1	3	6	6	6	6
65+	4	15.0	147	3	3	13	24	31	31	31
B. *Operated*										
0-19 YRS	62	5.6	26	1	2	4	7	10	14	33
20-34	47	6.5	30	1	2	5	9	12	16	31
35-49	32	5.9	23	1	2	5	7	12	17	21
50-64	32	10.3	139	1	2	8	11	17	32	64
65+	15	9.1	52	1	2	9	12	29	79	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5	6.8	57	2	2	3	9	20	20	20
B. *Operated*	124	4.9	15	1	1	4	6	9	11	21
2. MULTIPLE DX										
A. *Not Operated*	12	7.9	79	<1	1	5	11	21	30	31
B. *Operated*	188	6.9	49	1	2	5	9	14	18	53
1. SINGLE DX	129	5.0	17	1	1	4	6	9	12	22
2. MULTIPLE DX	200	7.0	51	1	2	5	9	14	18	49
A. NOT OPERATED	17	7.6	69	<1	1	3	10	19	27	31
B. OPERATED	312	6.1	37	1	2	4	8	12	15	34
TOTAL 0-19 YRS	113	5.4	18	1	2	4	7	10	14	23
20-34	87	5.7	23	1	1	4	7	12	14	27
35-49	49	5.0	18	<1	1	4	6	11	13	21
50-64	47	8.4	104	1	1	6	10	15	22	64
65+	33	9.2	70	1	2	7	10	31	31	99+
GRAND TOTAL	**329**	**6.2**	**38**	**1**	**2**	**4**	**8**	**12**	**16**	**33**

315: Neuralgia, neuritis, and radiculitis, unspecified (729.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	3	4.3	4	2	2	5	6	6	6	6
35-49	7	7.0	8	3	3	7	10	10	10	10
50-64	5	5.2	30	1	1	2	9	14	14	14
65+	3	5.7	12	2	2	6	8	9	9	9
B. *Operated*										
0-19 YRS										
20-34	2	2.5	1	2	2	2	3	3	3	3
35-49	6	7.5	37	2	2	5	13	17	17	17
50-64	5	5.8	33	3	3	3	7	16	16	16
65+	1	8.0		8	8	8	8	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	16.0		16	16	16	16	16	16	16
20-34	6	2.7	2	<1	<1	2	3	5	5	5
35-49	6	4.5	24	1	1	3	4	13	14	14
50-64	3	6.0	25	1	1	6	10	11	11	11
65+	9	10.0	65	3	3	9	12	24	28	28
B. *Operated*										
0-19 YRS										
20-34	1	7.0		7	7	7	7	7	7	7
35-49	3	10.0	91	<1	<1	9	17	20	20	20
50-64	4	5.5	12	2	2	5	8	9	9	9
65+	2	10.5	13	8	8	10	13	13	13	13
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	18	5.8	13	1	2	6	9	10	12	14
B. *Operated*	14	6.2	27	2	2	4	8	16	17	17
2. MULTIPLE DX										
A. *Not Operated*	25	6.7	42	<1	1	4	10	16	20	28
B. *Operated*	10	8.0	31	<1	1	8	9	16	20	20
1. SINGLE DX	32	6.0	19	2	2	5	8	13	16	17
2. MULTIPLE DX	35	7.1	38	<1	1	5	9	16	19	28
A. NOT OPERATED	43	6.3	29	1	1	5	9	14	16	28
B. OPERATED	24	7.0	29	1	2	5	9	16	18	20
TOTAL 0-19 YRS	1	16.0		16	16	16	16	16	16	16
20-34	12	3.4	4	<1	1	3	5	6	7	7
35-49	22	6.9	28	<1	1	5	10	15	18	20
50-64	17	5.6	21	1	1	3	8	13	15	16
65+	15	9.1	43	2	3	8	11	17	25	28
GRAND TOTAL	**67**	**6.6**	**29**	**1**	**2**	**5**	**9**	**14**	**17**	**27**

316: Miscellaneous disorders of musculoskeletal system (725; 728; 727.6-727.9; 729.0-729.1; 729.3-729.9; 737-738)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	72	2.8	28	<1	<1	1	3	5	6	37
20-34	99	3.4	14	<1	<1	2	4	7	9	24
35-49	99	4.7	31	<1	<1	3	5	10	13	35
50-64	59	4.5	11	<1	1	4	6	9	11	17
65+	72	6.0	18	1	1	5	8	11	14	21
B. *Operated*										
0-19 YRS	133	5.3	33	<1	<1	3	7	13	16	29
20-34	274	3.5	13	<1	<1	2	4	8	11	17
35-49	174	3.8	23	<1	1	2	4	8	12	23
50-64	170	3.5	10	<1	<1	3	4	7	10	17
65+	124	3.8	27	<1	1	3	3	7	12	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	41	3.0	6	1	1	2	4	7	8	9
20-34	83	5.1	20	1	1	3	7	11	15	21
35-49	134	5.3	26	1	1	4	7	12	14	30
50-64	146	6.5	49	1	1	4	8	14	21	38
65+	201	9.3	117	1	2	7	11	17	24	63
B. *Operated*										
0-19 YRS	159	6.2	40	1	2	3	9	15	18	30
20-34	324	4.1	26	<1	1	3	4	8	13	26
35-49	196	6.4	81	1	1	3	7	14	19	57
50-64	206	5.8	33	1	2	3	8	14	17	29
65+	194	9.2	176	1	1	4	11	25	46	92
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	401	4.2	22	<1	<1	3	5	9	12	24
B. *Operated*	875	3.9	20	<1	1	2	4	9	12	22
2. MULTIPLE DX										
A. *Not Operated*	605	6.7	64	1	1	4	8	14	18	37
B. *Operated*	1079	6.1	69	1	1	3	7	14	20	52
1. SINGLE DX	1276	4.0	21	<1	1	3	4	9	12	22
2. MULTIPLE DX	1684	6.3	67	1	1	3	8	14	19	45
A. NOT OPERATED	1006	5.7	48	<1	1	4	7	12	16	35
B. OPERATED	1954	5.1	48	<1	1	3	5	12	16	37
TOTAL 0-19 YRS	405	5.0	34	<1	1	3	5	12	16	29
20-34	780	3.9	19	<1	1	3	4	8	12	24
35-49	603	5.2	45	<1	1	3	6	12	15	36
50-64	581	5.2	30	<1	1	3	6	11	16	30
65+	591	7.7	110	1	1	4	9	17	25	69
GRAND TOTAL	**2960**	**5.3**	**48**	**<1**	**1**	**3**	**6**	**12**	**16**	**36**

317: Somatic dysfunction (739)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	1	7.0		7	7	7	7	7	7	7
65+	1	7.0		7	7	7	7	7	7	7
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-34	1	10.0		10	10	10	10	10	10	10
65+										
B. *Operated*										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34										
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	7.0		7	7	7	7	7	7	7
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	1	10.0		10	10	10	10	10	10	10
B. *Operated*	1	5.0		5	5	5	5	5	5	5
1. SINGLE DX	2	7.0		7	7	7	7	7	7	7
2. MULTIPLE DX	2	7.5	13	5	5	7	10	10	10	10
A. NOT OPERATED	3	8.0	3	7	7	7	9	10	10	10
B. OPERATED	1	5.0		5	5	5	5	5	5	5
TOTAL 0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34										
35-49										
50-64	2	8.5	5	7	7	8	10	10	10	10
65+	1	7.0		7	7	7	7	7	7	7
GRAND TOTAL	**4**	**7.3**	**4**	**5**	**5**	**7**	**9**	**10**	**10**	**10**

318: Congenital anomaly of nervous system (740-742)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	10	4.4	30	1	1	2	3	14	18	18
20-34										
35-49	1	5.0		5	5	5	5	5	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	14	6.3	32	<1	1	5	9	11	20	23
20-34	2	12.5	25	9	9	12	16	16	16	16
35-49	1	12.0		12	12	12	12	12	12	12
50-64	2	6.0	2	5	5	6	7	7	7	7
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	32	5.9	21	1	1	5	9	12	15	20
20-34	5	11.8	160	2	2	3	24	28	28	28
35-49	1	1.0		1	1	1	1	1	1	1
50-64										
65+	1	29.0		29	29	29	29	29	29	29
B. *Operated*										
0-19 YRS	39	9.9	59	2	2	8	14	22	28	99+
20-34	6	22.5	503	3	4	13	55	92	99+	99+
35-49	2	15.5	25	12	12	15	19	19	19	19
50-64	5	19.0	22	13	13	18	23	25	25	25
65+	2	33.5	5	32	32	33	35	35	35	35
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	11	4.5	27	1	1	2	5	13	18	18
B. *Operated*	19	7.2	30	<1	1	6	9	14	20	23
2. MULTIPLE DX										
A. *Not Operated*	39	7.1	51	1	1	5	9	18	26	29
B. *Operated*	54	13.2	128	2	2	12	20	33	54	99+
1. SINGLE DX	30	6.2	30	1	1	5	9	14	18	23
2. MULTIPLE DX	93	10.7	104	1	2	8	15	25	34	99+
A. NOT OPERATED	50	6.5	47	1	1	4	9	16	23	29
B. OPERATED	73	11.7	109	2	2	9	17	25	37	99+
TOTAL 0-19 YRS	95	7.4	42	1	1	5	10	18	23	69
20-34	13	16.8	294	2	3	12	28	65	92	99+
35-49	5	9.8	49	1	1	12	14	19	19	19
50-64	7	15.3	55	5	5	17	21	24	25	25
65+	3	32.0	9	29	29	32	34	35	35	35
GRAND TOTAL	**123**	**9.6**	**89**	**1**	**2**	**7**	**13**	**23**	**32**	**99+**

319: Congenital anomaly of eye, ear, face, and neck (743-744)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	45	1.7	2	<1	<1	1	2	2	6	8
20-34										
35-49										
50-64	1	3.0		3	3	3	3	3	3	3
65+										
B. *Operated*										
0-19 YRS	224	2.1	2	<1	<1	2	3	4	5	7
20-34	53	2.9	3	<1	<1	3	4	5	6	10
35-49	22	3.7	10	1	2	3	4	6	11	17
50-64	8	2.9	2	<1	<1	2	4	5	5	5
65+	2	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	23	2.8	10	<1	<1	2	3	7	10	14
20-34	3	1.0		<1	<1	<1	1	1	1	1
35-49	5	3.4	19	<1	<1	1	5	11	11	11
50-64										
65+										
B. *Operated*										
0-19 YRS	79	4.0	22	<1	1	3	4	9	13	28
20-34	27	2.8	6	<1	1	2	3	6	9	12
35-49	15	8.5	82	2	2	4	15	22	27	29
50-64	6	4.2	3	2	2	4	6	6	6	6
65+	3	3.3	6	1	1	3	5	6	6	6
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	46	1.7	2	<1	<1	1	2	2	6	8
B. *Operated*	309	2.4	3	<1	<1	2	3	4	5	9
2. MULTIPLE DX										
A. *Not Operated*	31	2.7	10	<1	<1	1	3	7	11	14
B. *Operated*	130	4.2	26	<1	1	3	4	9	17	29
1. SINGLE DX	355	2.3	3	<1	<1	2	3	4	5	8
2. MULTIPLE DX	161	4.0	23	<1	<1	2	4	8	14	28
A. NOT OPERATED	77	2.1	5	<1	<1	1	2	4	7	13
B. OPERATED	439	2.9	11	<1	<1	2	3	5	7	20
TOTAL 0-19 YRS	371	2.5	7	<1	<1	2	3	4	7	15
20-34	83	2.8	4	<1	<1	2	3	5	7	11
35-49	42	5.4	41	1	1	3	4	17	21	29
50-64	15	3.4	3	<1	2	3	5	6	6	6
65+	5	3.6	3	1	1	4	5	6	6	6
GRAND TOTAL	**516**	**2.8**	**10**	**<1**	**<1**	**2**	**3**	**5**	**8**	**19**

320: Congenital anomaly of heart and circulatory system (745-747)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	23	4.9	53	<1	1	3	5	8	18	37
20-34	4	3.0	2	2	2	3	4	5	5	5
35-49	5	1.8	1	<1	<1	2	2	3	3	3
50-64	1	5.0		5	5	5	5	5	5	5
65+	3	6.7	41	2	2	4	11	14	14	14
B. *Operated*										
0-19 YRS	103	6.6	17	1	2	8	9	11	13	19
20-34	29	6.6	116	<1	1	3	8	11	17	59
35-49	16	5.3	24	<1	<1	4	8	10	16	19
50-64	9	4.7	20	1	1	2	8	12	13	13
65+	2	5.5	41	1	1	5	10	10	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	85	4.6	30	<1	<1	3	6	10	14	33
20-34	20	7.7	31	1	1	6	12	16	17	18
35-49	9	10.0	37	3	4	8	14	20	21	21
50-64	8	11.8	232	2	2	6	12	38	48	48
65+	6	10.0	84	4	4	6	11	26	28	28
B. *Operated*										
0-19 YRS	251	7.7	82	2	2	4	10	15	24	56
20-34	48	7.3	31	1	1	8	10	13	18	29
35-49	20	8.5	28	2	2	9	11	16	18	19
50-64	26	7.5	47	1	2	4	12	18	40	99+
65+	10	11.1	158	2	2	4	24	31	34	34
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	36	4.4	38	<1	1	3	5	8	12	37
B. *Operated*	159	6.3	35	<1	1	7	9	11	13	24
2. MULTIPLE DX										
A. *Not Operated*	128	6.2	48	<1	1	4	8	14	18	43
B. *Operated*	355	7.8	71	2	2	6	10	16	24	55
1. SINGLE DX	195	6.0	36	<1	1	5	9	10	13	31
2. MULTIPLE DX	483	7.3	65	1	2	5	10	15	22	51
A. NOT OPERATED	164	5.8	46	<1	1	4	7	13	17	40
B. OPERATED	514	7.3	60	1	2	6	10	13	20	53
TOTAL 0-19 YRS	462	6.7	58	1	2	4	9	13	18	50
20-34	101	7.0	54	1	1	5	9	13	17	44
35-49	50	7.1	31	<1	<1	7	10	16	19	21
50-64	44	7.7	74	1	2	4	11	16	34	99+
65+	21	9.6	102	1	2	6	12	28	31	34
GRAND TOTAL	**678**	**6.9**	**57**	**1**	**2**	**5**	**9**	**13**	**19**	**50**

321: Cleft palate and lip (749)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	8.3	121	1	1	3	16	21	21	21
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	113	5.9	7	2	3	6	7	8	9	18
20-34	10	3.7	5	<1	<1	3	5	7	8	8
35-49	2	4.0	2	3	3	4	5	5	5	5
50-64										
65+	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7	2.0	1	<1	<1	2	3	4	4	4
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	91	6.2	13	2	3	6	7	9	12	25
20-34	12	4.5	5	2	2	4	6	8	10	10
35-49	1	3.0		3	3	3	3	3	3	3
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3	8.3	121	1	1	3	16	21	21	21
B. *Operated*	126	5.7	7	2	3	6	7	8	9	17
2. MULTIPLE DX										
A. *Not Operated*	7	2.0	1	<1	<1	2	3	4	4	4
B. *Operated*	104	6.0	12	2	3	6	7	9	11	24
1. SINGLE DX	129	5.7	9	2	3	6	7	8	9	21
2. MULTIPLE DX	111	5.7	13	2	2	6	7	9	11	24
A. NOT OPERATED	10	3.9	37	<1	<1	2	3	12	21	21
B. OPERATED	230	5.8	9	2	3	6	7	8	10	22
TOTAL 0-19 YRS	214	5.9	11	2	3	6	7	8	10	22
20-34	22	4.1	5	1	1	4	5	7	9	10
35-49	3	3.7	1	3	3	3	5	5	5	5
50-64										
65+	1	1.0		1	1	1	1	1	1	1
GRAND TOTAL	**240**	**5.7**	**10**	**2**	**2**	**6**	**7**	**8**	**10**	**22**

322: Congenital hypertrophic pyloric stenosis (750.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	4.8	1	4	4	5	5	6	6	6
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	87	5.1	5	3	3	5	6	8	10	13
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	4.0	3	2	2	4	5	6	6	6
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	36	5.7	5	3	3	5	7	9	11	13
20-34										
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4	4.8	1	4	4	5	5	6	6	6
B. *Operated*	87	5.1	5	3	3	5	6	8	10	13
2. MULTIPLE DX										
A. *Not Operated*	4	4.0	3	2	2	4	5	6	6	6
B. *Operated*	36	5.7	5	3	3	5	7	9	11	13
1. SINGLE DX	91	5.1	5	3	3	5	6	8	10	13
2. MULTIPLE DX	40	5.5	5	3	3	5	6	9	10	13
A. NOT OPERATED	8	4.4	2	2	2	4	5	6	6	6
B. OPERATED	123	5.3	5	3	3	5	6	9	10	14
TOTAL 0-19 YRS	131	5.2	5	3	3	5	6	8	10	13
20-34										
35-49										
50-64										
65+										
GRAND TOTAL	**131**	**5.2**	**5**	**3**	**3**	**5**	**6**	**8**	**10**	**13**

323: Congenital anomaly of respiratory system and of digestive system, except cleft palate and pyloric stenosis (748; 750.0-750.4; 750.6-750.9; 751)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	44	2.8	27	<1	<1	1	2	6	9	32
20-34	4	9.5	22	5	5	8	12	16	16	16
35-49	6	4.5	10	<1	<1	4	8	8	8	8
50-64	1	9.0		9	9	9	9	9	9	9
65+	2	3.5	1	3	3	3	4	4	4	4
B. *Operated*										
0-19 YRS	90	6.7	41	<1	1	4	9	15	17	34
20-34	28	4.4	18	<1	1	3	5	10	15	18
35-49	4	5.0	25	<1	<1	3	8	12	12	12
50-64	4	8.0	115	2	2	3	14	24	24	24
65+	2	11.5	61	6	6	11	17	17	17	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	69	5.8	52	1	1	3	9	14	19	34
20-34	6	5.3	27	1	1	4	6	14	15	15
35-49	3	7.3	4	5	5	8	9	9	9	9
50-64	4	11.0	13	8	8	10	13	16	16	16
65+	12	6.0	10	2	2	6	8	10	11	11
B. *Operated*										
0-19 YRS	93	11.8	185	2	2	7	15	29	42	96
20-34	28	7.5	46	1	2	5	7	17	20	33
35-49	11	6.7	21	2	2	6	7	14	18	18
50-64	15	13.6	35	3	7	12	19	22	22	22
65+	14	14.4	80	2	2	14	20	26	31	33
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	57	3.6	26	<1	<1	1	4	8	13	31
B. *Operated*	128	6.3	38	<1	1	4	8	15	17	28
2. MULTIPLE DX										
A. *Not Operated*	94	6.1	43	1	1	4	9	14	17	33
B. *Operated*	161	11.1	131	2	2	7	15	23	33	86
1. SINGLE DX	185	5.4	36	<1	<1	3	7	14	17	29
2. MULTIPLE DX	255	9.3	104	1	1	6	12	21	31	52
A. NOT OPERATED	151	5.1	38	<1	<1	3	7	12	16	32
B. OPERATED	289	9.0	95	1	2	6	12	20	27	49
TOTAL 0-19 YRS	296	7.5	96	<1	1	4	9	17	29	49
20-34	66	6.1	33	1	1	5	7	15	17	31
35-49	24	6.0	16	<1	<1	6	8	11	14	18
50-64	24	12.0	43	2	2	11	17	22	23	24
65+	30	10.1	61	2	2	8	15	21	25	33
GRAND TOTAL	**440**	**7.6**	**79**	**<1**	**1**	**5**	**10**	**17**	**24**	**43**

324: Undescended testicle (752.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	2.5	9	<1	<1	1	4	7	7	7
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	320	2.9	3	<1	1	2	4	5	7	9
20-34	32	3.3	3	<1	1	3	4	6	8	8
35-49	10	3.0		2	2	3	3	4	4	4
50-64	4	2.8	1	2	2	3	3	4	4	4
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	13	1.6	1	<1	<1	1	2	3	4	4
20-34	2	1.0		<1	<1	<1	<1	<1	<1	<1
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	160	2.8	2	1	1	2	3	5	6	9
20-34	22	3.6	3	1	2	3	5	6	7	8
35-49	12	5.6	46	1	1	4	6	13	24	26
50-64										
65+	2	6.0	8	4	4	6	8	8	8	8
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4	2.5	9	<1	<1	1	4	7	7	7
B. *Operated*	366	3.0	3	<1	1	2	4	5	7	8
2. MULTIPLE DX										
A. *Not Operated*	15	1.5	1	<1	<1	<1	2	3	4	4
B. *Operated*	196	3.1	6	1	1	3	3	5	7	10
1. SINGLE DX	370	3.0	3	<1	1	2	4	5	7	8
2. MULTIPLE DX	211	3.0	5	<1	1	2	3	5	7	10
A. NOT OPERATED	19	1.7	2	<1	<1	1	2	4	6	7
B. OPERATED	562	3.0	4	<1	1	2	4	5	7	9
TOTAL 0-19 YRS	497	2.8	3	<1	1	2	3	5	7	9
20-34	56	3.4	3	<1	1	3	4	6	8	8
35-49	22	4.4	26	1	2	3	4	7	15	26
50-64	4	2.8	1	2	2	3	3	4	4	4
65+	2	6.0	8	4	4	6	8	8	8	8
GRAND TOTAL	**581**	**3.0**	**4**	**<1**	**1**	**2**	**4**	**5**	**7**	**9**

325: Miscellaneous congenital anomalies of genitourinary system (752.0-752.4; 752.6-752.9; 753)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	2.7	8	<1	<1	2	3	8	9	9
20-34										
35-49	5	4.0	7	<1	<1	4	6	7	7	7
50-64	2	7.0	32	3	3	7	11	11	11	11
65+	1	3.0		3	3	3	3	3	3	3
B. *Operated*										
0-19 YRS	136	6.3	26	<1	1	5	10	13	16	22
20-34	61	4.7	12	<1	1	4	6	10	12	16
35-49	22	6.0	20	1	2	5	7	11	16	22
50-64	13	5.5	12	1	1	7	8	10	10	10
65+	4	2.3	1	<1	<1	2	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	14	3.4	4	1	1	3	5	6	7	7
20-34	7	4.0	4	1	1	4	5	7	7	7
35-49	8	8.3	46	3	3	5	13	19	19	19
50-64	6	5.8	9	1	1	6	8	9	9	9
65+	9	7.3	82	1	1	4	9	22	30	30
B. *Operated*										
0-19 YRS	124	11.2	91	1	2	10	15	22	28	48
20-34	63	7.2	30	1	2	6	10	15	18	26
35-49	57	9.4	40	2	2	8	13	17	24	27
50-64	34	12.4	86	2	2	11	16	29	31	35
65+	14	12.7	127	3	4	9	15	28	42	46
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	15	3.7	10	<1	<1	3	6	11	73	99+
B. *Operated*	236	5.7	21	<1	1	5	8	12	14	21
2. MULTIPLE DX										
A. *Not Operated*	44	5.5	29	1	1	4	6	9	19	30
B. *Operated*	292	10.2	71	1	2	8	14	20	27	37
1. SINGLE DX	251	5.6	21	<1	1	5	8	12	14	22
2. MULTIPLE DX	336	9.6	68	1	2	7	13	19	27	36
A. NOT OPERATED	59	5.1	25	1	1	4	6	10	19	93
B. OPERATED	528	8.2	54	1	1	6	11	16	22	31
TOTAL 0-19 YRS	281	8.2	61	1	1	6	12	17	21	32
20-34	131	5.8	22	<1	1	5	7	13	16	40
35-49	92	8.2	36	2	2	7	10	17	19	27
50-64	55	9.8	67	1	2	8	13	22	29	35
65+	28	9.1	102	1	2	6	10	23	32	46
GRAND TOTAL	**587**	**7.9**	**52**	**1**	**1**	**6**	**11**	**16**	**22**	**32**

326: Clubfoot (754.5-754.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	2.7	2	<1	<1	3	4	5	5	5
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	111	3.5	2	1	2	3	4	6	7	8
20-34	12	5.2	22	1	1	3	7	13	16	16
35-49	6	7.0	36	2	2	5	9	17	18	18
50-64	4	3.8	4	<1	<1	4	5	6	6	6
65+	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	3.3	4	1	1	3	5	5	5	5
20-34	1	1.0		<1	<1	<1	<1	<1	<1	<1
35-49										
50-64										
65+	1	18.0		18	18	18	18	18	18	18
B. *Operated*										
0-19 YRS	67	4.6	7	2	2	4	6	8	10	14
20-34	23	5.0	16	2	2	4	6	8	14	21
35-49	8	3.9	3	3	3	3	4	7	8	8
50-64	23	3.7	2	2	2	3	4	5	6	7
65+	15	4.2	2	2	3	4	5	6	7	7
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7	2.7	2	<1	<1	3	4	5	5	5
B. *Operated*	134	3.8	6	1	2	3	5	6	7	16
2. MULTIPLE DX										
A. *Not Operated*	6	5.3	42	<1	<1	3	5	17	18	18
B. *Operated*	136	4.4	7	2	2	4	5	7	9	15
1. SINGLE DX	141	3.8	6	1	2	3	5	6	7	16
2. MULTIPLE DX	142	4.5	8	2	2	4	5	7	9	18
A. NOT OPERATED	13	3.9	20	<1	<1	3	5	8	16	18
B. OPERATED	270	4.1	6	2	2	3	5	7	8	16
TOTAL 0-19 YRS	189	3.9	4	2	2	3	5	6	7	12
20-34	36	4.9	17	1	2	4	6	10	15	21
35-49	14	5.2	18	2	2	4	6	10	16	18
50-64	27	3.7	2	1	2	3	4	6	6	7
65+	17	4.9	13	2	2	4	5	7	14	18
GRAND TOTAL	**283**	**4.1**	**7**	**2**	**2**	**3**	**5**	**7**	**8**	**17**

327: Miscellaneous congenital anomalies of musculoskeletal system and generalized congenital anomalies (754.0-754.4; 754.8; 755-759)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	40	4.2	24	<1	<1	2	4	13	16	19
20-34	12	5.9	44	<1	1	4	8	13	23	25
35-49	13	4.2	11	<1	1	2	6	10	11	11
50-64	4	8.3	50	2	2	7	14	17	17	17
65+	5	12.0	165	2	2	7	17	34	34	34
B. *Operated*										
0-19 YRS	294	4.9	20	<1	1	3	6	10	13	23
20-34	147	4.8	30	1	1	3	5	11	13	27
35-49	64	6.2	34	1	2	4	8	15	20	25
50-64	29	7.4	49	2	2	5	9	18	25	30
65+	9	9.8	109	3	3	6	10	27	36	36
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	73	7.6	105	1	1	4	7	24	35	44
20-34	16	8.0	55	1	1	5	11	16	25	29
35-49	11	5.7	27	1	1	5	7	12	19	20
50-64	19	7.0	61	1	2	5	8	13	26	36
65+	29	14.8	243	2	3	9	17	30	47	78
B. *Operated*										
0-19 YRS	155	7.3	80	1	2	5	9	16	22	34
20-34	83	6.5	50	1	1	3	9	14	22	36
35-49	59	9.0	123	2	2	5	12	18	28	69
50-64	44	8.9	45	2	2	8	14	17	20	30
65+	15	14.1	80	2	4	12	16	27	33	35
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	74	5.2	37	<1	1	3	7	12	17	32
B. *Operated*	543	5.2	28	1	1	3	6	11	15	27
2. MULTIPLE DX										
A. *Not Operated*	148	8.8	122	1	1	5	10	23	34	46
B. *Operated*	356	7.9	78	1	2	5	10	17	24	35
1. SINGLE DX	617	5.2	29	1	1	3	6	11	16	28
2. MULTIPLE DX	504	8.2	90	1	2	5	10	17	26	43
A. NOT OPERATED	222	7.6	96	1	1	4	9	17	30	44
B. OPERATED	899	6.3	49	1	1	4	8	14	19	31
TOTAL 0-19 YRS	562	5.9	50	<1	1	3	7	13	17	34
20-34	258	5.6	39	1	1	3	7	13	18	29
35-49	147	7.1	69	1	2	4	10	16	21	32
50-64	96	8.0	49	2	2	5	11	17	21	33
65+	58	13.6	169	2	3	9	16	31	36	75
GRAND TOTAL	**1121**	**6.5**	**59**	**1**	**1**	**4**	**8**	**14**	**21**	**35**

328: Perinatal conditions causing morbidity and mortality (760-779)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	443	3.2	8	1	1	3	4	6	8	14
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	6	1.3		1	1	1	2	2	2	2
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	298	6.6	110	1	1	4	7	12	19	65
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	10	6.9	35	<1	1	6	9	16	18	18
20-34										
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	443	3.2	8	1	1	3	4	6	8	14
B. *Operated*	6	1.3		1	1	1	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*	298	6.6	110	1	1	4	7	12	19	65
B. *Operated*	10	6.9	35	<1	1	6	9	16	18	18
1. SINGLE DX	449	3.2	8	1	1	3	4	6	7	13
2. MULTIPLE DX	308	6.6	107	1	1	4	7	13	19	61
A. NOT OPERATED	741	4.6	51	1	1	3	5	9	13	34
B. OPERATED	16	4.8	29	<1	1	2	8	14	17	18
TOTAL 0-19 YRS	757	4.6	51	1	1	3	5	9	13	34
20-34										
35-49										
50-64										
65+										
GRAND TOTAL	**757**	**4.6**	**51**	**1**	**1**	**3**	**5**	**9**	**13**	**34**

329: Convulsions (780.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
C-19 YRS	581	2.9	6	1	1	2	4	5	7	14
20-34	138	4.0	14	<1	1	3	5	9	12	21
35-49	67	4.3	55	1	1	3	5	7	10	53
50-64	33	4.5	10	<1	1	4	6	8	12	14
65+	57	5.8	32	<1	1	4	8	13	18	28
B. *Operated*										
0-19 YRS	2	24.5	685	6	6	24	43	43	43	43
20-34	2	6.5	5	5	5	6	8	8	8	8
35-49	2	4.5	1	4	4	4	5	5	5	5
50-64										
65+	2	9.0	8	7	7	9	11	11	11	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	887	3.6	10	1	1	3	4	7	9	18
20-34	106	4.4	17	1	1	3	6	9	12	21
35-49	123	5.4	26	1	1	4	7	11	14	26
50-64	132	6.7	67	1	2	5	8	13	17	51
65+	189	10.3	119	1	2	8	11	22	31	64
B. *Operated*										
0-19 YRS	13	13.1	346	1	3	8	13	28	65	73
20-34	5	17.4	268	1	1	12	28	43	43	43
35-49	13	14.1	292	1	2	9	21	34	58	63
50-64	7	20.7	800	2	2	11	20	71	83	83
65+	12	16.9	187	4	5	11	23	38	49	51
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	876	3.5	14	1	1	2	4	7	10	17
B. *Operated*	8	11.1	171	4	4	6	9	33	43	43
2. MULTIPLE DX										
A. *Not Operated*	1437	5.0	36	1	1	3	6	10	13	31
B. *Operated*	50	15.8	325	1	2	10	19	37	63	83
1. SINGLE DX	884	3.5	16	1	1	2	4	7	10	18
2. MULTIPLE DX	1487	5.4	50	1	1	3	6	10	15	37
A. NOT OPERATED	2313	4.4	28	1	1	3	5	9	12	26
B. OPERATED	58	15.1	303	1	3	9	17	40	58	82
TOTAL 0-19 YRS	1483	3.5	13	1	1	3	4	6	9	17
20-34	251	4.5	23	1	1	3	6	10	12	23
35-49	205	5.6	56	1	1	4	6	10	15	49
50-64	172	6.9	90	1	2	5	8	12	17	66
65+	260	9.6	107	1	2	7	11	21	30	59
GRAND TOTAL	**2371**	**4.7**	**38**	**1**	**1**	**3**	**5**	**9**	**13**	**30**

330: Pyrexia of unknown origin (780.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	472	2.9	4	<1	1	2	4	6	6	11
20-34	32	4.8	10	2	2	4	6	8	14	15
35-49	11	5.6	9	1	2	4	9	10	10	10
50-64	26	5.0	6	2	2	5	7	8	9	10
65+	20	3.8	4	1	1	3	5	7	8	8
B. *Operated*										
0-19 YRS	4	1.8		<1	<1	2	2	2	2	2
20-34	6	4.5	27	2	2	3	3	14	15	15
35-49	5	6.6	95	2	2	2	8	24	24	24
50-64	1	1.0		1	1	1	1	1	1	1
65+	2	13.5	25	10	10	13	17	17	17	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	521	3.5	9	1	1	3	4	7	9	16
20-34	51	5.2	22	1	2	4	6	10	14	25
35-49	39	5.4	12	1	2	4	6	9	13	18
50-64	46	6.2	20	2	2	5	8	10	16	25
65+	100	8.5	101	2	2	6	9	17	23	62
B. *Operated*										
0-19 YRS	4	7.0	23	2	2	7	11	12	12	12
20-34	13	20.7	345	3	3	17	23	58	60	60
35-49	3	19.7	212	6	6	18	31	35	35	35
50-64	20	18.6	109	3	6	19	28	31	34	35
65+	12	13.6	52	2	6	12	20	24	25	25
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	561	3.2	5	<1	1	3	4	6	7	11
B. *Operated*	18	5.3	44	<1	1	2	3	16	21	24
2. MULTIPLE DX										
A. *Not Operated*	757	4.5	26	1	1	3	5	9	12	24
B. *Operated*	52	17.1	158	2	3	15	24	31	35	60
1. SINGLE DX	579	3.3	7	<1	1	3	4	6	8	15
2. MULTIPLE DX	809	5.4	44	1	1	3	6	11	17	31
A. NOT OPERATED	1318	4.0	17	1	1	3	5	8	10	18
B. OPERATED	70	14.1	155	2	2	11	22	28	35	60
TOTAL 0-19 YRS	1001	3.2	7	<1	1	2	4	6	8	14
20-34	102	7.0	84	2	2	4	7	16	22	59
35-49	58	6.3	34	1	2	4	7	10	18	34
50-64	93	8.5	63	2	2	6	9	23	28	34
65+	134	8.3	86	1	2	6	9	17	23	50
GRAND TOTAL	**1388**	**4.5**	**29**	**1**	**1**	**3**	**5**	**8**	**13**	**27**

331: Headache (784.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	73	3.6	25	<1	1	2	4	7	10	33
20-34	122	4.5	62	<1	<1	2	5	8	20	40
35-49	77	3.8	16	<1	<1	3	5	8	12	22
50-64	37	4.2	41	<1	1	3	5	5	9	40
65+	18	3.7	2	<1	1	4	5	5	6	6
B. *Operated*										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34	10	6.0	15	2	2	5	8	12	14	14
35-49	12	6.0	45	1	2	4	5	19	22	22
50-64	4	6.3	4	5	5	6	7	9	9	9
65+	5	8.4	34	3	3	7	11	18	18	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	87	3.1	6	1	1	2	4	7	8	12
20-34	126	4.6	30	1	1	3	6	8	14	37
35-49	86	5.3	28	1	1	4	6	11	14	33
50-64	88	7.0	42	1	1	5	9	15	17	34
65+	84	6.0	17	1	2	5	8	11	16	18
B. *Operated*										
0-19 YRS	2	6.0	8	4	4	6	8	8	8	8
20-34	11	6.3	15	1	2	5	9	12	14	14
35-49	10	8.0	26	2	2	8	13	14	15	15
50-64	7	3.3	2	1	1	4	4	5	5	5
65+	13	11.2	91	<1	<1	10	18	25	28	29
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	327	4.0	37	<1	<1	2	5	8	10	40
B. *Operated*	33	6.1	26	1	2	5	7	15	18	22
2. MULTIPLE DX										
A. *Not Operated*	471	5.1	27	1	1	4	7	11	14	32
B. *Operated*	43	7.7	43	1	1	5	11	16	22	29
1. SINGLE DX	360	4.2	36	<1	<1	2	5	8	11	40
2. MULTIPLE DX	514	5.4	29	1	1	4	7	11	15	30
A. NOT OPERATED	798	4.7	31	<1	1	3	6	10	14	38
B. OPERATED	76	7.0	36	1	2	5	9	16	20	28
TOTAL 0-19 YRS	164	3.3	14	1	1	2	4	7	9	12
20-34	269	4.7	44	<1	1	3	5	9	14	40
35-49	185	4.8	25	<1	1	3	6	11	14	24
50-64	136	6.0	40	1	1	4	7	13	17	35
65+	120	6.3	26	1	1	5	8	13	17	25
GRAND TOTAL	**874**	**4.9**	**32**	**<1**	**1**	**3**	**6**	**10**	**14**	**36**

332: Epistaxis (784.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	28	2.1	1	<1	<1	2	3	4	4	5
20-34	41	2.4	4	<1	1	2	3	4	7	11
35-49	38	2.8	3	<1	1	2	4	5	6	8
50-64	50	3.2	4	<1	1	3	4	6	7	9
65+	102	3.0	5	<1	1	2	4	6	8	12
B. *Operated*										
0-19 YRS	14	2.1	3	<1	<1	1	2	5	6	7
20-34	9	2.4	1	2	2	2	3	4	4	4
35-49	15	2.9	2	<1	1	3	4	4	5	5
50-64	29	3.8	4	1	1	4	5	7	7	8
65+	36	3.8	6	<1	1	3	5	7	9	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	37	2.4	3	<1	1	2	3	5	6	8
20-34	21	3.0	5	<1	<1	3	4	5	8	11
35-49	30	3.1	5	1	1	3	4	7	8	9
50-64	82	4.0	7	1	1	3	5	8	9	12
65+	194	5.1	24	1	1	3	6	11	17	29
B. *Operated*										
0-19 YRS	15	4.0	9	1	1	3	5	9	11	12
20-34	10	8.2	191	<1	1	3	7	28	47	47
35-49	20	3.2	3	1	1	3	4	5	7	9
50-64	41	5.5	23	1	1	4	7	10	15	26
65+	68	9.3	150	1	1	5	9	23	32	66
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	259	2.8	4	<1	1	2	4	5	7	11
B. *Operated*	103	3.3	4	<1	1	3	4	7	7	10
2. MULTIPLE DX										
A. *Not Operated*	364	4.3	16	1	1	3	5	9	11	25
B. *Operated*	154	6.9	90	1	1	4	7	15	25	47
1. SINGLE DX	362	3.0	4	<1	1	2	4	6	7	10
2. MULTIPLE DX	518	5.1	39	1	1	3	6	10	16	35
A. NOT OPERATED	623	3.7	12	1	1	3	4	7	10	19
B. OPERATED	257	5.5	59	1	1	3	6	9	18	46
TOTAL 0-19 YRS	94	2.5	4	<1	1	2	3	5	7	11
20-34	81	3.3	29	<1	1	2	3	5	8	36
35-49	103	3.0	3	1	1	3	4	5	7	9
50-64	202	4.1	10	1	1	3	5	7	9	15
65+	400	5.1	43	1	1	3	6	10	17	37
GRAND TOTAL	**880**	**4.2**	**26**	**1**	**1**	**3**	**5**	**8**	**11**	**28**

333: Signs and symptons referable to the cardiovascular system, except gangrene (785.0-785.3; 785.5-785.6; 785.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	22	3.1	3	1	1	3	4	5	6	8
20-34	14	2.0	2	<1	<1	1	3	5	5	5
35-49	11	3.5	12	1	1	2	4	10	12	12
50-64	16	2.7	3	<1	<1	2	3	6	7	7
65+	22	5.9	27	1	2	4	7	14	19	21
B. *Operated*										
0-19 YRS	46	2.1	3	<1	<1	2	2	3	6	9
20-34	43	3.4	24	<1	<1	2	4	6	8	32
35-49	18	2.9	7	<1	<1	2	3	5	9	12
50-64	22	3.6	8	1	2	3	4	8	10	13
65+	20	5.4	41	<1	1	3	7	12	20	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	24	2.8	4	<1	1	2	3	6	7	10
20-34	23	2.8	6	<1	<1	2	4	7	8	8
35-49	27	3.0	7	<1	<1	2	3	6	10	13
50-64	36	6.6	78	1	2	4	6	11	26	47
65+	83	6.7	43	1	1	5	8	14	23	31
B. *Operated*										
0-19 YRS	13	4.0	10	<1	1	3	6	9	10	10
20-34	20	5.2	66	<1	<1	3	6	8	23	38
35-49	22	6.3	107	<1	1	4	7	9	26	51
50-64	31	5.6	46	<1	1	3	7	13	18	33
65+	23	10.2	219	1	2	5	11	19	40	73
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	85	3.5	12	<1	1	3	4	7	10	20
B. *Operated*	149	3.2	16	<1	<1	2	3	6	10	28
2. MULTIPLE DX										
A. *Not Operated*	193	5.2	38	<1	1	3	6	11	16	31
B. *Operated*	109	6.4	95	<1	1	3	8	13	18	60
1. SINGLE DX	234	3.4	14	<1	<1	2	4	6	10	22
2. MULTIPLE DX	302	5.6	59	<1	1	3	6	11	18	42
A. NOT OPERATED	278	4.7	31	<1	1	3	6	9	14	29
B. OPERATED	258	4.6	52	<1	<1	3	5	9	13	38
TOTAL 0-19 YRS	105	2.7	4	<1	<1	2	3	5	8	10
20-34	100	3.4	25	<1	<1	2	4	7	8	35
35-49	78	4.0	37	<1	<1	3	4	8	11	40
50-64	105	5.1	44	<1	1	3	5	11	14	39
65+	148	6.9	68	1	1	5	8	14	22	32
GRAND TOTAL	**536**	**4.7**	**41**	**<1**	**1**	**3**	**5**	**9**	**13**	**32**

334: Gangrene (785.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	2	9.0	50	4	4	9	14	14	14	14
50-64										
65+	1	7.0		7	7	7	7	7	7	7
B. *Operated*										
0-19 YRS	7	7.6	41	1	1	7	10	18	20	20
20-34	3	4.0	7	2	2	3	6	7	7	7
35-49	3	11.0	73	2	2	12	17	19	19	19
50-64	1	25.0		25	25	25	25	25	25	25
65+	6	29.7	561	4	4	37	59	93	99+	99+
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34										
35-49	1	14.0		14	14	14	14	14	14	14
50-64	2	10.5	5	9	9	10	12	12	12	12
65+	18	22.1	674	3	4	14	17	70	86	93
B. *Operated*										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	1	56.0		56	56	56	56	56	56	56
35-49	8	19.8	215	3	5	14	31	42	43	43
50-64	17	21.1	241	4	5	15	30	35	55	65
65+	73	24.9	456	2	4	21	36	77	94	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3	8.3	26	4	4	7	12	14	14	14
B. *Operated*	20	15.1	284	1	2	7	25	50	81	99+
2. MULTIPLE DX										
A. *Not Operated*	22	19.7	575	2	3	13	17	64	82	93
B. *Operated*	100	24.0	403	3	5	17	35	65	82	99+
1. SINGLE DX	23	14.2	253	1	2	7	22	43	76	99+
2. MULTIPLE DX	122	23.2	433	2	4	15	33	65	82	99+
A. NOT OPERATED	25	18.4	520	2	4	12	16	59	79	93
B. OPERATED	120	22.5	392	2	4	15	34	65	82	99+
TOTAL 0-19 YRS	9	6.7	35	1	1	5	8	16	20	20
20-34	4	17.0	681	2	2	5	31	56	56	56
35-49	14	15.9	153	2	3	14	19	41	43	43
50-64	20	20.2	215	4	5	15	28	34	50	65
65+	98	24.5	492	2	4	17	37	76	95	99+
GRAND TOTAL	**145**	**21.8**	**413**	**2**	**4**	**15**	**32**	**63**	**82**	**99+**

335: Chest pain (786.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	43	2.4	3	<1	<1	2	3	5	7	9
20-34	180	2.4	3	<1	<1	2	3	5	6	9
35-49	462	3.2	9	<1	1	2	4	7	8	14
50-64	440	3.5	8	1	1	3	5	7	9	13
65+	321	4.6	17	1	1	3	6	9	13	19
B. *Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	16	5.1	15	1	2	4	6	12	13	14
35-49	87	3.1	7	1	1	2	3	6	10	13
50-64	109	2.8	5	1	1	2	3	6	8	11
65+	17	3.8	17	1	1	2	5	11	12	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	29	3.7	10	1	1	3	4	9	10	14
20-34	196	3.8	12	<1	1	3	5	8	10	22
35-49	657	4.2	18	1	1	3	5	8	11	18
50-64	1004	4.8	19	1	1	4	6	10	12	20
65+	996	6.4	42	1	2	5	8	13	18	30
B. *Operated*										
0-19 YRS	4	6.5	33	3	3	4	10	15	15	15
20-34	25	5.6	48	1	1	3	6	9	19	36
35-49	156	5.2	34	1	2	3	5	10	19	28
50-64	264	5.4	41	1	2	3	7	13	15	33
65+	118	8.3	71	1	2	6	11	17	24	64
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1446	3.5	10	<1	1	3	4	7	9	16
B. *Operated*	230	3.1	8	1	1	2	3	7	10	13
2. MULTIPLE DX										
A. *Not Operated*	2882	5.1	27	1	1	4	6	10	14	24
B. *Operated*	567	6.0	47	1	2	3	7	14	18	41
1. SINGLE DX	1676	3.4	10	<1	1	3	4	7	9	15
2. MULTIPLE DX	3449	5.3	30	1	1	4	7	11	14	25
A. NOT OPERATED	4328	4.6	22	1	1	3	6	9	12	22
B. OPERATED	797	5.2	37	1	1	3	6	12	15	35
TOTAL 0-19 YRS	77	3.1	8	<1	1	2	3	7	9	15
20-34	417	3.4	11	<1	1	2	4	7	9	18
35-49	1362	3.9	16	1	1	3	5	8	10	20
50-64	1817	4.5	19	1	1	3	6	9	12	20
65+	1452	6.1	40	1	1	4	7	12	17	30
GRAND TOTAL	**5125**	**4.7**	**24**	**1**	**1**	**3**	**6**	**9**	**13**	**23**

336: Other signs and symptons referable to respiratory system and chest (786.0-786.4; 786.6-786.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	189	3.8	22	<1	1	3	4	7	10	25
20-34	20	2.0	4	<1	<1	1	2	4	7	10
35-49	13	2.2	2	<1	<1	1	3	4	5	5
50-64	28	2.6	2	<1	<1	3	3	5	6	6
65+	53	7.2	113	1	2	4	7	12	22	66
B. *Operated*										
0-19 YRS	7	2.4	2	<1	<1	2	4	5	5	5
20-34	8	5.3	27	2	2	3	6	14	17	17
35-49	28	2.9	4	<1	1	2	4	5	7	10
50-64	22	6.9	36	1	2	5	9	17	21	21
65+	17	5.9	14	1	2	6	7	10	14	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	153	4.4	34	<1	1	3	5	9	10	28
20-34	31	3.5	16	1	1	2	4	8	15	17
35-49	42	7.0	77	<1	<1	4	7	19	29	37
50-64	84	6.5	45	<1	1	5	7	16	25	77
65+	195	9.0	111	2	2	6	11	17	23	64
B. *Operated*										
0-19 YRS	17	9.4	219	1	2	7	9	12	46	65
20-34	9	11.8	219	2	2	4	15	38	44	44
35-49	16	7.6	30	2	2	7	9	16	20	22
50-64	42	9.9	212	1	2	6	11	16	39	75
65+	60	12.7	165	2	3	10	15	25	27	88
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	303	4.1	36	<1	1	3	4	8	10	35
B. *Operated*	82	4.8	19	<1	1	3	6	10	16	21
2. MULTIPLE DX										
A. *Not Operated*	505	6.7	72	1	1	4	8	14	20	49
B. *Operated*	144	10.8	172	2	2	8	12	20	28	76
1. SINGLE DX	385	4.2	32	<1	1	3	5	8	11	28
2. MULTIPLE DX	649	7.6	97	1	1	5	9	15	23	65
A. NOT OPERATED	808	5.7	60	<1	1	3	7	13	17	43
B. OPERATED	226	8.6	125	1	2	6	10	17	25	68
TOTAL 0-19 YRS	366	4.3	37	<1	1	3	5	8	10	30
20-34	68	4.4	47	<1	<1	2	4	10	17	41
35-49	99	5.3	43	<1	1	3	7	11	20	36
50-64	176	6.7	81	<1	1	4	7	15	21	73
65+	325	9.2	119	2	2	6	11	18	25	69
GRAND TOTAL	**1034**	**6.3**	**75**	**<1**	**1**	**4**	**7**	**14**	**19**	**49**

337: Signs and symptoms referable to urinary system (788)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	50	3.7	9	<1	1	3	5	9	11	11
20-34	194	2.3	3	<1	1	2	3	4	5	8
35-49	194	2.3	3	<1	1	2	3	5	6	9
50-64	124	2.2	3	<1	1	2	3	4	5	10
65+	100	4.4	31	1	1	3	5	8	14	36
B. *Operated*										
0-19 YRS	30	2.1	3	<1	<1	1	3	5	6	8
20-34	38	4.2	7	<1	1	4	5	8	10	12
35-49	41	5.3	44	<1	<1	3	7	11	14	40
50-64	32	6.6	145	<1	<1	3	6	11	14	70
65+	44	7.7	51	1	2	7	10	14	22	34
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	40	3.5	12	<1	1	3	4	7	9	20
20-34	129	3.6	17	1	1	2	4	7	12	23
35-49	82	3.4	5	1	1	3	5	7	8	10
50-64	111	4.3	32	1	1	3	5	8	12	36
65+	226	8.6	93	1	1	6	10	19	30	54
B. *Operated*										
0-19 YRS	21	3.4	10	<1	<1	3	4	6	10	15
20-34	44	7.7	45	<1	1	6	10	20	22	27
35-49	45	8.6	167	<1	<1	6	10	15	17	87
50-64	53	8.8	36	1	2	9	11	18	22	26
65+	127	12.0	161	2	2	9	14	23	30	71
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	662	2.7	8	<1	1	2	3	5	7	13
B. *Operated*	185	5.3	51	<1	<1	3	7	10	13	38
2. MULTIPLE DX										
A. *Not Operated*	588	5.6	53	1	1	3	6	12	19	41
B. *Operated*	290	9.6	115	1	2	7	12	20	24	64
1. SINGLE DX	847	3.3	19	<1	1	2	4	7	9	17
2. MULTIPLE DX	878	6.9	77	1	1	4	8	15	22	47
A. NOT OPERATED	1250	4.1	31	1	1	2	4	8	12	32
B. OPERATED	475	7.9	95	<1	1	5	10	16	23	59
TOTAL 0-19 YRS	141	3.2	9	<1	<1	2	4	7	9	15
20-34	405	3.5	15	<1	1	2	4	7	10	22
35-49	362	3.6	32	<1	1	2	4	7	10	17
50-64	320	4.5	38	1	1	3	5	10	13	27
65+	497	8.5	100	1	1	5	10	19	26	55
GRAND TOTAL	**1725**	**5.1**	**52**	**<1**	**1**	**3**	**6**	**11**	**16**	**35**

338: Abdominal pain (789.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1789	2.5	5	<1	1	2	3	5	7	12
20-34	1216	2.9	7	<1	1	2	4	6	8	13
35-49	556	3.4	10	<1	1	3	4	7	9	13
50-64	360	4.2	15	<1	1	3	6	9	10	15
65+	335	5.2	19	1	1	4	7	10	13	19
B. *Operated*										
0-19 YRS	171	4.3	6	2	2	4	5	7	9	16
20-34	244	4.0	9	1	1	3	5	7	10	17
35-49	90	4.4	20	<1	1	3	6	10	13	25
50-64	31	6.7	133	<1	1	2	7	16	26	59
65+	23	8.2	103	<1	1	4	8	27	34	36
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	862	3.1	7	1	1	2	4	7	8	13
20-34	1038	3.6	17	<1	1	3	4	7	10	18
35-49	496	4.7	17	1	1	3	6	9	13	21
50-64	506	6.1	27	1	1	5	8	12	15	27
65+	882	7.4	47	1	2	6	9	14	19	37
B. *Operated*										
0-19 YRS	101	5.6	14	1	2	5	7	11	14	19
20-34	280	6.7	81	<1	1	5	8	13	20	44
35-49	145	8.8	64	1	2	7	11	18	25	36
50-64	123	10.9	70	2	2	9	14	22	28	41
65+	108	12.7	109	2	3	10	16	26	39	70
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4256	3.1	9	<1	1	2	4	7	9	14
B. *Operated*	559	4.5	21	1	1	4	5	8	11	26
2. MULTIPLE DX										
A. *Not Operated*	3784	4.9	26	1	1	3	6	10	14	24
B. *Operated*	757	8.5	76	1	2	6	11	18	24	42
1. SINGLE DX	4815	3.2	11	<1	1	2	4	7	9	15
2. MULTIPLE DX	4541	5.5	36	1	1	4	7	12	16	30
A. NOT OPERATED	8040	3.9	18	<1	1	3	5	8	11	20
B. OPERATED	1316	6.8	57	1	1	5	8	15	21	40
TOTAL 0-19 YRS	2923	2.9	7	<1	1	2	4	6	8	13
20-34	2778	3.6	19	<1	1	2	4	7	10	19
35-49	1287	4.6	22	1	1	3	6	9	13	25
50-64	1020	6.1	35	1	1	4	8	12	16	30
65+	1348	7.3	50	1	2	5	9	15	20	39
GRAND TOTAL	**9356**	**4.3**	**24**	**<1**	**1**	**3**	**5**	**9**	**13**	**23**

339: Other signs and symptoms referable to GI tract and abdomen (787; 789.1-789.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	210	4.5	21	1	1	3	5	10	14	24
20-34	45	2.4	4	<1	<1	2	3	5	7	9
35-49	30	4.5	26	<1	1	2	7	11	13	23
50-64	24	4.1	18	<1	<1	2	7	9	14	17
65+	66	4.2	13	1	1	3	6	9	13	14
B. *Operated*										
0-19 YRS	3	3.3	5	2	2	2	5	6	6	6
20-34	13	4.8	14	<1	<1	4	6	10	13	14
35-49	12	5.2	13	<1	1	4	8	11	12	12
50-64	12	7.6	84	2	2	3	9	26	27	27
65+	11	9.7	47	<1	2	10	14	20	23	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	261	4.8	34	1	1	3	6	9	14	19
20-34	81	3.3	14	<1	1	2	4	9	12	20
35-49	55	6.3	48	1	2	4	8	13	17	45
50-64	105	7.4	47	1	1	5	10	16	24	29
65+	267	8.2	86	1	2	6	10	16	23	51
B. *Operated*										
0-19 YRS	15	9.4	36	1	3	9	12	20	21	22
20-34	15	10.4	57	1	1	9	17	21	24	25
35-49	25	11.5	123	<1	3	9	15	23	34	52
50-64	50	10.8	87	1	1	8	14	27	31	38
65+	37	15.7	205	2	3	10	26	40	53	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	375	4.2	18	<1	1	3	5	9	13	21
B. *Operated*	51	6.5	39	<1	1	4	9	14	23	27
2. MULTIPLE DX										
A. *Not Operated*	769	6.3	55	1	1	4	8	13	17	36
B. *Operated*	142	12.0	118	1	2	9	16	28	35	64
1. SINGLE DX	426	4.4	21	<1	1	3	5	10	14	24
2. MULTIPLE DX	911	7.2	69	1	1	5	9	15	23	42
A. NOT OPERATED	1144	5.6	44	1	1	4	7	12	16	32
B. OPERATED	193	10.6	103	1	2	8	14	25	32	57
TOTAL 0-19 YRS	489	4.8	29	1	1	3	6	10	14	22
20-34	154	3.9	20	<1	1	2	4	10	14	23
35-49	122	6.8	59	1	1	4	9	15	20	48
50-64	191	7.9	59	1	1	5	11	19	27	33
65+	381	8.3	91	1	2	5	10	17	27	59
GRAND TOTAL	**1337**	**6.3**	**56**	**1**	**1**	**4**	**8**	**14**	**19**	**37**

340: Miscellaneous signs, symptoms, and ill-defined conditions (780.0-780.2; 780.4-780.5; 780.7-780.9; 781-783; 784.1-784.6; 784.8-784.9; 790-799)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	600	4.2	24	1	1	3	5	8	11	19
20-34	221	3.2	8	<1	1	2	4	7	9	15
35-49	154	3.5	9	<1	1	3	5	7	9	16
50-64	200	4.4	15	1	1	3	6	9	12	23
65+	484	6.5	61	1	1	5	8	14	19	71
B. *Operated*										
0-19 YRS	31	3.5	6	<1	1	2	5	7	9	9
20-34	95	3.1	6	<1	<1	2	4	7	8	13
35-49	60	3.9	10	<1	<1	3	5	8	10	15
50-64	40	5.4	19	<1	1	4	7	11	15	20
65+	42	7.5	35	<1	1	6	12	15	21	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	680	6.1	38	1	1	4	8	13	18	31
20-34	280	4.4	14	<1	1	3	6	9	11	19
35-49	332	5.6	39	1	1	4	7	11	16	46
50-64	594	7.2	62	1	1	5	9	15	22	39
65+	1941	9.7	114	1	2	6	12	22	36	99+
B. *Operated*										
0-19 YRS	48	8.4	142	1	1	5	9	20	25	71
20-34	47	6.5	75	1	1	4	9	11	14	59
35-49	74	8.1	88	1	1	5	10	17	28	50
50-64	109	11.9	212	1	2	7	14	28	47	86
65+	208	16.4	188	1	3	12	25	35	45	83
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1659	4.7	32	1	1	3	6	9	13	28
B. *Operated*	268	4.4	16	<1	<1	3	5	10	12	21
2. MULTIPLE DX										
A. *Not Operated*	3827	7.9	82	1	1	5	10	17	26	68
B. *Operated*	486	12.4	176	1	2	8	16	31	41	73
1. SINGLE DX	1927	4.7	29	<1	1	3	6	9	13	25
2. MULTIPLE DX	4313	8.4	95	1	1	6	10	19	29	71
A. NOT OPERATED	5486	7.0	69	1	1	5	8	15	22	53
B. OPERATED	754	9.5	134	<1	1	5	12	24	34	67
TOTAL 0-19 YRS	1359	5.3	36	1	1	4	7	11	15	29
20-34	643	3.9	16	<1	1	3	5	8	11	17
35-49	620	5.2	36	<1	1	4	7	10	15	39
50-64	943	7.1	72	1	1	5	9	15	21	47
65+	2675	9.6	114	1	2	6	12	23	35	99+
GRAND TOTAL	**6240**	**7.3**	**78**	**1**	**1**	**5**	**9**	**16**	**24**	**59**

341: Fracture of vault of skull (800; 803)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	123	2.1	6	1	1	1	2	3	6	13
20-34	6	2.0		1	1	2	2	3	3	3
35-49	3	6.0	25	1	1	6	10	11	11	11
50-64	3	4.0	3	2	2	5	5	5	5	5
65+	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-19 YRS	14	7.2	33	<1	1	6	12	17	17	17
20-34	2	2.5	1	2	2	2	3	3	3	3
35-49	1	8.0		8	8	8	8	8	8	8
50-64	2	4.5	25	<1	<1	4	8	8	8	8
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	71	3.8	12	1	1	2	5	8	11	18
20-34	14	8.6	145	<1	1	3	9	23	40	45
35-49	9	9.0	86	2	2	6	9	24	32	32
50-64	4	15.3	272	1	1	12	28	36	36	36
65+	6	7.3	92	1	1	2	14	23	24	24
B. *Operated*										
0-19 YRS	20	13.1	191	3	4	8	35	63	99+	99+
20-34	27	11.4	156	1	2	6	16	46	99+	99+
35-49	13	14.3	81	1	3	15	17	29	31	32
50-64	11	19.8	521	1	2	8	40	80	97	99+
65+	3	27.7	254	10	10	32	39	41	41	41
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	136	2.2	6	1	1	2	2	3	6	13
B. *Operated*	19	6.5	28	<1	1	6	10	15	17	17
2. MULTIPLE DX										
A. *Not Operated*	104	5.5	54	1	1	3	6	13	21	40
B. *Operated*	74	14.3	212	1	2	10	28	47	99+	99+
1. SINGLE DX	155	2.7	11	1	1	2	3	6	10	17
2. MULTIPLE DX	178	9.2	138	1	1	5	12	32	46	99+
A. NOT OPERATED	240	3.6	29	1	1	2	3	8	12	32
B. OPERATED	93	12.7	184	1	2	8	17	42	89	99+
TOTAL 0-19 YRS	228	3.9	35	1	1	2	4	9	12	57
20-34	49	9.1	135	1	1	5	13	35	48	99+
35-49	26	11.3	79	1	2	8	17	27	32	32
50-64	20	15.0	363	<1	1	6	29	57	85	99+
65+	10	12.8	217	1	1	6	24	36	41	41
GRAND TOTAL	**333**	**6.2**	**89**	**1**	**1**	**2**	**7**	**17**	**33**	**99+**

342: Fracture of base of skull (801)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	71	2.9	7	1	1	2	4	6	10	12
20-34	22	4.1	15	<1	1	3	5	9	13	18
35-49	5	6.6	62	1	1	4	10	20	20	20
50-64	2	4.0	2	3	3	4	5	5	5	5
65+	2	5.0	2	4	4	5	6	6	6	6
B. *Operated*										
0-19 YRS	4	7.0	17	1	1	8	9	10	10	10
20-34	5	6.6	20	1	1	7	9	13	13	13
35-49	1	6.0		6	6	6	6	6	6	6
50-64										
65+	1	15.0		15	15	15	15	15	15	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	47	6.0	139	<1	1	3	6	9	20	79
20-34	47	4.6	11	1	1	4	7	10	12	12
35-49	29	5.2	35	1	1	4	5	10	15	32
50-64	10	14.7	425	2	2	6	11	53	59	59
65+	7	7.7	19	2	3	6	10	14	15	15
B. *Operated*										
0-19 YRS	17	8.3	37	2	2	7	13	21	69	99+
20-34	41	12.9	153	2	2	9	23	53	99+	99+
35-49	9	10.4	87	1	1	8	21	64	99+	99+
50-64	9	18.2	192	2	4	19	23	39	49	49
65+	8	20.9	250	6	7	17	29	46	53	53
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	102	3.4	11	1	1	2	4	7	11	19
B. *Operated*	11	7.5	19	1	1	8	10	14	15	15
2. MULTIPLE DX										
A. *Not Operated*	140	6.0	91	1	1	4	7	11	14	61
B. *Operated*	84	13.0	143	2	2	10	22	44	99+	99+
1. SINGLE DX	113	3.8	13	1	1	3	4	8	12	19
2. MULTIPLE DX	224	8.7	122	1	1	5	11	23	47	99+
A. NOT OPERATED	242	4.9	59	1	1	3	6	10	12	48
B. OPERATED	95	12.4	131	2	2	9	20	39	99+	99+
TOTAL 0-19 YRS	139	4.7	58	1	1	3	6	10	14	81
20-34	115	7.5	77	1	1	5	10	22	40	99+
35-49	44	6.4	49	1	1	4	7	20	30	99+
50-64	21	15.2	285	2	2	9	21	48	53	59
65+	18	13.7	157	3	4	9	17	29	43	53
GRAND TOTAL	**337**	**7.0**	**90**	**1**	**1**	**4**	**8**	**19**	**29**	**99+**

343: Fracture of face bones (802)

				[illegible]RCENTILES						
TYPE OF PATIENT (1)	TCTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	5TH (5)	10TH (6)	50TH (7)	[illegible]H (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	22	1.7	1	<1	<1	1	3	3	4	4
20-34	41	1.7	2	<1	<1	1	2	3	4	9
35-49	10	2.6	4	<1	<1	2	3	6	6	6
50-64	6	2.8	4	<1	<1	2	4	6	6	6
65+	4	2.0	1	<1	<1	2	3	3	3	3
B. *Operated*										
0-19 YRS	187	2.3	3	<1	<1	2	3	5	6	8
20-34	374	2.6	3	<1	1	2	3	5	6	9
35-49	110	2.5	3	<1	<1	2	3	5	6	9
50-64	18	2.4	3	<1	<1	2	3	5	6	7
65+	7	4.3	1	3	3	4	5	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	30	2.2	2	<1	<1	2	3	4	4	7
20-34	55	2.4	4	<1	<1	2	3	6	7	9
35-49	22	4.9	22	1	1	3	6	12	16	17
50-64	22	5.3	23	<1	<1	4	7	11	16	21
65+	16	12.8	299	3	3	9	12	24	59	74
B. *Operated*										
0-19 YRS	140	4.6	25	<1	1	3	6	10	13	22
20-34	341	4.5	24	1	1	3	5	8	12	25
35-49	101	6.0	55	1	1	4	7	11	16	47
50-64	47	8.8	106	1	2	6	11	18	20	66
65+	23	10.0	253	1	1	5	8	22	46	74
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	83	1.9	2	<1	<1	1	3	3	5	8
B. *Operated*	696	2.5	3	<1	<1	2	3	5	6	8
2. MULTIPLE DX										
A. *Not Operated*	145	4.3	50	<1	<1	2	5	9	12	27
B. *Operated*	652	5.3	44	1	1	4	6	10	16	39
1. SINGLE DX	779	2.5	3	<1	<1	2	3	5	6	8
2. MULTIPLE DX	797	5.1	45	1	1	3	6	10	15	35
A. NOT OPERATED	228	3.4	34	<1	<1	2	4	8	10	22
B. OPERATED	1348	3.8	25	<1	1	3	5	7	10	20
TOTAL 0-19 YRS	379	3.1	12	<1	<1	2	4	6	8	18
20-34	811	3.4	13	<1	1	2	4	6	8	17
35-49	243	4.2	29	<1	1	2	5	9	11	29
50-64	93	6.4	66	<1	1	4	7	15	18	48
65+	50	9.4	217	1	1	5	9	20	31	74
GRAND TOTAL	**1576**	**3.8**	**26**	**<1**	**1**	**2**	**4**	**7**	**10**	**21**

344: Fracture of vertebral column without mention of spinal cord injury (805)

				PERCENTILES						
TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	48	6.8	56	1	1	4	8	15	29	33
20-34	140	7.3	60	1	1	5	8	14	21	43
35-49	67	7.0	29	1	2	6	10	14	18	27
50-64	45	8.6	43	2	2	7	10	20	24	99+
65+	54	11.1	79	2	2	8	14	28	30	36
B. *Operated*										
0-19 YRS	7	14.0	177	3	3	7	27	33	34	34
20-34	18	9.4	44	1	2	8	15	18	21	23
35-49	2	7.0	8	5	5	7	9	9	9	9
50-64	4	9.3	24	3	3	9	12	15	15	15
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	40	12.4	270	1	1	8	13	35	39	90
20-34	101	9.1	116	1	2	6	10	20	42	79
35-49	58	8.7	54	1	2	7	11	17	23	36
50-64	95	10.7	73	2	3	8	13	22	29	45
65+	235	18.7	239	3	5	14	22	40	54	99+
B. *Operated*										
0-19 YRS	11	13.4	120	1	2	9	22	31	31	31
20-34	43	13.9	222	2	3	9	18	30	62	99+
35-49	29	21.0	268	2	3	20	28	50	71	99+
50-64	15	15.7	75	3	4	15	20	31	32	33
65+	24	22.1	195	2	7	21	32	60	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	354	7.9	56	1	2	6	10	17	26	36
B. *Operated*	31	10.3	67	2	2	9	15	21	31	34
2. MULTIPLE DX										
A. *Not Operated*	529	13.9	186	2	3	10	18	33	44	89
B. *Operated*	122	17.4	209	2	3	15	24	43	64	99+
1. SINGLE DX	385	8.1	57	1	2	6	10	17	27	36
2. MULTIPLE DX	651	14.5	192	2	3	10	19	34	46	99+
A. NOT OPERATED	883	11.5	142	1	2	8	14	26	38	80
B. OPERATED	153	15.9	188	2	3	12	23	34	53	99+
TOTAL 0-19 YRS	106	10.1	156	1	1	6	11	30	34	63
20-34	302	9.0	104	1	2	6	11	19	31	69
35-49	156	10.3	108	1	2	7	12	23	31	70
50-64	159	10.6	66	2	3	8	14	22	30	46
65+	313	17.6	217	2	4	14	22	39	53	99+
GRAND TOTAL	**1036**	**12.1**	**151**	**1**	**2**	**8**	**16**	**28**	**39**	**89**

345: Fracture of vertebral column with cord injury (806)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	17.0		17	17	17	17	17	17	17
20-34	3	3.3	6	<1	<1	3	5	6	6	6
35-49	1	19.0		19	19	19	19	19	19	19
50-64	2	4.5	13	2	2	4	7	7	7	7
65+	3	5.7	5	3	3	7	7	7	7	7
B. *Operated*										
0-19 YRS	3	14.3	57	9	9	11	20	23	23	23
20-34	3	16.3	9	13	13	17	18	19	19	19
35-49										
50-64	1	2.0		2	2	2	2	2	2	2
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	7	5.4	26	1	1	5	6	14	16	16
35-49	2	3.0		3	3	3	3	3	3	3
50-64	8	18.4	510	2	3	10	21	57	71	71
65+	5	15.8	16	12	12	16	21	92	99+	99+
B. *Operated*										
0-19 YRS	4	45.8	786	19	19	63	82	99+	99+	99+
20-34	8	48.9	1202	9	19	97	99+	99+	99+	99+
35-49	4	31.0	206	11	11	38	58	99+	99+	99+
50-64	3	7.3	6	5	5	7	9	10	10	10
65+	3	25.7	462	4	4	26	42	47	47	47
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	10	7.2	38	<1	1	6	7	18	19	19
B. *Operated*	7	13.4	49	2	3	13	18	22	23	23
2. MULTIPLE DX										
A. *Not Operated*	22	12.3	221	1	2	7	17	34	81	99+
B. *Operated*	22	36.2	806	5	7	47	99+	99+	99+	99+
1. SINGLE DX	17	9.8	49	1	2	7	17	19	22	23
2. MULTIPLE DX	44	24.3	648	2	3	20	71	99+	99+	99+
A. NOT OPERATED	32	10.7	167	1	2	7	16	22	64	99+
B. OPERATED	29	30.7	713	4	6	30	97	99+	99+	99+
TOTAL 0-19 YRS	8	30.4	624	9	10	23	66	90	99+	99+
20-34	21	23.2	871	1	2	19	98	99+	99+	99+
35-49	7	21.3	278	3	3	25	41	83	99+	99+
50-64	14	12.9	322	2	2	7	13	30	62	71
65+	11	15.7	160	3	4	13	23	63	95	99+
GRAND TOTAL	**61**	**20.2**	**521**	**2**	**3**	**17**	**46**	**99+**	**99+**	**99+**

346: Fracture of ribs, sternum, larynx and trachea (807)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	14	2.1	1	<1	1	2	3	3	5	5
20-34	29	3.8	15	<1	1	2	4	11	12	16
35-49	35	2.6	3	<1	1	2	4	5	6	7
50-64	37	5.0	38	<1	1	3	5	12	20	30
65+	65	8.3	48	<1	1	6	12	17	23	30
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+	1	18.0		18	18	18	18	18	18	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	33	4.9	36	1	1	4	5	9	11	35
20-34	73	3.9	8	1	1	3	5	7	11	13
35-49	92	6.4	22	1	2	5	8	13	17	21
50-64	139	7.5	43	1	2	6	9	15	21	34
65+	254	11.6	107	2	3	9	15	25	33	99+
B. *Operated*										
0-19 YRS	5	4.2	7	<1	<1	5	6	7	7	7
20-34	34	8.4	74	1	2	7	9	21	41	99+
35-49	23	13.4	146	4	5	9	13	35	42	47
50-64	27	16.0	140	3	5	12	23	37	39	46
65+	28	26.3	472	3	7	20	45	64	85	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	180	5.3	34	<1	1	3	7	13	17	29
B. *Operated*	1	18.0		18	18	18	18	18	18	18
2. MULTIPLE DX										
A. *Not Operated*	591	8.5	71	1	2	6	10	19	25	49
B. *Operated*	117	15.2	239	2	3	9	21	43	54	99+
1. SINGLE DX	181	5.4	34	<1	1	3	7	14	18	29
2. MULTIPLE DX	708	9.6	104	1	2	7	11	21	32	88
A. NOT OPERATED	771	7.8	64	1	1	5	10	17	23	46
B. OPERATED	118	15.2	237	2	3	9	20	43	53	99+
TOTAL 0-19 YRS	52	4.1	25	<1	1	3	5	7	9	34
20-34	136	5.0	29	1	1	4	6	11	14	54
35-49	150	6.6	47	1	1	5	8	13	18	40
50-64	203	8.2	65	1	2	6	10	20	24	39
65+	348	12.2	142	2	3	9	15	28	41	99+
GRAND TOTAL	**889**	**8.7**	**93**	**1**	**1**	**6**	**11**	**20**	**30**	**64**

347: Fracture of pelvis (808)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	28	6.4	65	1	2	4	7	13	18	43
20-34	31	7.5	17	1	2	7	10	13	15	18
35-49	10	7.6	30	3	3	6	11	16	20	20
50-64	19	9.8	32	2	4	10	11	15	22	28
65+	71	19.9	215	5	6	17	29	43	50	95
B. *Operated*										
0-19 YRS	1	19.0		19	19	19	19	19	19	19
20-34	7	9.7	41	3	3	7	13	20	21	21
35-49	1	22.0		22	22	22	22	22	22	22
50-64										
65+	1	35.0		35	35	35	35	35	35	35
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	40	9.4	63	1	2	8	12	21	24	41
20-34	28	11.9	81	3	4	8	17	26	31	36
35-49	17	11.8	151	2	2	8	13	28	43	50
50-64	42	19.0	308	4	5	15	22	36	64	85
65+	159	25.6	284	4	7	24	37	55	67	99+
B. *Operated*										
0-19 YRS	12	23.0	403	2	5	20	46	99+	99+	99+
20-34	32	28.4	534	4	6	20	54	66	68	73
35-49	8	19.4	134	6	6	18	26	37	39	39
50-64	8	36.0	532	5	8	31	49	71	79	79
65+	23	27.9	229	7	11	29	51	99+	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	159	13.1	153	2	3	9	17	30	43	76
B. *Operated*	10	14.4	100	3	3	13	21	28	35	35
2. MULTIPLE DX										
A. *Not Operated*	286	20.2	270	3	4	16	30	44	60	99+
B. *Operated*	83	27.3	391	5	6	24	46	71	99+	99+
1. SINGLE DX	169	13.2	149	2	3	9	17	30	43	73
2. MULTIPLE DX	369	21.8	305	3	5	18	33	55	69	99+
A. NOT OPERATED	445	17.7	239	2	4	12	26	42	55	99+
B. OPERATED	93	25.9	375	4	6	22	44	69	99+	99+
TOTAL 0-19 YRS	81	10.5	139	1	2	7	13	27	44	99+
20-34	98	15.7	282	2	4	9	18	39	61	71
35-49	36	12.6	124	2	3	8	18	29	37	50
50-64	69	18.4	306	4	4	11	22	36	60	84
65+	254	24.2	265	5	6	22	36	55	84	99+
GRAND TOTAL	**538**	**19.1**	**272**	**2**	**4**	**14**	**28**	**46**	**62**	**99+**

348: Fracture of humerus (812)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	77	1.9	3	<1	<1	1	2	4	6	9
20-34	12	2.7	3	<1	<1	2	4	5	6	6
35-49	17	4.1	13	<1	1	3	5	7	13	16
50-64	32	5.3	77	<1	1	3	5	11	13	50
65+	62	9.6	137	<1	1	5	12	27	40	46
B. *Operated*										
0-19 YRS	304	3.3	20	1	1	2	3	6	11	25
20-34	35	4.0	10	1	1	3	6	9	11	12
35-49	17	4.2	16	<1	1	3	5	10	14	16
50-64	32	4.6	13	1	1	4	6	9	13	17
65+	43	5.9	38	1	1	5	7	12	15	37
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	27	3.6	21	<1	1	2	4	10	13	21
20-34	12	5.7	52	1	1	3	6	14	25	27
35-49	12	9.4	144	<1	1	6	9	26	41	44
50-64	24	11.6	274	1	1	6	12	30	48	77
65+	120	20.0	326	2	3	15	34	50	68	99+
B. *Operated*										
0-19 YRS	48	6.8	74	1	1	4	8	18	24	47
20-34	60	10.1	278	1	2	4	10	17	43	93
35-49	29	7.9	232	<1	1	5	6	15	20	84
50-64	48	9.8	139	1	2	6	13	20	24	65
65+	94	19.0	416	2	3	12	29	69	93	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	200	5.1	67	<1	1	2	5	12	21	45
B. *Operated*	431	3.7	21	1	1	2	4	8	12	25
2. MULTIPLE DX										
A. *Not Operated*	195	15.1	288	1	1	8	23	45	59	99+
B. *Operated*	279	12.2	282	1	2	6	14	36	66	99+
1. SINGLE DX	631	4.2	36	1	1	2	4	9	14	37
2. MULTIPLE DX	474	13.4	286	1	1	7	17	39	63	99+
A. NOT OPERATED	395	10.0	201	<1	1	4	12	35	46	92
B. OPERATED	710	7.1	141	1	1	3	7	17	26	85
TOTAL 0-19 YRS	456	3.4	24	1	1	2	3	7	12	25
20-34	119	7.1	156	1	1	4	8	12	20	80
35-49	75	6.5	120	<1	1	4	6	13	17	74
50-64	136	7.9	124	1	1	4	9	18	21	67
65+	319	15.8	305	1	1	9	24	46	68	99+
GRAND TOTAL	**1105**	**8.1**	**164**	**1**	**1**	**3**	**9**	**21**	**39**	**85**

349: Fracture of radius and ulna (813)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	61	1.2		<1	<1	1	1	2	2	4
20-34	13	1.4	1	<1	<1	1	2	3	3	3
35-49	17	1.8	2	<1	<1	1	2	3	6	7
50-64	26	2.8	13	<1	<1	1	3	7	13	16
65+	21	3.5	19	<1	<1	2	4	6	13	21
B. *Operated*										
0-19 YRS	1222	1.6	2	<1	1	1	2	3	4	7
20-34	228	2.6	4	<1	1	2	3	5	6	11
35-49	161	2.5	5	<1	1	2	3	5	6	15
50-64	222	2.1	2	<1	1	2	2	4	5	7
65+	204	3.1	11	1	1	2	4	7	9	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	16	2.5	3	<1	<1	2	4	5	6	6
20-34	21	3.4	12	<1	1	2	5	8	11	14
35-49	14	3.4	11	<1	<1	2	6	9	10	10
50-64	19	4.4	21	<1	<1	3	5	12	16	18
65+	51	14.3	203	1	2	9	21	41	47	99
B. *Operated*										
0-19 YRS	162	3.6	33	1	1	2	4	8	11	28
20-34	123	6.3	68	1	1	4	7	13	20	49
35-49	67	6.0	81	1	1	4	7	10	15	60
50-64	111	4.9	20	1	1	3	6	11	13	22
65+	194	7.2	97	1	1	4	8	17	24	86
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	138	1.9	6	<1	<1	1	2	4	5	17
B. *Operated*	2037	2.0	4	<1	1	1	2	4	5	9
2. MULTIPLE DX										
A. *Not Operated*	121	8.0	121	<1	1	4	9	24	40	66
B. *Operated*	657	5.6	63	1	1	3	6	12	19	55
1. SINGLE DX	2175	2.0	4	<1	1	1	2	4	5	10
2. MULTIPLE DX	778	6.0	72	1	1	3	7	13	21	55
A. NOT OPERATED	259	4.8	69	<1	<1	2	5	11	22	47
B. OPERATED	2694	2.9	20	1	1	2	3	6	9	21
TOTAL 0-19 YRS	1461	1.8	5	<1	1	1	2	3	5	10
20-34	385	3.8	28	<1	1	2	4	7	10	28
35-49	259	3.4	27	<1	1	2	4	7	9	18
50-64	378	3.1	11	<1	1	2	3	6	10	19
65+	470	6.0	79	1	1	3	7	14	24	65
GRAND TOTAL	**2953**	**3.0**	**25**	**<1**	**1**	**2**	**3**	**6**	**10**	**27**

350: Miscellaneous fractures of upper extremity (814-818)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	15	1.7	2	<1	<1	1	2	5	5	5
20-34	27	2.0	3	<1	<1	1	2	5	6	6
35-49	15	1.3		<1	<1	<1	2	2	3	3
50-64	1	1.0		1	1	1	1	1	1	1
65+	5	2.4	2	1	1	2	3	5	5	5
B. *Operated*										
0-19 YRS	215	1.7	2	<1	<1	1	2	3	3	10
20-34	232	1.9	2	<1	<1	1	2	3	5	7
35-49	90	2.2	13	<1	<1	1	2	4	5	24
50-64	33	2.5	6	<1	1	2	3	5	7	13
65+	16	2.4	3	1	1	2	3	5	6	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	14	1.4	1	<1	<1	1	2	3	3	3
20-34	22	2.5	6	<1	<1	2	3	4	8	12
35-49	6	3.5	5	1	1	3	5	7	7	7
50-64	10	7.4	54	1	1	6	8	18	26	26
65+	15	14.8	472	<1	1	7	22	31	71	85
B. *Operated*										
0-19 YRS	78	3.7	28	<1	1	2	4	6	15	29
20-34	119	4.7	80	<1	1	3	5	8	11	61
35-49	59	3.8	21	<1	1	3	5	7	8	33
50-64	40	5.7	68	1	1	3	5	17	26	38
65+	7	4.1	15	<1	<1	3	7	10	11	11
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	63	1.8	2	<1	<1	1	2	4	5	6
B. *Operated*	586	1.9	4	<1	<1	1	2	3	4	9
2. MULTIPLE DX										
A. *Not Operated*	67	5.9	137	<1	<1	3	5	12	25	76
B. *Operated*	303	4.4	52	<1	1	3	4	7	12	36
1. SINGLE DX	649	1.9	4	<1	<1	1	2	3	5	8
2. MULTIPLE DX	370	4.7	67	<1	1	3	4	8	16	37
A. NOT OPERATED	130	3.9	75	<1	<1	2	3	7	12	42
B. OPERATED	889	2.8	22	<1	<1	2	3	5	7	24
TOTAL 0-19 YRS	322	2.2	9	<1	<1	1	2	4	5	22
20-34	400	2.8	27	<1	<1	2	3	5	7	14
35-49	170	2.8	15	<1	<1	2	3	5	7	28
50-64	84	4.6	43	1	1	2	5	9	20	35
65+	43	7.0	195	<1	1	3	6	15	27	85
GRAND TOTAL	**1019**	**2.9**	**29**	**<1**	**<1**	**2**	**3**	**5**	**7**	**27**

351: Fracture of neck of femur (820)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	13.0	49	5	5	12	17	22	22	22
20-34	1	60.0		60	60	60	60	60	60	60
35-49	3	12.3	1	11	11	13	13	13	13	13
50-64	6	18.2	198	3	3	27	33	87	99+	99+
65+	30	15.4	249	1	3	9	27	46	59	99+
B. *Operated*										
0-19 YRS	8	10.6	48	3	4	8	15	22	23	23
20-34	15	8.2	13	3	4	8	10	12	16	17
35-49	33	14.8	363	4	5	10	13	22	73	91
50-64	65	12.0	33	5	5	11	16	21	22	27
65+	371	17.3	154	5	6	14	21	32	44	83
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	9	24.0	954	1	1	6	51	73	83	83
20-34	1	59.0		59	59	59	59	59	59	59
35-49	3	10.0	49	2	2	13	14	15	15	15
50-64	12	18.3	285	1	2	14	28	45	51	52
65+	103	20.5	289	3	4	16	36	67	99+	99+
B. *Operated*										
0-19 YRS	8	17.6	214	1	3	13	26	41	45	45
20-34	24	19.5	280	3	5	16	22	39	54	82
35-49	38	18.4	229	5	7	14	24	37	67	99+
50-64	137	18.3	125	7	8	15	24	32	42	57
65+	1124	27.5	360	7	10	23	39	72	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	44	16.4	242	2	3	11	27	56	68	99+
B. *Operated*	492	16.0	151	5	6	13	20	28	41	83
2. MULTIPLE DX										
A. *Not Operated*	128	20.6	334	2	3	16	38	59	99+	99+
B. *Operated*	1331	26.1	340	7	9	21	36	65	97	99+
1. SINGLE DX	536	16.1	158	5	5	13	20	29	44	86
2. MULTIPLE DX	1459	25.6	342	6	8	21	36	65	99+	99+
A. NOT OPERATED	172	19.5	312	2	3	15	33	58	99+	99+
B. OPERATED	1823	23.4	309	6	8	19	32	56	84	99+
TOTAL 0-19 YRS	29	17.0	373	1	2	9	21	47	59	83
20-34	41	17.3	289	3	4	12	19	40	59	82
35-49	77	16.3	271	5	6	12	15	31	65	97
50-64	220	16.4	114	5	6	14	22	30	41	57
65+	1628	24.5	327	6	8	20	35	62	94	99+
GRAND TOTAL	**1995**	**23.0**	**310**	**5**	**7**	**18**	**32**	**56**	**85**	**99+**

352: Other femoral fracture (821)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	89	23.8	315	2	2	22	34	50	57	71
20-34	4	4.8	10	2	2	4	7	9	9	9
35-49	1	4.0		4	4	4	4	4	4	4
50-64	3	19.7	884	2	2	3	41	54	54	54
65+	9	18.3	296	1	1	10	35	40	42	42
B. *Operated*										
0-19 YRS	97	20.3	276	2	3	18	32	46	52	65
20-34	33	10.7	41	2	4	10	14	17	26	29
35-49	5	17.2	105	8	8	15	24	33	33	33
50-64	5	18.4	62	9	9	16	26	28	28	28
65+	17	23.8	522	4	8	18	28	50	83	99
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	51	25.0	260	2	3	25	33	52	61	99
20-34	5	8.8	32	4	4	7	13	17	17	17
35-49	4	29.8	1045	5	5	21	54	73	73	73
50-64	7	25.6	641	1	2	28	54	92	99+	99+
65+	26	30.6	621	3	4	30	54	82	99+	99+
B. *Operated*										
0-19 YRS	79	30.5	415	2	4	28	46	59	68	77
20-34	65	21.1	238	4	5	18	30	43	61	99+
35-49	22	20.7	302	3	5	14	25	51	60	72
50-64	25	24.2	419	6	6	21	30	46	71	97
65+	58	35.1	533	6	10	40	66	99+	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	106	22.3	322	2	2	21	34	49	56	71
B. *Operated*	157	18.5	254	2	4	13	27	40	51	68
2. MULTIPLE DX										
A. *Not Operated*	93	25.9	411	2	3	25	36	70	81	99+
B. *Operated*	249	27.6	413	4	6	24	45	68	98	99+
1. SINGLE DX	263	20.0	284	2	3	16	31	44	53	69
2. MULTIPLE DX	342	27.2	412	3	5	25	43	68	94	99+
A. NOT OPERATED	199	24.0	365	2	2	22	35	54	72	99+
B. OPERATED	406	24.1	371	3	5	19	37	56	77	99+
TOTAL 0-19 YRS	316	24.6	331	2	3	23	36	51	59	72
20-34	107	16.7	190	3	4	13	22	36	54	99+
35-49	32	20.8	341	4	5	14	26	51	70	73
50-64	40	23.4	414	3	5	21	31	58	84	99+
65+	110	30.9	550	3	6	31	54	99+	99+	99+
GRAND TOTAL	**605**	**24.1**	**368**	**2**	**4**	**21**	**36**	**55**	**73**	**99+**

353: Fracture of tibia and fibula (823)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	140	2.6	5	<1	1	2	3	5	6	13
20-34	61	3.5	10	<1	<1	3	4	8	11	16
35-49	42	4.0	15	<1	1	3	5	10	11	21
50-64	25	8.8	101	1	2	5	11	20	28	48
65+	22	12.7	318	2	3	7	10	36	60	76
B. *Operated*										
0-19 YRS	274	4.1	22	1	1	3	5	7	11	27
20-34	206	5.9	29	1	2	4	7	12	16	28
35-49	132	6.0	24	1	1	4	8	12	15	24
50-64	54	9.4	84	1	3	7	10	20	31	48
65+	23	13.4	188	4	5	9	14	24	44	69
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	41	4.8	43	1	1	3	5	8	19	32
20-34	31	4.3	13	1	1	3	5	7	12	19
35-49	22	10.7	194	1	3	7	12	44	75	99+
50-64	37	11.0	262	1	1	8	11	20	31	97
65+	39	13.6	148	3	4	10	19	35	79	99+
B. *Operated*										
0-19 YRS	75	9.2	200	1	2	5	10	17	33	88
20-34	141	14.6	202	2	3	11	18	32	47	72
35-49	103	12.2	136	2	3	8	14	27	39	58
50-64	91	17.0	272	3	4	12	21	41	71	99+
65+	57	20.9	262	2	5	18	33	60	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	290	4.3	47	<1	1	3	4	9	12	41
B. *Operated*	689	5.7	39	1	1	4	7	12	16	31
2. MULTIPLE DX										
A. *Not Operated*	170	8.8	140	1	1	5	10	20	34	99+
B. *Operated*	467	14.5	218	2	3	10	18	34	52	99+
1. SINGLE DX	979	5.3	41	1	1	4	6	11	15	32
2. MULTIPLE DX	637	13.0	203	1	2	8	17	32	49	99+
A. NOT OPERATED	460	6.0	86	1	1	3	7	13	20	74
B. OPERATED	1156	9.3	129	1	1	5	11	21	32	71
TOTAL 0-19 YRS	530	4.5	48	1	1	3	5	8	13	33
20-34	439	8.3	101	1	2	5	10	19	26	54
35-49	299	8.2	84	1	2	5	10	17	27	56
50-64	207	12.9	211	2	2	8	16	29	48	98
65+	141	16.4	236	3	4	11	22	48	70	99+
GRAND TOTAL	**1616**	**8.3**	**119**	**1**	**1**	**5**	**10**	**19**	**31**	**71**

354: Miscellaneous fractures of lower extremity (822; 824-827)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	77	2.4	3	<1	1	2	3	4	6	9
20-34	99	3.1	10	<1	<1	2	4	6	9	18
35-49	69	3.1	6	<1	1	2	4	7	8	11
50-64	44	3.9	19	<1	<1	3	5	9	11	25
65+	48	10.0	125	<1	<1	6	12	26	39	47
B. *Operated*										
0-19 YRS	275	3.5	9	1	1	3	4	6	7	11
20-34	484	4.3	8	1	2	4	5	7	9	15
35-49	298	4.9	13	2	2	4	5	8	11	23
50-64	192	5.6	9	2	3	5	7	10	13	14
65+	100	7.9	15	3	4	7	10	13	16	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	27	4.4	16	1	1	3	5	10	15	17
20-34	74	5.1	25	1	1	4	7	10	13	31
35-49	39	5.0	21	1	1	3	7	10	15	20
50-64	53	9.1	134	1	2	6	11	20	27	72
65+	90	14.9	272	2	3	9	19	40	59	90
B. *Operated*										
0-19 YRS	91	6.6	34	1	2	5	8	13	20	27
20-34	327	7.0	64	2	2	5	7	17	22	50
35-49	179	7.1	41	2	3	5	8	13	20	50
50-64	160	9.1	111	3	3	6	10	16	26	72
65+	120	13.2	154	3	4	9	19	33	49	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	337	4.0	31	<1	<1	2	4	8	12	29
B. *Operated*	1349	4.7	11	1	2	4	6	8	11	19
2. MULTIPLE DX										
A. *Not Operated*	283	8.9	141	1	1	5	10	20	30	73
B. *Operated*	877	8.2	81	2	2	5	9	19	26	62
1. SINGLE DX	1686	4.6	15	1	1	4	5	8	11	21
2. MULTIPLE DX	1160	8.4	96	2	2	5	9	19	27	72
A. NOT OPERATED	620	6.2	87	<1	1	3	7	13	21	58
B. OPERATED	2226	6.1	42	1	2	4	7	11	17	39
TOTAL 0-19 YRS	470	4.0	15	1	1	3	5	7	11	25
20-34	984	5.1	30	1	1	4	6	9	14	30
35-49	585	5.4	23	1	2	4	6	10	14	25
50-64	449	7.1	65	1	2	5	8	13	18	40
65+	358	11.7	148	2	3	8	14	26	44	97
GRAND TOTAL	**2846**	**6.1**	**52**	**1**	**2**	**4**	**7**	**11**	**19**	**45**

355: Fracture of other bones (810-811; 829)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	35	1.7	1	<1	<1	1	2	3	3	7
20-34	34	2.1	3	<1	1	2	3	4	4	9
35-49	12	1.8	1	<1	<1	1	2	3	4	4
50-64	7	6.3	25	1	1	7	11	12	12	12
65+	8	7.5	12	4	4	6	10	13	13	13
B. *Operated*										
0-19 YRS	21	2.7	4	<1	1	2	4	6	7	7
20-34	17	2.6	3	1	1	2	3	5	6	7
35-49	2	3.0		3	3	3	3	3	3	3
50-64	2	3.0	2	2	2	3	4	4	4	4
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	42	3.4	23	1	1	2	4	7	8	30
20-34	52	3.5	7	1	1	3	5	8	9	11
35-49	27	5.1	10	1	1	5	7	9	11	15
50-64	26	10.2	179	1	1	7	9	26	48	57
65+	34	12.6	119	2	2	9	15	24	37	51
B. *Operated*										
0-19 YRS	14	4.8	30	1	1	3	6	9	19	22
20-34	26	4.0	9	1	1	3	5	8	10	14
35-49	9	4.3	7	1	1	5	6	8	9	9
50-64	9	6.1	20	1	1	6	9	13	14	14
65+	1	4.0		4	4	4	4	4	4	4
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	96	2.7	7	<1	<1	2	3	7	9	13
B. *Operated*	42	2.7	3	1	1	2	4	5	6	7
2. MULTIPLE DX										
A. *Not Operated*	181	6.4	69	1	1	4	8	13	22	49
B. *Operated*	59	4.6	15	1	1	4	6	9	13	21
1. SINGLE DX	138	2.7	6	<1	1	2	3	6	8	12
2. MULTIPLE DX	240	5.9	57	1	1	4	7	11	18	46
A. NOT OPERATED	277	5.1	51	1	1	3	6	10	15	44
B. OPERATED	101	3.8	11	1	1	3	5	7	9	18
TOTAL 0-19 YRS	112	2.9	14	<1	1	2	3	6	7	25
20-34	129	3.2	6	1	1	2	4	7	9	12
35-49	50	4.1	9	1	1	3	5	8	9	15
50-64	44	8.4	116	1	1	6	9	14	33	57
65+	43	11.4	101	2	3	9	13	23	35	51
GRAND TOTAL	**378**	**4.8**	**40**	**1**	**1**	**3**	**6**	**9**	**14**	**37**

356: Fracture of multiple bones (804; 809; 819; 828)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	1	11.0		11	11	11	11	11	11	11
35-49	1	2.0		2	2	2	2	2	2	2
50-64										
65+										
B. *Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	1	20.0		20	20	20	20	20	20	20
20-34										
35-49										
50-64										
65+	1	10.0		10	10	10	10	10	10	10
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3	4.7	30	1	1	2	9	11	11	11
B. *Operated*	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*	2	15.0	50	10	10	15	20	20	20	20
1. SINGLE DX	4	3.8	24	1	1	2	6	11	11	11
2. MULTIPLE DX	2	15.0	50	10	10	15	20	20	20	20
A. NOT OPERATED	3	4.7	30	1	1	2	9	11	11	11
B. OPERATED	3	10.3	90	1	1	10	17	20	20	20
TOTAL 0-19 YRS	3	7.3	120	1	1	1	15	20	20	20
20-34	1	11.0		11	11	11	11	11	11	11
35-49	1	2.0		2	2	2	2	2	2	2
50-64										
65+	1	10.0		10	10	10	10	10	10	10
GRAND TOTAL	**6**	**7.5**	**58**	**1**	**1**	**6**	**11**	**19**	**20**	**20**

357: Dislocation of shoulder (831)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	16	1.3		<1	<1	1	2	2	3	3
20-34	27	1.3	1	<1	<1	1	1	2	3	5
35-49	2	2.5	5	<1	<1	2	4	4	4	4
50-64	2	1.0		1	1	1	1	1	1	1
65+	7	7.0	51	<1	<1	3	14	17	17	17
B. *Operated*										
0-19 YRS	65	2.4	1	<1	1	2	3	4	5	5
20-34	268	2.4	1	1	1	2	3	4	4	6
35-49	76	2.2	1	<1	1	2	3	4	4	5
50-64	25	1.6	1	<1	1	1	2	3	4	4
65+	21	2.0	4	<1	<1	1	2	5	7	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	1.3		1	1	1	2	2	2	2
20-34	14	3.4	10	1	1	2	4	7	12	13
35-49	4	1.3		<1	<1	1	1	2	2	2
50-64	5	2.0	5	1	1	1	3	6	6	6
65+	15	10.2	208	<1	1	4	9	43	44	45
B. *Operated*										
0-19 YRS	14	2.2	2	1	1	2	3	4	6	6
20-34	66	3.7	16	<1	1	3	5	7	8	24
35-49	25	2.9	3	<1	1	3	4	5	6	8
50-64	24	5.1	86	<1	1	2	5	9	24	46
65+	19	7.0	41	1	1	4	15	18	60	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	54	2.1	10	<1	<1	1	1	3	10	17
B. *Operated*	455	2.3	1	<1	1	2	3	4	4	6
2. MULTIPLE DX										
A. *Not Operated*	41	5.3	91	<1	1	2	5	11	29	45
B. *Operated*	148	4.1	28	1	1	3	5	8	16	46
1. SINGLE DX	509	2.3	2	<1	1	2	3	4	4	7
2. MULTIPLE DX	189	4.3	42	1	1	2	5	8	16	46
A. NOT OPERATED	95	3.5	47	<1	<1	1	3	6	14	44
B. OPERATED	603	2.8	9	<1	1	2	3	5	6	16
TOTAL 0-19 YRS	98	2.2	1	<1	1	2	3	4	5	6
20-34	375	2.6	5	<1	1	2	3	4	6	10
35-49	107	2.4	2	<1	1	2	3	4	5	7
50-64	56	3.1	40	<1	1	1	3	6	8	44
65+	62	6.1	76	<1	1	3	8	16	28	93
GRAND TOTAL	**698**	**2.9**	**14**	**<1**	**1**	**2**	**3**	**5**	**6**	**19**

358: Dislocation of knee (836)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	14	2.4	4	<1	<1	1	3	6	7	7
20-34	13	2.1	3	<1	<1	1	2	5	7	7
35-49	2	1.0		1	1	1	1	1	1	1
50-64	2	4.5	5	3	3	4	6	6	6	6
65+	1	5.0		5	5	5	5	5	5	5
B. *Operated*										
0-19 YRS	71	3.5	5	1	1	3	4	6	7	13
20-34	247	3.3	4	1	1	3	4	5	6	8
35-49	112	3.2	3	1	1	3	4	5	7	9
50-64	44	3.8	4	1	2	4	5	6	7	10
65+	3	5.3	14	1	1	7	8	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	2.5	1	2	2	2	3	3	3	3
20-34	3	2.3	5	1	1	1	4	5	5	5
35-49	3	2.7	1	2	2	2	4	4	4	4
50-64	3	3.0	1	2	2	3	4	4	4	4
65+	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-19 YRS	26	4.7	13	1	1	4	6	9	13	17
20-34	118	4.5	60	1	1	3	4	6	9	54
35-49	50	4.2	6	1	1	4	6	7	9	10
50-64	24	4.3	10	1	1	4	5	9	11	14
65+	7	4.3	9	2	2	3	7	9	9	9
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	32	2.4	4	<1	<1	1	3	6	7	7
B. *Operated*	477	3.4	4	1	1	3	4	6	7	9
2. MULTIPLE DX										
A. *Not Operated*	12	2.5	2	1	1	2	3	4	5	5
B. *Operated*	225	4.4	35	1	1	3	5	7	9	30
1. SINGLE DX	509	3.3	4	1	1	3	4	6	7	9
2. MULTIPLE DX	237	4.3	34	1	1	3	5	7	9	28
A. NOT OPERATED	44	2.4	3	<1	1	2	3	5	6	7
B. OPERATED	702	3.7	14	1	1	3	4	6	8	14
TOTAL 0-19 YRS	113	3.6	7	<1	1	3	5	6	8	15
20-34	381	3.7	21	1	1	3	4	6	7	18
35-49	167	3.5	4	1	1	3	4	6	7	10
50-64	73	4.0	6	1	1	4	5	6	9	13
65+	12	4.3	9	1	1	3	7	8	9	9
GRAND TOTAL	**746**	**3.7**	**13**	**1**	**1**	**3**	**4**	**6**	**7**	**14**

359: Other dislocation (830; 832-835; 837-839)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	15	3.6	8	<1	<1	3	6	8	9	10
20-34	17	2.8	9	<1	<1	1	3	7	11	12
35-49	7	4.6	29	<1	<1	2	7	14	15	15
50-64	5	3.8	9	<1	<1	3	5	9	9	9
65+	5	8.0	153	1	1	3	10	30	30	30
B. *Operated*										
0-19 YRS	72	3.2	17	<1	<1	1	3	11	12	21
20-34	78	4.1	20	<1	1	2	5	11	14	21
35-49	21	4.1	15	<1	<1	2	8	10	12	13
50-64	12	7.8	103	<1	<1	4	8	27	31	32
65+	14	6.2	71	1	1	3	8	16	28	32
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	8	5.1	75	<1	<1	1	5	20	26	26
20-34	10	4.4	17	<1	<1	4	6	49	96	99+
35-49	2	4.5	25	1	1	4	8	8	8	8
50-64	2	5.5	13	3	3	5	8	8	8	8
65+	5	16.8	519	3	3	10	22	57	57	57
B. *Operated*										
0-19 YRS	27	10.9	196	1	1	6	16	38	64	99+
20-34	39	6.9	63	<1	1	4	9	18	24	36
35-49	29	7.2	50	<1	<1	4	12	19	22	24
50-64	12	10.2	71	1	1	8	14	25	27	27
65+	11	8.6	29	1	2	9	12	16	19	19
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	49	3.9	25	<1	<1	2	4	9	12	30
B. *Operated*	197	4.1	27	<1	1	2	5	11	14	29
2. MULTIPLE DX										
A. *Not Operated*	27	7.0	130	<1	<1	4	8	23	61	99+
B. *Operated*	118	8.4	88	<1	1	5	12	21	26	72
1. SINGLE DX	246	4.1	27	<1	<1	2	5	11	13	30
2. MULTIPLE DX	145	8.1	95	<1	1	4	11	21	27	99+
A. NOT OPERATED	76	5.0	63	<1	<1	3	6	11	22	88
B. OPERATED	315	5.7	54	<1	1	2	8	14	22	38
TOTAL 0-19 YRS	122	5.1	67	<1	<1	2	6	12	22	71
20-34	144	4.7	32	<1	1	2	6	12	17	39
35-49	59	5.7	35	<1	<1	3	9	14	19	24
50-64	31	7.9	71	<1	1	5	10	24	27	32
65+	35	8.7	127	1	1	5	10	19	31	57
GRAND TOTAL	**391**	**5.6**	**56**	**<1**	**1**	**3**	**8**	**14**	**22**	**51**

360: Sprains and strains of knee and leg (844)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	59	2.0	2	<1	<1	2	2	4	5	10
20-34	66	2.0	1	<1	<1	2	2	3	4	7
35-49	24	1.9	2	<1	<1	1	2	4	6	6
50-64	14	3.4	13	<1	<1	2	5	8	12	13
65+	16	5.9	15	1	1	5	10	12	12	12
B. *Operated*										
0-19 YRS	105	3.4	3	1	1	3	5	5	6	8
20-34	251	3.6	4	1	1	3	5	6	7	10
35-49	49	4.3	9	1	1	4	5	8	10	18
50-64	14	5.6	14	1	2	5	7	12	14	14
65+	3	3.0	1	2	2	3	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	26	2.6	3	<1	<1	2	4	5	6	7
20-34	22	3.4	8	1	1	2	3	9	10	11
35-49	16	8.3	187	1	2	4	9	11	44	58
50-64	17	5.9	32	<1	1	4	9	15	17	18
65+	35	10.9	102	2	3	7	15	21	38	44
B. *Operated*										
0-19 YRS	73	4.3	5	2	2	4	5	8	8	10
20-34	202	4.6	8	2	2	4	6	8	8	16
35-49	103	4.6	8	1	1	4	6	8	10	15
50-64	24	5.8	18	2	2	5	7	9	15	23
65+	9	13.0	193	3	4	9	13	36	48	48
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	179	2.4	5	<1	<1	2	3	5	8	12
B. *Operated*	422	3.7	5	1	1	3	5	6	8	11
2. MULTIPLE DX										
A. *Not Operated*	116	6.5	73	1	1	4	7	15	19	49
B. *Operated*	411	4.8	13	1	2	4	6	8	10	19
1. SINGLE DX	601	3.3	5	1	1	3	4	6	8	11
2. MULTIPLE DX	527	5.2	27	1	2	4	6	9	12	26
A. NOT OPERATED	295	4.1	36	<1	<1	2	4	10	14	35
B. OPERATED	833	4.3	9	1	2	4	5	7	8	14
TOTAL 0-19 YRS	263	3.3	4	1	1	3	4	6	7	10
20-34	541	3.8	6	1	1	3	5	7	8	11
35-49	192	4.5	24	1	1	4	6	8	10	19
50-64	69	5.3	20	<1	1	4	7	12	14	22
65+	63	9.6	93	2	3	7	12	18	32	47
GRAND TOTAL	**1128**	**4.2**	**16**	**1**	**1**	**3**	**5**	**7**	**10**	**18**

361: Sprains and strains of sacroiliac region (846)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	14	2.0	3	<1	1	1	2	4	6	7
20-34	76	4.2	11	1	1	3	6	8	9	18
35-49	68	5.2	15	1	1	4	7	9	12	21
50-64	27	7.5	19	1	2	7	10	13	15	20
65+	13	6.5	25	1	1	5	9	14	17	18
B. *Operated*										
0-19 YRS										
20-34	7	10.4	61	2	2	9	15	22	24	24
35-49	7	9.0	44	3	3	8	11	20	22	22
50-64	1	15.0		15	15	15	15	15	15	15
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	2.2		2	2	2	3	3	3	3
20-34	44	4.4	8	1	1	4	6	8	11	13
35-49	49	6.6	18	1	2	6	9	13	14	18
50-64	38	6.2	18	2	2	5	8	12	16	19
65+	62	8.8	31	2	3	7	12	17	21	24
B. *Operated*										
0-19 YRS										
20-34	6	17.8	317	2	3	9	29	47	49	49
35-49	3	10.3	60	4	4	8	16	19	19	19
50-64	5	15.8	248	2	2	8	26	41	41	41
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	198	5.0	16	1	1	4	7	9	13	20
B. *Operated*	15	10.1	48	2	3	9	15	22	23	24
2. MULTIPLE DX										
A. *Not Operated*	198	6.6	22	1	2	5	9	13	17	22
B. *Operated*	14	15.5	216	2	2	9	21	42	47	49
1. SINGLE DX	213	5.3	19	1	1	4	7	10	14	22
2. MULTIPLE DX	212	7.2	39	1	2	6	9	14	19	34
A. NOT OPERATED	396	5.8	20	1	1	5	8	12	14	21
B. OPERATED	29	12.7	132	2	2	9	16	27	41	49
TOTAL 0-19 YRS	19	2.1	2	<1	1	2	2	4	6	7
20-34	133	5.2	33	1	1	4	7	9	13	32
35-49	127	6.1	20	1	2	5	8	12	15	22
50-64	71	7.5	37	2	2	6	9	14	19	37
65+	75	8.4	31	1	2	7	12	16	20	24
GRAND TOTAL	**425**	**6.3**	**30**	**1**	**1**	**5**	**8**	**13**	**17**	**24**

362: Strains and sprains of other and unspecified parts of back (847)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	81	2.3	3	<1	<1	2	3	4	6	9
20-34	254	3.1	8	<1	<1	2	4	6	9	14
35-49	155	4.7	12	<1	1	4	7	9	11	18
50-64	66	4.8	21	<1	<1	4	6	9	13	29
65+	37	7.0	28	<1	1	6	10	15	19	20
B. *Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	5	2.6	2	2	2	2	3	5	5	5
35-49	7	10.4	109	1	1	7	21	25	25	25
50-64	1	2.0		2	2	2	2	2	2	2
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	44	3.0	5	<1	1	2	5	7	7	9
20-34	132	4.6	18	1	1	3	6	9	15	21
35-49	130	5.6	22	1	1	5	8	12	15	22
50-64	114	5.9	14	1	1	5	8	11	13	19
65+	119	10.1	114	1	2	7	13	19	27	54
B. *Operated*										
0-19 YRS	7	4.0	7	1	1	4	5	8	9	9
20-34	10	9.4	72	1	2	7	9	24	28	28
35-49	5	23.0	978	2	2	12	32	78	78	78
50-64										
65+	4	5.3	28	2	2	3	8	13	13	13
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	593	3.8	13	<1	<1	3	5	8	10	18
B. *Operated*	14	6.5	67	1	2	3	7	25	25	25
2. MULTIPLE DX										
A. *Not Operated*	539	6.2	43	1	1	5	8	13	16	29
B. *Operated*	26	9.9	235	1	2	5	9	21	38	78
1. SINGLE DX	607	3.9	14	<1	<1	3	5	8	10	19
2. MULTIPLE DX	565	6.4	52	1	1	5	8	13	16	31
A. NOT OPERATED	1132	5.0	29	<1	1	3	7	10	14	25
B. OPERATED	40	8.7	176	1	2	4	9	23	27	78
TOTAL 0-19 YRS	133	2.6	4	<1	1	2	3	6	7	9
20-34	401	3.7	14	<1	<1	2	5	8	10	20
35-49	297	5.5	38	<1	1	4	7	11	15	25
50-64	181	5.5	17	<1	1	5	7	10	13	19
65+	160	9.3	94	1	2	7	12	18	25	38
GRAND TOTAL	**1172**	**5.1**	**34**	**<1**	**1**	**3**	**7**	**10**	**14**	**26**

363: Other sprains and strains (840-843; 845; 848)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	94	1.4	1	<1	<1	1	1	2	3	5
20-34	116	1.5	1	<1	<1	<1	2	3	3	7
35-49	35	3.0	17	<1	<1	1	3	6	12	21
50-64	31	2.2	3	<1	<1	1	3	4	6	9
65+	37	3.9	10	<1	<1	3	5	9	10	16
B. *Operated*										
0-19 YRS	57	2.5	2	<1	1	2	3	4	5	5
20-34	167	2.6	2	<1	1	2	3	4	5	7
35-49	99	2.7	2	<1	1	3	4	5	5	6
50-64	46	5.2	78	1	1	3	5	8	11	60
65+	20	5.2	23	<1	1	3	7	13	16	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	35	2.8	5	<1	1	2	4	6	8	9
20-34	43	2.4	8	<1	<1	1	3	5	7	16
35-49	18	4.8	36	1	1	3	4	12	21	25
50-64	39	3.8	8	1	1	3	5	7	10	14
65+	73	8.7	79	1	2	6	10	18	33	45
B. *Operated*										
0-19 YRS	12	2.3	2	1	1	2	4	5	5	5
20-34	43	3.5	9	<1	1	3	4	6	11	15
35-49	26	3.7	11	<1	1	3	4	6	11	17
50-64	25	4.6	7	2	2	4	6	7	11	12
65+	13	15.9	240	1	3	11	28	38	49	51
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	313	2.0	5	<1	<1	1	2	4	6	11
B. *Operated*	389	3.0	12	<1	1	2	4	5	6	14
2. MULTIPLE DX										
A. *Not Operated*	208	5.2	41	<1	1	3	6	11	16	36
B. *Operated*	119	5.0	47	1	1	3	5	10	15	40
1. SINGLE DX	702	2.6	9	<1	<1	2	3	5	6	12
2. MULTIPLE DX	327	5.1	43	<1	1	3	5	11	16	36
A. NOT OPERATED	521	3.3	22	<1	<1	2	4	7	10	24
B. OPERATED	508	3.5	21	1	1	3	4	5	8	22
TOTAL 0-19 YRS	198	2.0	2	<1	<1	1	3	4	5	8
20-34	369	2.3	3	<1	<1	2	3	4	5	9
35-49	178	3.1	10	<1	<1	2	4	5	6	20
50-64	141	4.0	30	<1	1	3	5	7	9	23
65+	143	7.6	77	1	1	5	9	16	28	47
GRAND TOTAL	**1029**	**3.4**	**21**	**<1**	**<1**	**2**	**4**	**6**	**9**	**24**

364: Concussion (850)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	818	1.3	1	<1	1	1	1	2	3	4
20-34	158	1.5	1	<1	1	1	2	2	4	7
35-49	52	1.6	2	<1	1	1	2	3	4	7
50-64	21	2.4	4	<1	<1	2	3	5	7	8
65+	19	2.2	2	1	1	2	3	4	5	5
B. *Operated*										
0-19 YRS	3	2.0	3	1	1	1	3	4	4	4
20-34	2	2.0		2	2	2	2	2	2	2
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	502	1.9	4	<1	1	1	2	3	5	8
20-34	261	2.3	5	1	1	1	3	5	6	12
35-49	84	3.0	11	<1	<1	2	3	6	11	17
50-64	58	3.2	8	1	1	2	4	7	10	13
65+	62	6.3	51	1	1	4	7	15	23	34
B. *Operated*										
0-19 YRS	104	4.9	136	1	1	2	4	9	16	74
20-34	100	4.0	70	1	1	2	4	7	11	57
35-49	38	2.8	11	<1	1	2	3	6	7	20
50-64	26	4.1	20	1	1	2	6	9	14	20
65+	28	4.3	15	1	1	3	6	11	12	13
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1068	1.4	1	<1	1	1	1	2	3	5
B. *Operated*	5	2.0	2	1	1	2	3	4	4	4
2. MULTIPLE DX										
A. *Not Operated*	967	2.5	9	<1	1	1	3	5	7	17
B. *Operated*	296	4.2	76	1	1	2	4	9	13	51
1. SINGLE DX	1073	1.4	1	<1	1	1	1	2	3	5
2. MULTIPLE DX	1263	2.9	25	1	1	2	3	5	9	20
A. NOT OPERATED	2035	1.9	5	<1	1	1	2	3	5	11
B. OPERATED	301	4.2	75	1	1	2	4	8	13	50
TOTAL 0-19 YRS	1427	1.8	12	<1	1	1	2	3	4	10
20-34	521	2.4	17	<1	1	1	2	5	6	13
35-49	174	2.6	9	<1	1	2	3	5	7	17
50-64	105	3.2	10	1	1	2	4	7	10	16
65+	109	5.1	35	1	1	3	6	11	17	33
GRAND TOTAL	**2336**	**2.2**	**15**	**<1**	**1**	**1**	**2**	**4**	**6**	**14**

365: Intracranial injury, except concussion (851-854)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	469	1.4	1	<1	<1	1	1	2	3	6
20-34	112	2.0	8	<1	<1	1	2	3	5	16
35-49	42	3.2	38	<1	<1	1	2	8	11	39
50-64	17	1.9	2	<1	<1	1	2	4	5	5
65+	26	9.0	320	<1	1	2	4	23	53	82
B. *Operated*										
0-19 YRS	9	5.3	40	<1	<1	1	8	16	19	19
20-34	8	5.9	9	1	1	7	8	9	9	9
35-49	3	3.3	4	1	1	4	5	5	5	5
50-64	4	10.3	7	8	8	10	12	13	13	13
65+	5	15.6	109	10	10	10	19	34	34	34
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	334	2.4	11	<1	1	1	2	5	6	10
20-34	171	4.6	95	<1	<1	2	4	10	20	62
35-49	63	3.8	25	<1	1	2	4	9	20	90
50-64	42	5.8	41	1	1	3	7	17	19	28
65+	90	8.8	103	1	1	5	12	24	28	50
B. *Operated*										
0-19 YRS	62	7.9	133	1	1	2	12	28	40	93
20-34	79	6.8	141	1	1	2	6	23	29	68
35-49	35	9.1	312	<1	1	3	9	36	77	99+
50-64	32	10.7	212	1	1	5	27	99+	99+	99+
65+	47	13.9	397	1	1	7	15	56	80	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	666	1.9	19	<1	<1	1	2	3	4	14
B. *Operated*	29	7.7	47	<1	<1	7	10	14	20	34
2. MULTIPLE DX										
A. *Not Operated*	700	4.1	50	<1	1	2	4	9	16	39
B. *Operated*	255	9.2	221	1	1	3	11	33	64	99+
1. SINGLE DX	695	2.2	21	<1	<1	1	2	3	7	17
2. MULTIPLE DX	955	5.4	101	<1	1	2	5	14	26	84
A. NOT OPERATED	1366	3.0	36	<1	1	1	3	6	10	28
B. OPERATED	284	9.0	204	1	1	3	11	30	58	99+
TOTAL 0-19 YRS	874	2.3	17	<1	1	1	2	4	6	27
20-34	370	4.3	79	<1	<1	2	4	9	20	41
35-49	143	4.9	102	<1	1	2	5	10	23	99+
50-64	95	6.9	99	1	1	3	10	26	76	99+
65+	168	10.4	221	1	1	5	12	25	48	82
GRAND TOTAL	**1650**	**4.1**	**70**	**<1**	**1**	**1**	**3**	**9**	**18**	**66**

366: Internal injury to thoracic region (860-862)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	9	3.6	6	1	1	3	5	7	8	8
20-34	17	2.9	12	<1	<1	2	3	6	12	15
35-49	7	3.3	3	<1	<1	4	4	6	6	6
50-64	4	8.3	41	3	3	6	13	17	17	17
65+	5	6.6	6	4	4	7	9	9	9	9
B. *Operated*										
0-19 YRS	12	4.8	4	3	3	4	5	7	10	10
20-34	14	4.6	5	2	3	4	6	8	9	10
35-49	4	8.0	11	4	4	8	10	12	12	12
50-64	1	3.0		3	3	3	3	3	3	3
65+	2	6.0	18	3	3	6	9	9	9	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	14	3.4	5	1	2	3	5	6	8	9
20-34	30	4.6	12	1	1	4	7	8	9	17
35-49	9	7.9	111	1	1	4	9	26	34	34
50-64	21	6.2	12	1	2	5	9	12	12	12
65+	24	10.5	73	1	2	8	14	22	30	36
B. *Operated*										
0-19 YRS	26	12.3	113	2	3	8	16	32	36	42
20-34	55	10.1	168	2	3	6	11	18	29	73
35-49	28	9.7	41	4	4	8	13	15	17	36
50-64	25	11.6	85	3	4	8	17	30	49	99+
65+	11	18.9	237	3	4	12	31	43	48	49
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	42	4.0	13	<1	1	3	5	9	12	17
B. *Operated*	33	5.1	6	3	3	4	6	9	10	12
2. MULTIPLE DX										
A. *Not Operated*	98	6.5	40	1	1	5	8	13	18	35
B. *Operated*	145	11.4	127	3	3	8	13	25	36	75
1. SINGLE DX	75	4.5	10	<1	1	4	6	9	10	16
2. MULTIPLE DX	243	9.4	97	2	2	7	12	19	33	65
A. NOT OPERATED	140	5.8	33	1	1	4	8	12	16	34
B. OPERATED	178	10.2	110	3	3	7	12	22	35	71
TOTAL 0-19 YRS	61	7.5	67	1	2	5	8	17	27	41
20-34	116	6.9	94	1	1	4	8	12	18	67
35-49	48	8.3	48	1	2	7	11	15	17	36
50-64	51	9.0	56	2	3	7	12	21	30	99
65+	42	12.0	119	2	3	8	14	30	37	49
GRAND TOTAL	**318**	**8.2**	**81**	**1**	**2**	**6**	**9**	**17**	**28**	**54**

367: Internal injury, except chest (863-869)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	90	4.0	13	1	1	3	5	9	9	20
20-34	50	4.6	15	1	1	3	6	10	13	18
35-49	10	5.2	18	<1	<1	4	9	11	13	13
50-64	5	4.4	14	1	1	2	8	9	9	9
65+	2	6.5	1	6	6	6	7	7	7	7
B. *Operated*										
0-19 YRS	34	7.5	4	4	5	8	8	10	11	12
20-34	28	9.1	123	4	5	7	9	10	16	65
35-49	5	8.8	73	2	2	6	13	23	23	23
50-64	4	8.5	39	2	2	7	12	17	17	17
65+	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	61	5.4	21	1	1	4	7	12	13	25
20-34	66	4.2	11	<1	1	3	6	9	11	16
35-49	17	6.4	43	1	1	4	9	11	22	28
50-64	9	8.8	42	2	2	8	13	19	22	22
65+	13	8.5	27	<1	2	7	14	15	17	18
B. *Operated*										
0-19 YRS	55	14.5	181	3	5	10	17	30	48	70
20-34	76	16.5	296	3	5	11	20	32	55	98
35-49	28	16.3	105	5	6	14	18	38	50	99+
50-64	15	12.3	100	1	2	10	14	27	37	40
65+	8	17.9	64	9	10	16	21	30	34	34
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	157	4.3	14	1	1	3	6	9	10	18
B. *Operated*	72	8.2	56	3	4	7	9	10	12	56
2. MULTIPLE DX										
A. *Not Operated*	166	5.4	22	1	1	4	7	12	14	25
B. *Operated*	182	15.6	204	3	5	12	18	32	50	98
1. SINGLE DX	229	5.5	30	1	1	5	8	10	11	22
2. MULTIPLE DX	348	10.7	143	1	2	8	13	23	34	92
A. NOT OPERATED	323	4.9	18	1	1	3	7	10	13	22
B. OPERATED	254	13.5	173	3	5	9	15	27	44	94
TOTAL 0-19 YRS	240	7.2	69	1	1	5	9	13	21	50
20-34	220	9.2	154	1	2	6	10	18	30	93
35-49	60	11.0	93	1	2	10	15	25	38	94
50-64	33	9.7	68	1	2	8	13	18	26	40
65+	24	11.2	59	1	2	10	15	21	26	34
GRAND TOTAL	**577**	**8.7**	**105**	**1**	**1**	**6**	**10**	**18**	**26**	**62**

368: Laceration or enucleation of eye (870-871)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	5.3	41	<1	<1	4	6	16	19	19
20-34	9	4.7	14	<1	<1	4	6	11	12	12
35-49	8	3.4	2	2	2	3	4	5	5	5
50-64										
65+	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-19 YRS	40	3.6	7	1	1	3	5	7	9	11
20-34	38	3.8	7	<1	1	3	5	8	9	11
35-49	21	5.4	13	1	2	4	7	9	13	17
50-64	6	3.7	5	1	1	3	5	7	7	7
65+	3	4.3	9	1	1	5	6	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	9	3.3	4	1	1	3	5	6	7	7
20-34	9	2.8	2	1	1	2	4	5	5	5
35-49	3	1.3		1	1	1	2	2	2	2
50-64	2	3.5	13	1	1	3	6	6	6	6
65+	4	6.3	27	3	3	4	9	14	14	14
B. *Operated*										
0-19 YRS	44	5.9	33	<1	1	5	7	11	15	32
20-34	55	5.8	20	<1	1	5	8	11	16	23
35-49	25	6.8	41	<1	1	6	9	14	18	31
50-64	14	10.4	374	2	2	5	7	18	64	77
65+	11	6.5	16	2	2	6	9	12	14	14
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	25	4.3	17	<1	<1	4	5	9	14	19
B. *Operated*	108	4.0	8	1	1	4	6	8	9	14
2. MULTIPLE DX										
A. *Not Operated*	27	3.4	8	1	1	3	5	6	8	14
B. *Operated*	149	6.5	59	<1	1	5	8	12	14	32
1. SINGLE DX	133	4.1	10	<1	1	4	5	8	9	17
2. MULTIPLE DX	176	6.0	53	<1	1	5	7	11	14	32
A. NOT OPERATED	52	3.8	12	<1	1	3	5	6	12	19
B. OPERATED	257	5.5	39	<1	1	4	7	10	13	30
TOTAL 0-19 YRS	100	4.7	21	<1	1	4	6	9	12	26
20-34	111	4.8	15	<1	1	4	7	9	12	20
35-49	57	5.5	25	1	1	4	7	10	14	30
50-64	22	8.0	245	1	2	5	6	9	38	77
65+	19	5.8	16	1	1	5	8	13	14	14
GRAND TOTAL	**309**	**5.2**	**35**	**<1**	**1**	**4**	**7**	**10**	**13**	**26**

369: Other laceration of head and neck (872-874)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	49	2.1	5	<1	<1	1	2	4	6	12
20-34	30	1.4	2	<1	<1	1	1	3	4	7
35-49	16	1.9	3	<1	1	1	2	4	6	7
50-64	4	3.3	2	1	1	4	4	4	4	4
65+	14	3.9	23	<1	<1	2	4	12	16	17
B. Operated										
0-19 YRS	150	1.7	3	<1	<1	1	2	4	6	9
20-34	99	2.3	6	<1	<1	1	3	5	6	16
35-49	32	1.7	2	<1	<1	1	2	3	5	6
50-64	14	2.1	2	<1	<1	2	3	4	5	5
65+	12	2.0	2	<1	<1	1	3	4	4	4
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	59	2.8	8	<1	<1	2	3	6	8	16
20-34	61	2.5	5	<1	<1	2	3	5	7	11
35-49	36	2.5	3	<1	1	2	4	5	6	7
50-64	23	5.3	41	<1	1	3	6	11	23	27
65+	47	9.3	239	1	1	4	8	32	58	99+
B. Operated										
0-19 YRS	189	2.8	9	<1	<1	2	4	6	8	16
20-34	228	3.4	23	<1	<1	2	4	7	9	27
35-49	76	5.0	54	1	1	2	6	10	22	37
50-64	66	4.8	58	<1	1	3	6	11	12	52
65+	112	8.6	113	1	1	5	10	21	33	53
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	113	2.1	6	<1	<1	1	2	4	7	14
B. Operated	307	1.9	4	<1	<1	1	2	4	5	10
2. MULTIPLE DX										
A. Not Operated	226	4.3	64	<1	<1	2	4	8	11	61
B. Operated	671	4.4	45	<1	1	2	5	9	14	38
1. SINGLE DX	420	2.0	4	<1	<1	1	2	4	6	11
2. MULTIPLE DX	897	4.4	50	<1	1	2	5	9	14	41
A. NOT OPERATED	339	3.6	46	<1	<1	2	4	7	10	47
B. OPERATED	978	3.6	33	<1	<1	2	4	8	11	35
TOTAL 0-19 YRS	447	2.4	6	<1	<1	1	3	5	7	12
20-34	418	2.9	15	<1	<1	2	3	6	8	21
35-49	160	3.5	29	<1	<1	2	4	7	9	36
50-64	107	4.5	46	<1	1	3	5	10	12	41
65+	185	8.0	134	<1	1	4	9	20	34	75
GRAND TOTAL	**1317**	**3.6**	**36**	**<1**	**<1**	**2**	**4**	**7**	**11**	**36**

370: Other laceration of trunk and multiple and unspecified sites (875-879)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	22	2.1	2	<1	1	2	3	4	5	5
20-34	34	2.0	3	<1	1	1	2	4	6	8
35-49	6	4.7	18	2	2	3	5	12	13	13
50-64	1	2.0		2	2	2	2	2	2	2
65+	1	7.0		7	7	7	7	7	7	7
B. Operated										
0-19 YRS	24	3.8	11	1	1	3	5	10	11	12
20-34	34	4.8	8	1	1	5	7	9	10	11
35-49	6	4.2	10	2	2	3	5	9	10	10
50-64	6	3.2	13	1	1	2	4	9	10	10
65+	6	4.2	13	1	1	3	8	9	9	9
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	9	1.8	1	<1	<1	2	2	3	3	3
20-34	25	3.3	7	<1	1	2	4	8	9	10
35-49	10	4.2	6	<1	<1	4	6	7	8	8
50-64	7	4.6	21	1	1	3	6	13	14	14
65+	5	8.6	30	3	3	6	12	17	17	17
B. Operated										
0-19 YRS	24	6.6	47	1	1	4	8	15	22	30
20-34	53	8.7	91	1	1	6	10	19	27	54
35-49	17	8.1	132	<1	1	6	8	11	37	51
50-64	7	17.4	355	4	4	10	22	51	57	57
65+	3	21.7	696	4	4	9	41	52	52	52
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	64	2.3	4	<1	1	2	3	5	6	12
B. Operated	76	4.3	9	1	1	4	6	9	10	12
2. MULTIPLE DX										
A. Not Operated	56	3.8	11	<1	1	3	5	8	11	17
B. Operated	104	9.1	122	1	1	6	10	19	31	56
1. SINGLE DX	140	3.4	8	1	1	2	5	8	10	12
2. MULTIPLE DX	160	7.3	89	1	1	4	8	15	24	55
A. NOT OPERATED	120	3.0	8	<1	1	2	3	7	9	15
B. OPERATED	180	7.0	80	1	1	5	8	14	21	54
TOTAL 0-19 YRS	79	3.9	21	1	1	2	5	9	13	27
20-34	146	5.3	44	1	1	3	7	10	17	33
35-49	39	5.9	64	<1	1	4	7	10	13	51
50-64	21	8.3	160	1	1	4	10	19	39	57
65+	15	9.3	157	1	1	6	9	17	43	52
GRAND TOTAL	**300**	**5.4**	**55**	**1**	**1**	**3**	**7**	**11**	**16**	**51**

371: Open wound of upper limb (880-887)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	66	2.9	4	<1	<1	2	4	6	6	11
20-34	101	2.7	3	<1	<1	2	4	5	6	8
35-49	35	3.2	4	<1	<1	3	4	6	8	8
50-64	12	3.1	6	<1	<1	2	4	7	8	8
65+	7	4.9	24	<1	<1	2	10	12	12	12
B. *Operated*										
0-19 YRS	192	2.5	11	<1	<1	1	2	5	7	16
20-34	304	2.6	8	<1	<1	2	3	5	8	14
35-49	100	2.8	17	<1	<1	2	3	6	10	26
50-64	69	3.8	20	<1	<1	2	4	9	14	22
65+	23	4.1	41	<1	<1	2	4	9	22	27
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	41	3.7	6	<1	1	3	5	7	11	99+
20-34	93	4.7	23	<1	1	4	6	9	13	28
35-49	48	4.8	56	<1	1	3	5	9	10	52
50-64	23	7.2	63	1	2	4	8	21	27	32
65+	17	11.3	447	2	2	5	11	71	96	99+
B. *Operated*										
0-19 YRS	141	3.9	28	1	1	2	5	8	10	25
20-34	313	4.2	34	<1	1	2	5	9	14	34
35-49	124	4.6	26	1	1	3	6	11	19	44
50-64	72	5.8	93	1	1	3	5	14	23	53
65+	42	6.9	135	1	1	4	6	12	51	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	221	2.9	4	<1	<1	2	4	6	7	11
B. *Operated*	688	2.8	13	<1	<1	2	3	6	9	18
2. MULTIPLE DX										
A. *Not Operated*	222	5.3	65	<1	1	4	6	10	17	93
B. *Operated*	692	4.5	44	1	1	3	5	10	16	50
1. SINGLE DX	909	2.8	11	<1	<1	2	3	6	8	17
2. MULTIPLE DX	914	4.7	49	1	1	3	5	10	16	53
A. NOT OPERATED	443	4.1	36	<1	<1	3	5	8	11	33
B. OPERATED	1380	3.7	29	<1	1	2	4	8	12	31
TOTAL 0-19 YRS	440	3.1	15	<1	<1	2	4	6	8	20
20-34	811	3.5	20	<1	<1	2	4	7	11	25
35-49	307	3.9	26	<1	1	2	4	8	12	29
50-64	176	5.0	56	<1	1	2	5	12	19	45
65+	89	6.9	162	<1	1	4	6	13	41	99+
GRAND TOTAL	**1823**	**3.8**	**31**	**<1**	**1**	**2**	**4**	**8**	**12**	**32**

372: Open wound of lower limb (890-897)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	62	4.0	11	<1	1	3	5	7	9	21
20-34	56	3.0	5	<1	<1	2	4	6	6	10
35-49	17	3.4	6	<1	<1	2	6	7	7	7
50-64	16	5.5	12	1	3	4	7	11	13	14
65+	5	8.4	40	3	3	7	13	18	18	18
B. *Operated*										
0-19 YRS	144	4.2	42	<1	1	2	4	8	15	33
20-34	129	4.3	28	1	1	3	5	10	13	33
35-49	37	7.3	129	<1	1	3	8	14	36	55
50-54	18	9.9	200	1	1	4	7	37	45	47
65+	5	18.4	223	1	1	19	26	41	41	41
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	46	4.9	7	1	2	5	6	8	11	12
20-34	25	4.3	10	<1	1	3	6	8	11	13
35-49	11	5.0	14	<1	1	4	7	10	14	14
50-64	12	8.8	30	2	3	8	12	18	20	20
65+	25	12.0	114	1	2	10	16	24	40	43
B. *Operated*										
0-19 YRS	65	7.0	61	1	1	4	9	20	22	38
20-34	67	8.5	107	1	1	4	10	19	30	52
35-49	31	7.3	45	1	1	6	12	17	19	28
50-64	23	9.5	108	1	2	8	12	16	29	51
65+	22	14.0	137	3	4	9	16	33	43	43
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	156	3.9	10	<1	<1	3	5	7	10	18
B. *Operated*	333	5.1	61	1	1	2	5	11	19	45
2. MULTIPLE DX										
A. *Not Operated*	119	6.7	41	1	2	5	8	13	18	40
B. *Operated*	208	8.5	89	1	1	5	11	19	29	48
1. SINGLE DX	489	4.7	45	<1	1	3	5	10	15	42
2. MULTIPLE DX	327	7.9	72	1	1	5	10	17	24	44
A. NOT OPERATED	275	5.1	25	<1	1	4	6	11	14	23
B. OPERATED	541	6.4	75	1	1	3	7	16	23	46
TOTAL 0-19 YRS	317	4.8	36	1	1	3	5	10	16	31
20-34	277	5.1	44	<1	1	3	6	11	17	37
35-49	96	6.4	68	<1	1	4	7	14	19	50
50-64	69	8.6	95	1	2	5	10	17	23	50
65+	57	13.0	124	2	2	10	17	28	42	43
GRAND TOTAL	**816**	**6.0**	**58**	**1**	**1**	**3**	**7**	**14**	**20**	**43**

373: Injury to blood vessels (900-904)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	1.0		<1	<1	<1	1	1	1	1
20-34	3	4.3	24	<1	<1	2	8	10	10	10
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	7	4.9	12	<1	<1	4	7	10	11	11
35-49	3	2.0	3	1	1	1	3	4	4	4
50-64	2	30.5	685	12	12	30	49	49	49	49
65+	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	2.3	5	1	1	2	2	7	7	7
20-34	1	8.0		8	8	8	8	8	8	8
35-49	1	9.0		9	9	9	9	9	9	9
50-64	3	11.3	42	5	5	11	16	18	18	18
65+	2	4.5	1	4	4	4	5	5	5	5
B. *Operated*										
0-19 YRS	11	7.7	127	<1	<1	2	9	25	38	39
20-34	31	7.4	39	1	2	5	10	17	20	25
35-49	7	7.3	34	<1	<1	7	12	15	15	15
50-64	4	6.3	44	<1	<1	4	10	16	16	16
65+	3	4.7	40	<1	<1	1	9	12	12	12
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5	3.0	16	<1	<1	1	4	10	10	10
B. *Operated*	14	7.6	155	<1	<1	4	8	16	42	49
2. MULTIPLE DX										
A. *Not Operated*	13	5.7	25	1	1	5	8	12	17	18
B. *Operated*	56	7.2	53	<1	1	5	10	16	19	38
1. SINGLE DX	19	6.4	120	<1	<1	3	7	12	32	49
2. MULTIPLE DX	69	6.9	47	<1	1	5	10	16	18	36
A. NOT OPERATED	18	4.9	23	<1	<1	3	8	11	15	18
B. OPERATED	70	7.3	71	<1	<1	4	10	16	20	47
TOTAL 0-19 YRS	20	5.1	78	<1	<1	2	6	12	27	39
20-34	42	6.8	33	<1	1	5	9	16	19	25
35-49	11	6.0	28	<1	<1	4	10	14	15	15
50-64	9	13.3	213	<1	1	11	16	37	49	49
65+	6	4.5	16	<1	<1	4	5	11	12	12
GRAND TOTAL	**88**	**6.8**	**62**	**<1**	**<1**	**4**	**9**	**16**	**18**	**45**

374: Late effects of injury, poisoning, nonmedicinal agent, radiation, medical and surgical care, other specified and unspecified external cause (905-909)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	3.5	5	2	2	3	5	5	5	5
20-34	5	3.0	4	1	1	3	4	6	6	6
35-49	9	5.2	28	<1	1	3	6	14	18	18
50-64	3	5.3	34	1	1	3	10	12	12	12
65+	3	7.0	36	1	1	7	11	13	13	13
B. *Operated*										
0-19 YRS	24	5.3	37	1	2	3	6	10	17	31
20-34	59	5.3	62	1	1	3	5	11	22	49
35-49	16	4.9	11	1	1	4	7	10	11	11
50-64	13	3.8	6	<1	1	4	6	7	8	8
65+	9	7.6	24	1	1	7	12	14	14	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	18	7.8	37	1	2	6	11	17	21	23
20-34	24	5.1	34	1	1	3	7	11	21	23
35-49	11	11.5	436	1	1	5	12	81	97	99+
50-64	8	5.4	12	1	1	5	7	11	12	12
65+	11	8.5	42	3	3	5	11	20	22	22
B. *Operated*										
0-19 YRS	20	6.4	60	<1	1	3	8	17	26	31
20-34	45	6.9	60	1	2	5	8	23	31	99+
35-49	30	7.1	95	1	1	3	6	21	35	39
50-64	14	5.9	28	2	2	4	6	18	18	18
65+	13	6.5	27	2	2	5	8	16	18	18
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	22	4.8	20	<1	1	3	6	12	15	18
B. *Operated*	121	5.2	41	1	1	3	6	10	14	37
2. MULTIPLE DX										
A. *Not Operated*	72	7.3	93	1	1	5	8	18	23	94
B. *Operated*	122	6.7	60	1	2	4	8	18	26	55
1. SINGLE DX	143	5.2	38	1	1	3	6	11	14	32
2. MULTIPLE DX	194	6.9	72	1	1	4	8	18	24	87
A. NOT OPERATED	94	6.7	77	1	1	5	8	17	21	88
B. OPERATED	243	6.0	51	1	1	3	7	13	22	40
TOTAL 0-19 YRS	64	6.3	43	1	1	4	7	13	22	31
20-34	133	5.7	54	1	1	3	6	12	24	59
35-49	66	7.0	120	1	1	3	7	18	36	95
50-64	38	5.0	17	1	1	4	6	11	16	18
65+	36	7.4	30	1	2	6	11	16	19	22
GRAND TOTAL	**337**	**6.2**	**58**	**1**	**1**	**4**	**7**	**14**	**22**	**53**

375: Contusion of eye and adnexa (921)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	146	3.9	6	1	1	4	5	6	7	11
20-34	101	3.6	3	1	1	3	5	6	7	8
35-49	36	3.5	3	<1	1	4	5	6	7	8
50-64	9	2.7	4	<1	<1	2	5	5	5	5
65+	2	4.5	1	4	4	4	5	5	5	5
B. *Operated*										
0-19 YRS	2	11.5	25	8	8	11	15	15	15	15
20-34										
35-49										
50-64	2	6.0	8	4	4	6	8	8	8	8
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	48	3.9	7	1	1	4	5	7	10	11
20-34	51	4.4	16	<1	1	4	5	7	10	26
35-49	18	4.8	3	2	3	5	6	7	7	7
50-64	9	3.4	3	1	1	3	5	6	6	6
65+	7	2.0	1	1	1	2	3	3	3	3
B. *Operated*										
0-19 YRS	5	7.2	22	3	3	5	11	14	14	14
20-34	19	5.7	20	<1	1	5	8	13	16	17
35-49	5	4.8	11	2	2	5	6	10	10	10
50-64	2	4.0	2	3	3	4	5	5	5	5
65+	2	19.0	72	13	13	19	25	25	25	25
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	294	3.7	5	1	1	4	5	6	7	10
B. *Operated*	4	8.8	21	4	4	8	12	15	15	15
2. MULTIPLE DX										
A. *Not Operated*	133	4.1	9	<1	1	4	5	7	9	14
B. *Operated*	33	6.5	28	1	2	5	9	14	17	25
1. SINGLE DX	298	3.8	5	1	1	4	5	6	7	10
2. MULTIPLE DX	166	4.6	14	1	1	4	5	8	11	24
A. NOT OPERATED	427	3.8	6	1	1	4	5	6	7	11
B. OPERATED	37	6.8	27	1	2	5	9	14	16	25
TOTAL 0-19 YRS	201	4.1	8	1	1	4	5	7	9	14
20-34	171	4.0	9	<1	1	4	5	7	8	16
35-49	59	4.0	4	1	2	4	5	7	7	10
50-64	22	3.4	4	<1	1	3	5	6	7	8
65+	11	5.5	53	1	1	3	5	18	24	25
GRAND TOTAL	**464**	**4.1**	**8**	**1**	**1**	**4**	**5**	**7**	**8**	**15**

376: Other superficial injuries (910-920; 922-924)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	521	1.9	7	<1	<1	1	2	3	5	14
20-34	391	1.8	2	<1	<1	1	2	4	5	7
35-49	140	2.4	5	<1	<1	1	3	5	8	10
50-64	94	3.4	10	<1	<1	2	4	7	9	15
65+	147	6.7	66	<1	1	4	9	18	23	39
B. *Operated*										
0-19 YRS	50	5.3	24	1	1	3	7	13	14	21
20-34	47	3.6	9	<1	<1	3	5	9	10	12
35-49	17	4.5	15	<1	<1	3	7	11	12	12
50-64	10	5.2	14	1	1	4	8	11	11	11
65+	3	13.3	112	2	2	15	21	23	23	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	396	2.6	17	<1	1	1	3	5	7	16
20-34	427	2.6	6	<1	<1	2	3	6	7	12
35-49	180	3.6	9	<1	1	2	5	8	10	14
50-64	178	6.5	63	1	1	4	8	14	17	65
65+	554	10.7	152	1	2	7	14	23	34	75
B. *Operated*										
0-19 YRS	44	3.6	20	<1	1	2	4	11	14	20
20-34	48	2.7	10	<1	<1	2	3	5	10	19
35-49	20	5.0	17	1	1	4	7	11	14	15
50-64	19	9.2	110	1	1	6	10	28	37	37
65+	40	21.9	366	1	3	19	30	51	79	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1293	2.6	14	<1	<1	1	3	5	8	21
B. *Operated*	127	4.7	20	<1	1	3	7	12	14	21
2. MULTIPLE DX										
A. *Not Operated*	1735	5.7	74	<1	1	3	7	13	20	53
B. *Operated*	171	8.4	165	<1	1	3	10	24	37	85
1. SINGLE DX	1420	2.8	15	<1	<1	1	3	6	10	21
2. MULTIPLE DX	1906	5.9	83	<1	1	3	7	14	21	57
A. NOT OPERATED	3028	4.4	51	<1	<1	2	5	10	15	35
B. OPERATED	298	6.9	106	<1	1	3	8	17	27	62
TOTAL 0-19 YRS	1011	2.4	13	<1	<1	1	2	5	7	17
20-34	913	2.3	5	<1	<1	1	3	5	7	12
35-49	357	3.2	8	<1	<1	2	4	8	10	13
50-64	301	5.6	50	<1	1	4	7	12	16	37
65+	744	10.5	155	1	1	6	14	24	34	75
GRAND TOTAL	**3326**	**4.6**	**57**	**<1**	**<1**	**2**	**5**	**11**	**17**	**37**

377: Miscellaneous crushing injury (925-929)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	17	2.8	24	<1	<1	1	2	5	16	21
20-34	36	2.4	3	<1	1	2	3	5	6	7
35-49	6	6.5	2	5	5	6	7	9	9	9
50-64	6	3.2	3	1	1	3	4	6	6	6
65+	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-19 YRS	9	3.7	34	1	1	2	3	13	19	19
20-34	14	7.1	196	1	1	3	6	14	46	55
35-49	7	11.3	145	1	1	8	20	30	32	32
50-64	5	8.0	126	2	2	3	10	28	28	28
65+	2	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	11	2.9	3	<1	1	2	4	5	7	7
20-34	9	2.3	2	1	1	2	3	5	5	5
35-49	7	5.1	26	1	1	4	7	13	15	15
50-64	6	4.8	9	2	2	4	7	10	10	10
65+	5	16.6	273	7	7	9	20	46	46	46
B. *Operated*										
0-19 YRS	10	3.8	15	<1	<1	2	4	10	13	13
20-34	26	9.0	68	1	2	6	13	24	26	31
35-49	6	13.2	191	1	1	10	17	36	38	38
50-64	4	8.8	26	2	2	9	12	14	14	14
65+	2	50.0	4418	3	3	50	97	97	97	97
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	66	2.9	9	<1	1	2	4	6	7	19
B. *Operated*	37	6.9	125	1	1	2	6	23	31	55
2. MULTIPLE DX										
A. *Not Operated*	38	5.3	58	1	1	3	7	10	14	46
B. *Operated*	48	10.1	233	1	1	5	13	23	32	97
1. SINGLE DX	103	4.3	53	<1	1	2	4	7	20	43
2. MULTIPLE DX	86	8.0	160	1	1	4	10	15	26	79
A. NOT OPERATED	104	3.8	28	<1	1	2	4	7	10	32
B. OPERATED	85	8.7	187	1	1	3	11	24	31	82
TOTAL 0-19 YRS	47	3.2	18	<1	1	2	3	7	14	21
20-34	85	5.2	61	1	1	3	5	11	22	47
35-49	26	9.0	91	1	1	6	9	23	33	38
50-64	21	5.9	37	1	2	3	7	12	20	28
65+	10	18.7	933	1	1	8	12	71	97	97
GRAND TOTAL	**189**	**6.0**	**105**	**1**	**1**	**3**	**6**	**13**	**24**	**51**

378: Foreign body on external eye (930)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	1.1		<1	<1	1	1	2	2	2
20-34	19	1.1		<1	<1	<1	<1	1	2	2
35-49	10	1.0		<1	<1	<1	<1	1	1	1
50-64	3	1.0		<1	<1	<1	1	1	1	1
65+	1	1.0		<1	<1	<1	<1	<1	<1	<1
B. *Operated*										
0-19 YRS	2	1.0		1	1	1	1	1	1	1
20-34	6	4.0	7	<1	<1	4	5	8	8	8
35-49	1	4.0		4	4	4	4	4	4	4
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	2.5	6	<1	<1	1	4	6	6	6
20-34	7	2.7	4	<1	<1	2	5	5	5	5
35-49	3	1.0		<1	<1	<1	1	1	1	1
50-64										
65+	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-19 YRS	2	5.5	25	2	2	5	9	9	9	9
20-34	4	3.5	9	1	1	3	6	7	7	7
35-49	1	1.0		1	1	1	1	1	1	1
50-64	1	4.0		4	4	4	4	4	4	4
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	40	1.1		<1	<1	<1	1	1	2	2
B. *Operated*	9	3.3	6	<1	<1	4	5	7	8	8
2. MULTIPLE DX										
A. *Not Operated*	15	2.2	3	<1	<1	1	4	5	6	6
B. *Operated*	8	3.8	9	1	1	3	6	8	9	9
1. SINGLE DX	49	1.5	2	<1	<1	<1	1	3	5	8
2. MULTIPLE DX	23	2.7	6	<1	<1	1	5	6	8	9
A. NOT OPERATED	55	1.4	1	<1	<1	<1	1	2	5	6
B. OPERATED	17	3.5	7	<1	<1	4	5	8	9	9
TOTAL 0-19 YRS	15	2.1	5	<1	<1	1	2	6	8	9
20-34	36	2.1	4	<1	<1	1	3	5	7	8
35-49	15	1.2	1	<1	<1	<1	1	1	3	4
50-64	4	1.8	2	<1	<1	1	2	4	4	4
65+	2	1.0		<1	<1	<1	1	1	1	1
GRAND TOTAL	**72**	**1.9**	**3**	**<1**	**<1**	**1**	**2**	**5**	**6**	**9**

379: Foreign body entering through other body orifice (931-939)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	203	1.5	1	<1	<1	1	1	2	4	7
20-34	36	1.4	1	<1	<1	1	2	2	4	5
35-49	42	1.4	1	<1	<1	1	1	3	4	6
50-64	35	1.2		<1	<1	1	1	2	2	3
65+	27	2.1	5	1	1	1	2	5	7	10
B. *Operated*										
0-19 YRS	45	2.3	4	<1	1	2	3	6	8	9
20-34	7	2.7	5	1	1	2	4	6	7	7
35-49	6	2.8	13	1	1	1	3	9	10	10
50-64	6	1.8	1	1	1	2	2	3	3	3
65+	12	2.8	4	<1	<1	2	4	6	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	45	2.5	7	<1	1	2	3	6	9	13
20-34	17	2.6	9	<1	1	2	2	7	11	12
35-49	16	2.8	19	<1	<1	1	2	10	14	16
50-64	21	1.7	1	<1	<1	1	2	3	4	5
65+	47	3.9	42	<1	1	2	4	8	11	41
B. *Operated*										
0-19 YRS	30	4.9	48	1	1	2	5	16	21	29
20-34	9	4.3	17	1	1	2	9	10	11	11
35-49	14	5.6	39	1	1	3	8	11	21	24
50-64	15	7.8	77	1	1	5	8	16	30	35
65+	26	9.3	67	1	1	7	15	24	26	27
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	343	1.5	2	<1	<1	1	1	2	4	7
B. *Operated*	76	2.4	5	<1	1	2	3	6	8	10
2. MULTIPLE DX										
A. *Not Operated*	146	2.9	19	<1	1	2	3	6	10	21
B. *Operated*	94	6.7	55	1	1	4	8	18	25	32
1. SINGLE DX	419	1.6	2	<1	<1	1	2	3	5	9
2. MULTIPLE DX	240	4.4	36	<1	1	2	5	11	18	30
A. NOT OPERATED	489	1.9	7	<1	<1	1	2	4	6	12
B. OPERATED	170	4.8	37	1	1	2	6	11	18	29
TOTAL 0-19 YRS	323	2.0	8	<1	<1	1	2	4	6	15
20-34	69	2.2	6	<1	1	1	2	5	9	12
35-49	78	2.6	14	<1	<1	1	2	7	10	22
50-64	77	2.7	21	<1	1	1	2	5	8	30
65+	112	4.6	41	1	1	2	5	10	18	32
GRAND TOTAL	**659**	**2.6**	**16**	**<1**	**<1**	**1**	**2**	**6**	**9**	**24**

380: Third degree burns (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	10	7.1	28	1	1	7	11	14	17	17
20-34	6	6.7	18	<1	<1	6	7	13	14	14
35-49	2	11.5	113	4	4	11	19	19	19	19
50-64	1	3.0		3	3	3	3	3	3	3
65+	3	13.7	32	9	9	12	18	20	20	20
B. *Operated*										
0-19 YRS	8	17.3	142	2	3	14	27	34	35	35
20-34	18	14.5	74	3	6	14	18	35	73	99+
35-49	11	23.8	474	7	7	16	30	58	78	80
50-64	7	25.4	782	4	5	16	26	74	86	86
65+	1	49.0		49	49	49	49	49	49	49
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	16	13.4	158	1	2	8	23	33	37	39
20-34	19	7.4	66	<1	<1	5	10	22	28	28
35-49	6	12.2	81	<1	<1	15	20	20	20	20
50-64	2	21.0	162	12	12	30	82	99+	99+	99+
65+	4	11.5	80	2	2	11	19	21	21	21
B. *Operated*										
0-19 YRS	35	21.7	248	3	4	19	34	55	88	99+
20-34	47	19.4	202	2	5	16	29	41	54	99+
35-49	20	23.2	510	3	4	14	32	57	76	86
50-64	22	26.0	235	6	8	24	39	55	72	99+
65+	6	45.7	644	8	11	64	69	94	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	22	8.1	32	1	2	7	12	18	19	20
B. *Operated*	45	19.7	307	4	5	15	24	44	81	99+
2. MULTIPLE DX										
A. *Not Operated*	47	11.0	107	<1	1	8	18	30	34	99+
B. *Operated*	130	22.9	306	3	5	19	34	57	70	99+
1. SINGLE DX	67	15.9	245	2	3	13	19	34	52	97
2. MULTIPLE DX	177	19.8	280	2	3	15	30	50	66	99+
A. NOT OPERATED	69	10.1	84	<1	1	8	14	28	30	88
B. OPERATED	175	22.1	307	3	5	17	33	54	75	99+
TOTAL 0-19 YRS	69	17.2	206	2	2	13	29	39	56	99+
20-34	90	15.1	161	1	2	11	22	34	51	99+
35-49	39	21.1	415	1	4	15	22	47	74	86
50-64	32	24.8	333	3	6	23	36	60	97	99+
65+	14	29.3	579	3	6	21	60	71	93	99+
GRAND TOTAL	**244**	**18.7**	**273**	**2**	**3**	**14**	**28**	**45**	**66**	**99+**

381: Other burns (940; 941-946 with 4th digit 0, 1 or 2; 947; 948 without 5th digit 0-9; 949 with 4th digit 0, 1 or 2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	176	5.8	29	1	1	4	8	13	16	24
20-34	109	4.7	25	<1	1	2	7	12	17	22
35-49	38	5.0	36	<1	1	2	7	13	15	29
50-64	18	8.7	61	1	1	7	12	20	25	28
65+	9	9.6	73	<1	<1	5	17	20	22	22
B. *Operated*										
0-19 YRS	30	11.3	130	1	1	7	15	26	35	44
20-34	12	19.5	310	1	1	12	35	44	53	55
35-49	3	7.0	43	1	1	6	12	14	14	14
50-64	1	40.0		40	40	40	40	40	40	40
65+	2	13.0	50	8	8	13	18	18	18	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	255	6.9	44	1	1	5	9	16	21	31
20-34	149	5.4	26	<1	1	4	7	12	15	24
35-49	65	7.6	45	1	1	6	13	16	20	30
50-64	41	9.8	148	<1	1	7	11	18	24	76
65+	43	14.7	189	2	3	11	19	28	54	99+
B. *Operated*										
0-19 YRS	63	16.0	217	1	2	11	22	32	50	67
20-34	41	17.3	330	2	3	11	25	32	52	97
35-49	26	22.7	347	1	1	21	34	44	56	77
50-64	16	18.4	200	2	3	14	29	34	47	53
65+	12	33.8	270	8	11	37	47	52	56	57
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	350	5.6	32	<1	1	3	8	13	18	25
B. *Operated*	48	13.8	185	1	1	8	21	37	40	55
2. MULTIPLE DX										
A. *Not Operated*	553	7.4	63	1	1	5	10	16	22	34
B. *Operated*	158	19.0	286	1	2	14	28	43	52	76
1. SINGLE DX	398	6.6	57	<1	1	4	9	15	21	39
2. MULTIPLE DX	711	10.0	136	1	1	6	13	24	31	62
A. NOT OPERATED	903	6.7	52	1	1	4	9	15	21	31
B. OPERATED	206	17.8	267	1	2	13	27	40	50	72
TOTAL 0-19 YRS	524	7.9	74	1	1	5	11	18	26	39
20-34	311	7.3	98	<1	1	4	9	17	24	50
35-49	132	9.8	141	1	1	6	14	25	34	56
50-64	76	11.8	157	1	2	8	14	27	33	70
65+	66	17.4	241	2	3	15	22	42	51	97
GRAND TOTAL	**1109**	**8.8**	**110**	**1**	**1**	**5**	**11**	**21**	**29**	**53**

382: Injury to nerve and spinal cord (950-957)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	11	2.3	8	<1	<1	1	2	7	10	10
20-34	17	2.8	6	<1	1	2	3	7	9	9
35-49	9	3.9	31	<1	<1	1	4	13	18	18
50-64	7	7.0	18	1	2	7	9	13	14	14
65+	3	31.3	1620	1	1	16	62	77	77	77
B. *Operated*										
0-19 YRS	19	2.4	1	1	1	2	3	3	5	6
20-34	34	3.1	10	<1	1	2	3	7	10	16
35-49	12	2.9	5	1	1	2	4	6	9	9
50-64	6	1.8	1	1	1	2	2	4	4	4
65+	2	23.0	882	2	2	23	44	44	44	44
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	11	2.2	1	1	1	2	3	4	4	4
20-34	22	5.1	43	<1	1	3	6	12	23	28
35-49	10	2.4	3	<1	<1	2	3	5	6	6
50-64	6	12.0	251	<1	<1	4	22	38	40	40
65+	14	16.8	189	1	3	13	23	39	40	40
B. *Operated*										
0-19 YRS	23	2.6	6	1	1	2	3	7	8	10
20-34	65	3.4	18	<1	1	2	4	6	14	20
35-49	22	2.4	2	<1	<1	2	3	4	5	5
50-64	10	16.7	378	1	1	8	26	48	56	56
65+	2	4.0	8	2	2	4	6	6	6	6
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	47	5.3	132	<1	1	2	5	10	16	77
B. *Operated*	73	3.4	29	1	1	2	3	6	9	38
2. MULTIPLE DX										
A. *Not Operated*	63	7.4	108	<1	1	3	7	22	39	40
B. *Operated*	122	4.2	53	1	1	2	3	7	19	44
1. SINGLE DX	120	4.1	70	<1	1	2	3	8	12	54
2. MULTIPLE DX	185	5.3	74	1	1	2	5	14	23	40
A. NOT OPERATED	110	6.5	118	<1	1	3	6	17	28	55
B. OPERATED	195	3.9	44	1	1	2	3	7	14	42
TOTAL 0-19 YRS	64	2.4	4	1	1	2	3	5	7	10
20-34	138	3.6	19	<1	1	2	4	7	12	21
35-49	53	2.8	7	<1	1	2	3	5	6	18
50-64	29	10.3	204	1	1	4	14	34	41	56
65+	21	18.2	379	1	2	12	27	42	59	77
GRAND TOTAL	**305**	**4.8**	**72**	**<1**	**1**	**2**	**4**	**10**	**20**	**42**

383: Certain traumatic complications and unspecified injuries (958-959)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	214	2.4	6	<1	1	1	3	5	8	13
20-34	185	2.7	6	<1	<1	2	3	6	8	11
35-49	76	3.8	18	<1	1	3	5	7	11	24
50-64	29	4.3	6	1	1	4	5	7	8	13
65+	53	6.4	24	1	1	5	8	13	16	20
B. *Operated*										
0-19 YRS	19	4.2	18	1	1	3	5	7	14	20
20-34	31	5.1	17	<1	1	4	7	11	14	18
35-49	19	6.8	46	1	1	4	9	20	23	23
50-64	4	3.8	10	1	1	3	6	8	8	8
65+	4	18.5	804	3	3	5	33	61	61	61
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	147	2.9	13	<1	1	2	3	6	9	18
20-34	149	3.1	5	<1	1	2	4	6	8	11
35-49	75	4.4	28	<1	1	3	5	9	10	35
50-64	73	7.7	122	<1	1	4	9	16	21	65
65+	160	12.1	215	2	2	8	14	27	38	90
B. *Operated*										
0-19 YRS	19	6.2	16	1	1	5	9	12	14	14
20-34	44	7.7	54	1	2	4	10	16	22	39
35-49	11	10.4	87	<1	2	8	12	23	35	36
50-64	18	10.9	200	<1	1	6	11	21	45	61
65+	20	11.2	86	1	2	8	17	27	29	30
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	557	3.2	11	<1	1	2	4	7	10	18
B. *Operated*	77	5.9	64	1	1	4	7	11	19	51
2. MULTIPLE DX										
A. *Not Operated*	604	6.2	94	<1	1	3	7	13	20	61
B. *Operated*	112	8.8	80	1	1	6	11	20	25	47
1. SINGLE DX	634	3.5	18	<1	1	2	4	7	11	19
2. MULTIPLE DX	716	6.6	93	1	1	4	8	14	21	56
A. NOT OPERATED	1161	4.7	56	<1	1	3	5	10	15	39
B. OPERATED	189	7.6	75	1	1	5	9	17	22	52
TOTAL 0-19 YRS	399	2.9	10	<1	1	2	3	7	9	16
20-34	409	3.6	14	<1	1	2	4	8	10	18
35-49	181	4.8	31	<1	1	3	6	9	15	33
50-64	124	7.3	105	1	1	4	8	14	21	63
65+	237	10.9	174	1	2	7	13	25	31	89
GRAND TOTAL	**1350**	**5.1**	**60**	**<1**	**1**	**3**	**6**	**11**	**17**	**39**

384: Poisoning by drugs, medicinal, and biological substances (960-979)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	720	1.7	3	<1	<1	1	2	3	4	10
20-34	232	2.1	3	<1	<1	1	2	4	5	10
35-49	100	3.1	13	<1	<1	2	3	6	10	20
50-64	45	4.4	31	<1	1	2	5	10	17	30
65+	54	4.1	11	1	1	3	5	10	10	16
B. *Operated*										
0-19 YRS	2	7.0		7	7	7	7	7	7	7
20-34	1	2.0		2	2	2	2	2	2	2
35-49	1	6.0		6	6	6	6	6	6	6
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	654	4.1	35	<1	1	2	5	9	13	33
20-34	1019	6.3	105	<1	1	3	6	16	30	59
35-49	578	7.4	107	1	1	4	8	18	31	58
50-64	286	7.5	63	1	1	5	9	19	25	43
65+	378	9.9	111	1	2	7	12	20	38	63
B. *Operated*										
0-19 YRS	8	18.1	436	3	3	14	36	86	99+	99+
20-34	35	13.5	295	1	1	8	22	35	74	99+
35-49	25	24.4	622	3	3	18	26	68	84	98
50-64	16	24.1	322	5	7	19	39	50	58	62
65+	25	18.3	206	3	4	14	20	43	69	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1151	2.1	6	<1	<1	1	2	4	6	12
B. *Operated*	4	5.5	6	2	2	6	7	7	7	7
2. MULTIPLE DX										
A. *Not Operated*	2915	6.6	90	1	1	3	8	16	26	57
B. *Operated*	109	19.0	370	2	2	14	24	51	78	99+
1. SINGLE DX	1155	2.1	6	<1	<1	1	2	4	6	12
2. MULTIPLE DX	3024	7.1	105	1	1	3	8	17	28	60
A. NOT OPERATED	4066	5.4	70	<1	1	2	6	12	21	47
B. OPERATED	113	18.5	363	2	2	13	24	50	76	99+
TOTAL 0-19 YRS	1384	2.9	23	<1	<1	1	3	6	10	23
20-34	1287	5.8	96	<1	1	2	5	14	25	58
35-49	704	7.4	124	1	1	3	8	18	31	59
50-64	347	7.9	84	1	1	4	9	20	26	50
65+	457	9.7	112	1	2	7	12	20	38	64
GRAND TOTAL	**4179**	**5.7**	**82**	**<1**	**1**	**2**	**6**	**14**	**23**	**57**

385: Toxic effects of substances chiefly nonmedicinal as to source (980-989)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	261	1.3	1	<1	<1	1	1	2	3	5
20-34	89	1.4	1	<1	<1	1	2	3	3	7
35-49	52	1.9	3	<1	1	1	2	3	6	9
50-64	17	1.6	1	<1	<1	1	2	3	4	4
65+	13	3.2	10	1	1	2	5	8	10	10
B. *Operated*										
0-19 YRS										
20-34	1	11.0		11	11	11	11	11	11	11
35-49	1	8.0		8	8	8	8	8	8	8
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	76	2.8	31	<1	<1	1	2	5	16	83
20-34	82	3.8	40	<1	<1	2	3	8	16	37
35-49	63	3.9	32	<1	<1	2	4	10	15	32
50-64	43	6.2	65	1	1	3	7	14	25	42
65+	24	12.2	268	1	1	6	12	32	48	74
B. *Operated*										
0-19 YRS	2	18.0	578	1	1	18	35	35	35	35
20-34	7	7.7	122	<1	<1	4	8	27	32	32
35-49	1	1.0		1	1	1	1	1	1	1
50-64	3	3.7	1	3	3	3	5	5	5	5
65+	1	30.0		30	30	65	99+	99+	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	432	1.5	2	<1	<1	1	1	3	3	8
B. *Operated*	2	9.5	5	8	8	9	11	11	11	11
2. MULTIPLE DX										
A. *Not Operated*	288	4.6	64	<1	1	2	5	11	22	41
B. *Operated*	14	9.4	160	<1	1	4	25	35	84	99+
1. SINGLE DX	434	1.5	2	<1	<1	1	1	3	4	8
2. MULTIPLE DX	302	4.9	69	<1	1	2	5	12	28	57
A. NOT OPERATED	720	2.8	29	<1	<1	1	2	5	10	33
B. OPERATED	16	9.4	139	<1	1	4	16	34	77	99+
TOTAL 0-19 YRS	339	1.8	11	<1	<1	1	1	3	4	30
20-34	179	2.8	26	<1	<1	1	2	5	10	32
35-49	117	3.0	19	<1	1	1	3	7	10	26
50-64	63	4.8	49	<1	1	2	6	10	18	40
65+	38	9.6	200	1	1	6	10	31	57	99+
GRAND TOTAL	**736**	**2.9**	**32**	**<1**	**<1**	**1**	**2**	**6**	**10**	**35**

386: Miscellaneous adverse effects (990-994; 995)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	148	2.6	14	<1	1	1	3	6	8	25
20-34	108	3.1	10	<1	<1	2	4	8	10	14
35-49	55	2.8	7	<1	1	2	3	5	8	14
50-64	29	4.2	49	<1	<1	2	3	10	23	32
65+	49	5.7	97	<1	1	3	5	10	21	57
B. *Operated*										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	7	13.9	157	2	2	10	22	34	36	36
35-49	2	4.0	8	2	2	4	6	6	6	6
50-64	2	42.0	242	31	31	42	53	53	53	53
65+	1	6.0		6	6	6	6	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	141	4.4	21	1	1	3	5	10	14	21
20-34	117	4.6	31	<1	<1	2	6	11	16	28
35-49	83	6.1	90	1	1	3	7	13	19	61
50-64	101	6.2	56	1	1	4	8	14	21	42
65+	166	9.5	180	1	2	5	11	22	30	91
B. *Operated*										
0-19 YRS	4	13.8	201	1	1	10	22	34	34	34
20-34	6	23.2	826	2	2	14	27	73	78	78
35-49	13	18.2	576	<1	2	10	20	45	82	91
50-64	16	23.8	627	4	5	15	25	73	86	90
65+	24	21.8	360	3	3	23	29	54	87	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	389	3.3	26	<1	<1	2	3	7	11	26
B. *Operated*	13	15.5	255	2	2	9	27	39	50	53
2. MULTIPLE DX										
A. *Not Operated*	608	6.4	85	1	1	4	7	15	21	52
B. *Operated*	63	21.2	481	2	3	14	28	56	85	99
1. SINGLE DX	402	3.7	37	<1	<1	2	3	8	11	34
2. MULTIPLE DX	671	7.8	140	1	1	4	8	18	27	82
A. NOT OPERATED	997	5.2	64	<1	1	3	6	11	18	39
B. OPERATED	76	20.2	443	2	3	12	27	51	81	98
TOTAL 0-19 YRS	294	3.6	21	<1	1	2	4	9	13	24
20-34	238	4.7	53	<1	<1	2	5	11	15	30
35-49	153	5.9	114	<1	1	3	6	13	18	74
50-64	148	8.2	161	<1	1	4	9	22	31	77
65+	240	10.0	197	1	1	5	11	25	39	92
GRAND TOTAL	**1073**	**6.2**	**106**	**<1**	**1**	**3**	**7**	**15**	**24**	**70**

387: Complications peculiar to certain specified procedures (996)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	12	3.3	5	<1	1	3	5	7	7	7
20-34	46	5.5	92	<1	<1	2	7	12	14	63
35-49	15	5.1	39	<1	1	3	6	13	21	24
50-64	14	5.3	54	<1	<1	3	8	10	25	29
65+	30	9.4	109	1	1	7	11	20	28	52
B. *Operated*										
0-19 YRS	68	6.5	46	<1	1	5	10	12	17	41
20-34	201	5.7	89	<1	<1	3	6	13	18	46
35-49	111	5.6	51	<1	1	3	6	12	18	44
50-64	159	9.1	97	1	1	6	12	20	31	47
65+	305	9.8	125	2	2	6	12	20	30	65
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	49	6.4	62	1	1	4	7	12	19	45
20-34	71	5.4	45	<1	1	3	7	11	13	43
35-49	52	9.1	58	1	2	8	13	19	23	40
50-64	73	7.8	51	1	2	6	9	16	21	37
65+	132	10.5	72	1	2	8	15	21	26	39
B. *Operated*										
0-19 YRS	176	10.5	122	1	2	7	13	27	34	95
20-34	287	8.7	100	<1	1	5	11	19	27	48
35-49	272	9.7	112	1	1	7	12	22	29	65
50-64	475	13.4	204	1	2	9	18	31	49	99+
65+	710	17.6	319	1	2	13	23	45	67	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	117	6.2	78	<1	<1	3	8	13	21	56
B. *Operated*	844	7.9	98	<1	1	4	10	18	27	49
2. MULTIPLE DX										
A. *Not Operated*	377	8.3	63	1	1	6	11	19	24	39
B. *Operated*	1920	13.5	223	1	2	9	18	33	50	99+
1. SINGLE DX	961	7.7	96	<1	1	4	10	17	26	51
2. MULTIPLE DX	2297	12.6	200	1	2	8	17	30	46	97
A. NOT OPERATED	494	7.8	67	1	1	5	10	18	24	43
B. OPERATED	2764	11.8	191	1	1	7	15	28	43	86
TOTAL 0-19 YRS	305	8.7	95	1	1	5	11	21	31	65
20-34	605	7.1	92	<1	<1	4	9	16	25	48
35-49	450	8.5	92	<1	1	5	11	20	25	49
50-64	721	11.7	168	1	2	8	15	27	43	94
65+	1177	14.6	249	1	2	10	19	35	54	99
GRAND TOTAL	**3258**	**11.2**	**174**	**1**	**1**	**7**	**14**	**26**	**41**	**82**

388: Hemorrhage or hematoma complicating a procedure (998.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	79	1.9	2	<1	<1	1	2	3	6	8
20-34	133	2.4	2	1	1	2	3	4	5	8
35-49	74	3.2	5	1	1	3	4	7	8	10
50-64	44	3.7	5	1	2	3	4	7	9	10
65+	86	4.1	8	1	2	4	5	8	10	16
B. *Operated*										
0-19 YRS	33	2.1	3	<1	1	2	2	3	6	10
20-34	83	3.8	10	1	1	3	5	9	11	14
35-49	50	4.0	14	1	1	3	5	8	12	20
50-64	31	6.5	74	1	1	4	7	11	25	45
65+	27	5.6	59	<1	1	4	6	10	17	41
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	17	2.8	4	1	1	2	4	5	7	8
20-34	76	3.3	7	1	1	2	5	7	9	13
35-49	39	4.2	7	1	1	4	5	8	10	12
50-64	47	4.3	14	1	1	3	6	9	10	23
65+	85	5.8	23	1	2	4	8	12	15	26
B. *Operated*										
0-19 YRS	17	3.8	11	1	1	3	4	9	12	13
20-34	47	5.0	20	1	1	3	8	11	14	19
35-49	36	4.9	15	1	1	4	6	9	10	21
50-64	43	4.6	15	1	1	3	6	10	11	21
65+	49	9.4	71	1	2	7	12	23	31	33
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	416	2.9	5	1	1	2	4	6	7	10
B. *Operated*	224	4.2	26	1	1	3	5	8	11	30
2. MULTIPLE DX										
A. *Not Operated*	264	4.4	14	1	1	3	5	9	11	22
B. *Operated*	192	5.9	34	1	1	4	8	12	18	32
1. SINGLE DX	640	3.4	13	1	1	2	4	7	9	14
2. MULTIPLE DX	456	5.0	23	1	1	4	6	10	14	27
A. NOT OPERATED	680	3.5	9	1	1	3	4	7	9	14
B. OPERATED	416	5.0	30	1	1	3	6	10	14	31
TOTAL 0-19 YRS	146	2.2	4	<1	1	2	2	4	7	10
20-34	339	3.3	8	1	1	2	4	8	10	14
35-49	199	3.9	10	1	1	3	5	7	9	18
50-64	165	4.6	24	1	1	3	6	9	10	26
65+	247	5.9	34	1	2	4	7	12	18	32
GRAND TOTAL	**1096**	**4.1**	**18**	**1**	**1**	**3**	**5**	**8**	**11**	**22**

389: Postoperative wound infection (998.5)

				PERCENTILES						
TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	55	5.6	10	2	2	5	7	9	12	16
20-34	132	6.0	33	1	2	4	7	11	14	32
35-49	73	6.1	14	1	2	5	8	10	13	22
50-64	54	8.0	58	1	2	6	9	13	21	48
65+	44	11.7	127	3	3	8	11	27	42	54
B. *Operated*										
0-19 YRS	20	8.9	57	1	1	7	12	16	25	33
20-34	41	8.7	53	2	3	7	11	17	22	40
35-49	43	8.1	112	1	2	5	9	14	29	57
50-64	26	10.5	55	2	2	9	13	21	24	32
65+	17	9.6	57	3	3	7	14	24	25	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	42	6.8	63	1	2	4	8	14	17	50
20-34	121	6.7	31	1	2	6	8	12	20	29
35-49	82	7.3	29	2	3	6	8	15	20	27
50-64	91	10.7	60	2	3	9	14	23	27	36
65+	101	11.0	125	2	4	7	14	23	34	91
B. *Operated*										
0-19 YRS	29	8.5	60	1	2	7	9	17	21	41
20-34	56	13.6	153	2	4	10	19	26	34	74
35-49	44	14.4	166	2	5	10	18	38	44	56
50-64	51	17.9	248	1	4	14	24	52	63	99+
65+	52	16.7	338	2	3	12	20	31	55	99
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	358	7.0	44	2	2	5	8	12	15	46
B. *Operated*	147	9.0	70	1	2	7	11	19	23	44
2. MULTIPLE DX										
A. *Not Operated*	437	8.6	65	2	3	6	10	18	25	43
B. *Operated*	232	14.8	211	2	3	10	19	33	51	99
1. SINGLE DX	505	7.6	52	2	2	6	9	14	21	45
2. MULTIPLE DX	669	10.8	124	2	3	7	13	22	32	73
A. NOT OPERATED	795	7.9	56	2	2	6	9	15	22	45
B. OPERATED	379	12.5	164	2	3	9	15	26	41	77
TOTAL 0-19 YRS	146	7.0	42	1	2	5	8	14	17	41
20-34	350	7.8	60	2	2	6	9	15	22	40
35-49	242	8.4	72	1	2	6	9	17	23	50
50-64	222	11.7	113	2	3	9	15	26	36	73
65+	214	12.4	176	3	3	8	14	26	38	89
GRAND TOTAL	**1174**	**9.4**	**96**	**2**	**3**	**6**	**11**	**20**	**27**	**55**

390: Other complications of surgical procedures (997; 998.0; 998.2-998.4; 998.6-998.9)

				PERCENTILES						
TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	24	3.0	6	<1	1	2	4	6	8	11
20-34	55	4.6	43	1	1	3	5	10	12	43
35-49	39	4.1	11	1	1	3	6	8	10	16
50-64	34	7.2	70	1	1	3	9	18	28	34
65+	32	5.8	23	1	1	4	8	15	16	17
B. *Operated*										
0-19 YRS	22	6.6	32	<1	1	6	11	16	18	19
20-34	47	6.5	39	1	1	3	9	17	20	25
35-49	32	7.9	50	1	2	4	12	23	27	99+
50-64	31	7.7	54	1	1	4	12	20	22	31
65+	51	5.6	31	1	1	4	6	14	17	30
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	63	3.8	14	1	1	2	5	8	12	19
20-34	142	4.9	15	1	1	4	6	9	13	22
35-49	141	6.5	39	1	1	5	8	13	17	28
50-64	185	8.1	65	1	1	6	10	17	23	41
65+	194	9.2	83	1	2	7	12	20	27	41
B. *Operated*										
0-19 YRS	57	9.9	91	<1	<1	7	16	25	30	95
20-34	129	9.5	118	1	1	7	11	24	29	62
35-49	136	12.0	117	1	2	9	15	26	34	56
50-64	175	13.3	224	1	2	9	16	28	57	95
65+	179	15.1	184	2	3	12	21	38	56	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	184	5.0	34	1	1	3	7	11	16	33
B. *Operated*	183	6.7	40	1	1	4	10	16	21	31
2. MULTIPLE DX										
A. *Not Operated*	725	7.1	54	1	1	5	9	15	21	38
B. *Operated*	676	12.5	164	1	2	9	17	28	43	99+
1. SINGLE DX	367	5.8	38	1	1	3	8	14	19	31
2. MULTIPLE DX	1401	9.7	114	1	1	7	12	22	31	72
A. NOT OPERATED	909	6.7	50	1	1	5	8	14	20	37
B. OPERATED	859	11.3	143	1	2	8	15	26	38	99+
TOTAL 0-19 YRS	166	6.2	49	<1	1	3	8	17	23	37
20-34	373	6.7	62	1	1	4	8	14	21	44
35-49	348	8.5	76	1	1	6	11	20	26	50
50-64	425	10.2	136	1	1	7	13	22	32	75
65+	456	10.9	125	1	2	8	15	25	37	99+
GRAND TOTAL	**1768**	**8.9**	**101**	**1**	**1**	**6**	**11**	**21**	**28**	**67**

391: Other complications of medical care, except drugs (999)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	10	1.8	1	1	1	2	2	3	4	4
20-34	4	1.5	1	<1	<1	1	2	3	3	3
35-49	3	2.0	1	1	1	2	3	3	3	3
50-64	6	4.3	33	1	1	2	3	15	16	16
65+	1	4.0		4	4	4	4	4	4	4
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	22	3.5	3	1	1	3	4	6	7	9
20-34	11	4.9	16	<1	<1	4	6	12	12	12
35-49	4	4.3	5	1	1	5	6	6	6	6
50-64	9	9.9	224	<1	<1	4	12	34	48	48
65+	10	5.5	20	1	1	4	9	12	14	14
B. *Operated*										
0-19 YRS	1	8.0		8	8	8	8	8	8	8
20-34	5	16.4	310	2	2	15	23	46	46	46
35-49	2	9.5	1	9	9	9	10	10	10	10
50-64	8	8.5	48	1	1	8	14	17	18	18
65+	2	6.0	32	2	2	6	10	10	10	10
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	24	2.5	9	<1	1	2	3	4	8	16
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	56	5.2	45	1	1	4	6	11	13	46
B. *Operated*	18	10.5	110	1	1	9	15	17	35	46
1. SINGLE DX	24	2.5	9	<1	1	2	3	4	8	16
2. MULTIPLE DX	74	6.5	65	1	1	4	9	14	15	48
A. NOT OPERATED	80	4.4	36	<1	1	3	5	10	13	38
B. OPERATED	18	10.5	110	1	1	9	15	17	35	46
TOTAL 0-19 YRS	33	3.1	4	1	1	3	4	6	8	9
20-34	20	7.1	106	<1	<1	4	9	15	31	46
35-49	9	4.7	11	1	1	5	7	10	10	10
50-64	23	8.0	110	<1	1	3	13	16	28	48
65+	13	5.5	18	1	1	4	9	11	13	14
GRAND TOTAL	**98**	**5.5**	**54**	**1**	**1**	**3**	**6**	**13**	**15**	**47**

392: Admission for prophylactic sterilization (V25.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	8	2.1	2	<1	<1	2	3	4	5	5
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	16	2.2	1	<1	<1	2	3	4	4	4
20-34	2308	2.0	1	<1	<1	2	3	4	4	6
35-49	813	1.9	1	<1	<1	2	3	3	4	6
50-64	5	2.4	10	<1	<1	<1	3	8	8	8
65+	5	2.4	1	1	1	2	3	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	32	1.1		<1	<1	<1	1	2	2	3
35-49	14	1.4	1	<1	<1	1	1	3	5	5
50-64	1	2.0		2	2	2	2	2	2	2
65+										
B. *Operated*										
0-19 YRS	4	3.5	2	2	2	3	4	5	5	5
20-34	912	2.6	3	<1	<1	2	3	5	6	8
35-49	424	2.5	2	<1	<1	2	3	4	5	8
50-64	1	1.0		1	1	1	1	1	1	1
65+	3	2.3	5	<1	<1	1	4	5	5	5
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8	2.1	2	<1	<1	2	3	4	5	5
B. *Operated*	3147	2.0	1	<1	<1	2	3	4	4	6
2. MULTIPLE DX										
A. *Not Operated*	48	1.2	1	<1	<1	<1	1	2	3	5
B. *Operated*	1344	2.6	3	<1	<1	2	3	5	5	8
1. SINGLE DX	3155	2.0	1	<1	<1	2	3	4	4	6
2. MULTIPLE DX	1392	2.5	3	<1	<1	2	3	5	5	8
A. NOT OPERATED	56	1.4	1	<1	<1	<1	1	2	3	5
B. OPERATED	4491	2.2	2	<1	<1	2	3	4	5	7
TOTAL 0-19 YRS	21	2.4	1	<1	<1	2	3	4	5	5
20-34	3260	2.2	2	<1	<1	2	3	4	5	6
35-49	1251	2.1	2	<1	<1	2	3	4	5	8
50-64	7	2.1	7	<1	<1	1	2	7	8	8
65+	8	2.4	2	<1	<1	2	3	5	5	5
GRAND TOTAL	**4547**	**2.2**	**2**	**<1**	**<1**	**2**	**3**	**4**	**5**	**7**

393: Single liveborn, born in hospital (V30.0; V39.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
1-999 G										
1000-1499										
1500-1749	1	7.0		7	7	7	7	7	7	7
1750-2499	196	5.3	9	3	3	4	6	8	11	19
2500+	24089	4.1	2	2	3	4	5	6	7	8
B. *Operated*										
1-999 G										
1000-1499										
1500-1749										
1750-2499										
2500+	11	4.5	1	3	3	5	5	6	7	7
2. MULTIPLE DX										
A. *Not Operated*										
1-999 G	10	77.0	126	64	65	78	96	99+	99+	99+
1000-1499	89	52.5	332	28	31	49	68	85	96	99+
1500-1749	119	29.8	122	15	18	28	35	46	54	62
1750-2499	1638	10.3	63	3	4	7	14	21	26	36
2500+	33086	4.7	5	3	3	4	5	7	8	12
B. *Operated*										
1-999 G	14	84.4	68	73	77	98	99+	99+	99+	99+
1000-1499	43	61.0	311	25	40	66	82	99+	99+	99+
1500-1749	17	47.8	479	21	26	39	68	75	90	98
1750-2499	78	23.6	166	5	7	23	32	40	45	93
2500+	303	9.8	102	3	4	6	11	21	33	58
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	24286	4.1	2	2	3	4	5	6	7	9
B. *Operated*	11	4.5	1	3	3	5	5	6	7	7
2. MULTIPLE DX										
A. *Not Operated*	34942	5.1	19	3	3	4	6	7	9	23
B. *Operated*	455	20.7	530	3	4	10	33	74	97	99+
1. SINGLE DX	24297	4.1	2	2	3	4	5	6	7	9
2. MULTIPLE DX	35397	5.3	29	3	3	4	6	7	10	29
A. NOT OPERATED	59228	4.7	13	2	3	4	5	7	8	17
B. OPERATED	466	20.3	524	3	4	10	32	73	96	99+
TOTAL 1-999 G	24	81.3	102	66	69	93	99+	99+	99+	99+
1000-1499	132	55.2	339	28	32	56	72	93	99+	99+
1500-1749	137	31.9	202	15	18	29	37	50	60	79
1750-2499	1912	10.3	72	3	4	7	14	22	27	39
2500+	57489	4.4	4	2	3	4	5	6	7	11
GRAND TOTAL	**59694**	**4.8**	**19**	**2**	**3**	**4**	**5**	**7**	**8**	**21**

394: Twin or multiple liveborn, born in hospital (V31.0; V32.0; V33.0; V34.0; V35.0; V36.0; V37.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
1-999 G										
1000-1499										
1500-1749	1	12.0		12	12	12	12	12	12	12
1750-2499	33	6.4	7	3	4	6	7	10	13	15
2500+	163	5.9	4	3	4	6	7	8	9	13
B. *Operated*										
1-999 G										
1000-1499										
1500-1749										
1750-2499										
2500+										
2. MULTIPLE DX										
A. *Not Operated*										
1-999 G	4	75.3	178	57	57	77	83	89	89	89
1000-1499	26	46.8	235	20	31	46	52	66	80	90
1500-1749	36	31.4	103	15	20	30	39	46	51	53
1750-2499	328	12.4	52	5	5	10	17	22	28	36
2500+	410	7.0	12	4	4	6	8	10	14	19
B. *Operated*										
1-999 G	3	73.3	21	68	70	99+	99+	99+	99+	99+
1000-1499	11	58.5	463	25	34	53	82	94	99	99+
1500-1749	5	48.2	485	30	30	35	65	82	82	82
1750-2499	12	24.7	51	17	17	23	31	34	37	37
2500+	2	11.0	50	6	6	11	16	16	16	16
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	197	6.0	5	3	4	6	7	8	10	14
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	804	11.9	129	4	5	7	13	23	37	55
B. *Operated*	33	43.1	588	16	17	42	77	99+	99+	99+
1. SINGLE DX	197	6.0	5	3	4	6	7	8	10	14
2. MULTIPLE DX	837	13.2	183	4	5	8	15	30	43	83
A. NOT OPERATED	1001	10.8	110	4	4	7	11	22	32	52
B. OPERATED	33	43.1	588	16	17	42	77	99+	99+	99+
TOTAL 1-999 G	7	74.4	97	58	64	78	99+	99+	99+	99+
1000-1499	37	50.2	321	22	32	47	54	82	91	99+
1500-1749	42	32.9	177	15	18	31	39	49	55	82
1750-2499	373	12.3	56	5	5	10	17	22	28	37
2500+	575	6.7	10	4	4	6	7	10	12	19
GRAND TOTAL	**1034**	**11.8**	**157**	**4**	**4**	**7**	**12**	**24**	**40**	**82**

395: Single or multiple liveborn, born before admission to hospital (V30.1; V31.1; V32.1; V33.1; V34.1; V35.1; V36.1; V37.1; V39.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
1-999 G										
1000-1499										
1500-1749										
1750-2499	2	3.0		3	3	3	3	3	3	3
2500+	44	3.5	2	2	2	3	4	5	6	6
B. *Operated*										
1-999 G										
1000-1499										
1500-1749										
1750-2499										
2500+										
2. MULTIPLE DX										
A. *Not Operated*										
1-999 G	1	93.0		93	93	93	93	93	93	93
1000-1499										
1500-1749	2	40.5	265	29	29	40	52	52	52	52
1750-2499	15	11.1	65	3	4	6	20	23	24	24
2500+	53	4.6	16	1	2	4	5	8	12	22
B. *Operated*										
1-999 G										
1000-1499	2	69.0	512	53	53	85	96	99+	99+	99+
1500-1749										
1750-2499										
2500+	4	13.0	38	5	5	13	17	20	20	20
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	46	3.4	1	2	2	3	4	5	6	6
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	71	8.3	172	1	2	4	7	20	24	84
B. *Operated*	6	31.7	961	5	7	20	77	97	99+	99+
1. SINGLE DX	46	3.4	1	2	2	3	4	5	6	6
2. MULTIPLE DX	77	10.1	262	1	2	4	9	23	53	98
A. NOT OPERATED	117	6.4	110	1	2	4	5	12	21	65
B. OPERATED	6	31.7	961	5	7	20	77	97	99+	99+
TOTAL 1-999 G	1	93.0		93	93	93	93	93	93	93
1000-1499	2	69.0	512	53	53	85	96	99+	99+	99+
1500-1749	2	40.5	265	29	29	40	52	52	52	52
1750-2499	17	10.1	64	3	3	5	19	22	24	24
2500+	101	4.5	13	1	2	4	5	7	12	21
GRAND TOTAL	**123**	**7.6**	**174**	**1**	**2**	**4**	**6**	**20**	**25**	**95**

396: Aftercare for removal of internal fixation device (V54.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	2.7	1	2	2	2	4	4	4	4
20-34	3	1.0		1	1	1	1	1	1	1
35-49	1	7.0		7	7	7	7	7	7	7
50-64	2	2.0		2	2	2	2	2	2	2
65+	1	3.0		3	3	3	3	3	3	3
B. *Operated*										
0-19 YRS	133	2.5	2	<1	1	2	3	4	5	25
20-34	214	2.7	4	<1	1	2	3	4	5	11
35-49	107	2.9	3	<1	1	2	3	5	6	10
50-64	71	3.3	4	1	1	3	4	6	7	10
65+	44	5.7	60	1	1	3	6	12	21	41
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	6.7	167	<1	<1	1	3	30	33	33
20-34	4	1.5		<1	<1	1	2	2	2	2
35-49	2	3.5	13	1	1	3	6	6	6	6
50-64										
65+	2	38.5	2665	2	2	38	75	75	75	75
B. *Operated*										
0-19 YRS	41	3.5	5	1	1	3	4	7	8	11
20-34	57	4.5	19	<1	1	4	5	8	12	27
35-49	31	3.0	3	1	1	3	4	5	5	8
50-64	37	4.7	13	1	2	4	6	9	13	17
65+	41	7.7	59	1	2	5	8	19	27	34
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	10	2.5	3	1	1	2	3	5	7	7
B. *Operated*	569	3.0	8	<1	1	2	3	5	7	13
2. MULTIPLE DX										
A. *Not Operated*	14	9.3	429	<1	<1	2	3	37	67	75
B. *Operated*	207	4.7	23	1	1	4	5	8	13	28
1. SINGLE DX	579	3.0	8	<1	1	2	3	5	7	13
2. MULTIPLE DX	221	5.0	48	1	1	3	5	9	15	33
A. NOT OPERATED	24	6.5	255	<1	<1	2	3	10	46	75
B. OPERATED	776	3.5	13	<1	1	3	4	6	8	20
TOTAL 0-19 YRS	183	2.8	8	<1	1	2	3	4	7	26
20-34	278	3.1	7	<1	1	2	4	5	7	15
35-49	141	3.0	3	<1	1	2	4	5	7	10
50-64	110	3.8	7	1	1	3	5	7	9	15
65+	88	7.3	112	1	1	4	8	16	28	62
GRAND TOTAL	**800**	**3.6**	**20**	**<1**	**1**	**3**	**4**	**6**	**9**	**27**

Appendix

ICD-9-CM Codes for Selected Diagnosis Groups

ICD-9-CM Codes for Selected Diagnosis Groups

ICD-9-CM codes for diagnosis groups 193, 268, 286, 287, 290, and 380

193	Nongastric peptic ulcer with hemorrhage or perforation	532.00; 532.10; 532.20; 532.40; 532.50; 532.60; 533.00; 533.10; 533.20; 533.40; 533.50; 533.60; 534.00; 534.10; 534.20; 534.40; 534.50; 534.60
268	Miscellaneous complications of pregnancy without delivery	644.00; 644.03; 645.03; 646.0-646.4 with 5th digit 3; 646.73; 646.83; 646.93; 651-656 with 5th digit 3; 657 with 5th digit 3; 658.0-658.1 with 5th digit 0 or 3; 658.23; 658.33; 658.8-658.9 with 5th digit 0 or 3; 659.03; 659.10; 659.13; 659.4-663.9 with 5th digit 3; 665.03; 665.83; 665.93; 668.0-669.2 with 5th digit 3; 669.8-669.9 with 5th digit 3; 671.0-671.3 with 5th digit 3; 671.5-671.9 with 5th digit 3; 673.0-674.0 with 5th digit 3; 675.0-676.9 with 5th digit 3
286	Other obstetrical trauma	664.5-664.9 with 5th digit 0 or 1; 665.0 with 5th digit 0 or 1; 665.1 with 5th digit 0, 1, or 2; 665.2 with 5th digit 0 or 2; 665.3-665.6 with 5th digit 0 or 1; 665.7-665.9 with 5th digit 0, 1, or 2
287	Miscellaneous complications of delivery	642 with 5th digit 0, 1, or 2; 643.0-643.9 with 5th digit 1; 644.20-644.21; 645.00-645.01; 646.00-646.01; 646.1-646.2 with 5th digit 0, 1, or 2; 646.30-646.31; 646.4-646.6 with 5th digit 0, 1, or 2; 646.70-646.71; 646.80-646.82; 646.90-646.91; 655-657 with 5th digit 0 or 1; 658.01; 658.41; 658.81; 658.91; 659.00-659.01; 659.11; 659.21; 659.3-659.9 with 5th digit 0 or 1; 661.30-661.31; 666.20; 666.22; 668.0-668.9 with 5th digit 0, 1, or 2; 669.0-669.2 with 5th digit 0, 1, or 2; 669.30; 669.32; 669.40-669.42; 669.50-669.51; 669.70-669.71; 669.8-669.9 with 5th digit 0, 1, or 2; 670.02; 671.0-671.2 with 5th digit 0, 1, or 2; 671.30-671.31; 671.40; 671.42; 671.5-671.9 with 5th digit 0, 1, or 2; 672.02; 673-674.0 with 5th digit 0, 1, or 2; 674.1-674.9 with 5th digit 0 or 2; 675-676 with 5th digit 0, 1, or 2

290	Other puerperal complications	646.14; 646.24; 646.44; 646.84; 654.04; 654.14; 654.3-654.9 with 5th digit 4; 664 with 5th digit 4; 665.1-665.9 with 5th digit 4; 668.0-669.4 with 5th digit 4; 669.8-669.9 with 5th digit 4; 671.0-671.2 with 5th digit 4; 671.4-671.9 with 5th digit 4; 673.0-676.9 with 5th digit 4
380	Third degree burns	941-946 with 4th digit 3, 4, or 5; 948.00; 948.10-948.11; 948.20-948.22; 948.30-948.33; 948.40-948.44; 948.50-948.55; 948.60-948.66; 948.70-948.77; 948.80-948.88; 948.90-948.99; 949 with 4th digit 3, 4, or 5

Index to the Length of Stay Tables

If a diagnosis does not appear in the Index, its corresponding *ICD-9-CM* code can be found in the *International Classification of Diseases, 9th Revision, Clinical Modification,* Volume 2, Diseases: Alphabetic Index, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978. The diagnosis group containing the *ICD-9-CM* code can then be located in the length of stay tables.

DIAGNOSIS INDEX

This diagnosis index lists common diagnoses and gives the number of the *ICD-9-CM* List A diagnosis group to which each diagnosis belongs.

Group Number	Title
211	Abdominal angina
165	Abdominal aortic aneurysm
338	Abdominal pain
258	Abortion, except spontaneous, elective, legal, therapeutic, and threatened
255	Abortion, elective
256	Abortion, illegal
258	Abortion, missed
256	Abortion, self-induced
257	Abortion, spontaneous
255	Abortion, therapeutic
259	Abortion, threatened
210	Abscess, anal
312	Abscess, bone
292	Abscess, digit
188	Abscess, mouth
188	Abscess, salivary gland
291	Abscess, skin and subcutaneous tissue, except digit
188	Abscess, tongue
81	Acidosis, except diabetic
72	Acidosis, diabetic
107	Acute alcoholic intoxication, except in chronic alcoholism
104	Acute alcoholic intoxication in chronic alcoholism
	Acute appendicitis – *see Appendicitis, acute*
174	Acute bronchitis
122	Acute glaucoma
84	Acute hemorrhagic anemia
48	Acute leukemia, except lymphocytic or lymphoid
47	Acute leukemia, lymphocytic or lymphoid
140	Acute myocardial infarction
95	Acute schizophrenic episode
	Addiction – *see Dependence*
	Adenocarcinoma – *see Neoplasm, malignant*
245	Adenomyosis
110	Adjustment reaction
207	Adynamic ileus

DIAGNOSIS INDEX (continued)

Group Number	Title
107	Alcohol abuse
104	Alcohol dependence
107	Alcohol intoxication, except in chronic alcoholism
104	Alcohol intoxication in chronic alcoholism
92	Alcoholic psychosis
104	Alcoholism, chronic
81	Alkalosis
183	Allergic bronchitis
1	Amebiasis
140	AMI
340	Amnesia
372	Amputation, traumatic, lower limb
371	Amputation, traumatic, upper limb
79	Amyloidosis
210	Anal abscess
210	Anal fissure
210	Anal fistula
391	Anaphylactic shock, except due to drugs
386	Anaphylactic shock due to drugs
84	Anemia, except iron deficiency, sickle cell, and of pregnancy
84	Anemia, aplastic
82	Anemia, iron deficiency
267	Anemia of pregnancy
269	Anemia of pregnancy, with delivery
83	Anemia, sickle cell
166	Aneurysm, except aorta
165	Aneurysm, aorta
211	Angina, abdominal
141	Angina pectoris
54	Angioma
301	Ankylosis
	Anomaly, congenital
318	Central nervous system
320	Circulatory system
323	Digestive system, except cleft palate and lip, and pyloric stenosis
319	Ear
319	Eye
327	Generalized
325	Genitourinary system, except undescended testis and urethral stenosis
320	Heart
317	Musculoskeletal system, except clubfoot
323	Respiratory system
340	Anorexia, except nervosa

397: Aftercare involving intermittent dialysis (V56)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34										
35-49	1	8.0		8	8	8	8	8	8	8
50-64	2	3.5	13	1	1	6	76	99+	99+	99+
65+	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-19 YRS										
20-34										
35-49	3	27.0	388	5	5	33	40	43	43	43
50-64	2	25.5	481	10	10	25	41	41	41	41
65+	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	2.0		2	2	2	2	2	2	2
20-34	1	1.0		1	1	1	1	1	1	1
35-49	3	6.0	13	3	3	5	9	10	10	10
50-64	8	8.6	153	1	1	2	13	29	36	36
65+	9	7.6	224	1	1	2	5	31	47	47
B. *Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	7	5.1	78	1	1	2	4	21	25	25
35-49	7	12.4	111	1	1	8	24	25	25	25
50-64	9	20.3	402	1	1	9	33	51	57	57
65+	3	12.7	341	2	2	2	26	34	34	34
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5	3.6	10	1	1	4	8	91	99+	99+
B. *Operated*	6	22.7	335	4	4	21	41	43	43	43
2. MULTIPLE DX										
A. *Not Operated*	23	7.0	137	1	1	2	7	18	40	47
B. *Operated*	27	12.8	234	1	1	4	25	33	44	57
1. SINGLE DX	11	14.0	271	1	1	7	37	60	94	99+
2. MULTIPLE DX	50	10.1	194	1	1	3	13	32	42	57
A. NOT OPERATED	28	6.4	115	1	1	2	8	27	50	99+
B. OPERATED	33	14.6	258	1	1	5	26	41	43	57
TOTAL 0-19 YRS	4	1.5		1	1	1	2	2	2	2
20-34	8	4.6	69	1	1	2	3	19	25	25
35-49	14	13.9	171	1	3	8	25	34	41	43
50-64	21	14.8	292	1	1	9	30	46	74	99+
65+	14	8.0	200	1	1	2	4	35	44	47
GRAND TOTAL	**61**	**10.8**	**206**	**1**	**1**	**4**	**14**	**37**	**45**	**95**

398: Admission for special examinations and miscellaneous reasons (V01-V24; V25.0-V25.1; V25.3-V25.9; V26-V28; V40-V53; V54.8-V54.9; V55; V57-V82)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1330	3.4	27	<1	<1	2	4	6	9	27
20-34	1599	2.7	13	<1	<1	1	3	5	7	21
35-49	454	3.4	38	<1	<1	2	4	6	10	41
50-64	301	4.8	82	<1	<1	2	5	11	19	57
65+	387	8.2	204	<1	<1	2	8	25	41	78
B. *Operated*										
0-19 YRS	199	3.4	17	<1	<1	2	3	9	12	22
20-34	685	3.3	8	<1	<1	2	5	7	8	11
35-49	326	3.8	13	<1	<1	3	5	9	10	19
50-64	199	3.8	23	<1	1	2	4	9	12	29
65+	198	4.6	40	1	1	2	6	11	14	53
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	621	4.6	40	<1	<1	3	5	10	16	34
20-34	837	5.0	80	<1	<1	2	5	10	20	64
35-49	800	5.0	58	1	1	2	5	12	19	41
50-64	1375	6.1	82	1	1	3	7	14	25	60
65+	1609	10.1	189	1	1	5	12	30	49	99+
B. *Operated*										
0-19 YRS	208	5.0	41	<1	<1	2	6	12	20	66
20-34	989	4.8	43	<1	<1	3	6	10	14	51
35-49	741	4.9	33	<1	<1	3	6	11	15	32
50-64	874	6.0	69	<1	<1	3	8	13	19	49
65+	1161	6.7	102	<1	1	3	8	16	26	70
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4071	3.7	46	<1	<1	2	4	7	12	37
B. *Operated*	1607	3.7	16	<1	<1	2	4	8	10	20
2. MULTIPLE DX										
A. *Not Operated*	5242	6.8	111	<1	1	3	7	17	30	82
B. *Operated*	3973	5.6	65	<1	<1	3	6	12	20	52
1. SINGLE DX	5678	3.7	38	<1	<1	2	4	7	11	32
2. MULTIPLE DX	9215	6.3	91	<1	1	3	7	15	25	71
A. NOT OPERATED	9313	5.4	85	<1	1	2	5	12	23	63
B. OPERATED	5580	5.1	52	<1	<1	3	6	11	17	44
TOTAL 0-19 YRS	2358	3.8	32	<1	<1	2	4	8	12	32
20-34	4110	3.8	34	<1	<1	2	4	7	11	35
35-49	2321	4.5	40	<1	<1	2	5	10	15	34
50-64	2749	5.8	74	<1	1	3	7	13	22	49
65+	3355	8.4	155	1	1	4	10	22	39	99+
GRAND TOTAL	**14893**	**5.3**	**73**	**<1**	**<1**	**3**	**5**	**12**	**20**	**58**

DIAGNOSIS INDEX (continued)

Group Number	Title
111	Anorexia nervosa
140	Anterior wall infarction
101	Anxiety reaction or neurosis, except depression
102	Anxiety depression
165	Aortic aneurysm
	Aortic valve disease – *see Valvular disease*
128	Aphakia
84	Aplastic anemia
199	Appendicitis, except acute
197	Appendicitis, acute, without peritonitis
198	Appendicitis, acute, with peritonitis
199	Appendicitis, recurrent
148	Arrhythmia, heart
168	Arterial disease, except cerebrovascular, arteriosclerosis, aneurysm, embolism, thrombosis, and gangrene
164	Arteriosclerosis, except cerebral and coronary
163	Arteriosclerosis, cerebral
143	Arteriosclerosis, coronary
151	Arteriosclerotic cardiovascular disease
91	Arteriosclerotic dementia or psychosis
143	Arteriosclerotic heart disease
164	Arteriosclerotic vascular disease
299	Arthritis, except osteo- and rheumatoid
298	Arthritis, osteo-, except spine
303	Arthritis, osteo-, spine
299	Arthritis, pyogenic
297	Arthritis, rheumatoid, except spine
302	Arthritis, rheumatoid, spine
339	Ascites
151	ASCVD
143	ASHD
183	Asthma
183	Asthmatic bronchitis
	Atherosclerosis – *see Arteriosclerosis*
147	Atrial fibrillation and flutter
76	Avitaminosis
145	Bacterial endocarditis
234	Bacteriuria, except in pregnancy
266	Bacteriuria in pregnancy
287	Bacteriuria in pregnancy, with delivery
311	Baker's cyst
235	Benign prostatic hyperplasia (BPH)

DIAGNOSIS INDEX (continued)

Group Number	Title
234	Bladder disease, except calculus and cystitis
48	Blast cell leukemia
251	Bleeding, menopausal
251	Bleeding, postmenopausal
221	Blind loop syndrome
129	Blindness
148	Block, heart
332	Bloody nose
313	Bone disease, except osteomyelitis and osteoarthritis
123	Borderline glaucoma
1	Botulism
67	Bowen's disease
235	BPH
121	Break, retinal
242	Breast disease, except fibrocystic
241	Breast disease, fibrocystic
183	Bronchial asthma
174	Bronchiolitis, acute
181	Bronchitis, except acute
174	Bronchitis, acute
181	Bronchitis, chronic
179	Bronchopneumonia
6	Brucellosis
376	Bruise, except eye and orbit
375	Bruise, eye and orbit
310	Bunion
381	Burn, any site, except third degree
380	Burn, any site, third degree
309	Bursitis
217	Calculus, bile duct, except cystic
231	Calculus, bladder
215	Calculus, cystic bile duct
215	Calculus, gallbladder
228	Calculus, renal
188	Calculus, salivary gland
229	Calculus, ureter
231	Calculus, urethra
	Cancer – *see Neoplasm, malignant*
	Carcinoma – *see Neoplasm, malignant*
67	Carcinoma in situ, except cervix
66	Carcinoma in situ, cervix
148	Cardiac arrest

DIAGNOSIS INDEX (continued)

Group Number	Title
390	Cardiac arrest, postoperative
109	Cardiac neurosis
189	Cardiospasm
119	Carpal tunnel syndrome
125	Cataract, except senile and diabetic
73	Cataract, diabetic
124	Cataract, senile
221	Celiac disease
292	Cellulitis, digit
291	Cellulitis, skin and subcutaneous tissue, except digit
117	Central nervous system disease, except epilepsy, inflammatory, multiple sclerosis, and paralysis agitans
154	Cerebral hemorrhage, except subarachnoid, without paralysis
155	Cerebral hemorrhage, except subarachnoid, with paralysis
161	Cerebrovascular accident, without paralysis
162	Cerebrovascular accident, with paralysis
268	Cervical incompetence
280	Cervical incompetence, with delivery
246	Cervical infection
246	Cervicitis
340	Chemical diabetes mellitus
385	Chemical poisoning
398	Chemotherapy session or treatment
8	Chickenpox
97	Childhood psychoses
218	Cholangitis
216	Cholecystitis, without cholelithiasis
215	Cholecystitis, with cholelithiasis
217	Choledocholithiasis
215	Cholelithiasis
36	Choriocarcinoma
128	Chorioretinitis
104	Chronic alcoholism
181	Chronic bronchitis
241	Chronic cystic disease of breast
48	Chronic leukemia, except lymphocytic or lymphoid
47	Chronic leukemia, lymphocytic or lymphoid
88	Chronic lymphadenitis, except mesenteric
213	Cirrhosis, except Laennec's
212	Cirrhosis, alcoholic
213	Cirrhosis, biliary
212	Cirrhosis, Laennec's
321	Cleft palate and lip

DIAGNOSIS INDEX (continued)

Group Number	Title
122	Closed-angle glaucoma
326	Clubfoot
173	Cold, head
215	Colic, biliary
337	Colic, renal
208	Colitis, except mucous and ulcerative
211	Colitis, mucous
211	Colitis, ulcerative
296	Collagen disease, NOS
340	Coma, except diabetic and hepatic
72	Coma, diabetic
214	Coma, hepatic
11	Common warts
390	Complication of amputation stump
387	Complication of cardiac pacemaker
	Complication of drugs – *see Effect, adverse*
387	Complication of grafts
387	Complication of internal orthopedic device
391	Complication of medical care, except drugs
387	Complication of prosthesis
390	Complication of surgery NEC
364	Concussion, current or unspecified
149	Congestive heart failure
127	Conjunctivitis
376	Contusion, except eye and orbit
375	Contusion, eye and orbit
329	Convulsions, except epileptic
116	Convulsions, epileptic
184	COPD
143	Coronary artery disease
142	Coronary insufficiency, except chronic
143	Coronary insufficiency, chronic
140	Coronary occlusion, acute
336	Cough
8	Cowpox
314	Coxa valgum, varum
83	Crisis, sickle-cell
211	Crohn's disease
174	Croupous bronchitis
367	Crush injury, except chest and limbs
366	Crush injury, chest
377	Crush injury, limbs
75	Cushing's syndrome

DIAGNOSIS INDEX (continued)

Group Number	Title
161	CVA, without paralysis
162	CVA, with paralysis
128	Cyclitis
311	Cyst, Baker's
188	Cyst, mouth
243	Cyst, ovarian
293	Cyst, pilonidal
121	Cyst, retinal
294	Cyst, sebaceous
311	Cyst, synovial
241	Cystic breast
218	Cystic duct remnant
77	Cystic fibrosis
232	Cystitis
266	Cystitis of pregnancy
248	Cystocele
134	Deafness
295	Decubitus
112	Deficiency, mental
76	Deficiency, nutritional
	Deformity, congenital – *see Anomaly, congenital*
316	Deformity, musculoskeletal, acquired
128	Degeneration, globe of eye
81	Dehydration
340	Delirium, except acute and subacute
89	Delirium, acute or subacute
270	Delivery, NOS
	Delivery complicated by:
278	Abnormality, bony pelvis
272	Abruptio placentae
287	Acute toxemia
276	Breech presentation
278	Cephalopelvic disproportion
281	Cesarean section, previous
287	Complication NOS
278	Disproportion, cephalopelvic
278	Disproportion, fetopelvic
287	Eclampsia
278	Fetopelvic disproportion
287	Hypertensive disorder
279	Inertia, uterine
277	Malpresentation, except breech
275	Multiple fetation

DIAGNOSIS INDEX (continued)

Group Number	Title
	Delivery complicated by: (continued)
272	Placenta, abruptio
271	Placenta previa
287	Pre-eclampsia
282	Premature rupture of membranes
272	Premature separation of the placenta
276	Presentation, breech
281	Previous cesarean section
279	Prolonged labor, NOS
282	Rupture of membranes, premature
287	Toxemia
279	Uterine inertia
270	Delivery, normal
270	Delivery, uncomplicated
90	Dementia, except arteriosclerotic
91	Dementia, arteriosclerotic
90	Dementia, presenile
90	Dementia, senile
104	Dependence, alcoholic
106	Dependence, amphetamine
106	Dependence, barbiturate
106	Dependence, cocaine
105	Dependence, heroin
106	Dependence, LSD
106	Dependence, marihuana
105	Dependence, methadone
105	Dependence, morphine
105	Dependence, opioid
111	Depression, except neurotic, postpartum, and psychotic
102	Depression, neurotic
267	Depression, postpartum
98	Depression, psychotic
102	Depressive neurosis
98	Depressive psychosis
102	Depressive reaction
301	Derangement, joint except knee
300	Derangement, knee joint
295	Dermatitis
15	Dermatomycosis
121	Detachment of retina
175	Deviated nasal septum
340	Diabetes mellitus, chemical
71	Diabetes mellitus, uncomplicated

DIAGNOSIS INDEX (continued)

Group Number	Title
73	Diabetes mellitus, uncontrolled
72	Diabetic acidosis
73	Diabetic cataract
72	Diabetic coma
73	Diabetic gangrene
73	Diabetic nephropathy
73	Diabetic neuropathy
73	Diabetic retinopathy
73	Diabetic ulcer
397	Dialysis, peritoneal
397	Dialysis, renal
204	Diaphragmatic hernia
208	Diarrhea, except infectious and functional
211	Diarrhea, functional
1	Diarrhea, infectious
6	Diphtheria
	Disease
199	Appendix, except acute appendicitis
151	Arteriosclerotic cardiovascular
168	Artery, except cerebrovascular, arteriosclerosis, aneurysm, embolism, thrombosis, and gangrene
13	Arthropod-borne
79	Autoimmune
6	Bacterial, except intestinal, tuberculosis, strep throat, and septicemia
218	Biliary ducts
234	Bladder, except calculus and cystitis
313	Bone, except osteomyelitis and osteoarthritis
242	Breast, except fibrocystic
241	Breast, fibrocystic
221	Celiac
	Central nervous system
7	Enteroviral
113	Inflammatory, except enteroviral
117	Noninflammatory, except epilepsy, multiple sclerosis, and paralysis agitans
	Cerebrovascular – *see Cerebrovascular accident*
136	Chronic rheumatic heart
296	Connective tissue, diffuse
143	Coronary artery
211	Crohn's
75	Cushing's
187	Dental
209	Diverticular

DIAGNOSIS INDEX (continued)

Group Number	Title
	Disease (continued)
196	Duodenum, except ulcer and inflammatory
134	Ear, except inflammatory and otosclerosis
75	Endocrine, except ovary, thyroid, and diabetes mellitus
189	Esophagus
129	Eye, except inflammatory, strabismus, cataract, glaucoma, and retinal detachment
128	Eye, inflammatory, except lacrimal tract
252	Fallopian tube, except endometriosis
316	Fascia
252	Female genitalia, except adnexa, endometriosis, infective, prolapse, and menstrual
216	Gallbladder
252	Gynecologic, except adnexa, endometriosis, infective, prolapse, and menstrual
	Heart
138	Hypertensive
143	Ischemic, except infarction and angina pectoris
136	Rheumatic, chronic
150	Other, except arrhythmia and bacterial endocarditis
86	Hematopoietic, except anemia, hemophilia, and leukemia
328	Hemolytic, newborn
46	Hodgkin's
137	Hypertensive, except heart
138	Hypertensive, heart
17	Infectious, except bacterial, viral, arthropod-borne, venereal, mycotic, and helminthiases
211	Intestine, except gastroenteritis, diverticular, appendix, anus, and hernia
1	Intestine, infectious
143	Ischemic heart, except acute infarction and angina pectoris
187	Jaw
301	Joint, except internal derangement, ruptured disc, and sacroiliac
306	Joint, sacroiliac
230	Kidney, except nephritis, nephrosis, infection, and calculus
73	Kimmelstiel-Wilson
127	Lacrimal tract, inflammation
188	Lip
214	Liver, except infectious and serum hepatitis, and Laennec's cirrhosis
186	Lung, except pneumonia, obstructive, and pneumothorax
184	Lung, obstructive, except asthma, bronchitis, and emphysema
240	Male genitalia, except prostate, hydrocele, and inflammatory
132	Meniere's

DIAGNOSIS INDEX (continued)

Group Number	Title
	Disease (continued)
188	Mouth, except dental
117	Muscle, except deformity
120	Nervous system, except CNS and sciatica
184	Obstructive lung, except asthma, bronchitis, and emphysema
252	Ovary, except endometriosis
313	Paget's, bone
32	Paget's, breast
219	Pancreas
252	Parametrium, except endometriosis
17	Parasitic, except helminthiasis
114	Parkinson's
244	Pelvic inflammatory
196	Peptic
328	Perinatal
120	Peripheral nervous system, except sciatica
211	Peritoneum
186	Pleura
236	Prostate, except hypertrophy
186	Respiratory, upper, except acute URI, hypertrophy of tonsils and adenoids, deviated nasal septum, and nasal and laryngeal polyps
135	Rheumatic, active
136	Rheumatic, chronic
188	Salivary gland
83	Sickle-cell
295	Skin, except infective, pilonidal and sebaceous cysts
196	Stomach, except ulcer and inflammatory
187	Teeth
316	Tendon, except tenosynovitis
188	Tongue
340	Undiagnosed
186	Upper respiratory, except URI, tonsils, deviated nasal septum, and nasal and laryngeal polyps
230	Ureter, except calculus
234	Urethra, except calculus and stricture
14	Venereal
12	Viral, except enteroviral CNS, that with exanthem, viral hepatitis, infectious mononucleosis, and viral warts
8	Viral with exanthem
359	Dislocation, joint, except knee and shoulder
358	Dislocation, knee
357	Dislocation, shoulder

DIAGNOSIS INDEX (continued)

Group Number	Title
	Disorder
111	Behavior
81	Electrolyte
79	Immunodeficiency
250	Menstruation, except metrorrhagia
103	Personality
109	Psychophysiologic
305	Displacement of intervertebral disc, except lumbar
304	Displacement of lumbar disc
165	Dissecting aortic aneurysm
209	Diverticulitis
209	Diverticulosis
189	Diverticulum, esophagus
209	Diverticulum, intestine
108	Drug abuse, except alcohol
106	Drug dependence, except opioid
105	Drug dependence, opioid
93	Drug-induced psychosis
384	Drug poisoning or overdose
93	Drug withdrawal syndrome or symptoms
107	Drunkenness
196	Duodenal disease, except ulcer and inflammation
	Duodenal ulcer – *see Ulcer, duodenal*
195	Duodenitis
1	Dysentery
74	Dysfunction, ovarian
317	Dysfunction, somatic (osteopathic)
253	Dysmenorrhea
253	Dyspareunia
336	Dyspnea
117	Dystrophy, muscular
337	Dysuria
329	Eclampsia
261	of pregnancy
287	of pregnancy, with delivery
254	Ectopic pregnancy
	Effect, adverse
386	Drug NOS
384	Drug, overdose or wrong substance given or taken
386	External conditions
385	Nonmedicinal substance
386	Radiation
386	Temperature

DIAGNOSIS INDEX (continued)

Group Number	Title
268	Elderly primigravida
287	Elderly primigravida, with delivery
255	Elective abortion
392	Elective sterilization
81	Electrolyte imbalance or disorder
167	Embolism, arterial, except cerebral and precerebral
158	Embolism, cerebral, without paralysis
159	Embolism, cerebral, with paralysis
156	Embolism, precerebral, without paralysis
157	Embolism, precerebral, with paralysis
144	Embolism, pulmonary, except postoperative
390	Embolism, pulmonary, postoperative
172	Embolism, vein
182	Emphysema
113	Encephalitis, except viral
12	Encephalitis, viral
18	Encephalitis, viral, late effect
145	Endocarditis, acute and subacute bacterial
75	Endocrine disease, except ovary, thyroid, and diabetes mellitus
245	Endometriosis
247	Endometritis, except puerperal
288	Endometritis, puerperal
69	Enlarged thyroid
208	Enteritis, except bacterial, regional, and viral
1	Enteritis, bacterial
208	Enteritis, noninfectious
211	Enteritis, regional
1	Enteritis, viral
238	Epididymitis
116	Epilepsy
332	Epistaxis
6	Erysipelas
67	Erythroplasia
172	Esophageal varices
189	Esophagitis
189	Esophagospasm
137	Essential benign hypertension
398	Examination, follow-up
298	Examination, medical
149	Failure, heart
390	Failure, heart, postoperative
225	Failure, renal, except chronic

DIAGNOSIS INDEX (continued)

Group Number	Title
224	Failure, renal, chronic
340	Fainting
263	False labor
82	Fe deficiency anemia
135	Fever, active rheumatic
330	Fever, NOS (FUO)
1	Fever, paratyphoid
288	Fever, puerperal
4	Fever, scarlet
1	Fever, typhoid
12	Fever, yellow
147	Fibrillation or flutter, atrial
148	Fibrillation or flutter, ventricular
241	Fibrocystic breast
77	Fibrocystic disease, pancreas
56	Fibroma, uterus
16	Filariasis
210	Fissure, anal
210	Fistula, anal
128	Flat anterior chamber
1	Food poisoning
379	Foreign body in body orifice, except eye
378	Foreign body in eye
	Fracture
354	Ankle
349	Arm, lower
348	Arm, upper
354	Bimalleolar
350	Carpal
355	Clavicle
349	Colles
343	Face bone
352	Femur, except upper end
351	Femur, upper end
353	Fibula, except lateral malleolus
350	Finger
354	Foot
350	Hand
398	Healed, aftercare, except removal of fixation device
396	Healed, aftercare, removal of fixation device
351	Hip
348	Humerus
354	Knee

DIAGNOSIS INDEX (continued)

Group Number	Title
	Fracture (continued)
354	Lateral malleolus
353	Leg, lower, except ankle
352	Leg, upper, except hip
343	Mandible
354	Medial malleolus
350	Metacarpal
354	Metatarsal
356	Multiple bones
343	Nose
354	Patella
347	Pelvis
349	Radius
346	Rib
355	Scapula
342	Skull, base
341	Skull, vault
344	Spine, without cord injury
345	Spine, with cord injury
346	Sternum
354	Tarsal
346	Thorax
353	Tibia, except articulating surface
354	Toe
354	Trimalleolar
349	Ulna
344	Vertebra, without cord injury
345	Vertebra, with cord injury
330	FUO
216	Gallbladder disease
311	Ganglion, tendon sheath
334	Gangrene, except gas gangrene
6	Gangrene, gas
	Gastric ulcer – *see Ulcer, gastric*
195	Gastritis
208	Gastroenteritis, except infectious
1	Gastroenteritis, infectious
208	Gastroenteritis, noninfectious
220	Gastrointestinal hemorrhage
192	Gastrojejunal ulcer, without complication
193	Gastrojejunal ulcer, with complication
164	Generalized arteriosclerosis

DIAGNOSIS INDEX (continued)

Group Number	Title
3	Generalized tuberculosis
314	Genu valgum or varum, except congenital
327	Genu valgum or varum, congenital
220	GI hemorrhage
123	Glaucoma, except acute
122	Glaucoma, acute
122	Glaucoma, closed-angle
122	Glaucoma, open-angle
222	Glomerulonephritis, except acute
223	Glomerulonephritis, acute
69	Goiter
14	Gonorrhea
80	Gout
116	Grand mal epilepsy
268	Grand multiparity
392	Grand multiparity, without pregnancy
268	Habitual aborter
252	Habitual aborter, without pregnancy
310	Hallux valgus or varus, except congenital
327	Hallux valgus or varus, congenital
310	Hammer toe
331	Headache, except migraine and tension
118	Headache, migraine
111	Headache, tension
398	Healed fracture aftercare, except removal of fixation device
396	Healed fracture aftercare, removal of fixation device
140	Heart attack
149	Heart failure
390	Heart failure, postoperative
16	Helminthiasis
54	Hemangioma
220	Hematemesis
286	Hematoma, pelvic, with delivery
290	Hematoma, pelvic, postpartum
388	Hematoma, postoperative wound
84	Hemolytic anemia, except hereditary and newborn
83	Hemolytic anemia, hereditary
328	Hemolytic anemia, newborn
328	Hemolytic disease of newborn
85	Hemophilia
336	Hemoptysis

DIAGNOSIS INDEX (continued)

Group Number	Title
	Hemorrhage
265	Antepartum, except early
260	Antepartum, early
172	Blood vessel, spontaneous
220	Gastrointestinal
154	Intracerebral, except subarachnoid, without paralysis
155	Intracerebral, except subarachnoid, with paralysis
258	Postabortal
388	Postoperative wound
274	Postpartum, except delayed or secondary
289	Postpartum, delayed or secondary
260	Pregnancy, early
289	Puerperal, after 24 hours
152	Subarachnoid, without paralysis
153	Subarachnoid, with paralysis
171	Hemorrhoids
214	Hepatitis, except chronic and viral
213	Hepatitis, chronic
9	Hepatitis, infectious
9	Hepatitis, serum
9	Hepatitis, viral
	Hernia, without complication
205	Abdominal, except inguinal
204	Diaphragmatic
205	Femoral
204	Hiatal
203	Incisional
200	Inguinal
203	Postoperative
202	Umbilical
203	Ventral
	Hernia, with complication
206	Abdominal, except inguinal
206	Diaphragmatic
206	Femoral
206	Hiatal
206	Incisional
201	Inguinal
206	Postoperative
206	Umbilical
206	Ventral
105	Heroin dependence or addiction
8	Herpes simplex

DIAGNOSIS INDEX (continued)

Group Number	Title
18	Herpes simplex, late effect
8	Herpes zoster
18	Herpes zoster, late effect
79	Histiocytosis
46	Hodgkin's disease
237	Hydrocele
318	Hydrocephaly
79	Hyperbilirubinemia, except neonatal
328	Hyperbilirubinemia, neonatal
79	Hypercalcemia
262	Hyperemesis gravidarum
75	Hyperinsulinism
79	Hyperlipoproteinemia
75	Hyperparathyroidism
235	Hyperplasia of prostate
81	Hyperpotassemia
137	Hypertension, except renal and of pregnancy
261	Hypertension of pregnancy
287	Hypertension of pregnancy, with delivery
139	Hypertension, renal
139	Hypertension, renovascular
128	Hypertensive retinopathy
70	Hyperthyroidism
177	Hypertrophy of tonsils and adenoids
79	Hypogammaglobulinemia
75	Hypoparathyroidism
81	Hypopotassemia
172	Hypotension
70	Hypothyroidism
81	Hypovolemia
211	Ileitis, regional
207	Ileus, paralytic or adynamic
340	Ill-defined conditions
79	Immunodeficiency disorder
160	Impending CVA
292	Impetigo
257	Incomplete abortion
337	Incontinence
125	Infantile cataract
122	Infantile glaucoma
140	Infarction, acute myocardial

DIAGNOSIS INDEX (continued)

Group Number	Title
	Infection
232	Bladder
312	Bone
246	Cervix
227	Kidney, except nephritis, nephrosis, and acute pyelonephritis
6	Meningococcal
389	Postoperative wound
288	Puerperal, major
292	Skin and subcutaneous tissue, except cellulitis and abscess
173	Upper respiratory, except streptococcal
234	Urinary tract
266	Urinary tract, in pregnancy
247	Uterine, except cervix
247	Vaginal
247	Vulvar
389	Wound, postoperative
10	Infectious mononucleosis
252	Infertility, female
240	Infertility, male
113	Inflammation, central nervous system
129	Inflammation, eye, except lacrimal tract
127	Inflammation, lacrimal tract
180	Influenza
180	Influenzal pneumonia
200	Inguinal hernia, without complication
201	Inguinal hernia, with complication
	Injury
328	Birth
373	Blood vessel
377	Crush, except abdomen and chest
367	Crush, abdomen
366	Crush, chest
365	Head, except concussion
367	Internal, except chest
366	Internal, chest
358	Knee ligament or meniscus
374	Late effect
363	Musculoskeletal, except back and sacroiliac region
362	Musculoskeletal, back
361	Musculoskeletal, sacroiliac region
382	Nerve
386	Radiation
374	Radiation, late effect

DIAGNOSIS INDEX (continued)

Group Number	Title
	Injury (continued)
382	Spinal cord
376	Superficial
	Insufficiency, heart valve – *see Valvular disease*
250	Intermenstrual bleeding
160	Intermittent cerebral ischemia
301	Internal derangement of joint, except knee
300	Internal derangement of knee
211	Intestinal disease, except gastroenteritis, diverticular, appendix, anus, and hernia
107	Intoxication, acute alcohol
98	Involutional melancholia
128	Iridocyclitis
128	Iritis
82	Iron deficiency anemia
211	Irritable colon or bowel
143	Ischemic heart disease, except acute or subacute
142	Ischemic heart disease, acute or subacute, except acute myocardial infarction
163	Ischemic cerebrovascular disease, generalized
116	Jacksonian epilepsy
340	Jaundice, except newborn
328	Jaundice of newborn
125	Juvenile cataract
	Juvenile diabetes – *see Diabetes mellitus*
230	Kidney disease, except nephritis, nephrosis, infection, and calculus
227	Kidney infection, except nephritis, nephrosis, and acute pyelonephritis
73	Kimmelstiel-Wilson disease
316	Kyphosis
	Laceration
370	Abdominal wall
371	Arm
370	Back
365	Cerebral
370	Chest
368	Eye
371	Hand
369	Head, except eye
372	Leg
372	Lower limb

DIAGNOSIS INDEX (continued)

Group Number	Title
	Laceration (continued)
370	Multiple sites
369	Neck
285	Perineum, except first and second degree, with delivery
284	Perineum, first or second degree, with delivery
370	Trunk
371	Upper limb
255	Legal abortion
48	Leukemia, except lymphocytic
47	Leukemia, lymphocytic
214	Liver disease, except infectious and serum hepatitis and Laennec's cirrhosis
6	Lockjaw
316	Lordosis
108	LSD reaction
308	Lumbago
306	Lumbosacral instability
186	Lung disease, except pneumonia, and obstructive
88	Lymphadenitis, except acute and mesenteric lymphadenitis
292	Lymphadenitis, acute
87	Lymphadenitis, mesenteric
54	Lymphangioma
172	Lymphedema
49	Lymphosarcoma
128	Macular degeneration, retina
221	Malabsorption syndrome
13	Malaria
30	Malignant melanoma, skin
99	Manic-depressive psychosis
99	Manic psychosis
242	Mastitis, except puerperal
290	Mastitis, puerperal
8	Measles
18	Measles, late effect
119	Median nerve entrapment
30	Melanoma, malignant
132	Meniere's disease
113	Meningitis, except tuberculous and viral
3	Meningitis, tuberculous
7	Meningitis, viral
18	Meningitis, viral, late effect
251	Menopause

DIAGNOSIS INDEX (continued)

Group Number	Title
250	Menstrual disorder, except metrorrhagia
112	Mental deficiency or retardation
211	Mesenteric artery syndrome
87	Mesenteric lymphadenitis
247	Metritis
249	Metrorrhagia
118	Migraine
3	Miliary tuberculosis
	Mitral valve disease – *see Valvular disease*
327	Mongolism
15	Moniliasis
10	Mononucleosis
211	Mucous colitis
268	Multiparity, without delivery
392	Multiparity, without pregnancy
268	Multiple pregnancy
275	Multiple pregnancy, with delivery
115	Multiple sclerosis
12	Mumps
117	Muscular dystrophy
15	Mycosis
140	Myocardial infarction, acute
176	Nasal polyp
339	Nausea
	Neoplasm, benign
61	Bladder
53	Bone
63	Brain
55	Breast
52	Bronchus
50	Buccal cavity
57	Cervix
53	Connective tissue
51	Digestive
65	Endocrine, except thyroid
62	Eye
59	Genitalia, female, except uterus and ovary
60	Genitalia, male
61	Kidney
52	Larynx
52	Lung
53	Muscle

DIAGNOSIS INDEX (continued)

Group Number	Title
	Neoplasm, benign (continued)
63	Nervous system
58	Ovary
50	Pharynx
60	Prostate
52	Respiratory
60	Scrotum
54	Skin
52	Thymus
64	Thyroid
61	Ureter
61	Urethra
61	Urinary
57	Uterus, except fibroma
56	Uterus, fibroma
59	Vagina
59	Vulva
	Neoplasm, malignant
44	Adrenal gland
39	Bladder
29	Bone
42	Brain
32	Breast
27	Bronchus
19	Buccal cavity
43	Cerebral meninges
33	Cervix uteri
23	Colon
29	Connective tissue
44	Endocrine glands
20	Esophagus
41	Eye
36	Fallopian tube
36	Genitalia, female, except uterus and ovary
38	Genitalia, male, except prostate
45	Ill-defined sites
25	Intestine, except colon and rectum
23	Intestine, large, except rectum
22	Intestine, small
40	Kidney
23	Large intestine, except rectum
27	Lung
49	Lymphatic, except Hodgkin's disease

DIAGNOSIS INDEX (continued)

Group Number	Title
	Neoplasm, malignant (continued)
45	Metastatic
19	Mouth
43	Nervous system, except brain
35	Ovary
26	Pancreas
19	Pharynx
44	Pituitary gland
36	Placenta
37	Prostate
24	Rectum
28	Respiratory system, except bronchus and lung
38	Scrotum
45	Secondary
31	Skin, except genitalia
22	Small intestine
43	Spinal cord and meninges
21	Stomach
44	Thyroid gland
40	Ureter
40	Urethra
40	Urinary tract, except bladder
34	Uterus, except cervix
36	Vagina
36	Vulva
49	Neoplasm, lymphatic, except leukemia and Hodgkin's disease
68	Neoplasm, unspecified type, any site
222	Nephritis, except acute
223	Nephritis, acute
222	Nephrosis, except tubular
225	Nephrosis, tubular
222	Nephropathy, except diabetic
73	Nephropathy, diabetic
109	Nervous gastritis
315	Neuralgia, except sciatic and trigeminal
307	Neuralgia, sciatic
120	Neuralgia, trigeminal
315	Neuritis, except median and sciatic
119	Neuritis, median
307	Neuritis, sciatic
120	Neuroma, except amputation stump
390	Neuroma, amputation stump
103	Neurosis, except anxiety, cardiac, and depressive

DIAGNOSIS INDEX (continued)

Group Number	Title
101	Neurosis, anxiety
109	Neurosis, cardiac
102	Neurosis, depressive
54	Nevus, skin
327	Nevus, vascular
	Newborn, hospital
394	Multiple
393	Single term
394	Twin
	Newborn, nonhospital
395	Multiple
395	Single
270	Normal delivery
125	Nuclear cataract
84	Nutritional anemia
128	Nystagmus
78	Obesity
268	Obstructed labor
280	Obstructed labor, with delivery
218	Obstruction, bile duct, except calculus
207	Obstruction, intestinal, except postoperative
390	Obstruction, intestinal, postoperative
172	Obstruction, portal vein
172	Obstruction, vena cava
184	Obstructive pulmonary disease NOS (COPD)
158	Occlusion, cerebral, without paralysis
159	Occlusion, cerebral, with paralysis
156	Occlusion, precerebral, without paralysis
157	Occlusion, precerebral, with paralysis
122	Open-angle glaucoma
105	Opioid dependence or addiction
128	Optic atrophy
238	Orchitis
90	Organic brain syndrome, except acute and arteriosclerotic
89	Organic brain syndrome, acute
91	Organic brain syndrome, arteriosclerotic
89	Organic brain syndrome, transient
298	Osteoarthritis, except spinal
303	Osteoarthritis, spinal
312	Osteomyelitis
317	Osteopathic somatic dysfunction
130	Otitis media, chronic and unspecified

DIAGNOSIS INDEX (continued)

Group Number	Title
131	Otitis media, acute
133	Otosclerosis
243	Ovarian cyst
252	Ovarian disease, except endometriosis and dysfunction
74	Ovarian dysfunction
254	Ovarian pregnancy
74	Ovary, polycystic
384	Overdose, drug
	Paget's disease – *see Disease, Paget's*
	Pain
338	Abdominal
335	Chest
253	Female genital organ
331	Head
335	Precordial
219	Pancreatic disease
128	Papilledema
114	Paralysis agitans
207	Paralytic ileus
100	Paranoia, except schizophrenic
94	Paranoid schizophrenia
114	Parkinsonism
146	Paroxysmal atrial or supraventricular tachycardia
17	Pediculosis
	Peptic ulcer – *see Ulcer, peptic*
189	Perforation, esophagus
397	Peritoneal dialysis treatment
211	Peritonitis, except due to appendicitis
84	Pernicious anemia
6	Pertussis
314	Pes planus
116	Petit mal epilepsy
240	Peyronie's disease
239	Phimosis
169	Phlebitis
244	PID
171	Piles
293	Pilonidal cyst
16	Pinworm infection
70	PKU
264	Placenta previa
271	Placenta previa, with delivery

DIAGNOSIS INDEX (continued)

Group Number	Title
11	Plantar warts
186	Pleural disease
186	Pleurisy
179	Pneumonia, except influenzal
180	Pneumonia with influenza
185	Pneumothorax, spontaneous
366	Pneumothorax, traumatic
385	Poisoning, except food and drug
384	Poisoning, drug
1	Poisoning, food
374	Poisoning, late effect
7	Poliomyelitis
18	Poliomyelitis, late effect
74	Polycystic ovary
68	Polycythemia, except secondary
86	Polycythemia, secondary
268	Polyhydramnios
287	Polyhydramnios, with delivery
211	Polyp, anal
68	Polyp, bladder
252	Polyp, cervix
211	Polyp, intestinal
178	Polyp, laryngeal
176	Polyp, nasal
211	Polyp, rectal
176	Polyp, sinus
178	Polyp, vocal cord
172	Portal vein thrombosis
218	Postcholecystectomy syndrome
211	Postgastrectomy dumping syndrome
172	Postmasectomy lymphedema
390	Postoperative wound dehiscence
389	Postoperative wound infection
290	Postpartum complication, NEC
267	Postpartum depression
269	Postpartum depression, with delivery
3	Pott's disease
156	Precerebral occlusion, without paralysis
157	Precerebral occlusion, with paralysis
340	Prediabetes
261	Pre-eclampsia
287	Pre-eclampsia, with delivery
123	Preglaucoma

DIAGNOSIS INDEX (continued)

Group Number	Title
398	Pregnancy
254	Pregnancy, ectopic
254	Pregnancy, ovarian
268	Pregnancy, post-term
287	Pregnancy, post-term, with delivery
254	Pregnancy, tubal
398	Pregnancy, undelivered
268	Premature rupture of membranes
282	Premature rupture of membranes, with delivery
253	Premenstrual tension
265	Prenatal hemorrhage, except threatened abortion
272	Prenatal hemorrhage, with delivery
125	Presenile cataract
90	Presenile dementia or psychosis
128	Prolapse, iris
248	Prolapse, uterovaginal
171	Prolapsed hemorrhoids
236	Prostatic disease, except hypertrophy
235	Prostatic hypertrophy
340	Proteinuria, except postural
223	Proteinuria, postural or orthostatic
	Psychogenic
109	Diarrhea
109	Hyperventilation
109	Paralysis
109	Vomiting
116	Psychomotor epilepsy
100	Psychosis
92	Psychosis, alcoholic
91	Psychosis, arteriosclerotic
98	Psychosis, depressive
93	Psychosis, drug-induced
99	Psychosis, manic-depressive
89	Psychosis, organic, acute or transient
90	Psychosis, organic, chronic, except arteriosclerotic
90	Psychosis, senile
98	Psychotic depression
290	Puerperal complication
287	Puerperal complication, with delivery
144	Pulmonary embolism
182	Pulmonary emphysema
1	Pulmonary tuberculosis
	Pulmonary valve disease – *see Valvular disease*

DIAGNOSIS INDEX (continued)

Group Number	Title
227	Pyelitis, except acute
226	Pyelitis, acute
227	Pyelonephritis, except acute
226	Pyelonephritis, acute
332	Pyloric stenosis, congenital
330	Pyrexia of unknown origin
288	Pyrexia of unknown origin, puerperal
12	Rabies
398	Radiotherapy session or treatment
340	Rash
101	Reaction, anxiety
102	Reaction, depressive
386	Reaction, drug, NEC
391	Reaction, transfusion
248	Rectocele, female
239	Redundant prepuce
211	Regional enteritis
396	Removal of internal fixation device
228	Renal calculus
397	Renal dialysis treatment
225	Renal failure, except chronic
224	Renal failure, chronic
139	Renal hypertension
139	Renovascular hypertension
2	Respiratory tuberculosis
128	Retained intraocular foreign body
273	Retained placenta
112	Retardation, mental
337	Retention, urine
121	Retinal cyst
121	Retinal detachment
121	Retinal hemorrhage
121	Retinal tear
128	Retinitis pigmentosa
328	Rh (Rhesus) disease of newborn
135	Rheumatic fever, active
136	Rheumatic heart disease, chronic
316	Rheumatism
297	Rheumatoid arthritis, except spine
302	Rheumatoid arthritis, spine
13	Rickettsiosis
8	Rubella

DIAGNOSIS INDEX (continued)

Group Number	Title
18	Rubella, late effect
172	Rupture, blood vessel
304	Rupture, lumbar disc
305	Rupture of intervertebral disc, except lumbar
243	Rupture, ovarian cyst
268	Rupture, uterus
286	Rupture, uterus, with delivery
290	Rupture, uterus, postpartum
198	Ruptured appendix
306	Sacroiliac instability
1	Salmonellosis
244	Salpingitis
	Sarcoma – *see Neoplasm, malignant, connective tissue*
96	Schizophrenia, except paranoid, childhood, and acute schizophrenic episode
95	Schizophrenia, acute episode
97	Schizophrenia, childhood
94	Schizophrenia, paranoid
307	Sciatica
115	Sclerosis, multiple
316	Scoliosis
294	Sebaceous cyst
329	Seizure, except epileptic
116	Seizures, epileptic
256	Self-induced abortion
124	Senile cataract
90	Senile dementia or psychosis
340	Senility
357	Separation, shoulder
5	Sepsis
288	Sepsis, puerperal
5	Septicemia
288	Septicemia, puerperal
9	Serum hepatitis
391	Serum sickness
391	Shock, anaphylactic, except due to drug
386	Shock, anaphylactic, due to drug
333	Shock, nontraumatic
390	Shock, postoperative
383	Shock, traumatic
83	Sickle cell anemia or crisis
178	Sinusitis

DIAGNOSIS INDEX (continued)

Group Number	Title
295	Skin disease, except infective and pilonidal and sebaceous cysts
292	Skin infection, except cellulitis
305	Slipped intervertebral disc, except lumbar
304	Slipped lumbar disc
8	Smallpox
317	Somatic dysfunction, osteopathic
240	Spermatocele
318	Spina bifida
302	Spondylitis, ankylosing
303	Spondylosis
257	Spontaneous abortion
172	Spontaneous hemorrhage of blood vessel
185	Spontaneous pneumothorax
363	Sprain, except knee, back, and sacroiliac region
362	Sprain, back
360	Sprain, knee
361	Sprain, sacroiliac region
170	Stasis dermatitis
116	Status epilepticus
221	Steatorrhea
74	Stein-Leventhal syndrome
48	Stem cell leukemia
322	Stenosis, pyloric, congenital
233	Stenosis, urethral, except congenital
325	Stenosis, urethral, congenital
	Stenosis, heart valve – *see Valvular disease*
392	Sterilization, elective
196	Stomach disease, except ulcer and inflammation
	Stomach ulcer – *see Ulcer, gastric*
188	Stomatitis
126	Strabismus
363	Strain, except knee, back, and sacroiliac region
362	Strain, back
360	Strain, knee
361	Strain, sacroiliac region
4	Streptococcal sore throat
253	Stress incontinence, female
233	Stricture of urethral meatus, except congenital
325	Stricture, urethra, congenital
161	Stroke, without paralysis
162	Stroke, with paralysis
145	Subacute bacterial endocarditis
152	Subarachnoid hemorrhage, without paralysis

DIAGNOSIS INDEX (continued)

Group Number	Title
153	Subarachnoid hemorrhage, with paralysis
292	Subcutaneous infection, except cellulitis
	Syndrome, organic brain — *see Organic brain syndrome*
308	Syndrome, vertebrogenic pain
309	Synovitis
14	Syphilis
296	Systemic lupus erythematosus (SLE)
333	Tachycardia, except paroxysmal
148	Tachycardia, paroxysmal, except atrial
146	Tachycardia, paroxysmal atrial or supraventricular
314	Talipes deformity, acquired
16	Tapeworm infestation
358	Tear, medial meniscus, current injury
300	Tear, medial meniscus, old
121	Tear, retinal
309	Tenosynovitis, except spine
308	Tenosynovitis, spine
111	Tension headache
255	Termination of pregnancy
6	Tetanus
165	Thoracic aortic aneurysm
259	Threatened abortion
86	Thrombocytopenia
169	Thrombophlebitis
172	Thrombophlebitis migrans
167	Thrombosis, arterial, except cerebral and precerebral
158	Thrombosis, cerebral, without paralysis
159	Thrombosis, cerebral, with paralysis
172	Thrombosis, portal vein
156	Thrombosis, precerebral, without paralysis
157	Thrombosis, precerebral, with paralysis
172	Thrombosis, vein
70	Thyroid disease, except nodule or goiter
69	Thyroid nodule or goiter
70	Thyrotoxicosis
160	TIA
120	Tic douloureux
177	Tonsillitis, chronic
261	Toxemia of pregnancy
287	Toxemia of pregnancy, with delivery
261	Toxemia of the puerperium
287	Toxemia of the puerperium, with delivery

DIAGNOSIS INDEX (continued)

Group Number	Title
174	Tracheobronchitis, acute
391	Transfusion reaction
160	Transient ischemic attack (TIA)
125	Traumatic cataract
	Treatment
398	Chemotherapy
397	Dialysis
398	Physical therapy
398	Radiotherapy
16	Trichinosis
17	Trichomoniasis
	Tricuspid valve disease — *see Valvular disease*
120	Trigeminal neuralgia
232	Trigonitis
254	Tubal pregnancy
3	Tuberculosis, bone
18	Tuberculosis, late effect
2	Tuberculosis, lung
3	Tuberculosis, nonrespiratory
2	Tuberculosis, respiratory
3	Tuberculous meningitis
363	Twisted ankle
13	Typhus
295	Ulcer, decubitus
192	Ulcer, duodenal
193	Ulcer, duodenal, with hemorrhage or perforation
190	Ulcer, gastric
191	Ulcer, gastric, with hemorrhage or perforation
192	Ulcer, gastrojejunal
193	Ulcer, gastrojejunal, with hemorrhage or perforation
192	Ulcer, peptic, except gastric
193	Ulcer, peptic, except gastric, with hemorrhage or perforation
194	Ulcer, peptic, any site, with obstruction
295	Ulcer, skin
170	Ulcer, varicose, lower extremity
211	Ulcerative colitis
73	Uncontrolled diabetes mellitus
324	Undescended testis
340	Undiagnosed disease
306	Unstable low back
173	Upper respiratory infection, acute, except streptococcal
225	Uremia, except chronic

DIAGNOSIS INDEX (continued)

Group Number	Title
224	Uremia, chronic
229	Ureteral calculus
230	Ureteral disease, except calculus
231	Urethral calculus
234	Urethral disease, except calculus and stricture
233	Urethral stenosis, except congenital
325	Urethral stenosis, congenital
233	Urethral stricture, except congenital
325	Urethral stricture, congenital
234	Urethritis
266	Urethritis, in pregnancy
173	URI
234	Urinary tract infection
266	Urinary tract infection, in pregnancy
57	Uterine fibroma
248	Uterine prolapse
128	Uveitis
247	Vaginal infection
247	Vaginitis, except atrophic and senile
251	Vaginitis, atrophic or senile
314	Valgus deformity, limb
150	Valvular disease, nonrheumatic
136	Valvular disease, rheumatic
172	Varices, esophagus
170	Varicose ulcer of lower extremity
170	Varicose veins of lower extremities
314	Varus deformity, limb
14	VD
14	Venereal disease
11	Venereal wart
308	Vertebrogenic pain syndrome
340	Vertigo
12	Viral encephalitis
18	Viral encephalitis, late effect
7	Viral meningitis
18	Viral meningitis, late effect
11	Viral wart
128	Vitreous abscess
128	Vitreous prolapse
255	Voluntary abortion
207	Volvulus
339	Vomiting

DIAGNOSIS INDEX (continued)

Group Number	Title
262	Vomiting of pregnancy
247	Vulvar infection
247	Vulvitis
11	Warts, viral
6	Whooping cough
92	Withdrawal, alcohol
93	Withdrawal, drug
390	Wound dehiscence, postoperative
389	Wound infection, postoperative
383	Wound infection, posttraumatic
	Wound, open — *see Laceration*
12	Yellow fever